



**Pipeline and Hazardous
Materials Safety Administration**

**The U.S. Department of Transportation
Competent Authority for the United States**

CLASSIFICATION OF EXPLOSIVES

Based upon a request by Hop Kee Pyromagic Ltd., RM 2104-6 Alliance Building, 133 Connaught Road Central, Central, Hong Kong the following items are classed in accordance with § 173.56, Title 49, Code of Federal Regulations. A copy of your application, all supporting documentation and a copy of this approval must be retained and made available to DOT upon request. This Competent Authority Approval only authorizes devices that comply with the APA 87-1 Standard, incorporated by reference per § 171.7(a)(3). For renewal, please refer to § 107.705(c). Each application for renewal must contain a certification by the applicant that the explosive device for which renewal is being requested is produced by the same manufacturer(s) and is identical to the originally approved device in size, construction, weight and chemical composition and continues to comply with the APA 87-1 Standard.

U.N. PROPER SHIPPING NAME AND NUMBER:

Fireworks, UN0336

U.N. CLASSIFICATION CODE: 1.4G

**REFERENCE
NUMBER**

EX2007110237

PRODUCT DESIGNATION / PART NUMBER

HK119-1.4G Missile Series; 0457-CELLO Whistling Missile (Sky Missile); FB1006 Sky Banger; FB102 10" Warhawk Missile; FB103 12" Warhawk Missile; FB104 7" Warhawk Missile; FB105 Delta Missile; HFM-003 12" Star Chaser; HFM-010 10" Cloud Cruiser; HFM-012 #2 H-Wing Missile; HFM-013 #4 H-Wing Missile; HFM-014 #6 H-Wing Missile; HFM-015 #8 H-Wing Missile; SF-215 10" Mobster Missile; SF-216 12" ELTORRO MISSILE; SF-262 Missile Strikers; SF-568 12" Warpath Missile; SF-569 10" Mississippi Gambler Ace's High; SF-570 10" Alien Missile; SF-571 12" Viking Missile; SF-670 Heat Seeker Missile; T0572 CELL Gemini w/Whistle - cello; T0573 Jupiter W/Whistle; T0574 Saturn Missile No.3; T0575 Mars Missile No.4; KAR-415 10' Challenger Missile; KAR-417 7' Challenger Missile; KAR-419 Battle Star Missile

Notes: This approval as revised supersedes all previous versions.

DATED: 04/23/2011

A handwritten signature in blue ink that reads "Harpreet K. Singh". The signature is written in a cursive style and is positioned above the typed name.

For Dr. Magdy El-Sibaie
Associate Administrator for Hazardous Materials Safety