

Core – Table of Contents

- | | |
|------------|------------------------------------|
| I | Plan Introduction Elements |
| II | Core Plan Elements |
| III | Training / Exercise Program |
| IV | Forms |

Section I – Table of Contents

I-1	Purpose and Scope of Plan Coverage
I-2	Regulatory Compliance
I-3	General Facility Identification Information
I-4	Management Certification
I-5	Consistency with NCP and ACPs
I-6	Plan Implementation, Review and Update Procedures
I-7	Glossary/Acronyms

Sec. I-1 Purpose and Scope of Plan Coverage

This Integrated Contingency Plan (ICP) is designed to follow the National Response Team's (NRT) Integrated Contingency Plan Guidance (Federal Register # 61: 28641-28664). This ICP is a mechanism to consolidate multiple plans that the Company is required to maintain throughout the United States.

The purpose of this Plan is to help Facility personnel prepare for and respond quickly and safely to a spill incident originating at the Facility. The Plan's primary purpose is to ensure an effective, comprehensive response and prevent injury or damage to company employees, the public and the environment.

The specific objectives of the Plan are to:

- Define alert and notification procedures to be followed when a spill incident occurs.
- Document equipment, manpower and other resources available to assist with a spill incident response.
- Describe an oil spill response team, assign individuals to fill the positions on the team, and define the roles and responsibilities of team members.
- Define organizational lines of responsibility to be adhered to during a spill incident response.
- Outline response procedures and techniques to be used during a spill incident.
- Provide guidelines for handling a spill response operation.

The Company ICP Core contains information applicable to the following entities:

- Phillips 66 (previously associated with ConocoPhillips),
- Phillips 66 Company (previously associated with ConocoPhillips Company),
 - Chisholm Pipeline Company,
 - WestTex 66 Pipe Line Company,
 - Phillips 66 Pipeline LLC (previously ConocoPhillips Pipe Line Company; Phillips Pipe Line Company merged with Tosco Pipeline Company and Union Pipeline Company and then with Conoco Pipeline Company to form ConocoPhillips Pipe Line Company.)
 - Lake Charles Pipe Line Company
 - Heartland Pipeline Company
 - Yellowstone Pipe Line Company
 - Pioneer Investment Corp.
 - Pioneer Pipe Line company
 - Salt Lake Terminal Company
 - 66 Pipe Line Company
 - Phillips Texas Pipeline Company, LTD.

Herein out everything is referred to Phillips 66 Company and will be referred to throughout this plan as the "Company".

Sec. I-2 Regulatory Compliance

This ICP is based on the National Incident Management System (NIMS) and the Incident Command System (ICS). This plan utilizes the standard format guidance provided for by the National Response Team. For the purposes of this plan the following federal agencies and their corresponding regulatory requirements are included in the plan.

The plan is intended to satisfy the requirements of regulatory agencies mandating written procedures to address planning and response to emergencies, including:

✓	U.S. Environmental Protection Agency's (EPA) Oil Pollution Prevention Regulations, 40 CFR, Part 112, that requires a Non-Transportation Related Facility Response Plan.
✓	The Department of Transportation's (DOT) regulations as defined in 49 CFR 192.615, 194, 195.402 and similar regulations issued by the state agencies.
✓	U.S. Coast Guard, 33 CFR, Part 154
✓	The National Contingency Plan and applicable Area Contingency Plans.
✓	OSHA's 29 CFR 1910.
✓	Applicable State and Local requirements
✓	Oil Pollution Act of 1990 (OPA 90).
✓	Company has opted to follow the PREP Guidelines for exercise/drilling purposes.

Sec. I-2.1 Interface With Other Plans

This Plan has been prepared in accordance with the National Oil and Hazardous Substances Pollution Contingency Plan (NCP). The NCP provides for an organized and coordinated response by Federal agencies to discharges and threats of discharge of oil into the environment if the responsible party's response actions are improper or insufficient.

The NCP calls for a system of regional and local contingency plans. Regional and local agencies subsequently developed Area Contingency Plans (ACPs) that conform to the NCP. Both the NCP and the respective ACP are used to provide a framework for liaison and assistance during an oil spill response. This liaison may be in part or in full depending on the necessary level of Federal, State or Local agency involvement.

OPA '90 regulations stipulate that EPA-regulated facilities review Emergency Response Plans annually to insure conformance with the applicable ACP [30 CFR 112.20(g)(2)]. DOT regulated facilities are required to review and certify compliance with the applicable ACP every five years [49 CFR 194.121(a)]. Inconsistencies are corrected prior to compliance certification. Conformance is reviewed and certified by Company staff at headquarters.

Area Contingency Plans have been renamed as Regional Integrated Contingency Plans (RICP). RICPs can be found by EPA Region at the following U.S. National Response Team website: www.nrt.org.

The major agencies, and their contingency plans and responsibilities, are discussed below.

National Response Team (NRT): consists of representatives of primary and advisory Federal agencies. It serves as the national body for planning and preparedness, including recommending revisions to the NCP. The NRT may be activated in the event of a pollution incident, which exceeds the response capabilities of the Regional Response Team.

Regional Response Team (RRT): consists of representatives from selected Federal and State agencies and is the regional body responsible for planning and preparedness. The RRT functions as an emergency advisory and assistance team to the Federal On Scene Coordinator.

Federal On-Scene Coordinator (FOSC): the USCG provides the FOSC for oil spills occurring in the coastal zone and on inland navigable waterways. The EPA acts as FOSC in other inland areas. A Memorandum of Understanding for each region defines federal jurisdiction boundaries between the USCG and EPA. The FOSC has developed a Federal, Local Contingency Plan for each zone of responsibility.

Sec. I-3 General Facility Identification Information

Each geographic area and type of operations has its own unique challenges. In the guidance provided for by the National Response Teams ICP format all geographic specific operations and their corresponding regulatory requirements are found in the appropriate ICP Geographical Annexes to this plan. The corresponding facility specific information will also be found in the applicable ICP Geographical Annex.

Required emergency response notifications will be made during any emergency response operation. Refer to the Annex Notification Section located in this plan for contact information.

Emergency response operations involve actions taken at, or in close proximity to, the site of an incident that are designed to mitigate the situation, establish unified command and control over the incident, ensure the safety of responders and general public, develop plans of action, and facilitate communications. Emergency response operations also include actions taken away from the incident scene to support on-scene response operations, facilitate planning, address the concerns of external parties, and manage the financial aspects of response operations.

This plan demonstrates the potential response capabilities available by the Company to respond to any product release within the United States. It is not a guarantee of what will occur or the equipment/deployment sequencing that will be used in an actual spill event. Nothing in this plan is intended to limit the discretion of Company employees to select any sequence of actions or to take whatever time they deem necessary to maximize the effectiveness of the response, consistent with safety considerations.

This plan represents a planning standard but is not and should not be regarded as a performance guarantee. Response operations in any spill event will be tailored to meet the actual circumstances.

This response plan contains information applicable to the Company. This plan applies to emergency response operations carried out by the on-site field personnel and the Emergency Response Team. This plan applies to any type or size of incident that may occur within the United States.

The plan contains prioritized procedures for personnel to follow in the event of a release or other emergency situation involving Company assets.

Sec. I-4 Management Certification**MANAGEMENT CERTIFICATION**


This plan is approved for implementation as herein described. Manpower, equipment and materials will be provided in accordance with all applicable regulatory requirements. The Company is dedicated to protection of the environment and commits to implement the necessary measures, as specified in this Plan, as necessary in a spill response emergency.

In addition to any OSRO and non-company resources listed in this Plan, the necessary personnel and equipment resources, owned or operated by the Company, are available to respond to a discharge within appropriate response times.

This plan has been prepared in accordance to and is consistent to the National Contingency Plan and the applicable Area Contingency Plan(s) for the business units covered by this plan.

This plan represents a planning standard, but is not and should not be regarded as a performance guarantee. Response operations in any incident will be tailored to meet the actual circumstances.

CERTIFICATION SIGNATURE:



SIGNATURE

Rob Yarbrough
PRINTED NAME

Director, Emergency Preparedness, Response & Security
TITLE

March 2012
DATE

Sec. I-5 Consistency with NCP and ACPs

This ICP has been prepared and is maintained in accordance with the policies and information contained in the National Contingency Plan (NCP) as well as in the applicable Area Contingency Plans and their corresponding geographically specific requirements.

Areas of concern regarding consistency with NCP, and ACP's:


•	Identification of environmentally and economically sensitive areas potentially impacted by a spill
•	Descriptions of Company's response strategies and responsibilities
•	Integration of Company's response efforts with those of the federal, state and local agencies

Response Zone	Applicable ACPs
Louisiana Response Zone (74)	EPA Region 6 Regional Intergraded Contingency Plan; USCG One Gulf Plan, MSO Port Arthur GRP and MSO New Orleans GRP
Texas Response Zone (75)	EPA Region 6 Regional Intergraded Contingency Plan; USCG One Gulf Plan, MSO Houston/Galveston GRP
Montana and Wyoming Response Zone (128)	EPA Region 8 Regional Contingency Plan; Clark Fork and Flathead Basin, Montana Sub-ACP; EPA Region 10 Northwest ACP
Kansas Response Zone (546)	EPA Region 7 Intergraded Contingency Plan
Oklahoma Response Zone (547)	EPA Region 6 Regional Intergraded Contingency Plan
Missouri Response Zone (551)	EPA Region 7 Intergraded Contingency Plan; EPA Greater St. Louis Sub-ACP
Illinois Response Zone (946)	EPA Region 5 Regional Intergraded Contingency Plan; EPA Greater St. Louis Sub-ACP; MSO Chicago ACP
Colorado Response Zone (953)	EPA Region 8 Regional Contingency Plan
California Response Zone (1277)	USCG 2000 ACP Los Angeles/Long Beach; USCG 2000 ACP for the California North Coast, San Francisco Bay and Delta, Central Coast; EPA Region 9 Mainland Regional Contingency Plan
East Washington Response Zone Plan (132)	EPA Region 10-Regional Contingency Plan; Northwest ACP

CPPL U.S. PIPELINES DIVISION MAP


CPPL DIVISIONS LEGEND

- WEST COAST
- BILLINGS
- EAST/GULF
- AMARILLO
- CENTRAL



U.S. Pipelines & Facilities LEGEND


- REFINED PRODUCTS (OWNED & OPERATED)
- - - REFINED PRODUCTS (JOINTLY OWNED/OPERATED)
NOTE: BORGER TO DENVER PRODUCTS IS JOINTLY OWNED AND OPERATED
- NATURAL GAS PIPELINES (OWNED & OPERATED)
- NGL/LPG PIPELINES (OWNED & OPERATED)
- - - NGL/LPG PIPELINE (JOINTLY OWNED/OPERATED)
- CRUDE PIPELINES (OWNED & OPERATED)
- PETROCHEMICAL PIPELINES (TEXAS GULF COAST)
- IDLE PIPELINES
- REFINERIES
- TERMINALS



CPPL U.S. TERMINALS DIVISION MAP


CPPL DIVISIONS LEGEND

- ■ ■ ■ WEST COAST
- ■ ■ ■ BILLINGS
- ■ ■ ■ EAST/GULF
- ■ ■ ■ AMARILLO
- ■ ■ ■ CENTRAL



U.S. Pipelines & Facilities LEGEND

- REFINED PRODUCTS (OWNED & OPERATED)
- - - REFINED PRODUCTS (JOINTLY OWNED/OPERATED)
NOTE: BORGER TO DENVER PRODUCTS IS JOINTLY OWNED AND OPERATED
- NATURAL GAS PIPELINES (OWNED & OPERATED)
- NGL/LPG PIPELINES (OWNED & OPERATED)
- - - NGL/LPG PIPELINE (JOINTLY OWNED/OPERATED)
- CRUDE PIPELINES (OWNED & OPERATED)
- - - PETROCHEMICAL PIPELINES (TEXAS GULF COAST)
- - - IDLE PIPELINES
- REFINERIES
- TERMINALS



Sec. I.6 Plan Implementation, Review and Update Procedures

Sec. I-6.1 Plan Implementation

This section outlines initial response procedures and implementation upon notification of a release. The Plan and the Facility's Spill Response Team become effective immediately upon notification of any type of spill, leak or emergency situation occurring at the Facility.

The specific action taken to control, contain and clean up a spill will vary with the type of oil spilled, and type of incident that has occurred. The incident commander will analyze the situation and exercise good judgment in formulating the best action plan for the type of incident that occurs. For initial Emergency Response Actions, see section 1.

This plan shall also be implemented in times of natural disasters (i.e., earthquakes, floods, tornadoes, hurricanes, etc.) as well as incidents involving civil unrest or terrorism, which could potentially adversely impact a Company asset resulting in the release of oil or highly volatile liquids. Each Incident Commander, in consultation with the incident command structure, shall be responsible to take any necessary action to minimize the impact that a natural disaster might have on a Company asset. Precautionary measures will be taken, as deemed appropriate by the Incident Commander, in consultation with the incident command structure, to prevent a release. The Commander will consider population, environmentally sensitive areas, pipeline or facility system design, and operating and maintenance practices when determining what precautionary measures to implement. These precautionary measures may include increasing patrols on pipelines, decreasing operating pressures, or shutting in lines, etc.

Sec. I-6.2 Plan Review and Update Procedures

Reviewing and updating this Plan shall be the responsibility of the Facility Manager. Revisions to the Plan may result from: 1) scheduled annual reviews; 2) as a result of conducting formal drills and training exercises; 3) from a response to an accidental discharge; 4) a change in the facility's configuration that materially alters the information included in the response plan; and 5) a material change at the facility (or with a contracted OSRO) which alters the required response capabilities and/or resources. All revisions to the Plan shall be distributed to all Plan holders. In addition, any material or significant changes at the facility that mandate a change in this Plan as described in pages 3, 4 and 5 of this Section shall be submitted to the appropriate regulatory agency. The following sections outline the procedures to be followed to ensure that the Plan is periodically reviewed and updated so that the Plan remains current and functional.

Plan revisions or amendments may be generated as a result of the annual and review process, or by a post drill/post discharge review as discussed above. If new or different operating conditions or information is determined to substantially affect the implementation of this Plan, the Facility Manager shall immediately modify this Plan to address such a change. Within 30 days of changes in the Record Copy of the Plan, revisions and amendments will be submitted to the appropriate Federal and State Agencies listed in this Plan. In addition, the Facility Manager will ensure all revisions and amendments are provided to each Plan holder for incorporation into his/her Plan. Applicable Agency (DOT, EPA & USCG) regulatory language is included below to assist with determining conditions and timeframes for various Agency plan revisions and submittals.

USCG Plan Revisions

A facility owner or operator must review his or her response plan(s) annually. This review shall incorporate any revisions to the plan, including listings of fish and wildlife and sensitive environments identified in the ACP in effect 6 months prior to plan review.

For an MTR facility, this review must occur within one month of the anniversary date of COTP approval of the plan. For an MTR facility identified as a “substantial harm facility” this review must occur within 1 month of the anniversary date of submission of the plan to the COTP.

The facility owner or operator shall submit any revision(s) to the response plan to the COTP and all other holders of the response plan for information or approval, as appropriate.

- Along with the revisions, the facility owner or operator shall submit a cover letter containing a detailed listing of all revisions to the response plan.
- If no revisions are required, the facility owner or operator shall indicate the completion of the annual review on the record of changes page.
- The COTP will review the revision(s) submitted by the owner or operator and will give written notice to the owner or operator of any COTP objection(s) to the proposed revisions within 30 days of the date the revision(s) were submitted to the COTP. The revisions shall become effective not later than 30 days from their submission to the COTP unless the COTP indicates otherwise in writing as provided in this paragraph. If the COTP indicates that the revision(s) need to be modified before implementation, the owner or operator will modify the revision(s) within the time period set by the COTP.

Any required revisions must be entered in the plan and noted on the record of changes page.

The facility owner or operator shall submit revisions to a previously submitted or approved plan to the COTP and all other holders of the response plan for information or approval within 30 days, whenever there is:

- A change in the facility's configuration that significantly affects the information included in the response plan;
- A change in the type of oil (petroleum oil group) handled, stored or transported that affects the required response resources;
- A change in the name(s) or capabilities of the oil spill removal organization;
- A change in the facility's emergency response procedures;
- A change in the facility's operating area that includes ports or geographic area(s) not covered by the previously approved plan. A facility may not operate in an area not covered in a plan previously submitted or approved, as appropriate, unless the revised plan is approved or interim operating approval is received;
- Any other changes that significantly affect the implementation of the plan.

Revisions to personnel and telephone number lists included in the response plan do not require COTP approval. The COTP and all other holders of the response plan shall be advised of these revisions and provided a copy of the revisions as they occur.

The COTP may require a facility owner or operator to revise a response plan at any time as a result of a compliance inspection if the COTP determines that the response plan does not meet the requirements or as a result of inadequacies noted in the response plan during an actual pollution incident at the facility.

EPA Plan Revisions

The owner or operator of a facility for which a response plan is required shall revise and resubmit revised portions of the response plan within 60 days of each facility change that materially may affect the response to a worst case discharge, including:

- A change in the facility's configuration that materially alters the information included in the response plan;
- A change in the type of oil handled, stored or transferred that materially alters the required response resources;
- A material change in capabilities of the oil spill removal organization(s) that provide equipment and personnel to respond to discharges of oil;
- A material change in the facility's spill prevention and response equipment or emergency response procedures; and
- Any other changes that materially affect the implementation of the response plan.

For EPA-associated ERP's, amendments to personnel and telephone number lists included in the response plan and a change in the oil spill removal organization(s) that does not result in a material change in support capabilities do not require approval by the Regional Administrator. Facility owners or operators shall provide a copy of such changes to the Regional Administrator as the revisions occur.

DOT Plan Revisions

Each operator shall review its response plan at least every 5 years from the date of submission and modify the plan to address new or different operating conditions or information included in the plan.

If a new or different operating condition or information would substantially affect the implementation of a response plan, the operator must immediately modify its response plan to address such a change and, within 30 days of making such a change, submit the change to RSPA.

Examples of changes in operating conditions that would cause a significant change to an operator's response plan are:

- An extension of the existing pipeline or construction of a new pipeline in a response zone not covered by the previously approved plan;

- Relocation or replacement of the pipeline in a way that substantially affects the information included in the response plan, such as a change to the worst case discharge volume;
- The type of oil transported, if the type affects the required response resources, such as a change from crude oil to gasoline;
- The name of the oil spill removal organization;
- Emergency response procedures;
- The qualified individual;
- A change in the NCP or an ACP that has significant impact on the equipment appropriate for response activities; and
- Any other information relating to circumstances that may affect full implementation of the plan.

In addition, per 49 CFR 194.107 (c)(1)(x) and 194.121 (a)(2), Company will review and re-submit this Plan to the U.S. DOT Office of Pipeline Safety for approval every 5 years from the last Plan approval date.

Sec. I-7 Glossary/Acronyms

Term	Definition
A	
Absorbent Material	Any of several materials designed to absorb oil, both hydrocarbon and non-hydrocarbon.
Access/Staging Areas	Designated areas offering access to spill sites for the gathering and deployment of spill response equipment and personnel.
Adverse Weather	The weather conditions that will be considered when identifying response systems and equipment in a response plan for the applicable operation environment. Factors to consider include significant wave height, ice, temperature, weather-related visibility, and currents within the Captain of the Port (COTP) zone in which the systems or equipment are intended to function.
Agency Representative	Individual assigned to an incident from an assisting or cooperating agency that has been delegated full authority to make decisions on all matters affecting his/her agency's participation at the incident.
Air Operations Branch Director	The person primarily responsible for preparing and implementing the air operations portion of the Incident Action Plan. Also responsible for providing logistical support to helicopters assigned to the incident.
Alert	Means an incident has occurred at the terminal that has the potential to affect off-site locations.
Allocated Resources	Resources dispatched to an incident.
Alteration	Any work on a tank or related equipment involving cutting, burning, welding, or heating operations that changes the physical dimensions or configuration of a tank.
Area	The geographic area for which a separate and distinct Area Contingency Plan has been prepared as described in the Oil Pollution Act of 1990. For EPA Areas with sub-area plans or annexes to the Area Contingency Plan, the EPA Regional Administrator will decide which sub-area is to be exercised within the triennial cycle.
Area Committee (AC)	Area Committees are those committees comprised of Federal, State and Local officials, formed in accordance with Section 4202 of the Oil Pollution Act of 1990, whose task is to prepare an Area Contingency Plan for the Area for response to a discharge of oil or hazardous substance.
Area Spill Management Team	The Area Spill Management Team is the group of individuals within the Coast Guard or EPA OSC organization with responsibility for spill response management within the respective Area.

Term	Definition
A (Cont'd)	
Assigned Resources	Resources checked-in and assigned work tasks on an incident.
Assignments	Tasks given to resources to perform within a given operational period, based upon tactical objectives in the Incident Action Plan.
Assistant	Title for subordinates of the Command Staff positions. The title indicates a level of technical capability, qualifications, and responsibility subordinate to the primary positions. Assistants may also be used to supervise unit activities at camps.
Assisting Agency	An agency directly contributing tactical or service resources to another agency.
Available Resources	Incident-based resources that are immediately available for assignment.
Average Most Probable Discharge	(Small Oil Spill) – The size of the discharge as defined in 33 CFR 154.1020 (a discharge of the lesser of 50 barrels or 1 percent of the volume of the worst case discharge), 33 CFR 155.1020 (a discharge of 50 barrels of oil from the vessel during oil transfer operations) – (for Coast Guard regulated facilities & vessels); for EPA, the tiered planning quantity of 2,100 gallons or less, provided this amount is less than the worst case discharge; for PHMSA and BOEMRE, the size of the discharge as defined in each agency's respective regulations, as appropriate; and the size of the discharge as defined in the respective Area Contingency Plan.
B	
Barrel	Measure of space occupied by 42 U.S. gallons at 60 degrees Fahrenheit.
Base	The location as which the primary logistics functions are coordinated and administered. The Incident Command Post may be collocated with the base. There will only be one base per incident.
Boom	Any number of specially designed devices that float on water and are used to contain or redirect the flow of oil on the waters surface.
Boom Deployment	The methodology for installing boom based on differing water depths, currents, wave heights, etc.
Booming Strategies	Techniques which identify the location, quantity, and type of boom required to protect differing water bodies and their shore lines. These strategies are developed by identifying potential spill scenarios and assuming certain conditions which affect oil movement on water.

Term	Definition
B (Cont'd)	
Branch	The organizational level having functional/geographic responsibility for major incident operations. The Branch level is organizationally between Section and Division/Group in the Operations Section, and between Section and Units in the Logistics Section.
C	
Cache	A pre-determined complement of tools, equipment, and/or supplies stored in a designated location, and available for incident use.
Camp	A geographical site, within the general incident area, separate from the base, equipped and staffed to provide sleeping areas, food, water, and sanitary services to incident personnel.
Captain of the Port Zone (COTP)	Refers to a zone specified in 33 CFR Part 3 and the seaward extension of that zone to the outer boundary of the exclusive economic zone (EEZ).
CERCLA	The Comprehensive Environmental Response, Compensation Liability Act regarding hazardous substance releases into the environment and the cleanup of inactive hazardous waste disposal sites.
Certification	The act of confirming that an exercise: 1) was completed, 2) met the required objectives, and 3) was evaluated to determine effectiveness of the response plan based on exercise performance.
Check-In	The process whereby resources first report to an incident response. Check-in locations include: Incident Command Post (Resources Unit), Incident Base, Camps, Staging Areas, Heli-bases and Division/Group Supervisors (for direct line assignments).
CHEMTREC	Chemical Transportation Emergency Center which provides information and/or assistance to emergency responders. Can be reached 24 hours a day by calling 800-424-9300.
Chief	The ICS title of individuals responsible for command of functional sections: Operations, Planning, Logistics, and Finance/Administration.
Clean-up	For the purposes of this document, clean-up refers to the removal and/or treatment of oil, hazardous substances, and/or the waste or contaminated materials generated by the incident. Clean up includes restoration of the site and its natural resources.

Term	Definition
C (Cont'd)	
Clean-Up Contractor	Non-company person contractually engaged to respond and clean up an oil spill.
Clear Text	The use of plain English in radio communications transmissions. No Ten Codes nor agency specific codes are used when using Clear Text.
Coastal Waters	All tidally influenced waters extending from the head of tide seaward to the three marine league limit of state jurisdiction; and non-tidally influenced waters extending from the head of tide in the arms inland to the point at which navigation by regulated vessels is naturally or artificially obstructed.
Command	The act of directing, ordering, and/or controlling resources by virtue of explicit legal, agency, or delegated authority. May also refer to the Incident Command/Unified Command.
Command Post	A site located in the cold zone where response decisions and activities can be planned, coordinated, and managed. The Incident Commander and regulatory On-Scene Coordinator(s) may operate from this location.
Command Staff	It consists of the Information Officer, Safety Officer and Liaison Officer, who report directly to the Incident Commander. They may have an assistant or assistants, as needed.
Communication Equipment	Equipment that will be utilized during response operations to maintain communication between employees, contractors, Federal/State/Local agencies. (Radio/telephone equipment and links).
Communications Unit	A vehicle (trailer or mobile van) used to provide the major part of an incident Communications Center.
Company Away Team	Volunteer Emergency Tier II Responders
Complex	A facility possessing a combination of transportation-related and non-transportation-related components that is subject to the jurisdiction of more than one Federal agency under Section 311(j) of the CWA.
Containment Boom	A flotation/freeboard device, made with a skirt/curtain, longitudinal strength member, and ballast unit/weight designed to entrap and contain the product for recovery.
Contamination Reduction Zone	The area between the contaminated zone and the clean zone. This area is designed to reduce the probability that can clean zone will become contaminated. Also known as the warm zone.
Contingency Plan	A document used by (1) Federal, State, and Local agencies to guide ties planning and response procedures regarding spill of oil, hazardous substances, or other emergencies; (2) a document used by industry as a response plan to spills of oil, hazardous substances, or other emergencies occurring upon their vessels or at their facilities.

Term	Definition
C (Cont'd)	
Contract or Other Approved Means	<ol style="list-style-type: none"> 1. A written contractual agreement with a response contractor. The agreement should identify and ensure the availability of the specified personnel and equipment described under this plan within stipulated response times in the specified geographic areas; 2. Certification by the facility owner or operator that the specified personnel and equipment described under this plan are owned, operated, or under the direct control of the facility owner or operator, and are available within the stipulated times in the specified geographic areas; 3. Active membership in a local or regional oil spill removal organization that has identified specific personnel and equipment described under this plan that are available to respond to a discharge within stipulated times in the specified geographic areas; 4. A document which: <ol style="list-style-type: none"> a) Identifies the personnel, equipment, services, capable of being provided by the response contractor within stipulated response times in specified geographic areas; b) Sets out the parties' acknowledgment that the response contractor intends to commit the resources in the event of a response; c) Permits the Coast Guard to verify the availability of the response resources identified through tests, inspections and drills; and d) Is incorporated by reference in the response plan; or 5. With the written consent of the response contractor or the oil spill removal organization, the identification of a response contractor or oil spill removal organization with specified equipment and personnel which are available within stipulated response times in specific geographic areas: <ol style="list-style-type: none"> a) For a facility that could reasonably be expected to cause substantial harm to the environment; b) For a facility that handles, stores, or transports Group V petroleum oil; and c) For a facility that handles, stores, or transports non-petroleum oil.
Cooperating Agency	An agency supplying assistance other than direct tactical, support, or service functions or resources to the incident control effort (e.g., Red Cross, telephone company, etc.).

Term	Definition
C (Cont'd)	
Cost Unit	Functional unit within the Finance/Administration Section responsible for tracking costs, analyzing cost data, making cost estimates, and recommending cost-saving measures.
Critical Areas	Areas which, if impacted by a spill, may result in threats to public health and/or safety.
Crude Oil	Any liquid hydrocarbon mixture occurring naturally in the earth, whether or not treated to render it suitable for transportation, and includes crude oil from which certain distillate fractions may have been removed and crude oil to which certain distillate fractions may have been added.
Cultural Resources	Current, historic, prehistoric, and archaeological resources which include deposits, structures, sites, ruins, buildings, graves, artifacts, fossils, or other objects of antiquity which provide information pertaining to historical or prehistoric culture of people as well as the natural history of the state.
D	
Damage Assessment	The process of determining and measuring damages and injury to the human environment and natural resources, including cultural resources. Damages include differences between the conditions and use of natural resources and the human environment that would have occurred without the incident, and the conditions and use that ensued following the incident. Damage assessment includes planning for restoration and determining the costs of restoration.
Decontamination	The removal of hazardous substances from personnel and equipment necessary to prevent adverse health effects.
Deputy	A fully qualified individual who, in the absence of a superior, could be delegated the authority to manage a functional operation or perform a specific task. In some cases, a Deputy could act as relief for a superior, and, therefore, must be fully qualified in the position. Deputies can be assigned to the Incident Commander, General Staff, and Branch Directors.
Demobilization Unit	Functional unit within the Planning Section responsible for assuring orderly, safe and efficient demobilization of incident resources.
Director	The ICS title for individuals responsible for supervising a Branch.
Discharge	Any spilling, leaking, pumping, pouring, emitting, emptying, or dumping.
Discharge Clean-up Organization	A corporation, proprietorship, partnership, company organization, or association that has, as its primary function, engaged itself in the response to, clean up, and removal of spills of oil or hazardous substance.

Term	Definition
D (Cont'd)	
Dispatch	To move resources from one place to another.
Dispatch Center	A facility from which resources are directly assigned to an incident.
Dispersants	Those chemical agents that emulsify, disperse, or solubilize oil into the water column or promote the surface spreading of oil slicks to facilitate dispersal of the oil into the water column.
Diversion Boom	A flotation/freeboard device, made with a skirt/curtain, longitudinal strength member, and ballast unit/weight designed to deflect or divert floating product towards a pick up point or away from certain areas.
Division	The organization level having responsibility for operation within a defined geographic area or with functional responsibility. The Division level is organizationally between the Task Force/Strike Team and the Branch.
Documentation Unit	Functional unit within the Planning Section responsible for collecting, recording and safeguarding all documents relevant to the incident.
Duty Officer	company support designed to provide communication assistance to the Incident Commander.
E	
Emergency Planning Zone	The area designated by the jurisdiction boundaries of those communities that are within a radial distance of one-half mile from the terminal.
Emergency Medical Technician (EMT)	A health-care specialist with particular skills and knowledge in pre-hospital emergency medicine.
Emergency Operations Center (EOC)	A pre-designated facility established by an agency or jurisdiction to coordinate the overall agency or jurisdictional response and support to an emergency response.
Emergency Response	The response to any occurrence that results, or is likely to result in a release of a hazardous substance due to an event.
Emergency Service	Those activities provided by the state and local government to prepare for and carry out any activity to prevent, minimize, respond to, or recover from an emergency.
Environmentally Sensitive Areas (ESA)	Streams and water bodies, aquifer recharge zones, springs, wetlands, agricultural areas, bird rookeries, endangered or threatened species (flora and fauna) habitat, wildlife preserves or conservation areas, parks, beaches, dunes, or any other area protected or managed for its natural resource value.
Equipment Activation	The movement, staging, deployment and/or operation of response equipment as determined by the plan holder in consultation with the exercise design team.
Equipment Deployment Exercise	An equipment deployment exercise is an exercise where response equipment is deployed to a specific site and operated in its normal operating medium.

Term	Definition
E (Cont'd)	
Estuary	Unique environment at the mouth of coastal rivers where fresh water and sea water meet, providing important habitat for marine life, birds, and other wildlife.
Exclusion Zone	The area where contamination does or may occur.
Exclusive Economic Zone	The zone contiguous to the territorial sea of the United States extending to a distance up to 200 nautical miles from the baseline from which the breadth of the territorial sea is measured.
Exercise Design Team	A team comprised of federal, state and industry representatives with responsibility for designing an Area Exercise. The exercise design team is charged with working with the lead plan holder to develop the scope, parameters and exercise scenario, although the lead plan holder retains the final decision on these.
F	
Facilities Unit	Functional unit within the Support Branch of the Logistics Section that provides fixed facilities for the incident. These facilities may include the Incident Base, feeding areas, sleeping areas, sanitary facilities, etc.
Facility	Any pipeline, structure, equipment, or device used for handling oil including, but not limited to, underground and aboveground storage tanks, impoundments, mobile or portable drilling or workover rigs.
Facility That Could Reasonably Be Expected to Cause Significant and Substantial Harm	Any fixed MTR on-shore facility (including piping and any structures that are used for the transfer of oil between a vessel and a facility) that is capable of transferring oil, in bulk, to or from a vessel of 250 barrels or more, and a deepwater port. This also includes any facility specifically identified by the COTP.
Facility That Could Reasonably Be Expected to Cause Substantial Harm	Any mobile MTR facility that is capable of transferring oil to or from a vessel with a capacity of 250 barrels or more. This also includes any facility specifically identified by the COTP.
Federal On-Scene Coordinator (FOSC)	The pre-designated Federal On-Scene Coordinator operating under the authority of the National Contingency Plan (NCP).
Finance / Administration Section	The Section responsible for all incident costs and financial considerations. Includes the Time Unit, Procurement Unit, Compensation/Claims Unit and Cost Unit.
First Responders, First Response Agency	A public health or safety agency (i.e., fire service or police department) charged with responding to a spill during the emergency phase and alleviating immediate danger to human life, health, safety, or property.

Term	Definition
F (Cont'd)	
Fish and Wildlife and Sensitive Environments	Areas that may be identified by either their legal designation or by evaluations of Area Committees (for planning) or members of the Federal On-Scene Coordinator's spill response structure (during responses). These areas may include wetlands, National and State parks, critical habitats for endangered/threatened species, wilderness and natural resource areas, marine sanctuaries and estuarine reserves, conservation areas, preserves, wildlife areas, wildlife refuges, wild and scenic rivers, recreational areas, national forests, Federal and State lands that are research national areas, heritage program areas, land trust areas, and historical and archeological sites and parks. These areas may also include unique habitats such as aquaculture sites and agricultural surface water intakes, bird nesting areas, critical biological resource areas, designated migratory routes, and designated seasonal habitats.
Food Unit	Functional unit within the Service Branch of the Logistics Section responsible for providing meals for incident personnel.
Function	In ICS, function refers to the five major activities in the ICS, i.e., Command, Operations, Planning, Logistics, and Finance/Administration. The term function is also used when describing the activity involved, e.g., "the planning function."
G	
General Emergency	An incident has occurred and the affected community is implementing protective actions.
General Staff	The group of incident management personnel comprised of: Incident Commander, Operations Section Chief, Planning Section Chief, Logistics Section Chief, and Finance/Administration Section Chief.
Geographic Information System (GIS)	An electronic information system that provides a geo-referenced data base to support management decision-making.
Geographic Response Site (GRS)	Emergency planning/response geographical site.
Ground Support Unit	Functional unit within the Support Branch of the Logistics Section responsible for fueling, maintaining, and repairing vehicles, and the ground transportation of personnel and supplies.
Group	Groups are established to divide the incident into functional areas of operation. Groups are composed of resources assembled to perform a special function not necessarily within a single geographic division. (See Division.) Groups are located between Branches (when activated) and Single Resources in the Operations Section.

Term	Definition
H	
Handle	To transfer, transport, pump, treat, process, store, dispose of, drill for, or produce.
Harmful Quantity of Oil	The presence of oil from an unauthorized discharge in a quantity sufficient either to create a visible film or sheen or discoloration upon water, shoreline, tidal flat, beach, or marsh, or to cause a sludge or emulsion to be deposited beneath the surface of the water or on a shoreline, tidal flat, beach, or marsh.
Hazardous Chemicals	All chemicals that constitute a physical hazard or a health hazard as defined by 29 CFR 1910.1200, with the exceptions listed in section 311(e). This term comprises approximately 90 percent of all chemicals.
Hazardous Material	Any non-radioactive solid, liquid, or gaseous substance which, when uncontrolled, may be harmful to humans, animals, or the environment. Including but not limited to substances otherwise defined as hazardous wastes, dangerous wastes, extremely hazardous wastes, oil, or pollutants.
Hazardous Substance	Any substance designed as such by the Administrator of the EPA pursuant to the Comprehensive Environmental Response, Compensation, and Liability Act, regulated pursuant to Section 311 of the Federal Water Pollution Control Act, or discharged by the TWC.
Hazardous Waste	Any solid waste identified or listed as a hazardous waste by the Administrator of the EPA pursuant to the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act (RCRA), 42 U.S.C., Section 6901, et seq as amended. The EPA Administrator has identified the characteristics of hazardous wastes and listed certain wastes as hazardous in Title 40 of the Code of Federal Regulations, Part 261, Subparts C and D respectively.
Health Hazard	A chemical for which there is statistically significant evidence based on at least one study conducted in accordance with established scientific principles that acute or chronic health effects may occur in exposed employees.
Helibase	A location within the general incident area for parking, fueling, maintaining, and loading helicopters.
Helispot	A location where a helicopter can take off and land. Some helispots may be used for temporary loading.
High Consequence Area (HCA)	Includes commercially navigable waterway, a high population area, other populated area, (which means a place, as defined and delineated by the Census Bureau, that contains a concentrated population, such as an incorporated or unincorporated city, town, village, or other designated residential or commercial area), and an unusually sensitive area, as defined in §195.6

Term	Definition
I	
High Population Area (HPA)	Urbanized area, as defined and delineated by the Census Bureau that contains 50,000 or more people and has a population density of at least 1,000 people per square mile.
Immediate Response Steps	The immediate steps that are to be taken by the spill observer after detection of a spill.
Incident	Any event that results in the spill or release of oil or hazardous materials.
Incident Action Plan (IAP)	Is initially prepared at the first meeting, contains general control objectives reflecting the overall incident strategy, and specific action plans for the next operational period. When complete, the Incident Action Plans will include a number of attachments.
Incident Area	Legal geographical area of the incident including affected area(s) and traffic route(s) to corresponding storage and disposal sites.
Incident Base	See "BASE"
Incident Commander	The individual responsible for managing all incident operations.
Incident Command Post (ICP)	The location at which the primary command functions are executed; may be collocated with the incident base.
Incident Command System	A standardized on-scene emergency management system specifically designed to allow its user(s) to adopt an integrated organizational structure equal to the complexity and demands of single or multiple incidents, without being hindered by jurisdictional boundaries.
Incident Communication Center	The location of the Communications Unit and the Message Center.
Incident Management Handbook (IMH)	The IMH is intended to be used as an easy reference job aid for responders; designed to assist responders in the use of the National Incident Management System (NIMS) Incident Command System (ICS) during response operations.
Company Away Team	Made up of Company volunteers from across North America. Will assist with activation, deployment and integration of the ICS/UCS spill response organization. ICS/UCS Division/Group Leaders are available
Incident Objectives	Statements of guidance and direction necessary for the selection of appropriate strategies, and the tactical direction of resources. Incident objectives are based on realistic expectations of what can be accomplished when all allocated resources have been effectively deployed. Incident objectives must be achievable and measurable, yet flexible enough to allow for strategic and tactical alternatives.
Incident Situation Display	The Situation Unit is responsible for maintaining a display of status boards that communicate critical incident information vital to establishing and maintaining an effective command and control environment.
Incident Support Team (IST)	Company responders.

Term	Definition
I (Cont'd)	
Industry	For the purpose of these guidelines, industry means the oil and hazardous substance industry required to submit response plans and comply with exercise requirements, as specified in appropriate vessel, facility, pipeline, and Outer Continental Shelf platform regulations. The USCG, EPA, RSPA and MMS administer these regulations.
Information Officer (IO)	A member of the Command Staff responsible for providing incident information to the public and news media or other agencies or organizations. There is only one Information Officer per incident. The Information Officer may have assistants.
Initial Clean-up	Remedial action at a site to eliminate acute hazards associated with a spill. An initial clean-up action is implemented at a site when a spill of material is an actual or potentially imminent threat to public health or the environment, or difficulty of cleanup increases significantly without timely remedial action. All sites must be evaluated to determine whether initial cleanup is total cleanup; however, this will not be possible in all cases due to site conditions (i.e., a site where overland transport or flooding may occur).
Initial Notification	The process of notifying necessary company personnel and Federal/State/Local agencies that a spill has occurred, including all pertinent available information surrounding the incident.
Injury	A measurable adverse change, either long- or short-term, in the chemical or physical quality of the viability of a natural resource resulting either directly or indirectly from exposure to a discharge of oil, or exposure to a product of reactions resulting from a discharge of oil.
Inland Area	The area shoreward of the boundary lines defined in 46 CFR Part 7, except in the Gulf of Mexico. In the Gulf of Mexico, it means the area shoreward of the lines of demarcation (COLREG lines) defined in 80.740 – 80.850 of Title 33 of the CFR. The inland area does not include the Great Lakes.
Interim Storage Site	A site used to temporarily store recovered oil or oily waste until the recovered oil or oily waste is disposed of at a permanent disposal site. Interim storage sites include trucks, barges, and other vehicles, used to store waste until the transport begins.
Internally Reported Event	Refers to an incident has occurred that does not meet the reporting criteria established for notification of off-site authorities. No evacuation has occurred.
J	
Joint Information Center (JIC)	A facility established within, or near, the Incident Command Post where the Information Officer and staff can coordinate and provide incident information to the public, news media, and other agencies or organizations. The JIC is normally staffed with representatives from the FOSC, SOSC and RP.

Term	Definition
J (Cont'd)	
Jurisdiction	A range or sphere of authority. At an incident, public agencies have jurisdiction related to their legal responsibilities and authority for incident mitigation. Jurisdictional authority at an incident can be political/geographical (e.g., city, county, state, or Federal boundary lines), or functional (e.g., police department, health department, etc.). (See Multi-Jurisdiction).
Jurisdictional Agency	The agency having jurisdiction and responsibility for a specific geographical area, or a mandated function.
L	
Landing Zone	See "HELISPOT"
Lead Agency	The government agency that assumes the lead for directing response.
Lead Federal Agency	The agency that coordinates the federal response to incidents on navigable waters. The lead Federal agencies are: <ul style="list-style-type: none"> • U. S. Coast Guard (USCG): Oil and chemically hazardous materials incidents on navigable waters. • U. S. Environmental Protection Agency (EPA): Oil and chemically hazardous materials incidents on inland waters.
Lead State Agency	The agency that coordinates state support to Federal and/or Local governments or assumes the lead in the absence of Federal response.
Leader	The ICS title for an individual responsible for a Task Force/Strike Team or functional Unit.
Liaison Officer (LO)	A member of the Command Staff responsible for coordinating with stakeholder groups and representatives from assisting and cooperating agencies.
Light Oil Terminal Operations	The storage and distribution of gasoline and diesel fuel to wholesale customers.
Local Emergency Planning Committees (LEPC)	Provide input regarding a state's implementation of federal law. LEPC's provide local emergency planning, representing a variety of disciplines interested in hazardous materials management designed to help the State Chemical Emergency Planning and Response Commission (CEPRC) fit the needs of a particular region. CEPRC's are usually established by an Executive Order to fill the requirement in Title III, the Federal Superfund Amendments and Reauthorization Act of 1986. The act requires that each governor establish a state emergency response commission to address a variety of hazardous materials planning and community right-to-know issues.

Term	Definition
L (Cont'd)	
Local On Scene Coordinator (LOSC)	Local Government Representative.
Location Boundaries	Areas where oil may be expected to impact during the first day of a spill event.
Logistics Section	The Section responsible for providing facilities, services and materials for the incident.
Lower Explosive Limit	Air measurement to determine the lowest concentration of vapors that support combustion. This measurement must be made prior to entry into a spill area.
Lube Oil Terminal Operations	The blending of lubricating oils to Company specifications, and the operation of filling lines for packaging the finished oils for distribution to sales outlets.
M	
Managers	Individuals within ICS organizational units who are assigned specific managerial responsibilities (e.g., Staging Area Manager or Camp Manager).
Marinas	Small harbors with docks, services, etc. for pleasure craft.
Marine Facility	Any facility used for tank vessel wharfage or anchorage, including any equipment used for the purpose of handling or transferring oil in bulk to or from a tank vessel.
Marine Transportation Related Facility (MTR)	An on-shore facility, including piping and any structure used to transfer oil to or from a vessel, subject to regulation under 33 CFR Part 154 and any deepwater port subject to regulation under 33 CFR Part 150.
Maximum Extent Practicable	The limitations used to determine oil spill planning resources and response times for on-water recovery, shoreline protection, and cleanup for worst-case discharges from onshore non-transportation-related facilities in adverse weather. It considers the planned capability to respond to a worst case discharge in adverse weather, as contained in a response plan that meets the requirements in 112.20 or in a specific plan approved by the Regional Administrator.
Maximum Most Probable Discharge	(Medium Oil Spill) - The size of the discharge as defined in 33 CFR 154.1020 (a discharge of the lesser of 1,200 barrels or 10 percent of the volume of a worst case discharge), 33 CFR 155.1020 (a discharge of 2,500 barrels of oil for vessels with an oil cargo capacity equal to or greater than 25,000 barrels, or 10 percent of the vessel's oil cargo capacity for vessels with a capacity of less than 25,000 barrels) - (for Coast Guard regulated facilities & vessels); for EPA regulated facilities, a discharge greater than 2,100 gallons and less than or equal to 36,000 gallons or 10 percent of the capacity of the largest tank at the facility, whichever is less; for RSPA and MMS, the size of the discharge as defined in each agency's respective regulations, if appropriate; and the size of the discharge as defined in the respective Area Contingency Plan.

Term	Definition
M (Cont'd)	
Medical Unit	Functional unit within the Service Branch of the Logistics Section responsible for developing the Medical Plan, and for providing emergency medical treatment for incident response personnel.
Message Center	The message center is part of the Communications Center and collocated with or adjacent to it. It receives, records, and routes information about resources reporting to the incident, resource status, and handles administration and tactical traffic.
Multi-Agency Coordination	A generalized term which describes the functions and activities of representatives of involved agencies and/or jurisdictions who come together to make decisions regarding the prioritizing of incidents, and the sharing and use of critical resources. The MAC organization is not a part of the on-scene ICS and is not involved in developing incident strategy or tactics.
Multi-Agency Incident	An incident where one or more agencies assists a jurisdictional agency or agencies. May be single or Unified Command.
N	
National Contingency Plan	The plan prepared under the Federal Water Pollution Control Act (33 United State Code SS1321 et seq) and the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (42 United State Code SS9601 et seq), as revised from time to time.
Natural Resource	Land, fish, wildlife, biota, air, water, groundwater, drinking water supplies, and other resources belonging to, managed by, held in trust by, appertaining to or otherwise controlled by the state, federal government, private parties, or a municipality.
Natural Resource Damage Assessment (NRDA)	The process of collecting and analyzing information to evaluate the nature and extent of injuries resulting from an incident, and determine the restoration actions needed to bring injured natural resources and services back to baseline and make the environment whole for interim losses. (15 CFR 990.30)
Nearshore Area	The area extending seaward 12 miles from the boundary lines defined in 46 CFR Part 7, except in the Gulf of Mexico.
Non-Crude Oil	Any oil other than crude oil.
Non-Persistent or Group I Oil	Refers to a petroleum-based oil that, at the time of shipment, consists of hydrocarbon fractions -- a) At least 50% of which by volume, distill at a temperature of 340° C (645° F); and At least 95% of which by volume, distill at a temperature of 370° C (700° F).
Non-Petroleum Oil	Oil of any kind that is not petroleum-based. It includes, but is not limited to, animal and vegetable oils.
Northwest Area Contingency Plan (NWACP)	Geographically area plan required by regulations.

Term	Definition
O	
Ocean	The offshore area and nearshore area as defined in this Appendix.
Officer	The ICS title for personnel responsible for the Command Staff positions of Safety, Liaison and Information.
Offshore Area	Refers to the area beyond 12 nautical miles measured from the boundary lines defined in 46 CFR Part 7 extending seaward to 50 nautical miles, except in the Gulf of Mexico.
Oil or Oils	Naturally occurring liquid hydrocarbons at atmospheric temperature and pressure coming from the earth, including condensate and natural gasoline, and any fractionation thereof, including, but not limited to, crude oil, petroleum gasoline, fuel oil diesel oil, oil sludge, oil refuse, and oil mixed with wastes other than dredged spoil. Oil does not include any substance listed in Table 302.4 of 40 CFR Part 302 adopted August 14, 1989, under Section 101(14) of the Federal Comprehensive Environmental Response, Compensation and Liability Act of 1980, as amended by P.L. 99-499.
Oil Spill Cooperative	Multi-company cooperative organization developed by industry to assist with oil spill response and clean up. Typically, manpower and equipment are identified by a company on a voluntary basis.
Oil Spill Removal Organization (OSRO)	An entity that provides oil spill response resources, and includes any for-profit or not-for-profit contractor, cooperative, or in-house response resources that have been established in a geographic area to provide required response resources.
Oil Spill Response Contractors	Persons/Companies contracted to undertake a response action to contain and/or clean up a spill.
Oily Waste	Oil-contaminated waste resulting from an oil spill or spill response operations.
On Scene Coordinator (OSC)	The federal official pre-designated by EPA or the USCG to coordinate and direct federal responses under subpart D, or the official designated by the lead agency to coordinate and direct removal actions under subpart E of the National Contingency Plan.
Operating Area	refers to the Rivers and Canals, Inland, Nearshore, Great Lakes or Offshore geographic location(s) in which a facility is handling, storing or transporting oil.
Operating Environment	refers to Rivers and Canals, Inland, Great Lakes, or Ocean. These terms are used to define the conditions in which response equipment is designed to function.
Operational Period	The period of time scheduled for execution of a given set of operational actions specified in the Incident Action Plan. Operational Periods can be various lengths, usually not over 24 hours.

Term	Definition
O (Cont'd)	
Operations Section	Responsible for all operations directly applicable to the primary mission. Directs unit operational plans preparation, requests or releases resources, makes expedient changes to the Incident Action Plan (as necessary) and reports such to the Incident Commander. Includes the Recovery and Protection Branch, Emergency Response Branch, Air Operations Branch, and Wildlife Branch.
Out-of-Service Resources	Resources assigned to an incident but unable to respond for mechanical, rest, or personnel reasons.
Owner or Operator	Any person, individual, partnership, corporation, association, governmental unit or public or private organization of any character.
P	
Persistent Oil	Under OPA 90, persistent oils are petroleum-based oils that do not meet the distillation criteria for a non-persistent oil. Persistent oils are classified based on a specific gravities as follows: <ul style="list-style-type: none"> • Group II – specific gravity less than .85; • Group III – specific gravity between .85 and less than .95; • Group IV – specific gravity .95 to and including 1.0.; and • Group V – specific gravity greater than 1.0.
Person	Any political subdivision, government agency, municipality, industry, public or private corporation, copartnership, association, firm, individual, or any other entity whatsoever.
Plan	Oil spill response, cleanup and disposal contingency plan.
Planning Meeting	A meeting, held as needed throughout the duration of an incident, to select specific strategies and tactics for incident control operations and for service and support planning.
Planning Section	Responsible for collecting, evaluating and disseminating tactical information related to the incident, and for preparing and documenting Incident Action Plans. The section also maintains information on the current and forecast situation, and on the status of resources assigned to the incident. Includes the Situation, Resource, Environmental, Documentation, and Demobilization Units, and Technical Specialists.
Polrep	Pollution Report
Primary Response Contractor(s)	An individual, company, or cooperative that has contracted directly with the plan holder to provide equipment and/or personnel for the containment or cleanup of spilled oil.
Post-Emergency Response	The portion of a response performed after the immediate threat of a release has been stabilized or eliminated and cleanup of the sites has begun.

Term	Definition
P (Cont'd)	
Procurement Unit	Functional unit within the Finance/Administration Section responsible for financial matters involving vendor contracts.
R	
Radio Cache	A cache may consist of a number of portable radios, a base station, and, in some cases, a repeater stored in a predetermined location for dispatch to incidents.
Recorders	Individuals within ICS organizational units who are responsible for recording information. Recorders may be found in Planning, Logistics and Finance/Administration.
Recreational Areas	Publicly accessible locations where social/sporting events take place.
Regional Response Team (RRT)	A Federal response organization, consisting of representatives from specific Federal and state agencies, responsible for regional planning and preparedness before an oil spill occurs and for providing advice to the FOSC in the event of a major or substantial spill.
Regulated Vessel	A vessel with a capacity to carry 10,000 U.S. gallons or more of oil as fuel or cargo.
Repair	Any work necessary to maintain or restore a tank or related equipment to a condition suitable for safe operation.
Reporting Location	Any one of six facilities/locations where incident assigned resources may be checked in. The locations are: Incident Command Post-Resources Unit, Base, Camp, Staging Area, Helibase, or Division/Group Supervisors (for direct line assignments.) Check-in for each specific resource occurs at one location only.
Resources	All personnel and major items of equipment available, or potentially available, for assignment to incident tasks on which status is maintained.
Resources Unit	Functional unit within the Planning Section responsible for recording the status of resources committed to the incident. The Unit also evaluates resources currently committed to the incident, the impact that additional responding resources will have on the incident, and anticipated resource needs.
Response Activities	Refers to the containment and removal of oil from the water and shorelines, the temporary storage and disposal of recovered oil, or the taking of other actions as necessary to minimize or mitigate damage to the environment.
Response Contractors	Persons/companies contracted to undertake a response action to contain and/or clean up a spill.

Term	Definition
R (Cont'd)	
Response Guidelines	Guidelines for initial response that are based on the types of product involved in the spill, these guidelines are utilized to determine clean-up methods and equipment.
Response Resources	The personnel, equipment, supplies and other capability necessary to perform the response activities identified in a response plan.
Response Plan	A practical plan used by industry for responding to a spill. Its features include (1) identifying the notification sequence, responsibilities, response techniques, etc. in an easy to use format; (2) using decision trees, flowcharts, and checklists to insure the proper response for spills with varying characteristics; and (3) segregating information needed during the response from that required by regulatory agencies to prevent confusion during a spill incident.
Responsible Party (RP)	The owner/operator of the vessel or facility that is the spill source.
Responsible Party Incident Commander (RPIC)	Responsible Party's designated incident commander.
Restoration	The actions involved in returning a site to its former condition.
Rivers and Canals	A body of water confined within the inland area that has a project depth of 12 feet or less, including the Intracoastal Waterway and other waterways artificially created for navigation.
S	
Safety Officer (SO)	A member of the Command Staff responsible for monitoring and assessing safety hazards or unsafe situations, and for developing measures for ensuring personnel safety. The Safety Officer may have assistants.
Section	The organization level having functional responsibility for primary segments of incident operation such as: Operations, Planning, Logistics, Finance/Administration. The Section level is organizationally between Branch and Incident Commander.
Securing the Source	Steps that must be taken to stop the spill of oil at the source of the spill.
Self-Certification	Self-certification involves the following action on the part of the plan holder: 1) completed the exercise, 2) ensured the exercise met the required objectives, and 3) evaluated effectiveness of the plan based on exercise performance. Documentation must be approved and signed by an appropriate official within the organization.

Term	Definition
S (Cont'd)	
Self-Evaluation	Self-evaluation means the plan holder evaluates effectiveness of the plan during the exercise using the stated objectives as minimum criteria and an evaluation process, which adequately measures performance. The plan holder is then responsible for correcting deficiencies identified in the evaluation process.
Service Branch	A Branch within the Logistics Section responsible for service activities at the incident. Includes the Communications, Medical and Food Units.
Ship	Any boat, ship, vessel, barge or other floating craft of any kind.
Single Resource	An individual, a piece of equipment and its personnel complement, or a crew or team of individuals with an identified work supervisor that can be used on an incident.
Site Emergency	means an incident has occurred and the entire terminal, with the exception of critical employees has been sheltered on-site or evacuated.
Site Safety and Health Plan (SSHP)	Site-specific document required by state and Federal OSHA regulations and specified in the Area Contingency Plan. The SSHP, at minimum, addresses, includes, or contains the following elements: health and safety hazard analysis for each site task or operation, comprehensive operations workplan, personnel training requirements, PPE selection criteria, site-specific occupational medical monitoring requirements, air monitoring plan, site control measures, confined space entry procedures (if needed), pre-entry briefings (tailgate meetings, initial and as needed), pre-operations commencement health and safety briefing for all incident participants, and quality assurance of SSHP effectiveness.
Site Conditions	Details of the area surrounding the facility, including shoreline descriptions, typical weather conditions, socioeconomic breakdowns, etc.
Site Security and Control	Steps that must be taken to provide safeguards needed to protect personnel and property, as well as the general public, to ensure an efficient clean-up operation.
Situation Unit	Functional unit within the Planning Section responsible for collecting, organizing and analyzing incident status information, and for analyzing the situation as it progresses. Reports to the Planning Section Chief.
Skimmers	Mechanical devices used to skim the surface of water and recover floating oil. There are four basic categories of skimmers; suction heads, floating weirs, oleophilic surface units, and hydrodynamic devices. These vary in efficiency depending on the type of oil and size of spill.

Term	Definition
S (Cont'd)	
Sorbents	Materials ranging from natural products to synthetic polymeric foams placed in confined areas to soak up small quantities of oil. Sorbents are very effective in protecting walkways, boat decks, working areas, and previously uncontaminated or cleaned areas.
Source Control	Actions necessary to control the spill source and prevent the continued release of oil or hazardous substance(s) into the environment.
Span of Control	On how many organizational elements may be directly managed by one person. Span of Control may vary from three to seven, and a ratio of one to five reporting elements is recommended.
Spill Management Team (SMT)	The spill management team is the group of personnel identified to staff the appropriate organizational structure to manage spill response implementation in accordance with the response plans.
Spill Observer	The first company individual who discovers an oil spill. This individual must function as the responsible person-in-charge until relieved by an authorized supervisor.
Spill Response	All actions taken in responding to spills of oil and hazardous materials, i.e., receiving and making notifications; information gathering and technical advisory phone calls; preparation for and travel to and from spill sites; direction of clean-up activities; damage assessments; report writing, enforcement investigations and actions; cost recovery; and program development.
Spill Response Personnel	Federal, State, Local agency, and industry personnel responsible for participating in or otherwise involved in spill response. All spill response personnel will be preapproved on a list maintained in each region.
Staging Area	The location where incident personnel and equipment are staged awaiting tactical assignment.
Stakeholders	Any person, group, or organization affected by, and having a vested interest in, the incident and/or the response operation.
State Emergency Response Commission (SERC)	A group of officials appointed by the Governor to implement the provisions of Title III of the Federal Superfund Amendments and Reauthorization Act of 1986 (SARA). The SERC approves the State Oil and Hazardous Substance Discharge Prevention and Contingency Plan and Local Emergency Response Plans.
State On-Scene Coordinator (SOSC)	The pre-designated State On-Scene Coordinator.
Strategy	The general plan or direction selected to accomplish incident objectives.

Term	Definition
S (Cont'd)	
Strike Team	Specified combinations of the same kinds and types of resources, with common communications and a leader.
Substantial Threat of a Discharge	Any incident or condition involving a facility that may create a risk of discharge of fuel or cargo oil. Such incidents include, but are not limited to storage tank or piping failures, above ground or underground leaks, fires, explosions, flooding, spills contained within the facility, or other similar occurrences.
Supervisor	The ICS title for individuals responsible for directing the activities of a Division or Group.
Supply Unit	Functional unit within the Support Branch of the Logistics Section responsible for ordering equipment and supplies required for incident operations.
Support Branch	A Branch within the Logistics Section responsible for providing personnel, equipment and supplies to support incident operations. Includes the Supply, Facilities, Ground Support and Vessel Support Units.
Supporting Materials	Refers to the several attachments that may be included with an Incident Action Plan (e.g., communications plan, map, site safety and health plan, traffic plan, and medical plan).
T	
Tabletop Exercise (TTX)	A tabletop exercise is an activity in which key members of the plan holder's staff with emergency management responsibilities are gathered together informally, usually in a conference room, to discuss actions to be taken during an oil or hazardous substance spill, based upon the response plan and their standard operating procedures. The primary characteristic is a verbal "walk through" of a response. The tabletop exercise is designed to elicit constructive discussion by the participants, usually without time constraints, as they examine and resolve problems based on the response plan. A tabletop exercise has participants practice problem solving and resolve questions of coordination and assignment of responsibilities in a non-threatening format, under minimum stress.
Tactical Direction	Directions given by the Operations Section Chief including: the tactics appropriate for the selected strategy; the selection and assignment of resources; tactics implementation; and performance monitoring for each operational period.
Tactics	Deploying and directing resources during an incident to accomplish the desired objective.
Task Force	A group of resources with common communications and a leader assembled for a specific mission.
Technical Specialists	Personnel with special skills or technical expertise who can be used anywhere within the ICS organization.

Term	Definition
T (Cont'd)	
Temporary Flight Restrictions (TFR)	Temporary airspace restrictions for non-emergency aircraft in the incident area. TFRs are established by the FAA to ensure aircraft safety and are normally limited to a five-nautical-mile radius and 2000 feet in altitude.
Tidal Current Charts	Comprehensive charts which contain the predicted tidal current for each day of the year for designated areas. These charts specify the direction and speed of the current in the specific areas.
Tidal Current Tables	Tables which contain the predicted times and heights of high and low waters for each day of the year for designated areas.
Time Unit	Functional unit within the Finance/Administration Section responsible for recording time for incident personnel and hired equipment.
Toxic Substances	Substances that have the capacity to produce personal injury or illness to man through ingestion, inhalation or absorption through any of the body's surfaces.
Tribal On Scene Coordinator (TOSC)	Local Tribal Agency Representative.
U	
Unauthorized Spill	Spills excluding those authorized by an in compliance with a government permit, seepage from the earth solely from natural causes, and unavoidable, minute spills of oil from a properly functioning engine, of a harmful quantity of oil from a vessel or facility either: (1) into coastal water; or (2) on any waters or land adjacent to coastal waters where harmful quantity of oil may enter coastal waters or threaten to enter coastal waters if the spill is not abated, not contained and the oil is not removed.
Underwriter	An insurer, a surety company, a guarantor, or any person other than an owner or operator who undertakes to pay all or part of the liability of an owner or operator.
Unified Command (UC)	A command structure consisting of the Federal On Scene Coordinator, the State On Scene Coordinator and the Responsible Party. The Unified Command is utilized during a spill response to achieve the coordination necessary to carry out an effective and efficient response.
Unit	The organizational element having functional responsibility for a specific incident planning, logistic, or finance/administration activity.
Unusual Event	Means an incident has occurred which is noticeable and dramatic from the Terminal perimeter, however, no outside assistance is required and no evacuation outside the incident scene has occurred.

Term	Definition
V	
Verification	The act of ensuring that an exercise was certified. The Coast Guard, EPA, RSPA or MMS will conduct verification.
Vessel Support Unit	Functional unit within the Support Branch of the Logistics Section responsible for implementing the Vessel Routing Plan; for fueling, maintaining, and repairing vessels and other vessel support equipment; and coordinating transportation on the water and between or among shore resources.
Volunteer	For purpose of the NIMS, a volunteer is any individual accepted to perform services by the lead agency, which has authority to accept volunteer services, when the individual performs services without promise, expectation, or receipt of compensation for services performed. See, e.g., 16 U.S.C. 742f(c) and 29 CFR 553.101.
W	
Wildlife Rescue	Efforts made in conjunction with Federal and State agencies to retrieve, clean, and rehabilitate birds and wildlife affected by an oil spill.
Worst Case Discharge	for an on-shore non-transportation-related facility means - ". . . the largest foreseeable discharge in adverse weather conditions as determined using the [EPA Final Rule] . . . worksheets . . ." (EPA Final Rule, 40 CFR 112.2, July 1, 1994).
Worst Case Unauthorized Discharge	The largest foreseeable unauthorized spill under adverse weather conditions. For facilities located above the high water line of coastal waters, a worst case spill includes those weather conditions most likely to cause oil spilled from the facility to enter coastal waters.
Worst Case Discharge	The size of the discharge as defined in 33 CFR 154.1020 (in the case of an onshore facility and deepwater port, the largest foreseeable discharge in adverse weather conditions meeting the requirements of 33 CFR 154.1029), 33 CFR 155.1020 (a discharge in adverse weather conditions of a vessel's entire oil cargo) - (for Coast Guard regulated facilities & vessels); for EPA, the size of the discharge required in 40 CFR 112.20; for RSPA and MMS, the size of the discharge as defined in each agency's respective regulations, as appropriate; and the size of the discharge as defined in the respective Area Contingency Plan.

Acronyms

Acronym	Description
ACP	Area Contingency Plan
ADAPTS	Air Deliverable Anti-Pollution Transport
AFFF	Aqueous Film Forming Foam
AGT	Any Gross Tonnage (TONS)
AOR	Area of Responsibility
API	American Petroleum Institute
ARPA	Automatic Radar Plotting Aid
AST	Aboveground Storage Tank
ASTM	American Society for Testing and Materials
AT	Airtight
ATSDR	Agency for Toxic Substances and Disease Registry
AWG	American Wire Gauge
B	Beam
BBL	Barrel (Unit of Volume Equal to 42 Gallons)
C	Degrees Centigrade
C3	Command, Control, and Communications
C & R	Cargoes and Restriction (List)
CCR	California Code of Regulations
CDB	Continuous Discharge Book
CDG	Subcommittee on the Carriage of Dangerous Goods, IMO
CEQ	Council on Environmental Quality
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act of 1980
CFM	Cubic Feet per Minute
CFR	Code of Federal Regulations
CG or USCG	Coast Guard
CGA	Compressed Gas Association
CGIS	Coast Guard Intelligence Service
CH	Cargo Hold
CHEMTREC	Chemical Transportation Emergency Center
CHRIS	Chemical Hazards Response Information System

Acronym	Description
CMA	Chemical Manufacturers Association
CMST	Crisis Management Support Team
CNG	Compressed Natural Gas
CO	Commanding Officer
COA	Certificate of Adequacy
COC	Certificate of Compliance
COE	U.S. Army Corps of Engineers (also USACE)
COF	Certificate of Fitness
COFR	Certificate of Financial Responsibility
COI	Certificate of Inspection
COIL	Central Oil Identification Laboratory
COMDTINST	Commandant Instruction
COMDTNOTE	Commandant Notice
COMDTPUB	Commandant's Publication
CONUS	Continental United States
COPH	Cargoes of Particular Hazard
CORE	Contingency Response
COTP	Captain of the Port
COW	Crude Oil Washing
C/S	General Cargo Ship
CSA	Canada Standards Association
CSC	International Convention for Safe Containers, 1972
CT	Cargo Tank
C/V	Container Vessel
CVS	Commercial Vessel Safety Program
CWA	Clean Water Act
DEIS	Draft Environmental Administration
DL	Decision Letters
DOSC	Deputy On-Scene Coordinator
DOT/PHMSA	U.S. Department of Transportation/Pipeline & Hazardous Materials Safety Administration
DWT	Deadweight Tons

Acronym	Description
EEBA	Emergency Escape Breathing Apparatus
EEI	Essential Elements of Information
EERU	Environmental Emergency Response Unit
EG	Emergency Generator Room
EIS	Environmental Impact Statement
EMT	Emergency Medical Technician
EO	Executive Order
EOC	Emergency Operations Center
EOD	Explosive Ordinance Disposal
EP	Estimated Position
EPA	U.S. Environmental Protection Agency
EPR&S	TPTN Emergency Preparedness, Response & Security Group
ERAD	Environmental and Regulatory Affairs Department
ERM	Environmental Response Map
ERT	Emergency Response Team
ESA	Environmentally Sensitive Area
ESD	Emergency Shutdown
ETF	Emergency Task Force
FCC	Federal Communications Commission
FCL	Flammable Cryogenic Liquid
FMC	Federal Maritime Commission
FOIA	Freedom of Information Act
FOIL	Field Oil Identification Laboratory
FEMA	Federal Emergency Management Agency
FOSC	Federal On-Scene Coordinator
FP	Flashpoint
FPN	Federal Project Number
FR	Federal Register
FT	Fuel Tank
FTJ	Failure to Join
FWPCA	Federal Water Pollution Control Act (as amended) (33 U.S.C. 1251 et seq.)

Acronym	Description
GAL	Gallons
GMT	Greenwich Mean Time
GPM	Gallons Per Minute
GRS	Geographical Response Site
GT	Gross Tons
HAZMAT	Hazardous Materials
HAZWOPER	Hazardous Waste Operations and Emergency Response
HCA	High Consequence Area
HP	High Pressure
HPA	High Population Area
IC	Incident Commander
ICS	Incident Command System
IDHL	Immediately Dangerous to Life and Health
IG	Inert Gas
IGS	Inert Gas System
CMST	Crisis Management Support Team
IMH	Incident Management Handbook
IOPP	International Oil Pollution Prevention Convention
IS	Intrinsically Safe
IST	Incident Support Team
JRT	Joint Response Team
JTTF	Joint Terrorism Task Force
KW	Kilowatt
LEL	Lower Exposure Limit
LEPC	Local Emergency Planning Committee
LNG	Liquefied Natural Gases
LOA	Length Overall
LOC	Letter Of Compliance
LOP	Line Of Position
LOSC	Local On Scene Coordinator
LOX	Liquefied Oxygen

Acronym	Description
LP	Low Pressure
LPG	Liquefied Petroleum Gases
LRT	Local Response Team
MAWP	Maximum Allowable Working Pressure
MMS	Mineral Management Service
MSDS	Material Safety Data Sheet
MSL	Mean Sea Level
MSO	Coast Guard District Marine Safety Office
MSRC	Marine Spill Response Corporation
N/A	Not Applicable
NC	Not Certified
NCP	National Contingency Plan
NEPA	National Environmental Policy Act
NIOSH	National Institute of Standards and Technology
NLS	Noxious Liquid Substances
NM	Nautical Mile
NMT	Not More Than
NOAA	National Oceanic and Atmospheric Administration
NPRM	Notice of Proposed Rulemaking
NRC	National Response Center
NRDA	Natural Resources Damage Assessment
NRT	National Response Team
NSF	National Strike Force
NWACP	North West Area Contingency Plan
OPA 90	Oil Pollution Act of 1990
ORB	Oil Record Book
OSC	On-Scene Coordinator
OSHA	Federal Occupational Safety and Health Administration
OSRL	Oil Spill Response Limited
OSRO	Oil Spill Response Organization
OT	Oil Tight

Acronym	Description
OVA	Organic Vapor Analyzer
OVM	Organic Vapor Monitor
OWS	Oily Water Separator
PEL	Permissible Exposure Limit
PID	Photo Ionization Detector
POLREP	Pollution Report
PPE	Personal Protective Equipment
PPM	Parts Per Million
PSI	Pounds per square inch
QDC	Quick Disconnect Coupling
QI	Qualified Individual
RA	Regional Administrator
RCP	Regional Contingency Plan
RCRA	Resource Conservation and Recovery Act
RRT	Regional Response Team
SARA	Superfund Amendments and Reauthorization Act
SDWA	Safe Water Drinking Act of 1986
SERC	State Emergency Response Commission
SHO	Safety and Health Official
SI	Surface Impoundment
SIC	Standard Industry Codes
SMART	Special Monitoring for Applied Response Technologies
SPCC	Spill Prevention, Control, and Countermeasures
SSC	Scientific Support Coordinator
STEL	Short-term Exposure Level
TLV	Threshold Limit Value
TLV-C	Threshold Limit Value - Ceiling
TOSC	Tribal On Scene Coordinator
TPTN	Transportation
TWA	Time-weighted Average
UEL	Upper Exposure Limit

Acronym	Description
USCG	U.S. Coast Guard
USGS	U.S. Geological Survey
U.S.	United States
U.S.C.	U.S. Code
USFWS	U.S. Fish and Wildlife Service
USPCI	U.S. Pollution Control, Incorporated
UST	Underground Storage Tank
UTV	Utility Vehicle
WT	Water Tight

Section II – Table of Contents**II-1 Discovery****II-2 Initial Response****II-3 Notification Procedures****II-4 Response Management System****II-5 Response Procedures****II-6 Detection Procedures****II-7 Emergency Response Equipment, Testing & Deployment****II-8 Waste Management Plan****II-9 Disposal Plan****II-10 Containment and Recovery****II-11 Water Quality and Sediment Quality Analysis****II-12 Drainage Plan****II-13 Detection/Mitigation Procedures****II-14 Evacuation****II-15 Site Security and Control****II-16 Site Safety and Health Plan****II-17 Personal Protective Equipment****II-18 Decontamination****II-19 Response Termination and Follow-up Procedures**

Sec. II-1 Discovery

Initial response actions are those taken by local personnel immediately upon becoming aware of a discharge or emergency incident, before the Company Emergency Response Team is formed and functioning. Timely implementation of these initial steps is of the utmost importance because they can greatly affect the overall response operation.

Sec. II-2 Initial Response

Immediate actions are required at the onset of an emergency response to mitigate the extent of a release, minimize the potential hazard to human health and the environment, and implement an effective response. It is also important to act decisively and in so doing, create a professional working atmosphere among Company and regulatory authority personnel and public officials. This section is intended to provide guidance for determining the appropriate initial response and notification actions that should be carried out in the event of a release or other emergency incident.

General guidelines on the procedures and sequence for making the various internal and external notifications following any type of product release or other emergency incident can be found elsewhere in this plan in the applicable ICP Geographical Annex. The information provided herein focuses primarily on internal notifications and reporting with some general information provided for external notifications. Relevant external notifications will be found in the geographic specific ICP Geographical Annex along with all notification checklists applicable to that area.

Sec II-2.1 On-Scene Incident Commander / Qualified Individual

It is the On-Scene Incident Commander's / Qualified Individual's responsibility to first make the appropriate notifications, then to initiate response operations. This individual has absolute authority to obligate any funds necessary to carry out all required and/or directed response activities. This individual will also act as liaison with city, county, state and federal agencies. They are also responsible to direct operations of the Emergency Response Teams, activate the Company Emergency Management Team as appropriate as appropriate.

Sec. II-3 Notification Procedures

Primary communications for Company response activities will consist of the following:

- | | |
|---|---|
| ✓ | Company mobile phones, hard line phones, faxes, and Company intranet devices. |
| ✓ | Communications needs beyond primary communications devices will be supplied by Company contracted OSRO's. |

Sec II-3.1 Field Personnel

Any person who observes or becomes aware of a release shall immediately report the incident to the person in charge. Information related to the incident should be captured on the Incident Report Form located in this section.

The minimum duties required of the QI (or PIC for Marine Terminals) include:

- | | |
|---|---|
| ✓ | Notify all response personnel, as needed |
| ✓ | Identify the character, exact source, amount, and extent of the release, as well as the other items needed for notification |
| ✓ | Notify and provide necessary information to appropriate Federal, State, and local authorities with the designated response roles, including the National Response Center, State Emergency Response Commission, and Local Emergency Planning Commission |
| ✓ | Assess the possible hazards to human health and the environment due as a result of the release. This assessment must consider both the direct and indirect effects of the release (i.e., the effects of any hazardous surface waters runoffs from water or chemical agents used to control fire and heat-induced explosion) |
| ✓ | Assess and implement prompt removal actions to contain and then remove the substance released |
| ✓ | Coordinate rescue and response action as previously arranged with all response personnel |
| ✓ | Use authority to immediately access company funding to initiate response, mitigation and clean-up activities |
| ✓ | Direct clean-up activities until properly relieved of this responsibility |

Sec II-3.2 Emergency Response Team Contact Information

The Emergency Response Team may be activated as a group or individually, depending upon the size, location, nature, and complexity of the incident.

The response organization is capable of providing trained personnel, services, and response equipment on a twenty-four hour per day basis.

Sec II-3.3 Field Notifications

1. Call 911 or local emergency phone number for the jurisdiction affected by the incident.
2. Notify Person In Charge.
3. Notify the Company Control Center.
4. Notify the Duty Officer to activate support resources, as needed.

Sec II-3.4 Required Notification Information

The Incident Report Form should be used to document information and to log notifications. Provide the following information regarding the incident, when making internal notifications:

- Brief description of the incident, including the location.
- The impact or potential impact.
- Contact name and telephone number to obtain follow-up information.

Sec II-3.5 Duty Officer Role

The Duty Officer is a support tool designed to provide communication assistance to the Company Incident Commander. The Duty Officer is in place to provide a 24/7 contact that can assist with internal notifications to facilitate a timely response to emergency situations.

NOTE: *Regardless of the situation, the ultimate responsibility for making proper internal and external notification is with the Incident Commander.* The Duty Officer is a support tool, available to the Incident Commander to ensure that timely internal and external notifications are made in an effective and efficient manner.

Sec II-3.5.1 Duty Officer Response

When notified, the duty officer will contact the requested company representative (SME), following the detailed requests received by the caller, the Notification Flowchart and Internal Contact List. The company representative (SME) will determine the applicable internal and external notifications and ensure that they are completed. The SME will also ensure that other appropriate company representatives (SME) have been notified in the notification process.

Sec II-3.6 Emergency “Meet-Me” Conference Line Activation

The company has established a transportation conference number that is active 24/7 to assist in the management of emergencies. (Refer to the List of Contacts, Emergency Notification Telephone List, located in this plan for support resource contact information), dial the number and pass code listed; instruct others involved in the incident to do the same. The line is capable of receiving up to thirty phone connections simultaneously to assist in the management of the event.

Sec II-3.7 Incident Reporting Guidance

Refer to the Company Website.

Sec II-3.8 Notifications Requirements & Threshold Criteria

Each business unit, staff or group shall provide notification to Corporate Executive Management via the 24-hour Notification Hotline as soon as possible after the occurrence of any incident that meets the Notification Threshold Criteria.

Crisis Management Notification Requirements & Thresholds	
✓	The following identify internal and external reporting thresholds.
• Incidents	
✓	An incident resulting in an on-the-job employee or contractor fatality, or public fatality.
✓	Lost workday on-the-job injury to an employee or contractor.
✓	Resulting in one or more injuries requiring immediate overnight hospitalization and treatment of employee, contractor or the public.
✓	Incident resulting in multiple injuries/illnesses to employees, contractors or to the public.
• Spills and Releases	
✓	To environmentally sensitive areas, national parks or wildlife habitats and refuges which are likely to attract media attention or cause closure, stoppage or re-routing of traffic on a public road or waterway.
✓	Liquid hydrocarbon spills or releases from primary containment greater than 100 bbls (15.9 cubic meters).
✓	Hazardous chemical spills or releases from primary containment greater than 5,000 bbls (2.27 metric tons).
✓	On-shore produced water spills or releases greater than 100 bbls (15.9 cubic meters).
• Property Damage/Business Interruption	
✓	Property damage events likely to exceed \$100,000.00 (USD) in estimated damages (Examples: fire, explosion, acts of nature, vandalism, theft, etc.).
✓	Any situation that should be brought to the attention of Corporate Management (CM&ER) due to actual or potential impact on the Company such as: Unscheduled business interruption that will likely result in \$1, 000, 000 (USD) or more in estimated losses. This also applies to Partner/JV operated operations that meet the criteria.
• Evacuation/Shelter-In-Place	
✓	Evacuation beyond facilities of Company employees' and contractor personnel.
✓	Shelter-In-Place of the public
✓	Mandatory evacuation of the public.
• Well Control Incidents	
✓	Loss of surface well control that endangers the rig, onsite personnel or the environment.

• Public Relation/Actual or Potential Impact	
✓	Serious transportation issues such as derailments involving our products and spills or releases resulting in traffic stoppage or evacuations.
✓	Acts of terrorism (e.g. bomb threats, sabotage, kidnapping, employee violence, etc.).
✓	That attracts, or could attract media attention including, but not limited to confrontations with anti-industry groups.
✓	Multiple complaints of acute illness by third parties allegedly caused by Company operations or products (i.e.: calls by more than one individual.).
• External Department of Transportation Reporting Thresholds	
✓	An incident involving a pipeline system failure that resulted in either a fire or explosion not intentionally set by the operator; or significant, in the judgment of the operator, even though it did not meet any other criteria as listed in this section.
✓	Spill or release to environmentally sensitive areas, as described by the Department of Transportation (DOT)
✓	Spill or release in any water of the United States.
✓	Spill cleanup/product loss costs reaching and exceeding \$50,000.00.
✓	Property Damage costs reaching and exceeding \$50,000.00
Transportation – HSE Manager Reporting Threshold	
In addition to above threshold criteria for incidents, the following requires notification to the Transportation HSE Manager or alternate as per the Incident Notification and Investigation Policy:	
✓	An incident involving an employee or contractor OSHA recordable injury or illness.

Sec II-3.9 Notification and Support Teams

Subject Matter Expert (SME) – Primary Company Representative	
Contacts in the following areas provide support for internal and external notifications; assist with supporting plans, assessment and documentation:	
✓	Environmental Director
✓	Health & Safety Director
✓	DOT Regulatory Compliance Manager
✓	Emergency Preparedness, Response & Security Director

Incident Support Team (IST)

Consists of the personnel in the following positions:

✓	Pipelines Manager
✓	Terminals Manager
✓	Division Managers
✓	Logistics Manager
✓	Engineering & Projects Manager
✓	Health, Safety & Environmental Manager
✓	Emergency Preparedness, Response & Security Director
✓	TPTN Tier 1 Team and/or any other support staff, as deemed necessary by the IST, or requested by the IC.

Company Away Team

Activation of the team can be made through the Crisis Management Hotline. Follow the Notification Flowchart located in this Section. A description of the Company Away Team organization is as follows:

✓	Approximately thirty ICS positions can be staffed a minimum of three personnel deep.
✓	The team is made up of Company volunteers from across North America
✓	Operations Division/Group Leaders are available
✓	One hundred plus personnel are available for activation
✓	Will assist with activation, deployment and integration of the ICS spill response organization
✓	Resources also include dedicated communications equipment (i.e., computers, phones, radios, etc.).
✓	Typically the team members attend two weeks of response training and/or exercises annually. Additionally, specialized training in Fire & HAZMAT Response, Oil Spill Response, Incident Command System (NIMS) and Incident/Consequence Management is provided depending on the ICS position.

Tier 1 Response

✓	Any response that can be effectively managed completely within Transportation services, including functional resources and contractors.
---	---


Tier 2 Response

✓	Any response that requires resources beyond Transportation's ability to effectively manage (i.e., one or more away team resource(s) are deployed to assist with response management).
---	---


Tier 3 Response

✓	Any response that requires the activation of the Crisis Management Support Team (CMST) to assist with the management of the response.
---	---

Figure Sec II-1 Overview of External Notifications for Major Incidents



Transportation Notifications Flowchart



EMERGENCY TELEPHONE NUMBERS:

- Duty Officer 24/7(800) 231-2551 – Fax: 918-662-0179
- Company Control Center (877) 267-2290
- Transportation Meet Me Conference Line(866) 836-3169; Pass Code: 157528
- Axiom Medical Consulting (281) 419-7063
- Employee Hotline (Evacuation & Natural Disaster)..... (866) 379-3822
- Crisis Management Hotline(800) 342-5119 or 281-293-5119

Figure Sec II-3 Transportation Incident Notification & Reporting Tool

QI/IC Field Version

The following incidents should be immediately reported to the Transportation Duty Officer. The Transportation Duty Officer will contact the on-call Transportation Emergency Preparedness, Response and Security (EPR&S) team member. EPR&S will contact the person reporting the incident to the Duty Officer to determine the level of response and support required and if an Incident Briefing meeting should be scheduled. Incidents marked as "Crisis Hotline Notification" will need to be immediately reported to the Transportation Duty Officer. Transportation HSE is responsible for reporting incidents to the Crisis management Hotline.

Incident Notification Criteria	
Duty Officer Number: 1-800-231-2551	
INJURY:	
Incident resulting in an on-the-job employee, contractor or public fatality.	
Incident resulting in one or more injuries requiring immediate overnight hospitalization and treatment of employee, contractor or the public.	
Incident resulting in multiple injuries/illnesses to employees, contractors or the public.	
SPILLS/RELEASES:	
Greater than <u>5-gallons</u> , or potential to exceed <u>5-gallons</u> . This includes suspected, but not yet confirmed potential leaks.	
HVL (Any volume.)	
To environmentally sensitive areas, <u>any water of the United States</u> , national Parks or wildlife habitats and refuges.	
(Any volume)	
That attracts or is likely to attract media attention.	
That causes closure, stoppage or re-routing of traffic on public road or waterway.	
PROPERTY DAMAGE/BUSINESS INTERRUPTION:	
Property damage events exceeding or likely to exceed \$25,000 in estimated damages (example fire, explosion, pipeline repairs, collision, act of nature, vandalism, theft, etc.)	
Unscheduled business interruption events exceeding or likely to exceed \$1,000,000 (USD) or more in estimated losses regardless of cause.	
EVACUATION/SHELTER IN PLACE	
Evacuation beyond facilities of employees or contractor personnel (includes evacuation as a result of storms or threat of storms).	
Shelter-In-Place of employees or contractors.	
Shelter-In-Place or mandatory evacuation of the public.	
PUBLIC RELATIONS/ACTUAL OR POTENTIAL COMPANY IMPACT	
Any situation that attracts or is likely to attract media attention.	
Serious transportation incidents such as derailments involving our products resulting in a closure of a public road and/or re-routing or stoppage of traffic.	
Acts of terrorism (bomb threat, sabotage, kidnapping, employee violence, etc.)	
Confrontations with anti-industry groups that could attract media attention.	
Multiple complaints of acute illness by third parties allegedly caused by our operations or products (i.e. calls by more than one individual)	
(b) (7)(F)	

Sec II-3.10 External Notifications**Sec II-3.10.1 Agencies (Federal, State & Local)**

The Incident Commander is responsible for assuring that all required notifications/reports are completed in a timely manner for all incidents. All contacts with Local, State, and Federal regulatory agencies must be properly documented. The Duty Officer is a support tool designed to provide communication assistance to the Company Incident Commander. The Duty Officer is in place to provide a 24/7 contact to assist the Incident Commander with internal support team notifications to facilitate a timely response to emergency situations. Refer to the Transportation Notifications Flowchart, Incident Notification and Reporting Tool and the Incident Report Form located in this section. Upon completion of the initial notifications and the implementation of the initial response actions, periodic follow-up notifications should be made to the National Response Center and state agencies to provide updated information on the incident. The internal support teams may assist the Incident Commander with follow-up information to the agencies.

Sec II-3.10.2 National Response Center (NRC)

NRC	
If you have a spill/release to report, contact the NRC via the toll-free number or visit the NRC Web Site (http://www.nrc.uscg.mil) for additional information on reporting requirements and procedures. Refer to Annex 2 Notifications.	
Reporting Requirements	
<input type="checkbox"/> Type	All spills that impact or threaten navigable water or adjoining shorelines
<input type="checkbox"/> Verbal:	Within 1 Hour of release
<input type="checkbox"/> Written:	As requested by the agency

Sec II-3.10.3 Environmental Protection Agency (EPA)

EPA	
Refer to Annex 2 Notifications.	
Reporting Requirements	
Type	All spills that impact or threaten navigable water or adjoining shorelines
Verbal:	As soon as possible
Written:	As requested by the agency

Sec II-3.10.4 United States Coast Guard (USCG)

 United States Coast Guard U.S. Department of Homeland Security	
Refer to Annex 2 Notifications.	
Reporting Requirements	
Type	All spills that impact or threaten navigable water or adjoining shorelines
Verbal:	As soon as possible
Written:	As requested by the agency

Sec II-3.10.5 Department of Transportation (DOT) – Pipeline and Hazardous Materials Safety Administration (PHMSA)

DOT/PHMSA	
Refer to Annex 2 Notifications.	
Reporting Requirements	
In addition to the reporting of accidents to the NRC, a written/electronic accident report (DOT/PHMSA F 7000-1), must be submitted as soon as practicable but no later than 30 days after the incident for releases resulting in the following:	
<input type="checkbox"/>	Caused a death or a personal injury requiring hospitalization.
<input type="checkbox"/>	Explosion or fire not intentionally set by the operator.
<input type="checkbox"/>	Caused estimated property damage, including cost of cleanup and recover, value of lost product, and damage to the Company property or others or both, exceeding \$50,000.
<input type="checkbox"/>	Resulted in pollution of any stream, river, lake, reservoir, or other similar body of water that violated applicable water quality standards, caused a discoloration of the surface of the water or adjoining shoreline, or deposited a sludge or emulsion beneath the surface of the water or upon adjoining shorelines.
<input type="checkbox"/>	In the judgment of the Incident Commander/Qualified Individual that the event was significant enough even though it did not meet the criteria of any of the above incidents.
The electronic form can be found at https://opsweb.phmsa.dot.gov . Notify the appropriate DOT Coordinator to complete the DOT/PHMSA F 7000-1.	

Sec II-3.10.6 Occupational Safety & Health Administration

OSHA <i>Occupational Safety & Health Administration</i>	
Refer to Annex 2 Notifications.	
Reporting Requirements	
<input type="checkbox"/>	<p>Basic requirement. Within eight (8) hours after the death of any employee from a work-related incident or the in-patient hospitalization of three or more employees as a result of a work-related incident, you must orally report the fatality/multiple hospitalization by telephone or in person.</p> <p>In accordance with 29 CFR 1904.39 the following information is to be supplied to OSHA when reporting an incident:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Company name; <input type="checkbox"/> Location of the Incident; <input type="checkbox"/> Time of Incident; <input type="checkbox"/> Number of fatalities or hospitalized employees; <input type="checkbox"/> Names of any injured employees; <input type="checkbox"/> Contact person and his/her phone number; <input type="checkbox"/> A brief description of the incident.

Sec II-3.10.7 State and Local notifications

All required State and Local notifications will be listed as well. They can be found in the applicable **Annex 2 Notifications**.

Sec II-3.10.8 Follow-up Notifications

Upon completion of the initial notifications and the implementation of the initial response actions, periodic follow-up notifications shall be made to the National Response Center and State Agencies to provide updated information on the incident including (before to have you:

•	Name of facility or pipeline
•	Time of release
•	Location of discharge
•	Name of material involved
•	Reason for discharge (e.g., material failure, excavation damage, corrosion, etc.)
•	Estimated volume of oil/product discharged
•	Weather conditions on-scene
•	Actions taken or planned by persons on scene

Sec II-3.10.9 Incident Command Posts

The Company has determined Incident Command Post (CP) locations within each operating area where adequate resources are available to command an incident. In response to most incidents, a CP is established at existing Company facilities. In the event of a significant incident for which Company facilities are not adequate, a more appropriate Command Post location must be selected based on the incident circumstances. Possible sources of other CP locations would include appropriate government, public, and commercial facilities available for CP purposes. Local governments usually maintain facilities which have been pre-designated for CP purposes. These facilities are often prescribed in Area Contingency Plans and/or local governments' Emergency Operations Plans.

Incident Command Post Characteristics	
•	Initial CP location should consider the nature and expected duration of the incident. The location is a safe area usually near the incident. The CP can be moved if necessary, although once established, it will normally not be relocated.
•	The CP should have the ability to provide security and controlled access.
•	The CP should be large enough to provide adequate working room for all assigned personnel, including agency representatives.
•	The CP should provide the resources necessary to manage the incident, e.g., meeting rooms, communications equipment, documentation equipment, materials and supplies needed to support the command function, etc.
•	The incident Communications Center, if established at an incident, is often located with or adjacent to the CP.

Sec II-3.10.10 Documentation

Documentation of a spill provides not only a historical account covering the entire period from pre-spill through cleanup actions to final post-spill assessment, but also serves as a legal instrument and a means to account for all cleanup costs. Documentation relies heavily upon detection and assessment functions, and together these functions provide the necessary data on the extent of the spill and the necessity for control measures. While facility personnel are in charge of this important function, it may be desirable to utilize consultants who can provide overall guidance on type of data collection required and, where necessary, assist in data collection or provide sampling survey personnel.

An important aspect to bear in mind when designing forms and entering data is to use a quantitative system. Avoiding relative or arbitrary terms such as large, small, thick, thin, a lot, not much, etc. These cause confusion and are not comparable between locations and individuals.

To ensure that all pertinent data and information are available for the incident report, documentation should commence immediately upon notification of a spill and should continue until termination of all operations. The Documentation Unit Leader should coordinate all documentation. The documentation unit leader, incident commander, deputy incident commander, directors, supervisors, and designated support personnel should keep notes on all

significant occurrences, including details and time of occurrence. Notes are best kept in chronological log format, to be compiled later in the final report. Every contact, written or verbal, with government personnel should be noted. All data should be written in a bound notebook, from which pages cannot be removed without leaving some track. Numbering of notebooks and pages may also help in filing of field data and provide for a method of reference later. These notebooks should also be used by supervisory personnel for documentation of an individual's activities. The Documentation Unit Leader should be responsible for distributing suitable notebooks to all personnel, and for assuring that personnel make proper use of the notebooks.

Sec. II-4 Response Management System

This Section describes specific duties and responsibilities of the members of the Company Response Team. This section should be used as a guide; specific circumstances during an incident response may require different actions. Certain duties, responsibilities and position titles listed here may not be needed in all circumstances and may change with time as the response evolves.

The Company response team consists of trained personnel that will respond to all company emergency incidents. Trained and qualified OSRO personnel will be called on fill ICS/UCS roles as required, including but not limited to positions in the Operations, Planning and Logistics sections.

Sec. II-4.1 Incident Command System Structure

The Company has adopted the National Incident Management System (NIMS) ICS/UCS organization as outlined in:

- Homeland Security Presidential Directive Five (HSPD-5)
- National Response Plan (NRP), December 2005

All Federal, State, tribal, and local levels of government, as well as many private sector and non-governmental organizations use ICS/UCS for a broad spectrum of emergencies. These range from small to complex incidents, both natural and manmade, and include acts of catastrophic terrorism. The Company has adopted the NIMS ICS/UCS to allow the partnership of Unified Command to be developed when required in training, exercises or responses.

Note: The document, FEMA 501, National Incident Management System was referenced in the development of this document.

ICS/UCS Organization

The ICS/UCS is applicable across a spectrum of incidents that may differ in terms of size, scope, and complexity because of its:

- | | |
|---|--|
| ✓ | Functional unit management structure. |
| ✓ | Modular organizational structure that is extendable to incorporate all necessary elements. Responsibility and performance begin with the incident command element, the IC/UC, and build from the top down. |

Functional Areas

ICS/UCS is usually organized around five major functional areas:

- ✓ Command
- ✓ Operations
- ✓ Planning
- ✓ Logistics
- ✓ Finance/administration.

The IC will establish the sixth functional area, intelligence, based on the requirement of the situation at hand.

Transitional Steps

Some of the more important transitional steps that are necessary to apply ICS/UCS in a field incident environment include the following:

- ✓ Recognize and anticipate the requirement that organizational elements will be activated and take the necessary steps to delegate authority as appropriate.
- ✓ Establish incident facilities as needed, strategically located, to support field operations.
- ✓ Establish the use of common terminology for organizational functional elements, position titles, facilities, and resources.
- ✓ Rapidly evolve from providing oral direction to the development of a written IAP.

Modular Extension

The modular concept is based upon the following considerations:

- ✓ Develop the form of the organization to match the function or task to be performed.
- ✓ Staff only those functional elements that are required to perform the task.
- ✓ Observe recommended span-of-control guidelines.
- ✓ Perform the function of any non-activated organizational element at the next highest level.
- ✓ Deactivate organizational elements no longer required.

Management Assignments

The IC's initial management assignments will normally be one or more section chiefs to manage the major ICS/UCS functional areas.

- ✓ Section chiefs will further delegate management authority for their areas as required.
- ✓ If needed, section chiefs may establish branches or units as appropriate for the section.
- ✓ Each functional unit leader will further assign individual tasks within the unit as needed.
- ✓ Section chiefs serve as the general staff for the IC.

Staffing

Use the separate sections to organize staff as the need arises.

- | | |
|---|---|
| ✓ | Section chiefs will further delegate management authority for their areas as required. |
| ✓ | If needed, section chiefs may establish groups/branches/units as appropriate for the section. |

Leadership Titles

- | | |
|---|--|
| ✓ | Incident Command; Incident Commander. |
| ✓ | Command Staff; Officer. |
| ✓ | Section; Section Chief. |
| ✓ | Branch; Branch Director. |
| ✓ | Divisions/Groups; and Supervisors (Supervisor is only used within the operations section). |
| ✓ | Unit; and Unit Leader (Applies to the subunits of the planning, logistics, and finance / administration sections). |

Partners

Several types of agencies could be in the ICS/UCS, and work together or in combinations depending on the situation.

- | | |
|---|----------------------------------|
| ✓ | Fire |
| ✓ | Law enforcement |
| ✓ | Public health |
| ✓ | Public works/ Emergency services |
| ✓ | State Agencies |
| ✓ | Tribal Representatives |

Other participants may include private individuals, companies, or nongovernmental organizations, some of which may be fully trained and qualified to participate as partners in the ICS/UCS.

Tactical Operations

The specific method selected for organizing and executing incident operations will depend on the:

- | | |
|---|--|
| ✓ | Type of incident. |
| ✓ | Agencies involved. |
| ✓ | Objectives and strategies of the incident management effort. |

Organization

The organizational structure for incident tactical operations can vary and may be based on:


- | | |
|---|--|
| ✓ | A method to accommodate jurisdictional boundaries. |
| ✓ | An approach that is strictly functional in nature. |
| ✓ | A mix of functional and geographical approaches. |

Branches

Establish branches in ICS/UCS for reasons such as:

- | | |
|---|---|
| ✓ | The numbers of divisions and/or groups exceed the recommended span of control for the operations section chief. |
| ✓ | The nature of the incident calls for a functional branch structure. |
| ✓ | The incident is multi-jurisdictional. |

Sec. II-4.2 Company IMT Organization Chart (Sample from IMH)



Sec. II-4.3 Common Responsibilities**Common Responsibilities Checklist**

Receive assignment from your agency, including:

- Job assignment (e.g., Strike Team designation, position, etc.).
- Brief overview of type and magnitude of incident.
- Resource order number and request number.
- Reporting location & time.
- Travel instructions.
- Any special communications instructions (e.g., travel, radio frequency).
- Monitor incident related information from media, internet, etc., if available.
- Assess personal equipment readiness for specific incident and climate (e.g.) medications, money, computer, medical record, etc.). Maintain a checklist of items and possible a personal Go-Kit.
- Inform others as to where you are going and how to contact you.
- Review Incident Management Handbook.
- Take advantage of available travel to rest prior to arrival.

Upon arrival at the incident, check-in at the designated check-in location. Check-in may be found at any of the following locations:

- Incident Command Post (CP), Base/Camps, Staging Areas, and Helibases.
- If you are instructed to report directly to a line assignment, check-in with the Division/Group Supervisor.
- Receive briefing from immediate supervisor.
- Agency Representatives from assisting or cooperating agencies report to the Liaison Officer (LNO) at the CP after check-in.
- Acquire work materials.
- Abide by organizational code of ethics.
- Participate in IMT meetings and briefings as appropriate.
- Ensure compliance with all safety practices and procedures. Report unsafe conditions to the Safety Officer.
- Supervisors shall maintain accountability for their assigned personnel with regard as to exact location(s) and personal safety and welfare at all times, especially when working in or around incident operations.
- Organize and brief subordinates.
- The Command and General staff shall ensure branches are identified, set up and allocate divisions and groups within them to stay within the recommended span of control. (1 Supervisor per 7 people) Put in Common Responsibilities
- Know your assigned communication methods and procedures for your area of responsibility and ensure that communication equipment is operating properly.
- Use clear text and ICS/UCS terminology (no codes) in all radio communications.
- Complete forms and reports required of the assigned position and ensure proper disposition of incident documentation as directed by the Documentation Unit.
- Ensure all equipment is operational prior to each work period.
- Report any signs/symptoms of extended incident stress, injury, fatigue or illness for yourself or coworkers to your supervisor.

Common Responsibilities Checklist (Cont'd)

<input type="checkbox"/>	Respond to demobilization orders and brief subordinates regarding Demobilization.
<input type="checkbox"/>	Prepare personal belongings for demobilization.
<input type="checkbox"/>	Return all assigned equipment to appropriate location.
<input type="checkbox"/>	Complete Demobilization Check-out process before returning to home base.
<input type="checkbox"/>	Participate in After-Action activities as directed.
<input type="checkbox"/>	Carry out all assignments as directed.

Sec. II-4.4 Roles and Responsibilities**Sec. II.4.4.1 Incident Commander and Deputy IC Responsibilities**

The Incident Commander's responsibility is the overall management of the incident. On most incidents, the command activity is carried out by a single IC. The IC is selected by qualifications and experience. The IC may have a deputy, who may be from the same agency, or from an assisting agency. Deputies may also be used at the section and branch levels of the ICS/UCS organization. Deputies may have the same qualifications as the person for whom they work, as they must be ready to take over that position at any time. When span of control becomes an issue for the IC, a Deputy IC/Chief of Staff may be assigned to manage the Command Staff.

Incident Commander and Deputy IC Checklist

<input type="checkbox"/>	Review common responsibilities.
<input type="checkbox"/>	Obtain a briefing from the prior IC (201 Briefing).
<input type="checkbox"/>	Determine incident objectives & general direction for managing the incident.
<input type="checkbox"/>	Establish the immediate priorities.
<input type="checkbox"/>	Establish a CP.
<input type="checkbox"/>	Brief Command Staff and General Staff.
<input type="checkbox"/>	Establish an appropriate organization.
<input type="checkbox"/>	Ensure planning meetings are scheduled as required.
<input type="checkbox"/>	Approve and authorize the implementation of an IAP.
<input type="checkbox"/>	Ensure that adequate safety measures are in place.
<input type="checkbox"/>	Coordinate activity for all Command and General Staff.
<input type="checkbox"/>	Coordinate with key people and officials.
<input type="checkbox"/>	Approve requests for additional resources or for the release of resources.
<input type="checkbox"/>	Keep internal and external stakeholders informed.
<input type="checkbox"/>	Evaluate/Approve the use of trainees, volunteers, and auxiliary personnel.
<input type="checkbox"/>	Authorize release of information to the news media.
<input type="checkbox"/>	Ensure ICS 209 is completed and forwarded to appropriate higher authority.
<input type="checkbox"/>	Order the demobilization of the incident when appropriate.

Sec. II.4.4.2 Safety Officer

The Safety Officer (SOFR) function is to develop and recommend measures for assuring personnel safety and to assess and/or anticipate hazardous and unsafe situations. Only one primary SOFR will be assigned for each incident. The SOFR may have specialists, as necessary, and the assistants may also represent assisting agencies or jurisdictions. Safety assistants may have specific responsibilities, such as air operations, hazardous materials, etc.

Safety Officer Checklist	
<input type="checkbox"/>	Review Common Responsibilities.
<input type="checkbox"/>	Identify hazardous situations associated with the incident.
<input type="checkbox"/>	Complete the initial incident action plan site safety and control analysis (ICS Form 201-5)
<input type="checkbox"/>	Participate in tactics and planning meetings, and other meetings and briefings as required.
<input type="checkbox"/>	Review the IAP for safety implications.
<input type="checkbox"/>	Provide safety advice in the IAP for assigned responders.
<input type="checkbox"/>	Exercise emergency authority to stop and prevent unsafe acts.
<input type="checkbox"/>	Investigate accidents that have occurred within the incident area.
<input type="checkbox"/>	Assign assistants, as needed.
<input type="checkbox"/>	Review and approve the medical plan (ICS Form 206).
<input type="checkbox"/>	Develop the site safety plan and publish site safety plan summary (ICS Form 208) as required.

Sec. II.4.4.3 Public Information Officer

The Public Information Officer (PIO) is responsible for developing and releasing information about the incident to the news media, to incident personnel, and to other appropriate agencies and organizations. Only one primary PIO will be assigned for each incident, including incidents operating under a Unified Command (UC) and multiple jurisdiction incidents. The PIO may also have assistants as necessary, and the assistants may also represent assisting agencies or jurisdictions. Agencies have different policies and procedures relative to the handling of public information.

Public Information Officer Checklist	
<input type="checkbox"/>	Review Common Responsibilities.
<input type="checkbox"/>	Determine from the IC/UC if there are any limits on information release.
<input type="checkbox"/>	Develop material for use in media briefings.
<input type="checkbox"/>	Obtain IC/UC approval of media releases.
<input type="checkbox"/>	Inform media and conduct media briefings.
<input type="checkbox"/>	Arrange for tours and other interviews or briefings that may be required.
<input type="checkbox"/>	Manage a Joint Information Center (JIC) if established.
<input type="checkbox"/>	Obtain media information that may be useful to incident planning.
<input type="checkbox"/>	Maintain current information summaries and/or displays on the incident and provide information on the status of the incident to assigned personnel.

Sec. II.4.4.4 Liaison Officer

Incidents that are multi-jurisdictional, or have several agencies involved, may require the establishment of the Liaison Officer (LNO) position on the Command Staff. Only one primary LNO will be assigned for each incident, including incidents operating under UC and multi-jurisdiction incidents. The LNO may have assistants as necessary, and the assistants may also represent assisting agencies or jurisdictions. The LNO is assigned to the incident to be the contact for assisting and/or cooperating Agency representatives.

Liaison Officer Checklist

<input type="checkbox"/>	Review common responsibilities.
<input type="checkbox"/>	Be a contact point for agency representatives.
<input type="checkbox"/>	Maintain a list of assisting and supporting agencies, including name and contact information. Monitor check-in sheets daily to ensure that all agency representatives are identified.
<input type="checkbox"/>	Assist in establishing and coordinating interagency contacts.
<input type="checkbox"/>	Keep agencies supporting the incident aware of incident status.
<input type="checkbox"/>	Monitor incident operations to identify current or potential inter-organizational problems.
<input type="checkbox"/>	Participate in planning meetings, providing current resource status, including limitations and capability of assisting agency resources.
<input type="checkbox"/>	Coordinate response resource needs for Natural Resource Damage Assessment and Restoration (NRDAR) activities with the Operations Section Chief during oil and HAZMAT responses.
<input type="checkbox"/>	Coordinate response resource needs for incident investigation activities with the Operations Section Chief.
<input type="checkbox"/>	Ensure that all required agency forms, reports and documents are completed prior to demobilization.
<input type="checkbox"/>	Brief IC/UC on agency issues and concerns.
<input type="checkbox"/>	Have debriefing session with the IC/UC prior to departure.
<input type="checkbox"/>	Coordinate activities of visiting dignitaries.


Sec. II.4.4.5 ICS/UCS Technical Specialist

ICS/UCS Technical Specialist Checklist	
<input type="checkbox"/>	Review common responsibilities.
<input type="checkbox"/>	Determine site specific training requirements and need for a training program.
<input type="checkbox"/>	Develop site specific training program and implement as necessary.
<input type="checkbox"/>	Determine the feasibility of using trainees in the response.
<input type="checkbox"/>	Review trainee assignments and modify if appropriate.
<input type="checkbox"/>	Coordinate the assignments of trainees to incident positions with the Resources Unit.
<input type="checkbox"/>	Keep the Safety Officer apprised of status of compliance with training requirements.
<input type="checkbox"/>	Make follow-up contacts in the field to provide assistance and advice for trainees to meet training objectives, as appropriate, and with approval of Unit Leaders to ensure trainees receive performance evaluation.
<input type="checkbox"/>	Monitor operational procedures and evaluate training needs.
<input type="checkbox"/>	Respond to requests for information concerning training activities.
<input type="checkbox"/>	Give the Training Specialist records and logs to the Documentation Unit at the end of each operational period.
<input type="checkbox"/>	Maintain Unit Log (ICS 214).

Sec. II.4.4.6 Legal Officer

Legal Officer Checklist	
<input type="checkbox"/>	Review common responsibilities.
<input type="checkbox"/>	Obtain briefing from the Incident Commander.
<input type="checkbox"/>	Advise the Incident Commander (IC) and the Unified Command (UC), as appropriate, on all legal issues associated with response operations.
<input type="checkbox"/>	Establish documentation guidelines for and provide advice regarding response activity documentation to the response team.
<input type="checkbox"/>	Provide legal input to the Documentation Unit, the Compensation/Claims Unit, and other appropriate Units as requested.
<input type="checkbox"/>	Review press releases, documentation, contracts and other matters that may have legal implications for the Company.
<input type="checkbox"/>	Participate in Incident Command System (ICS) meetings and other meetings, as requested.
<input type="checkbox"/>	Participate in incident investigations and the assessment of damages (including natural resource damage assessments).
<input type="checkbox"/>	Maintain Individual/Activity Log (ICS Form 214a).

(b) (7)(F)



Sec. II.4.4.8 Operations Section Chief

The Operations Section Chief (OSC), a member of the General Staff, is responsible for the management of all operations directly applicable to the primary mission. The OSC will normally be selected from the organization/agency with the most jurisdictional responsibility for the incident and will work in the ICP.

The OSC activates and supervises organization elements in accordance with the IAP and directs its execution. The OSC also directs the preparation of Unit operational plans, requests or releases resources, makes expedient changes to the IAP, as necessary, and reports such to the IC. The OSC may have deputy OSC's who may be from the same organization or from an assisting agency. In complex incidents, the OSC may assign a Deputy OSC to supervise on-scene operations.

Operations Section Chief Checklist

<input type="checkbox"/>	Review common responsibilities.
<input type="checkbox"/>	Obtain briefing from IC/UC.
<input type="checkbox"/>	Request sufficient section supervisory staffing for both ops & planning activities.
<input type="checkbox"/>	Convert operational incident objectives into strategic and tactical options through a work analysis matrix.
<input type="checkbox"/>	Coordinate and consult with the PSC, SOFR, technical specialists, modeling scenarios, trajectories on selection of appropriate strategies and tactics to accomplish objectives.
<input type="checkbox"/>	Identify kind and number of resources required to support selected strategies.
<input type="checkbox"/>	Subdivide work areas into manageable units.
<input type="checkbox"/>	Develop work assignments and allocate tactical resources based on strategy requirements.
<input type="checkbox"/>	Coordinate planned activities with the SOFR to ensure compliance with safety practices.
<input type="checkbox"/>	Prepare ICS 234 Work Analysis Matrix with PSC to ensure Strategies, Tactics and tasks are in line with ICS 202 Response Objectives to develop ICS 215.
<input type="checkbox"/>	Participate in the planning process and the development of the tactical portions (ICS 204 and ICS 220) of the IAP.
<input type="checkbox"/>	Assist with development of long-range strategic, contingency, and demobilization plans.
<input type="checkbox"/>	Supervise Operations Section personnel.
<input type="checkbox"/>	Monitor need for and request additional resources to support operations as necessary.
<input type="checkbox"/>	Coordinate with the LOFR and AREP's to ensure compliance with approved safety practices.
<input type="checkbox"/>	Evaluate and monitor current situation for use in next operational period planning.
<input type="checkbox"/>	Interact and coordinate with Command on achievements, issues, problems, significant changes special activities, events, and occurrences.
<input type="checkbox"/>	Troubleshoot operational problems with other IMT members.
<input type="checkbox"/>	Supervise and adjust operations organization and tactics as necessary.
<input type="checkbox"/>	Participate in operational briefings to IMT members as well as briefings to media, and visiting dignitaries.
<input type="checkbox"/>	Develop recommended list of Section resources to be demobilized and initiate recommendation for release when appropriate.
<input type="checkbox"/>	Receive and implement applicable portions of the Incident Demobilization Plan.

Sec. II.4.4.9 Planning Section Chief

The Planning Section Chief (PSC), a member of the General Staff, is responsible for the collection, evaluation, dissemination and use of incident information and maintaining status of assigned resources. Information is needed to 1) understand the current situation; 2) predict the probable course of incident events; 3) prepare alternative strategies for the incident; and 4) submit required incident status reports. The PSC may have a deputy PSC, who may be from the same organization or from an assisting agency. The Deputy PSC should have the same qualifications as the individual for whom they work and must be ready to take over position at any time.

Planning Section Chief Checklist	
<input type="checkbox"/>	Review Common Responsibilities.
<input type="checkbox"/>	Collect, process, and display incident information.
<input type="checkbox"/>	Assist OSC in the development of response strategies.
<input type="checkbox"/>	Supervise preparation of the IAP.
<input type="checkbox"/>	Facilitate planning meetings and briefings.
<input type="checkbox"/>	Assign personnel already on-site to ICS/UCS organizational positions as appropriate.
<input type="checkbox"/>	Establish information requirements and reporting schedules for Planning Section Units (e.g., Resources, Situation).
<input type="checkbox"/>	Determine the need for any specialized resources in support of the incident.
<input type="checkbox"/>	Establish special information collection activities as necessary (e.g., weather, environmental, toxics, etc.).
<input type="checkbox"/>	Assemble information on alternative strategies.
<input type="checkbox"/>	Provide periodic predictions on incident potential.
<input type="checkbox"/>	Keep IMT apprised of any significant changes in incident status.
<input type="checkbox"/>	Compile and display incident status information.
<input type="checkbox"/>	Oversee preparation and implementation of the Incident Demobilization Plan.
<input type="checkbox"/>	Incorporate plans (e.g., Traffic, Medical, Communications, and Site Safety) into the IAP.
<input type="checkbox"/>	Develop other incident supporting plans (e.g., salvage, transition, security).
<input type="checkbox"/>	Assist Operations with development of the ICS 234 Work Analysis Matrix.
<input type="checkbox"/>	Maintain Unit Log (ICS 214).

Sec. II.4.4.10 Logistics Section Chief

The Logistics Section Chief (LSC), a member of the General Staff, is responsible for providing facilities, services, and material in support of the incident. The LSC participates in the development and implementation of the IAP and activates and supervises the Branches and Units within the Logistics Section.

The LSC may have Deputy LSCs, who may be from the same organization or from an existing agency. The Deputy LSC must have the same qualifications as the person for whom they work, as they must be ready to take over that position at any time.

Logistics Section Chief Checklist	
<input type="checkbox"/>	Review Common Responsibilities.
<input type="checkbox"/>	Plan the organization of the Logistics Section.
<input type="checkbox"/>	Assign work locations and preliminary work tasks to Section personnel.
<input type="checkbox"/>	Notify the Resources Unit of the Logistics Section Units activated, including names and locations of assigned personnel.
<input type="checkbox"/>	Assemble and brief Logistics Branch Directors and Unit Leaders.
<input type="checkbox"/>	Determine and supply immediate incident resource and facility needs.
<input type="checkbox"/>	In conjunction with Command, develop and advise all Sections of the IMT resource approval and requesting process.
<input type="checkbox"/>	Review proposed tactics for upcoming operational period for ability to provide resources and logistical support.
<input type="checkbox"/>	Identify long-term service and support requirements for planned and expected operations.
<input type="checkbox"/>	Advise Command and other Section Chiefs on resource availability to support incident needs.
<input type="checkbox"/>	Provide input to and review the Communications Plan, Medical Plan and Traffic Plan.
<input type="checkbox"/>	Identify resource needs for incident contingencies.
<input type="checkbox"/>	Coordinate and process requests for additional resources.
<input type="checkbox"/>	Track resource effectiveness and make necessary adjustments.
<input type="checkbox"/>	Advise on current service and support capabilities.
<input type="checkbox"/>	Develop recommended list of Section resources to be demobilized and initiate recommendation for release when appropriate.
<input type="checkbox"/>	Receive and implement applicable portions of the Incident Demobilization Plan.
<input type="checkbox"/>	Ensure the general welfare and safety of Logistics Section personnel.
<input type="checkbox"/>	Maintain Unit Log (ICS 214).

Sec. II.4.4.11 Finance Section Chief

The Finance Section Chief (FSC), a member of the General Staff, is responsible for all financial, administrative and cost analysis aspects of the incident and for supervising members of the Finance/Admin Section. The FSC may have Deputy FSCs who may be from the same organization or from an assisting agency. The Deputy FSC must have the same qualifications as the person for whom they work, as they must be ready to take over that position at any time.

Finance Section Chief Checklist	
<input type="checkbox"/>	Review Common Responsibilities.
<input type="checkbox"/>	Participate in incident planning meetings and briefings as required.
<input type="checkbox"/>	Review operational plans and provide alternatives where financially appropriate.
<input type="checkbox"/>	Manage all financial aspects of an incident.
<input type="checkbox"/>	Provide financial and cost analysis information as requested.
<input type="checkbox"/>	Gather pertinent information from briefings with responsible agencies.
<input type="checkbox"/>	Develop an operating plan for the Finance/Admin Section; fill supply and support needs.
<input type="checkbox"/>	Determine the need to set up and operate an incident commissary.
<input type="checkbox"/>	Meet with Assisting and Cooperating Agency Representatives, as needed.
<input type="checkbox"/>	Maintain daily contact with agency(s) administrative headquarters on Finance/Admin matters.
<input type="checkbox"/>	Ensure that all personnel time records are accurately completed and transmitted to home agencies, according to policy.
<input type="checkbox"/>	Provide financial input to demobilization planning.
<input type="checkbox"/>	Ensure that all obligation documents initiated at the incident are properly prepared and completed.
<input type="checkbox"/>	Brief agency administrative personnel on all incident-related financial issues needing attention or follow-up prior to leaving incident.
<input type="checkbox"/>	Develop recommended list of Section resources to be demobilized and initial recommendation for release when appropriate.
<input type="checkbox"/>	Receive and implement applicable portions of the Incident Demobilization Plan.
<input type="checkbox"/>	Maintain Unit Log (ICS 214)

<input type="checkbox"/>	Review Common Responsibilities.
<input type="checkbox"/>	Participate in incident planning meetings and briefings as required.
<input type="checkbox"/>	Review operational plans and provide alternatives where financially appropriate.
<input type="checkbox"/>	Manage all financial aspects of an incident.
<input type="checkbox"/>	Provide financial and cost analysis information as requested.
<input type="checkbox"/>	Gather pertinent information from briefings with responsible agencies.
<input type="checkbox"/>	Develop an operating plan for the Finance/Admin Section; fill supply and support needs.
<input type="checkbox"/>	Determine the need to set up and operate an incident commissary.
<input type="checkbox"/>	Meet with Assisting and Cooperating Agency Representatives, as needed.
<input type="checkbox"/>	Maintain daily contact with agency(s) administrative headquarters on Finance/Admin matters.
<input type="checkbox"/>	Ensure that all personnel time records are accurately completed and transmitted to home agencies, according to policy.
<input type="checkbox"/>	Provide financial input to demobilization planning.
<input type="checkbox"/>	Ensure that all obligation documents initiated at the incident are properly prepared and completed.
<input type="checkbox"/>	Brief agency administrative personnel on all incident-related financial issues needing attention or follow-up prior to leaving incident.
<input type="checkbox"/>	Develop recommended list of Section resources to be demobilized and initial recommendation for release when appropriate.
<input type="checkbox"/>	Receive and implement applicable portions of the Incident Demobilization Plan.
<input type="checkbox"/>	Maintain Unit Log (ICS 214)

Sec. II-5 Response Procedures

A person evaluating a situation must assess the circumstances surrounding an event, to determine if an emergency situation exists, and respond accordingly. Company personnel are trained in hazards or emergency recognition procedures as described below.

An emergency in pipeline and facility operations often originates with the unexpected release or spill of commodities. Uncontained commodities and high vapor concentrations present substantial hazards for fires or explosions until they dissipate to safe levels. In these situations, sources of ignition must be controlled to eliminate fire and explosion hazards. The Company has strict rules for controlling sources of ignition within the property to avoid such explosions or fires. Potential sources of ignition become more difficult to control on public property. Early detection and quick response are the best actions to reduce the hazards.

The purpose of this section is to identify the response checklist/procedures to follow based on the type of incident that could occur at the facility and related pipeline systems. The checklists below are developed to allow the field personnel the ability to make sound decisions during the initial response of an incident. The checklists are not meant to substitute for emergency response knowledge, training, or sound judgment calls and do not account for all circumstances. In the event of any type of incident, it is imperative that the safety of all personnel be considered **first**, and then the protection of property second.

The level of required response is dependent upon the severity of the release, the size, potential environmental, social and economic impact and the expected public interest in the event.

Response Procedures Covered in this Section		Section
•	Initial Discovery	Sec II-5.1
•	Immediate Action Checklist	Sec II-5.2
•	General Initial Response Procedures – Terminals	Sec II-5.3
•	General Initial Response Procedures – Pipeline Maintenance Crews	Sec II-5.4
•	Emergency Shut Down	Sec II-5.5
•	Injury / Medical / Rescue	Sec II-5.6
•	Unconfirmed Report of a Leak	Sec II-5.7
•	Pipeline Leak or Rupture	Sec II-5.8
•	Failure of Manifold, Mechanical Loading Arm, Other Transfer Equipment or Hoses	Sec II-5.9
•	Tank Overfill	Sec II-5.10
•	Tank Failure	Sec II-5.11
•	Fire / Explosion	Sec II-5.12
•	Pipeline Station or Manifold Fire	Sec II-5.13
•	Truck Loading Rack Fire	Sec II-5.14
•	Tank Fire Pre-Plan / Flowchart	Sec II-5.15
•	Spill Response Strategy Guide	Sec II-5.16
•	Oil Spill / Release	Sec II-5.17
•	Oil Spill Surveillance	Sec II-5.18
•	Spills to Groundwater	Sec II-5.19
•	Natural Disasters	Sec II-5.20
•	Bomb Threat	Sec II-5.21

Sec. II-5.1 Initial Discovery / Response Actions

Initial response actions are those taken by local personnel immediately upon becoming aware of a discharge or emergency incident. Timely implementation of these initial steps is of the utmost importance because they can greatly affect the overall response operation.

Initial Discovery / Response Actions Checklist		
DISCOVERER	Initiate Initial Response Procedures and Notifications. A list of contact numbers is located in the Contacts section of this plan.	
INITIAL INCIDENT COMMANDER RESPONSE GUIDELINES		
The appropriate response to a particular incident may vary depending on the nature and severity of the incident.		
✓	Action	Definition
<input type="checkbox"/>	Secure the source.	Act quickly to shut-in source, close valves, etc. (IF SAFE TO DO SO, PROPERLY TRAINED & HAVE PROPER PPE).
<input type="checkbox"/>	Consider safety of personnel / call for medical assistance if needed.	Pull an alarm, push an evacuation button, use radio or call 911. EVACUATE IF NECESSARY.
<input type="checkbox"/>	Shut off ignition sources.	Motors, open flames, electrical circuits.
<input type="checkbox"/>	Coordinate rescue and medical response actions.	Perform this task only if trained to do so (i.e., member of medical & rescue teams) Refer to hospital listings in the Contacts section.
<input type="checkbox"/>	Identify pollutant and assess possible hazards to human health and the environment.	Identify source and volume; characterize oxygen levels, explosive character, toxicity of air on scene, splash and ingestive hazards.
<input type="checkbox"/>	Initiate containment if necessary and safe to do so.	Contact OSROs as necessary.
<input type="checkbox"/>	Conduct air monitoring.	Monitor the air quality in the area near the release to ensure there are no organic vapors which may pose an inhalation or flammability hazard.
<input type="checkbox"/>	Report all incidents to the Duty Officer.	Follow Notification Procedures in ICP Geographical Annex 2. Contact Numbers located in the Contacts section.
Initial Incident Commander	Name:	

Sec. II-5.2 Immediate Action Checklist

Spill Observer / Dispatcher

- If a pressure drop is noticed or a leak is suspected, notify the Terminal Supervisor and/or the maintenance supervisor immediately and stop all product transfers.
- To minimize damage, close all automatic isolation valves, if available.
- Assist with initial response actions as directed.

Line Flyer

- Report all abnormal activity and dead vegetation in the vicinity of a pipeline.
- If action requires immediate attention, report via radio.
- In the event radio contact cannot be made; the line flyer will land and report to Company management by telephone.

Terminal Supervisor / Maintenance Supervisor

- Determine level of response needed, hazards of product(s) involved and proper response guidelines to be followed. (For additional information refer to Company Maintenance Manual (MPR) - MPR-4005.)
- Work with local law enforcement to make sure all personnel/citizens are a safe distance away from the hazard area.
- Notify Fire Department as appropriate.
- Notify Company management as appropriate.
- Dispatch response team to the site of the suspected leak and assume the position of IC. Implement ICS/UCS and establish a workable CP and Communications Center. Determine the extent of spill or release, verify product type(s), identify material(s), estimate quantity spilled or released, approximate rate of discharge, estimate movement of the spill/vapor cloud, estimate the wind direction. (Report volume details within one hour per DOT regulations)
- Instruct response team to eliminate sources of vapor cloud ignition. Shut down all engines and motors. (Refer to MPR-3001 and MPR-4003).
- Review pipeline alignment sheets to become familiar with the location of mainline valves and elevation characteristics. Review environmentally sensitive area maps for the location of any sensitive area that may be impacted.
- Advise response team on manual valves locations; order them closed if appropriate.
- Note time of spill or time of first detection, location, source and cause of spill.
- Make a note of response actions taken and by whom.
- Instruct response team to attend to injured personnel.
- Call out cleanup or general contractors, as necessary.
- Collect information necessary to complete the Incident Report Form.
- Make appropriate notifications to local and state governmental agencies of the spill and proposed actions. Document names of agencies called, person who received the calls, and the times the calls were made.
- Complete the Incident Report Form and notifications.
- Advise neighboring property owners and operators of any threat to their property or personnel.
- Direct initial response actions.
- Call additional emergency response contractors as necessary.

Sec II-5.3 General Initial Response Procedures – Terminals

This checklist is generic to all Company Plans and is included as an additional checklist to supplement facility specific checklists contained in this Plan.

Terminals	
•	Any employee observing a spill should take emergency action to stop the release at the source in a safe manner and immediately notify the Terminal or Maintenance Supervisor.
•	Upon becoming aware of a spill, the Facility Supervisor will assess the spill in terms of the location and volume and determine if the ICS/UCS should be activated.
•	Once it has been determined to activate the ICS/UCS, the Facility Supervisor will assume the role of Incident Commander and initiate the following actions: <ol style="list-style-type: none"> a) Confirm that injured personnel have been attended to and arrange for medical assistance and transportation to hospitals, if necessary, and ensure the safety of all response personnel. b) Confirm that personnel have been assigned to stop the release and flow of oil, and secure leaks. c) Assess the spill; determine parameters such as spill volume, extent, speed, and direction of movement. d) Integrate local evacuation plans into the Unified Command decision-making process. e) Confirm that containment equipment and oil spill contractors have been deployed. f) Notify the appropriate Company management. g) Notify appropriate federal, state and local government agencies, including local utilities and Company HSE personnel. h) Begin development of an initial incident action plan (ICS 201 Forms).
•	Once product is spilled on water, action should be taken as rapidly as possible to control and recover it to minimize damage to the environment. Physical removal of the oil is the preferred action in almost all cases. However, from a practical standpoint, much of the product spilled during a minor spill will be dispersed by wind and wave action. Effective physical removal will be dependent upon relatively calm weather and water conditions and the speed with which the slick can be corralled and removed.

Sec II-5.4 General Initial Response Procedures – Pipeline Maintenance Crews

These procedures have been designed to 1) provide safety to the public and company personnel when threatened by the release of hydrocarbons from a pipeline to the environment, and 2) to coordinate activities for prompt and safe repair of the pipeline and the return to normal operating conditions.

Events that require immediate response include:

- | | |
|---|--|
| • | Extreme pressure reduction on the line |
| • | Extreme flow rate changes |
| • | Extreme measurement losses or gains |
| | Receiving notices of an emergency nature such as: |
| • | <ul style="list-style-type: none"> a) Release of hazardous liquids from a pipeline facility b) Operational malfunction causing a hazardous condition c) Fire, explosion, or natural disaster involving pipeline facilities d) Notification of a potential leak or hazard |

Whenever any of the above conditions occur, the following emergency shutdown procedures should be initiated:

- | | |
|---|---|
| • | Shutting in the line at the nearest block valves. |
| • | Notifying the nearest pump station and/or the appropriate control center. |
| • | Maintenance crewmembers should notify their immediate supervisor who will in turn notify appropriate Company contacts. |
| • | If the exact location of the leak is unknown, the Incident Commander will request a line flyer, or if it is at night, manpower might be used to walk the line. |
| • | Once a leak site has been located, the following information should be obtained. <ul style="list-style-type: none"> a) Have all ignition sources been eliminated? b) Are any schools, homes or commercial properties at risk and should they be evacuated? c) Should access to the area be restricted (roads blocked)? If so, assistance should be requested from law enforcement agencies. d) Have local response agencies been advised of the product's characteristics and handling precautions which are described in the MSDS's? e) Are railroads or utility companies in the area and have they been notified? f) Will product flow into any waterways or roadways? g) Work with Company Environmental Services to conduct a natural resource damage assessment. |
| • | The Duty Officer should be notified: <ul style="list-style-type: none"> a) Federal and/or state agencies may need to be contacted if a spill or release meets the criteria outlined in this manual. b) Following an assessment of the release site, an evaluation should be made regarding the effect of downtime on product scheduling. Appropriate Notifications will be made. |

Sec II-5.5 Emergency Shutdown

In an emergency situation, it's imperative to identify where the source of the leak can be controlled. Mitigation can involve anything from shutdown of operations to patching a leak, containing a spill, dispersing a vapor cloud, protecting a sensitive area, recovering the spilled material, or other such activities that are involved in an emergency response. Because of the infinite number of circumstances under which an incident could occur and the variety of equipment that could be involved, it is impractical to describe procedures that should be followed in all foreseeable emergency situations.

More precise shutdown procedures can be found in the ICP Geographical Annex.

Sec. II-5.6 Injury / Medical / Rescue

Medical Emergency Checklist

Procedures	✓	Date/Time
Activate professional medical care for the victim by: <input type="checkbox"/> Call 911 to arrange for ground or air ambulance support. Provide the 911 dispatch the following information: <input type="checkbox"/> Your name and location <input type="checkbox"/> Type of medical emergency <input type="checkbox"/> Name and location of the injured <input type="checkbox"/> Condition of injured <input type="checkbox"/> Contact phone number <input type="checkbox"/> Transport injured to a local hospital or physician.	<input type="checkbox"/>	/ / : / /

Caller's Name:

Note: Evacuation of seriously ill or injured persons should be conducted by ground or air ambulance only. **Transportation by company or private vehicle should be discouraged, unless advised to do so by medical authorities.** All medical emergencies should be documented and applicable emergency notifications completed.

Sec II-5.7 Unconfirmed Report of a Leak

Following an unconfirmed report of a leak, or the substantial threat of a leak, the sequential response actions that should be implemented immediately are:

Unconfirmed Report of a Leak		
Procedures	✓	Date/Time
Contact the Control Center and request a line balance check and shut down line if a leak is suspected or pipeline integrity is compromised.	<input type="checkbox"/>	___/___/___ :___:___
Conduct aerial or ground reconnaissance of the area at the first possible opportunity (incident may occur at night or in inclement weather) and contact the Control Center to shut down line if reconnaissance detects a potential leak.	<input type="checkbox"/>	___/___/___ :___:___
Isolate line segment	<input type="checkbox"/>	___/___/___ :___:___
Start internal and external notification procedures.	<input type="checkbox"/>	___/___/___ :___:___
Mobilize response and repair personnel.	<input type="checkbox"/>	___/___/___ :___:___

Sec. II-5.8 Pipeline Leak or Rupture

Pipeline Leak or Rupture Checklist

Procedures	✓	Date/Time
Assess situation and exercise caution.	<input type="checkbox"/>	___/___/___
Eliminate all ignition sources onsite.	<input type="checkbox"/>	___/___/___
Shut down pumps, close block valves, and shut down affected line.	<input type="checkbox"/>	___/___/___
If person(s) down, refer to Medical Emergency Checklist.	<input type="checkbox"/>	___/___/___
Contain spill (if safe to do so).	<input type="checkbox"/>	___/___/___
Assign person to direct emergency response vehicles.	<input type="checkbox"/>	___/___/___
Conduct air monitoring, per the Safety Officer's instruction.	<input type="checkbox"/>	___/___/___
Make necessary notifications	<input type="checkbox"/>	___/___/___
Ensure safety of personnel involved in spill response activities	<input type="checkbox"/>	___/___/___
Coordinate deployment of containment and recovery equipment	<input type="checkbox"/>	___/___/___
Designate staging areas for personnel and equipment	<input type="checkbox"/>	___/___/___
Coordinate activities of clean-up contractors	<input type="checkbox"/>	___/___/___
Set up Command Post, if warranted	<input type="checkbox"/>	___/___/___

Emergency Response Guide First Responder

Piping Leak

SAFETY

- Your safety first and then the safety of others
- Stay out of the hazard area
- If performing Recon approach up wind, up hill, up stream
- Determine the immediate hot zone
- Do not attempt to contain spilled gasoline on water

ISOLATE AND DENY ENTRY

- Evacuate the immediate area
- Deny entry to the immediate area
- Ask others to help deny entry into the area
- If on the scene, ask agency resources to help deny entry into immediate area

NOTIFICATIONS

- Contact your Supervisor
- Contact Control Center
- Dial 911 if ambulance, police or fire dept. assistance is needed
- Contact local OSRO (Notifications Section of this Plan)
- Follow Notifications Procedures (Notifications Section of this Plan)

1

COMMAND MANAGEMENT

- Assume the role of Incident Commander
- Make an announcement to all on the scene that you have assumed Command
- Establish a Unified Command Post up wind, up hill and up stream of the incident in the cold zone
- Establish a Unified Staging Area up wind, up hill and up stream of the incident in the cold zone
- Begin assigning ICS positions as necessary
- Meet, greet & brief responding Agencies as they arrive at the Unified Command Post
- Ensure Safety Officer begins and completes a Site Safety Plan

IDENTIFICATION AND ASSESSMENT


- Continue to evaluate the hot zone and adjust accordingly
- Continue to monitor evacuation activities
- Ensure safe Recon to determine extent of impact on water, air, soil, plant life & wildlife

ACTION PLANNING

- Complete an ICS Form 201 and Incident Action Plan

2

FIRST RESPONDER GUIDE UNIFIED COMMAND ICS ORGANIZATION



PROTECTIVE EQUIPMENT

- Ensure proper levels of PPE
- Ensure PPE is in line with Job Site Safety Plan

CONTAINMENT & CONTROL

- Containment & control strategies should be developed within the Unified IAP process/follow ACP
- Operations Section Chief oversees containment & control tactical deployment
- OSRO's work under the Operations Section and should not freelance

PROTECTIVE ACTIONS

- Ensure safe Recon to assess impact on water intakes, adjoining properties, public recreation sites & sensitive sites
- Protective action tactical deployment should be part of the Unified IAP

3

DECONTAMINATION / CLEANUP

- Decon activities take place under the ICS Ops Section
- Decon capabilities in place before entering Hot Zone
- Ensure proper PPE for Decon Team
- Clean up strategies should be part of the Unified IAP
- Decon runoff needs to be contained and properly disposed of

DISPOSAL


- Ensure early notification of HES
- Consult Waste Management Section of this Plan

DOCUMENTATION

- Ensure early completion of ICS Form 201 & SSHP
- Ensure proper retention of all incident related documents
- Ensure timely incident critique & record lessons learned

4

TYPICAL EMERGENCY SCENE CONTROL ZONE DIAGRAM



SAFETY FIRST

FACILITY MITIGATION/PROTECTION ACTIONS

- Shut-off flow
- Isolate leaking section of piping
- Notify Terminal Superintendent or designee
- Place a container under the leak and attempt to temporarily plug the hole
- Initiate spill containment (if outside containment area)
- Evacuate contents of line with suction pump or flush with water to remove remaining oil
- Block and purge affected equipment
- Initiate recovery/clean-up actions

INITIAL ICS/NOTIFICATION FORMS THAT MAY BE UTILIZED

- Incident Report Form & Notifications
- ICS Form 201 (Incident Briefing, 1-5)
- ICS Form 214 (Unit Log)
- Site Safety and Health Plan (SSHP)
- ICS Form 232 (Resources at Risk Summary)

DOT EMERGENCY RESPONSE GUIDEBOOK QUICK REFERENCE PAGES

Product	Guide #
Gasoline, Diesel & Crude Oil	128
Oil < 200°F	171
LPG	119
Natural Gas	115

Emergency Response Guide First Responder

Piping Rupture

SAFETY

- Your safety first and then the safety of others
- Stay out of the hazard area
- If performing Recon approach up wind, up hill, up stream
- Determine the immediate hot zone
- Do not attempt to contain spilled gasoline on water

ISOLATE AND DENY ENTRY

- Evacuate the immediate area
- Deny entry to the immediate area
- Ask others to help deny entry into the area
- If on the scene, ask agency resources to help deny entry into immediate area

NOTIFICATIONS

- Contact your Supervisor
- Contact Control Center
- Dial 911 if ambulance, police or fire dept. assistance is needed
- Contact local OSRO (Notifications Section of this Plan)
- Follow Notifications Procedures (Notifications Section of this Plan)

1

COMMAND MANAGEMENT

- Assume the role of Incident Commander
- Make an announcement to all on the scene that you have assumed Command
- Establish a Unified Command Post up wind, up hill and up stream of the incident in the cold zone
- Establish a Unified Staging Area up wind, up hill and up stream of the incident in the cold zone
- Begin assigning ICS positions as necessary
- Meet, greet & brief responding Agencies as they arrive at the Unified Command Post
- Ensure Safety Officer begins and completes a Site Safety Plan

IDENTIFICATION AND ASSESSMENT

- Continue to evaluate the hot zone and adjust accordingly
- Continue to monitor evacuation activities
- Ensure safe Recon to determine extent of impact on water, air, soil, plant life & wildlife

ACTION PLANNING

- Complete an ICS Form 201 and Incident Action Plan

2

FIRST RESPONDER GUIDE UNIFIED COMMAND ICS ORGANIZATION



PROTECTIVE EQUIPMENT

- Ensure proper levels of PPE
- Ensure PPE is in line with Job Site Safety Plan

CONTAINMENT & CONTROL

- Containment & control strategies should be developed within the Unified IAP process/follow ACP
- Operations Section Chief oversees containment & control tactical deployment
- OSRO's work under the Operations Section and should not freelance

PROTECTIVE ACTIONS

- Ensure safe Recon to assess impact on water intakes, adjoining properties, public recreation sites & sensitive sites
- Protective action tactical deployment should be part of the Unified IAP

3

DECONTAMINATION / CLEANUP

- Decon activities take place under the ICS Ops Section
- Decon capabilities in place before entering Hot Zone
- Ensure proper PPE for Decon Team
- Clean up strategies should be part of the Unified IAP
- Decon runoff needs to be contained and properly disposed of

DISPOSAL


- Ensure early notification of HES
- Consult Waste Management Section of this Plan

DOCUMENTATION

- Ensure early completion of ICS Form 201 & SSHP
- Ensure proper retention of all incident related documents
- Ensure timely incident critique & record lessons learned

4

TYPICAL EMERGENCY SCENE CONTROL ZONE DIAGRAM



SAFETY FIRST

FACILITY MITIGATION/PROTECTION ACTIONS

- Shut-off flow
- Isolate leaking section of piping
- Notify Supervisor or designee
- Place a container under the leak and attempt to temporarily plug the hole
- Initiate spill containment (if outside containment area)
- Evacuate contents of line with suction pump or flush with water to remove remaining oil
- Block and purge affected equipment
- Initiate recovery/clean-up actions

INITIAL ICS/NOTIFICATION FORMS THAT MAY BE UTILIZED

- Incident Report Form & Notifications
- ICS Form 201 (Incident Briefing, 1-5)
- ICS Form 214 (Unit Log)
- Site Safety and Health Plan (SSHP)
- ICS Form 232 (Resources at Risk Summary)

DOT EMERGENCY RESPONSE GUIDEBOOK QUICK REFERENCE PAGES

Product	Guide #
Gasoline, Diesel & Crude Oil	128
Oil < 200°F	171
LPG	119
Natural Gas	115

Sec. II-5.9 Failure of Manifold, Mechanical Loading Arm, Other Transfer Equipment or Hoses**Equipment Failure Checklist**

Procedures	✓	Date/Time
Immediately stop work activities.	<input type="checkbox"/>	___/___/___ :
Shut off transfer pumps. Close header and tank valves.	<input type="checkbox"/>	___/___/___ :
Notify Terminal Operations Manager and the Vessel PIC. (Marine Terminal)	<input type="checkbox"/>	___/___/___ :
Drain remaining contents of dike to vessel tanks.	<input type="checkbox"/>	___/___/___ :
Secure the area.	<input type="checkbox"/>	___/___/___ :
Initiate oil spill cleanup response actions.	<input type="checkbox"/>	___/___/___ :

Emergency Response Guide First Responder

Failure of Transfer Equip

SAFETY

- Your safety first and then the safety of others
- Stay out of the hazard area
- If performing Recon approach up wind, up hill, up stream
- Determine the immediate hot zone
- Do not attempt to contain spilled gasoline on water

ISOLATE AND DENY ENTRY

- Evacuate the immediate area
- Deny entry to the immediate area
- Ask others to help deny entry into the area
- If on the scene, ask agency resources to help deny entry into immediate area

NOTIFICATIONS

- Contact your Supervisor
- Contact Control Center
- Dial 911 if ambulance, police or fire dept. assistance is needed
- Contact local OSRO (Notifications Section of this Plan)
- Follow Notifications Procedures (Notifications Section of this Plan)

1

COMMAND MANAGEMENT

- Assume the role of Incident Commander
- Make an announcement to all on the scene that you have assumed Command
- Establish a Unified Command Post up wind, up hill and up stream of the incident in the cold zone
- Establish a Unified Staging Area up wind, up hill and up stream of the incident in the cold zone
- Begin assigning ICS positions as necessary
- Meet, greet & brief responding Agencies as they arrive at the Unified Command Post
- Ensure Safety Officer begins and completes a Site Safety Plan

IDENTIFICATION AND ASSESSMENT

- Continue to evaluate the hot zone and adjust accordingly
- Continue to monitor evacuation activities
- Ensure safe Recon to determine extent of impact on water, air, soil, plant life & wildlife

ACTION PLANNING

- Complete an ICS Form 201 and Incident Action Plan

2

FIRST RESPONDER GUIDE UNIFIED COMMAND ICS ORGANIZATION



PROTECTIVE EQUIPMENT

- Ensure proper levels of PPE
- Ensure PPE is in line with Job Site Safety Plan

CONTAINMENT & CONTROL

- Containment & control strategies should be developed within the Unified IAP process/follow ACP
- Operations Section Chief oversees containment & control tactical deployment
- OSRO's work under the Operations Section and should not freelance

PROTECTIVE ACTIONS

- Ensure safe Recon to assess impact on water intakes, adjoining properties, public recreation sites & sensitive sites
- Protective action tactical deployment should be part of the Unified IAP

3

DECONTAMINATION / CLEANUP

- Decon activities take place under the ICS Ops Section
- Decon capabilities in place before entering Hot Zone
- Ensure proper PPE for Decon Team
- Clean up strategies should be part of the Unified IAP
- Decon runoff needs to be contained and properly disposed of

DISPOSAL


- Ensure early notification of HES
- Consult Waste Management Section of this Plan

DOCUMENTATION

- Ensure early completion of ICS Form 201 & SSHP
- Ensure proper retention of all incident related documents
- Ensure timely incident critique & record lessons learned

4

TYPICAL EMERGENCY SCENE CONTROL ZONE DIAGRAM



SAFETY FIRST

FACILITY MITIGATION/PROTECTION ACTIONS

- Shut off transfer pumps. Close header & tank valves
- Notify Terminal Operators/Manager/Vessel
- Drain remaining contents of like to vessel tanks
- Secure area
- Initiate response actions

INITIAL ICS/NOTIFICATION FORMS THAT MAY BE UTILIZED

- Notification Fax
- ICS Form 201 (Incident Briefing)
- ICS Form 214 (Unit Log)
- Site Safety and Health Plan
- ICS Form 232 (Resources at Risk Summary)

DOT EMERGENCY RESPONSE GUIDEBOOK QUICK REFERENCE PAGES

Product	Guide #
Gasoline	128
Diesel	128
Crude Oil	128
Oil < 200°FP	171

Emergency Response Guide First Responder

Equipment Failure

SAFETY

- Your safety first and then the safety of others
- Stay out of the hazard area
- If performing Recon approach up wind, up hill, up stream
- Determine the immediate hot zone
- Do not attempt to contain spilled gasoline on water

1

ISOLATE AND DENY ENTRY

- Evacuate the immediate area
- Deny entry to the immediate area
- Ask others to help deny entry into the area
- If on the scene, ask agency resources to help deny entry into immediate area

NOTIFICATIONS

- Contact your Supervisor
- Contact Control Center
- Dial 911 if ambulance, police or fire dept. assistance is needed
- Contact local OSRO (Notifications Section of this Plan)
- Follow Notifications Procedures (Notifications Section of this Plan)

COMMAND MANAGEMENT

- Assume the role of Incident Commander
- Make an announcement to all on the scene that you have assumed Command
- Establish a Unified Command Post up wind, up hill and up stream of the incident in the cold zone
- Establish a Unified Staging Area up wind, up hill and up stream of the incident in the cold zone
- Begin assigning ICS positions as necessary
- Meet, greet & brief responding Agencies as they arrive at the Unified Command Post
- Ensure Safety Officer begins and completes a Site Safety Plan

2


IDENTIFICATION AND ASSESSMENT

- Continue to evaluate the hot zone and adjust accordingly
- Continue to monitor evacuation activities
- Ensure safe Recon to determine extent of impact on water, air, soil, plant life & wildlife

ACTION PLANNING

- Complete an ICS Form 201 and Incident Action Plan

FIRST RESPONDER GUIDE UNIFIED COMMAND ICS ORGANIZATION



PROTECTIVE EQUIPMENT

- Ensure proper levels of PPE
- Ensure PPE is in line with Job Site Safety Plan

3

CONTAINMENT & CONTROL

- Containment & control strategies should be developed within the Unified IAP process/follow ACP
- Operations Section Chief oversees containment & control tactical deployment
- OSRO's work under the Operations Section and should not freelance

PROTECTIVE ACTIONS

- Ensure safe Recon to assess impact on water intakes, adjoining properties, public recreation sites & sensitive sites
- Protective action tactical deployment should be part of the Unified IAP

DECONTAMINATION / CLEANUP

- Decon activities take place under the ICS Ops Section
- Decon capabilities in place before entering Hot Zone
- Ensure proper PPE for Decon Team
- Clean up strategies should be part of the Unified IAP
- Decon runoff needs to be contained and properly disposed of

4


DISPOSAL

- Ensure early notification of HES
- Consult Waste Management Section of this Plan

DOCUMENTATION

- Ensure early completion of ICS Form 201 & SSHP
- Ensure proper retention of all incident related documents
- Ensure timely incident critique & record lessons learned

TYPICAL EMERGENCY SCENE CONTROL ZONE DIAGRAM



SAFETY FIRST

FACILITY MITIGATION/PROTECTION ACTIONS

- Shut-off flow
- Notify Terminal Superintendent or designee
- Tighten leaky valve or fitting, if safe
- Transfer tank contents to available tankage

INITIAL ICS/NOTIFICATION FORMS THAT MAY BE UTILIZED

- Notification Fax
- ICS Form 201 (Incident Briefing)
- ICS Form 214 (Unit Log)
- Site Safety and Health Plan
- ICS Form 232 (Resources at Risk Summary)

DOT EMERGENCY RESPONSE GUIDEBOOK QUICK REFERENCE PAGES

Product	Guide #
Gasoline	128
Diesel	128
Crude Oil	128
Oil < 200°F	171

Sec. II-5.10 Tank Overfill

Tank Overfill Response Checklist

Procedures	✓	Date/Time
Immediately stop work activities.	<input type="checkbox"/>	___/___/___
Shut off flow to tank.	<input type="checkbox"/>	___/___/___
If safe, ensure dike drains are closed (if applicable).	<input type="checkbox"/>	___/___/___
Initiate oil spill response actions.	<input type="checkbox"/>	___/___/___
Secure the area.	<input type="checkbox"/>	___/___/___
Notify terminal supervisor.	<input type="checkbox"/>	___/___/___
Begin transfer of contents to other tankage.	<input type="checkbox"/>	___/___/___

Sec. II-5.11 Tank Failure

Tank Failure Response Checklist

Procedures	✓	Date/Time
Immediately stop work activities.	<input type="checkbox"/>	___/___/___
Shut off flow to tank.	<input type="checkbox"/>	___/___/___
If safe, ensure dike drains are closed (if applicable).	<input type="checkbox"/>	___/___/___
Initiate oil spill response actions.	<input type="checkbox"/>	___/___/___
Secure the area.	<input type="checkbox"/>	___/___/___
Notify terminal supervisor.	<input type="checkbox"/>	___/___/___
Begin transfer of contents to other tankage.	<input type="checkbox"/>	___/___/___

Emergency Response Guide First Responder

Tank Overfill

SAFETY

- Your safety first and then the safety of others
- Stay out of the hazard area
- If performing Recon approach up wind, up hill, up stream
- Determine the immediate hot zone
- Do not attempt to contain spilled gasoline on water

1

ISOLATE AND DENY ENTRY

- Evacuate the immediate area
- Deny entry to the immediate area
- Ask others to help deny entry into the area
- If on the scene, ask agency resources to help deny entry into immediate area

NOTIFICATIONS

- Contact your Supervisor
- Contact Control Center
- Dial 911 if ambulance, police or fire dept. assistance is needed
- Contact local OSRO (Notifications Section of this Plan)
- Follow Notifications Procedures (Notifications Section of this Plan)

COMMAND MANAGEMENT

- Assume the role of Incident Commander
- Make an announcement to all on the scene that you have assumed Command
- Establish a Unified Command Post up wind, up hill and up stream of the incident in the cold zone
- Establish a Unified Staging Area up wind, up hill and up stream of the incident in the cold zone
- Begin assigning ICS positions as necessary
- Meet, greet & brief responding Agencies as they arrive at the Unified Command Post
- Ensure Safety Officer begins and completes a Site Safety Plan

2


IDENTIFICATION AND ASSESSMENT

- Continue to evaluate the hot zone and adjust accordingly
- Continue to monitor evacuation activities
- Ensure safe Recon to determine extent of impact on water, air, soil, plant life & wildlife

ACTION PLANNING

- Complete an ICS Form 201 and Incident Action Plan

FIRST RESPONDER GUIDE UNIFIED COMMAND ICS ORGANIZATION



PROTECTIVE EQUIPMENT

- Ensure proper levels of PPE
- Ensure PPE is in line with Job Site Safety Plan

3

CONTAINMENT & CONTROL

- Containment & control strategies should be developed within the Unified IAP process/follow ACP
- Operations Section Chief oversees containment & control tactical deployment
- OSRO's work under the Operations Section and should not freelance

PROTECTIVE ACTIONS

- Ensure safe Recon to assess impact on water intakes, adjoining properties, public recreation sites & sensitive sites
- Protective action tactical deployment should be part of the Unified IAP

DECONTAMINATION / CLEANUP

- Decon activities take place under the ICS Ops Section
- Decon capabilities in place before entering Hot Zone
- Ensure proper PPE for Decon Team
- Clean up strategies should be part of the Unified IAP
- Decon runoff needs to be contained and properly disposed of

4


DISPOSAL

- Ensure early notification of HES
- Consult Waste Management Section of this Plan

DOCUMENTATION

- Ensure early completion of ICS Form 201 & SSHP
- Ensure proper retention of all incident related documents
- Ensure timely incident critique & record lessons learned

TYPICAL EMERGENCY SCENE CONTROL ZONE DIAGRAM



SAFETY FIRST

FACILITY MITIGATION/PROTECTION ACTIONS

- Shut off flow to tank
- If safe, ensure dike drains are closed
- Begin transfer of contents to other tankage
- Notify Terminal Superintendent
- Secure area
- Initiate response actions

INITIAL ICS/NOTIFICATION FORMS THAT MAY BE UTILIZED

- Incident Report Form & Notifications
- ICS Form 201 (Incident Briefing, 1-5)
- ICS Form 214 (Unit Log)
- Site Safety and Health Plan (SSHP)
- ICS Form 232 (Resources at Risk Summary)

DOT EMERGENCY RESPONSE GUIDEBOOK QUICK REFERENCE PAGES

Product	Guide #
Gasoline, Diesel & Crude Oil	128
Oil < 200°F	171
LPG	119
Natural Gas	115

Emergency Response Guide First Responder

Tank Failure

SAFETY

- Your safety first and then the safety of others
- Stay out of the hazard area
- If performing Recon approach up wind, up hill, up stream
- Determine the immediate hot zone
- Do not attempt to contain spilled gasoline on water

1

ISOLATE AND DENY ENTRY

- Evacuate the immediate area
- Deny entry to the immediate area
- Ask others to help deny entry into the area
- If on the scene, ask agency resources to help deny entry into immediate area

NOTIFICATIONS

- Contact your Supervisor
- Contact Control Center
- Dial 911 if ambulance, police or fire dept. assistance is needed
- Contact local OSRO (Notifications Section of this Plan)
- Follow Notifications Procedures (Notifications Section of this Plan)

COMMAND MANAGEMENT

- Assume the role of Incident Commander
- Make an announcement to all on the scene that you have assumed Command
- Establish a Unified Command Post up wind, up hill and up stream of the incident in the cold zone
- Establish a Unified Staging Area up wind, up hill and up stream of the incident in the cold zone
- Begin assigning ICS positions as necessary
- Meet, greet & brief responding Agencies as they arrive at the Unified Command Post
- Ensure Safety Officer begins and completes a Site Safety Plan

2


IDENTIFICATION AND ASSESSMENT

- Continue to evaluate the hot zone and adjust accordingly
- Continue to monitor evacuation activities
- Ensure safe Recon to determine extent of impact on water, air, soil, plant life & wildlife

ACTION PLANNING

- Complete an ICS Form 201 and Incident Action Plan

FIRST RESPONDER GUIDE UNIFIED COMMAND ICS ORGANIZATION



PROTECTIVE EQUIPMENT

- Ensure proper levels of PPE
- Ensure PPE is in line with Job Site Safety Plan

3

CONTAINMENT & CONTROL

- Containment & control strategies should be developed within the Unified IAP process/follow ACP
- Operations Section Chief oversees containment & control tactical deployment
- OSRO's work under the Operations Section and should not freelance

PROTECTIVE ACTIONS

- Ensure safe Recon to assess impact on water intakes, adjoining properties, public recreation sites & sensitive sites
- Protective action tactical deployment should be part of the Unified IAP

DECONTAMINATION / CLEANUP

- Decon activities take place under the ICS Ops Section
- Decon capabilities in place before entering Hot Zone
- Ensure proper PPE for Decon Team
- Clean up strategies should be part of the Unified IAP
- Decon runoff needs to be contained and properly disposed of

4


DISPOSAL

- Ensure early notification of HES
- Consult Waste Management Section of this Plan

DOCUMENTATION

- Ensure early completion of ICS Form 201 & SSHP
- Ensure proper retention of all incident related documents
- Ensure timely incident critique & record lessons learned

TYPICAL EMERGENCY SCENE CONTROL ZONE DIAGRAM



INITIAL ICS/NOTIFICATION FORMS THAT MAY BE UTILIZED

- Incident Report Form & Notifications
- ICS Form 201 (Incident Briefing, 1-5)
- ICS Form 214 (Unit Log)
- Site Safety and Health Plan (SSHP)
- ICS Form 232 (Resources at Risk Summary)

DOT EMERGENCY RESPONSE GUIDEBOOK QUICK REFERENCE PAGES

Product	Guide #
Gasoline, Diesel & Crude Oil	128
Oil < 200°F	171
LPG	119
Natural Gas	115

SAFETY FIRST

FACILITY MITIGATION/PROTECTION ACTIONS

- If safe, ensure dike drains are closed
- Notify Terminal Superintendent or designee
- Secure area
- Initiate response actions

Sec. II-5.12 Natural and Other Gas Leaks

Natural and Other Gas Leaks		
Procedures	✓	Date/Time
Immediately stop work activities.	<input type="checkbox"/>	___/___/___
Shut down and isolate flow.	<input type="checkbox"/>	___/___/___
Evacuate the area.	<input type="checkbox"/>	___/___/___
Eliminate sources of ignition.	<input type="checkbox"/>	___/___/___
All equipment used when handling product must be grounded.	<input type="checkbox"/>	___/___/___
Water spray may reduce vapors or divert vapor cloud.	<input type="checkbox"/>	___/___/___
If exposed, make sure exposed clothing is removed and decon occurs.	<input type="checkbox"/>	___/___/___

Sec. II-5.13 Natural and Other Gas Leak In or Near a Building

Natural and Other Gas Leaks In or Near a Building		
Procedures	✓	Date/Time
Immediately stop work activities.	<input type="checkbox"/>	___/___/___
Protect public first, then facilities.	<input type="checkbox"/>	___/___/___
Safely evacuate building if gas is detected inside building.	<input type="checkbox"/>	___/___/___
Always look and listen for any signs of escaped gas.	<input type="checkbox"/>	___/___/___
All open flames are to be extinguished.	<input type="checkbox"/>	___/___/___
Determine leak severity.	<input type="checkbox"/>	___/___/___
Do not enter building with audible leaking gas.	<input type="checkbox"/>	___/___/___
Test the environment to determine safe entry.	<input type="checkbox"/>	___/___/___
Evacuate people from adjacent buildings.	<input type="checkbox"/>	___/___/___
Shut off electrical power to building.	<input type="checkbox"/>	___/___/___
Eliminate all other potential sources of ignition.	<input type="checkbox"/>	___/___/___
Isolate the building from gas sources of ignition.	<input type="checkbox"/>	___/___/___
Close necessary inlet and outlet block valves and open blowdown valves.	<input type="checkbox"/>	___/___/___
After gas sources are shut off, utilize portable combustible gas indicator/detector to determine safe environment.	<input type="checkbox"/>	___/___/___

Emergency Response Guide First Responder

Natural and Other Gas Leaks

SAFETY

- Your safety first and then the safety of others
- Stay out of the hazard area
- If performing Recon approach up wind, up hill, up stream
- Determine the immediate hot zone

ISOLATE AND DENY ENTRY

- Evacuate the immediate area
- Deny entry to the immediate area
- Ask others to help deny entry into the area
- If on the scene, ask agency resources to help evaluate and deny entry into immediate area

NOTIFICATIONS

- Contact your Supervisor
- Contact Control Center
- Dial 911 if ambulance, police or fire department assistance is needed
- Contact local OSRO (Notifications Section of this Plan)
- Follow Notifications Procedures (Notifications Section of this Plan)

1

COMMAND MANAGEMENT

- Assume the role of Incident Commander
- Make an announcement to all on the scene that you have assumed Command
- Establish a Unified Command Post up wind, up hill and up stream of the incident in the cold zone
- Establish a Unified Staging Area up wind, up hill and up stream of the incident in the cold zone
- Begin assigning ICS positions as necessary
- Meet, greet & brief responding Agencies as they arrive at the Unified Command Post
- Ensure Safety Officer begins and completes a Site Safety Plan

IDENTIFICATION AND ASSESSMENT


- Continue to evaluate the hot zone and adjust accordingly
- Continue to monitor evacuation activities
- Ensure safe Recon to determine extent of impact on water, air, soil, plant life & wildlife

ACTION PLANNING

- Create an Initial Action Plan (ICS Form 201)

2

FIRST RESPONDER GUIDE UNIFIED COMMAND ICS ORGANIZATION



PROTECTIVE EQUIPMENT

- Ensure proper levels of PPE
- Ensure PPE is in line with Site Safety Health Plan

CONTAINMENT & CONTROL

- Containment & control strategies should be developed within the Unified IAP process/follow ACP
- Operations Section Chief oversees containment & control tactical deployment
- OSROs work under the Operations Section and should not freelance

PROTECTIVE ACTIONS

- Ensure safe Recon to assess impact on water intakes, adjoining properties, public recreation sites & sensitive sites
- Protective action tactical deployment should be part of the Unified IAP

3

DECONTAMINATION / CLEANUP

- Decon activities take place under the ICS Ops Section
- Decon capabilities in place before entering Hot Zone
- Ensure proper PPE for Decon Team

DISPOSAL


- Minimal disposal issues

DOCUMENTATION

- Ensure early completion of ICS Form 201 & SSHP
- Ensure proper retention of all incident-related documents
- Ensure timely incident critique & record lessons learned

4

TYPICAL EMERGENCY SCENE CONTROL ZONE DIAGRAM



SAFETY FIRST

FACILITY MITIGATION/PROTECTION ACTIONS

- Shut down and isolate flow
- Evacuate the area
- Eliminate sources of ignition
- All equipment used when handling product must be grounded
- Water spray may reduce vapors or divert vapor cloud
- If exposed, make sure exposed clothing is removed and decon occurs

INITIAL ICS/NOTIFICATION FORMS THAT MAY BE UTILIZED

- Notification Fax
- ICS Form 201 (Incident Briefing)
- ICS Form 202
- Site Safety Plan
- ICS Form 215

DOT EMERGENCY RESPONSE GUIDEBOOK QUICK REFERENCE PAGES

Product	Guide #
Gasoline	128
Diesel	128
LPG	119
Natural Gas	115
Crude Oil	128

Emergency Response Guide First Responder

Natural and Other Gas Leak In or Near a Building

SAFETY

- Your safety first and then the safety of others
- Stay out of the hazard area
- If performing Recon approach up wind, up hill, up stream
- Determine the immediate hot zone

ISOLATE AND DENY ENTRY

- Evacuate the immediate area
- Deny entry to the immediate area
- Ask others to help deny entry into the area
- If on the scene, ask agency resources to help evaluate and deny entry into immediate area

NOTIFICATIONS

- Contact your Supervisor
- Contact Control Center
- Dial 911 if ambulance, police or fire department assistance is needed
- Contact local OSRO (Notifications Section of this Plan)
- Follow Notifications Procedures (Notifications Section of this Plan)

1

COMMAND MANAGEMENT

- Assume the role of Incident Commander
- Make an announcement to all on the scene that you have assumed Command
- Establish a Unified Command Post up wind, up hill and up stream of the incident in the cold zone
- Establish a Unified Staging Area up wind, up hill and up stream of the incident in the cold zone
- Begin assigning ICS positions as necessary
- Meet, greet & brief responding Agencies as they arrive at the Unified Command Post
- Ensure Safety Officer begins and completes a Site Safety Plan

IDENTIFICATION AND ASSESSMENT


- Continue to evaluate the hot zone and adjust accordingly
- Continue to monitor evacuation activities
- Ensure safe Recon to determine extent of potential impact on the area

ACTION PLANNING

- Create an Initial Action Plan (ICS Form 201)

2

FIRST RESPONDER GUIDE UNIFIED COMMAND ICS ORGANIZATION



PROTECTIVE EQUIPMENT

- Ensure proper levels of PPE
- Ensure PPE is in line with Site Safety Health Plan

CONTAINMENT & CONTROL

- Containment & control strategies should be developed within the Unified IAP process/follow ACP
- Operations Section Chief oversees containment & control tactical deployment

PROTECTIVE ACTIONS

- Ensure safe Recon to assess impact on area
- Protective action tactical deployment should be part of the Unified IAP

3

DECONTAMINATION / CLEANUP

- Decon activities take place under the ICS Ops Section
- Decon capabilities in place before entering Hot Zone
- Ensure proper PPE for Decon Team

DISPOSAL


- Minimal disposal issues

DOCUMENTATION

- Ensure early completion of ICS Form 201 & SSHP
- Ensure proper retention of all incident-related documents
- Ensure timely incident critique & record lessons learned

4

TYPICAL EMERGENCY SCENE CONTROL ZONE DIAGRAM



GENERAL PROCEDURES

- Protect public first, then facilities
- Safely evacuate building if gas is detected inside building
- Always look and listen for any signs of escaped gas
- Do not open a building door if escaped gas is detected
- All open flames are to be extinguished
- Determine leak severity
- Do not enter building with audible leaking gas
- Test the environment to determine safe entry
- Evacuate people from adjacent buildings

GENERAL PROCEDURES (CONTINUED)

- Shut off electrical power to building
- Eliminate all other potential sources of ignition
- Isolate the building from gas sources if possible
- Close necessary inlet and outlet block valves and open blowdown valves
- After gas sources are shut off, utilize portable combustible gas indicator/detector to determine safe environment

INITIAL ICS/NOTIFICATION FORMS THAT MAY BE UTILIZED

- Notification Fax
- ICS Form 201 (Incident Briefing)
- ICS Form 202
- Site Safety Plan
- ICS Form 215

DOT EMERGENCY RESPONSE GUIDEBOOK QUICK REFERENCE PAGES

Product	Guide #
Gasoline	128
Diesel	128
LPG	119
Natural Gas	115
Crude Oil	128

Sec. II-5.14 Fire / Explosion

It is the Company's intention to comply with all applicable fire regulations. The objective of the emergency planning and response program is to produce a favorable outcome at the incident with minimal risk to the public, employees and contractors, and emergency responders.

Life safety shall be the highest priority for all personnel.

Fire / Explosion / Blowout Checklist		
Procedures	✓	Date/Time
Person in Charge – Call 911 and activate fire alarm.	<input type="checkbox"/>	___/___/___
Eliminate all ignition sources.	<input type="checkbox"/>	___/___/___
Begin Emergency Shut Down if necessary.	<input type="checkbox"/>	___/___/___
If person(s) down, refer to Medical Emergency Checklist	<input type="checkbox"/>	___/___/___
When fire is noticed at any facility, secure the source if safe to do so.	<input type="checkbox"/>	___/___/___
Account for all personnel in the unit or area where the fire occurred.	<input type="checkbox"/>	___/___/___
Evacuate all non-essential personnel, if necessary.	<input type="checkbox"/>	___/___/___
Establish communications. Contact PIC.	<input type="checkbox"/>	___/___/___
Search for and rescue missing or injured personnel as required.	<input type="checkbox"/>	___/___/___
Use the buddy system.	<input type="checkbox"/>	___/___/___
Ensure the Facility Operators control the process.	<input type="checkbox"/>	___/___/___
Conduct air monitoring to ensure safety of personnel and appropriate PPE is required to respond. (For additional information, see the Site Safety and Health Plan and/or the Safety Coordinator.)	<input type="checkbox"/>	___/___/___
Conduct initial fire fighting by IC/UC personnel (trained in the use of firefighting equipment and PPE), which may include use of monitors, deluge systems, and portable fire extinguishers.	<input type="checkbox"/>	___/___/___
Evacuate nearby residents if required.	<input type="checkbox"/>	___/___/___

Emergency Response Guide First Responder

Fire or Explosion

SAFETY

- Your safety first and then the safety of others
- Stay out of the hazard area
- If performing Recon approach up wind, up hill, up stream
- Determine the immediate hot zone
- Do not attempt to contain spilled gasoline on water

ISOLATE AND DENY ENTRY

- Evacuate the immediate area
- Deny entry to the immediate area
- Ask others to help deny entry into the area
- If on the scene, ask agency resources to help deny entry into immediate area

NOTIFICATIONS

- Contact your Supervisor
- Contact Control Center
- Dial 911 if ambulance, police or fire dept. assistance is needed
- Contact local OSRO (Notifications Section of this Plan)
- Follow Notifications Procedures (Notifications Section of this Plan)

1

COMMAND MANAGEMENT

- Assume the role of Incident Commander
- Make an announcement to all on the scene that you have assumed Command
- Establish a Unified Command Post up wind, up hill and up stream of the incident in the cold zone
- Establish a Unified Staging Area up wind, up hill and up stream of the incident in the cold zone
- Begin assigning ICS positions as necessary
- Meet, greet & brief responding Agencies as they arrive at the Unified Command Post
- Ensure Safety Officer begins and completes a Site Safety Plan

IDENTIFICATION AND ASSESSMENT


- Continue to evaluate the hot zone and adjust accordingly
- Continue to monitor evacuation activities
- Ensure safe Recon to determine extent of impact on water, air, soil, plant life & wildlife

ACTION PLANNING

- Complete an ICS Form 201 and Incident Action Plan

2

FIRST RESPONDER GUIDE UNIFIED COMMAND ICS ORGANIZATION



PROTECTIVE EQUIPMENT

- Ensure proper levels of PPE
- Ensure PPE is in line with Job Site Safety Plan

CONTAINMENT & CONTROL

- Containment & control strategies should be developed within the Unified IAP process/follow ACP
- Operations Section Chief oversees strategies

PROTECTIVE ACTIONS

- Ensure safe Recon to assess impact on area
- Protective action tactical deployment should be part of the Unified IAP

3

DECONTAMINATION / CLEANUP

- Decon activities take place under the ICS Ops Section
- Decon capabilities in place before entering Hot Zone
- Ensure proper PPE for Decon Team
- Clean up strategies should be part of the Unified IAP
- Decon runoff needs to be contained and properly disposed of

DISPOSAL


- Ensure early notification of HES
- Consult Waste Management Section of this Plan

DOCUMENTATION

- Ensure early completion of ICS Form 201 & SSHP
- Ensure proper retention of all incident related documents
- Ensure timely incident critique & record lessons learned

4

TYPICAL EMERGENCY SCENE CONTROL ZONE DIAGRAM



* Typical Guide/No Scale Suggested

SAFETY FIRST

FACILITY MITIGATION/PROTECTION ACTIONS

- Alert personnel
- Notify Supervisor or designee
- Activate alarm as required
- Notify local fire department
- Evacuate non-essential individuals
- Identify cause/source/materials involved
- Contain fire/spill/material released
- Consider potential for escalation
- Protect exposures

INITIAL ICS/NOTIFICATION FORMS THAT MAY BE UTILIZED

- Incident Report Form & Notifications
- ICS Form 201 (Incident Briefing, 1 5)
- ICS Form 214 (Unit Log)
- Site Safety and Health Plan
- ICS Form 232 (Resources at Risk Summary)

DOT EMERGENCY RESPONSE GUIDEBOOK QUICK REFERENCE PAGES

Product	Guide #
Gasoline, Diesel & Crude Oil	128
Oil < 200°F	171
LPG	119
Natural Gas	115

Sec. II-5.14.1 Fire Prevention

Accumulated debris, oil waste, trash, and other potential fuels can be present in all operations and will add to the fire danger. Strict control and isolation of these fuel sources should be exercised to avoid their accumulation in inhabited areas. Gasoline storage and transfer should follow applicable codes. A fire extinguisher should also be made readily available. Smoking is not allowed near flammable materials. Welding and burning require a hot work permit where hydrocarbon mixtures may exist, i.e., vessels, tanks, pipelines, etc., which may contain explosive mixtures or atmospheres. All fires should be completely extinguished before fire-fighting personnel leave the work site.

Sec. II-5.15 Pipeline Station or Manifold Fire


Pipeline Station or Manifold Fire		
Procedures	✓	Date/Time
Bear in mind it is better to take plenty of time in an emergency than to rush in and sustain personal injury.	<input type="checkbox"/>	___/___/___ :___:___
Personnel should immediately evacuate hazardous area.	<input type="checkbox"/>	___/___/___ :___:___
Extinguish fire at once, if possible, with the equipment at hand. a) If product cannot be shut off, it is better to let a controlled fire burn than to extinguish it as the fuel may spread and flashback occur.	<input type="checkbox"/>	___/___/___ :___:___
If telephone is not in hazardous area, notify Supervisor and Control Center and proceed to shut down as outlined in Section II.	<input type="checkbox"/>	___/___/___ :___:___
IF TELEPHONE IS IN HAZARDOUS AREA , do not attempt to use it. a) Trip emergency shutdown control. b) Close fuel supply valve if the emergency shutdown control fails. c) Get information to Supervisor and fire department as quickly as possible by any available means.	<input type="checkbox"/>	___/___/___ :___:___
Reduce fuel supply by: a) Closing valves where possible. b) Close tank valves immediately. c) Close mainline fire gates valves on Supervisor's orders if not in the fire area. If in the fire area, the nearest upstream and downstream valves are to be closed.	<input type="checkbox"/>	___/___/___ :___:___
Notify Terminal Supervisor, Operations Supervisor, and TPTN Duty Officer. Notify all off-site personnel of Facility Emergency Incident.	<input type="checkbox"/>	___/___/___ :___:___
If foam is needed, contact necessary resources for assistance.	<input type="checkbox"/>	___/___/___ :___:___
Post guards at gates or roadways. Call for any help deemed necessary: ambulance, sheriff (to barricade roads, etc.).	<input type="checkbox"/>	___/___/___ :___:___
Isolate the fire as much as possible and control spreading to other properties by wetting with water.	<input type="checkbox"/>	___/___/___ :___:___
After the fire has been extinguished or controlled, permit only authorized personnel to go near the location.	<input type="checkbox"/>	___/___/___ :___:___
Public Relations: Contact EPR&S Group to request media support as needed.	<input type="checkbox"/>	___/___/___ :___:___

Sec. II-5.16 Truck Loading Rack Fire

Truck Loading Rack Fire		
Procedures	✓	Date/Time
Be calm – Think first and act with care. Equipment can be replaced – lives cannot.	<input type="checkbox"/>	___/___/___ :___
Stop all loading on rack. Trip emergency shutdown switch – close valves on loading riser.	<input type="checkbox"/>	___/___/___ :___
Attempt to put out or control fire with dry chemical extinguisher. Prompt action can extinguish a small fire.	<input type="checkbox"/>	___/___/___ :___
Notify Fire Department	<input type="checkbox"/>	___/___/___ :___
If immediate action does not extinguish the fire, then:		
Clear rack of all truck not on fire and shut off fuel supply by closing all valves on loading lines.	<input type="checkbox"/>	___/___/___ :___
Advise Supervisor and/or other employees on duty of the fire.	<input type="checkbox"/>	___/___/___ :___
If anyone is injured or burned, remove from area.	<input type="checkbox"/>	___/___/___ :___
Summon help as needed: ambulance, sheriff, etc.	<input type="checkbox"/>	___/___/___ :___
In some cases it may be better to isolate the fire and permit it to exhaust the fuel, rather than to extinguish and risk an explosion.	<input type="checkbox"/>	___/___/___ :___
Water should be applied to lines, equipment and tanks in the fire and surrounding area.	<input type="checkbox"/>	___/___/___ :___
Good judgment is essential as to position of personnel because of potential hazard of heat-induced failure of piping and tanks.	<input type="checkbox"/>	___/___/___ :___
Turn off switches on electrical service in fire area.	<input type="checkbox"/>	___/___/___ :___
Close gates, post guards to keep spectators away, use sheriff or police to assist.	<input type="checkbox"/>	___/___/___ :___
Public Relations: Contact EPR&S Group to request media support as needed..		___/___/___ :___


Sec. II-5.17 Tank Fire Pre-Plan / Flowchart

NOTE: REFER TO COMPANY EMERGENCY RESPONSE WEB SITE FOR A LINK TO THE TANK FIRE PRE-PLANS. DIAGRAMS AND OTHER REFERENCE MATERIALS CAN BE FOUND IN THE COMPANY OPERATIONS FIELD HANDBOOK.




Note: Successful mitigation may require elements of all 3 options.

Sec. II-5.18 Spill Response Strategy Guide



Sec. II-5.18 Spill Response Strategy Guide (Cont'd)



Note: Pipeline Emergency Response operations dictate that the Company and Agency Incident Commanders will establish the location of the Incident Command Post and Communication Center. Factors that will be taken into account when deciding on the Incident Command Post will include but not be limited to: location of the pipeline release, personal and public safety, geography, preference of local, state and federal response personnel, weather, size of CP needed and workability.

Sec. II-5.19 Oil Spill / Release

Oil Release Checklist		
Procedures	✓	Date/Time
Consider safety of personnel.	<input type="checkbox"/>	___/___/___ :___:___
Shut off ignition sources.	<input type="checkbox"/>	___/___/___ :___:___
Stop the flow of spilled product.	<input type="checkbox"/>	___/___/___ :___:___
Coordinate rescue and medical response actions.	<input type="checkbox"/>	___/___/___ :___:___
Identify release and assess possible hazards to human health and the environment.	<input type="checkbox"/>	___/___/___ :___:___
Report all spills to Supervisor and Management.	<input type="checkbox"/>	___/___/___ :___:___

Sec. II-5.20 Oil Spill Surveillance

Spill Surveillance Guidelines

- | | |
|---|--|
| • | Spill surveillance should begin as soon as possible to aid response personnel with assessing spill size, movement and potential impact locations. |
| • | Cloud shadows, sediment, floating organic matter, submerged sand banks or wind-induced patterns on the water may resemble an oil slick if viewed from a distance. |
| • | Use surface vessels to confirm the presence of any suspected oil slicks, if safe to do so. If possible, direct the vessels from the aircraft and photograph the vessels from the air to show their position and size relative to the slick. |
| • | It is difficult to adequately observe oil on the water from a boat, dock or shoreline. |
| • | Spill surveillance is best accomplished using helicopters or small planes. Helicopters are preferred due to their superior visibility and maneuverability characteristics. |
| • | If fixed-wing planes are used, high wing types provide better visibility than low-wing types. |
| • | Document all observations in writing and with photographs and/or videotapes. |
| • | Describe the approximate oil slick dimensions based on available reference points (i.e. vessel, shoreline features, facilities). Use aircraft or vessel (if safe to do so) to traverse the length and width of the slick while timing each pass. Calculate the approximate size and area of the slick by multiplying speed and time. |
| • | Record aerial observations on detailed maps. |
| • | In the event of reduced visibility, such as dense fog or cloud cover, boats may be used for patrols and documenting the location and movements of the spill. Boats will only be used if safe conditions are present, including on-scene weather and product characteristics. |
| • | Surveillance is also required during spill response operations in order to gauge effectiveness of response operations, to assist in locating skimmers and to continually assess size, movement and impact of spill. |

Aerial Spill Surveillance Data Sheet

Incident Name:		Date / Time:				
Environmental Conditions						
Wind Speed (kts):			Wind Direction:			
Current Speed (kts):			Current Direction:			
Air Temperature (°F)			Water Temperature (°F)			
Comments						
Clear <input type="checkbox"/>		Partly Cloudy <input type="checkbox"/>			Cloudy <input type="checkbox"/>	
Spill Location						
Leading Edge	Latitude		Deg		Min	Sec
	Longitude		Deg		Min	Sec
Trailing Edge	Latitude		Deg		Min	Sec
	Longitude		Deg		Min	Sec
Spill Description						
	Barely Discernable	Silvery Sheen	Faint Colors	Bright Bands of Color	Dull Brown	Dark Brown
Length						
Width						
General Description						

Sec. II-5.20 Oil Spill Surveillance (Cont'd)

Spill Volume Estimating

Early in a spill response, estimation of spill volume is required in order to:

- Report to agencies
- Determine liquid recovery requirements
- Assess manpower and equipment requirements
- Determine disposal and interim storage requirements

In the event that actual spill volumes are not available, it may be necessary to estimate this volume.

Spill Volume Estimation Methods

- **Water:** Visual observation and calibration with the A.P.I. Task Force on Oil Spill Cleanup, Committee for Air and Water Conservation's Spill Size Estimation Matrix. This matrix is included as Figure II-5.1 for spills to water. Other methods which can be used to determine size and volume of a spill include, but are not limited to:
 - Other methods which can be used to determine size and volume of a spill include, but are not limited to:
 - Vessel/line capacity formulas
 - Infra-red thermal imaging
- **Land:**
 - Use the Transportation Spill to Land Estimation Tool
 - SCADA (Control Center calculation)
 - Tank Data Program

Figure II-5.1 – Spill Estimation Factors

Use this table to calculate the amount of an oil spill to water:

Estimated Area* (sq ft)	Estimated Amount of Spill in GALLONS**					
	Barely Discernible	Silvery Sheen	Faint Colors	Bright Bands of Color	Dull Brown	Dark Brown
1,000	< 1/8	< 1/8	< 1/8	< 1/8	< 1/8	< 1/8
5,000	< 1/8	< 1/8	< 1/8	< 1/8	< 1/8	3/8
10,000	< 1/8	< 1/8	< 1/8	< 1/8	1/4	2/5
15,000	< 1/8	< 1/8	< 1/8	< 1/8	3/8	1/2
20,000	< 1/8	< 1/8	< 1/8	1/4	2/5	1
30,000	< 1/8	< 1/8	< 1/8	1/4	3/5	1
50,000	< 1/8	< 1/8	1/4	2/5	1	3
100,000	< 1/8	1/4	2/5	3/4	3	5
300,000	3/8	3/5	1	2	6	14
600,000	1/2	1	2	4	13	29
900,000	3/4	2	3	7	20	43
1,000,000	7/8	2	4	7	22	47
1,250,000	1	2	5	9	27	59
1,500,000	1	3	5	11	32	70
1,750,000	2	3	6	13	38	82
2,000,000	2	4	7	14	43	94
4,000,000	4	8	15	30	90	95
6,000,000	5	11	22	44	132	286
8,000,000	7	15	29	58	174	377
10,000,000	9	18	36	72	216	468
12,500,000	11	23	45	90	270	585
15,000,000	14	27	54	108	324	702
17,500,000	16	32	63	126	378	819
20,000,000	18	37	72	144	432	936
22,500,000	21	41	82	164	492	1,066
25,000,000	23	45	90	180	540	1,170
27,500,000	25	50	100	200	600	1,300

*Arrived at by multiplying estimated length of spill by estimated width. Round up to next highest value.

**Calculated from guide published by the API Task Force on Oil Spill Cleanup, Committee for Air and Water Conservation.

< Means less than

Sec. II-5.20.1 Estimating Spill Trajectories

Oil spill trajectories may initially be estimated in order to predict direction and speed of the slick movement. Trajectory calculations provide an estimate of where oil slicks may impact shorelines and other sensitive areas and provide an estimate of the most likely locations for protection, containment and recovery.

The following methods may be used to predict spill movement:

- Vector Analysis (using wind speed/direction, tides, and current speed/direction)
- Computer trajectory modeling programs (including but not limited to):
 - World Oil Spill Model (WOSM)
 - OilMap
 - General NOAA Oil Modeling Environment (GNOME)

The Company will utilize internal subject matter experts with consultants as necessary to perform trajectory analysis and fate & effect modeling.

Input variables for proper modeling include, but are not limited to:

- Spill location, volume, and time of spill
- Nature of the spill - continuous or single incident
- Wind speed & direction
- Water movement (current) speed & direction
- Water temperature
- Sea state
- Atmospheric temperature
- Characteristics of spilled material

This information can be obtained from many sources, including but not limited to:

- Reports from personnel at the spill site
- Commercial weather services
- National Oceanic and Atmospheric Administration (NOAA)
- Internal Company databases

Sec. II-5.20.2 Sampling and Testing

In defining an acceptable response to a spill incident, it is necessary to know certain physical and chemical characteristics of the spill material. If positive identification of the spilled material can be made without testing, product data may be obtained from a material safety data sheet (MSDS), product specification information, and/or records of product physical and chemical properties.

Occasionally a spill may occur in which the spilled material is not readily identifiable. Typically, laboratory analytical data for spill event samples will not be instantaneously available during an emergency. Therefore, it is necessary and desirable to field-categorize oils as the product reacts and changes in the environment. Although varying widely in physical and chemical properties, oil products have common basic features that permit their grouping for predictive evaluation of environmental effects and determination of control actions. In addition, as petroleum products react and change (e.g., weather) when exposed in the environment, the laboratory data may not be representative of "real-time" conditions; rather the data may instead reflect the chemical characteristics of the spilled material(s) at the time of sample collection.

The **Oil Spill Trajectory Request Form** is located in Section III of this plan.

Sec. II-5.21 Spills to Groundwater**Sec. II-5.21.1 General**

Spills to bare ground will initially spread laterally on the surface and then begin migrating downward through the soil and, depending on a variety of factors and circumstances, could reach groundwater. During vertical migration the spill will spread laterally to some degree and a portion of the oil will be absorbed by the soil particles or become trapped in small pores eventually immobilizing the spill.

In general, oil will continue migrating downward until:

- | | |
|---|---|
| • | Residual Saturation is reached (all of the oil is absorbed by the soil) |
| • | Impenetrable Layer (silt, clay, sandstone, rock) is encountered |
| • | Groundwater is reached |

If a spill does reach groundwater, the oil will form a mound on the surface of the groundwater (water table) and begin to spread horizontally but preferentially in the direction of groundwater flow. For higher groundwater velocities, a narrow plume elongated in the direction of groundwater flow will form whereas for lower velocities the plume broadens and assumes a more circular pattern. The thickness of the plume or layer of oil on the water table will decrease with distance from the source.

As with vertical migration, a portion of the oil will adhere to soil particles and become trapped in small or water filled pores eventually becoming immobilized. For instantaneous or quasi-instantaneous spills, 40-70% of lateral spreading will generally occur in the first 24 hrs whereas 60-90% occurs in the first week.

Sec. II-5.21.2 Response Actions

In the event of a spill to bare ground, there are a number of actions that should be taken to assess the spill and, if groundwater is impacted, initiate recovery and limit the extent of impact. A decision guide is provided at the end of this section that outlines the general response actions that should be taken. Additional information on these response actions is also provided below.

Sec. II-5.21.3 Initial Assessment

As for any spill, the initial response actions for spills to bare ground should include the assessment of health and safety hazards. See the Site Safety and Health Plan as well as the following parameters.

Initial Assessment Parameters

•	Spill Size and Product Accumulation (pooled oil) Depth
•	Product Type (viscosity)
•	Soil Type/Permeability/Moisture Content
•	Depth to Groundwater
•	Estimated Response Time to Initiation of Recovery Actions

Sec. II-5.21.4 Ground Impact Potential

Once the assessment is completed, the potential for the spill to impact underlying groundwater should be determined and generally requires some knowledge of the local hydrogeology including soil type/permeability and depth to groundwater, and groundwater flow direction. The common factors, along with selected examples, that contribute to a spill having a higher or lower potential to impact groundwater are:

Higher Potential

•	Shallow Groundwater (generally <20 ft)
•	Low Viscosity Oil (gasoline)
•	Dry Soil with Low Oil Retention Capacity
•	Highly Permeable Soils (sand, gravel, coarse grained mixed sediment)
•	Large Volume
•	Pooled Oil (creates hydraulic head that enhances penetration)
•	Response Time (several hours before pooled oil recovery begins)

Lower Potential

•	Deep Groundwater (generally >20 ft)
•	Medium to High Viscosity Oil (industrial fuel oils, crude, lubricants, etc.)
•	Wet or Moist Soils with High Oil Retention Capacity
•	Low Permeability Soils (silts, clays, fine grained mixed sediment)
•	Small Volume
•	No Pooled Oil on Surface
•	Response Time (expeditious recovery of pooled oil or saturated soils)

Sec. II-5.21.4 Ground Impact Potential (Cont'd)

For small spills that do not pool on the ground surface, vertical penetration into the soil is often limited to 4 to 8 inches with the exception of coarse gravels which could allow considerably deeper penetration. Depth of penetration can be estimated if you know the square footage of surface impact, soil type, depth to groundwater and spill volume. Using the above information and the table shown below, a calculation of how much oil can be adsorbed/retained by the soil between the surface and the water table. If the retention capacity is significantly greater than the spill volume, the potential for the spill to reach groundwater would be low and vice versa.

Retention Capacity	
Soil Type	Oil Retention Capacity (gal / yd ³)
Stones, coarse gravel	1
Gravel, coarse san	1.6
Coarse sand, medium sand	3
Medium sand, fine sand	5
Fine sand, silt	8

Sec. II-5.21.5 Supplemental Assessment

If the potential exists for a spill to reach groundwater, additional assessment activities should be conducted to confirm groundwater has been impacted and, if so, assess the extent of impacts. In most cases, experienced remediation contractors already under contract to the Company will be utilized to conduct subsequent assessment activities.

These activities commonly include:	
•	Backhoes or Excavators – excavate pits/trenches to determine penetration depth/groundwater impacts (limited to depths of 10–20 ft)
•	Hand or Power Augers – install borings to collect soil/water samples and can be used to install temporary wells (often limited to 15-30 ft)
•	Direct Push Drilling Rigs – install borings to collect soil/water samples and can be used to install temporary wells (often limited to 50-100 ft)
•	Hollow Stem Auger (HAS) or rotary drill rigs - install borings to collect soil samples and wells for groundwater samples (limited to 100-500 ft)

The type of method used often depends on equipment availability, depth to groundwater and access to the spill area. For areas with shallow groundwater and good access, backhoes or excavators are often the most expedient means of determining penetration depth and groundwater impacts. If access is limited, such as in many tank farms, hand or power augers can be used to install borings and collect samples. Direct push (Geoprobe) rigs can get into many areas but are generally truck mounted and will need road access. For areas with good access and where groundwater is deeper, hollow stem augers or rotary drill rigs are often the best equipment for subsequent assessment.

Sec. II-5.21.5 Supplemental Assessment (Cont'd)

Borings or pits should be installed, if safe to do so, in the main spill area where penetration is typically greatest. If groundwater impacts are confirmed or expected, additional borings or wells should be installed by stepping out laterally from the spill area and primarily in the down gradient direction until the groundwater impact area is delineated.

It is important to note that if intrusive activities (excavation, drilling, hand augers, etc.) are necessary, additional air monitoring of the excavation and breathing zone around the activities should be conducted to ensure additional hazards are not created by the activities. In addition, if excavation activities are conducted and it is necessary for workers to enter the excavation, confined space permitting and/or shoring regulations may apply.

Sec. II-5.21.6 Recover/Remediation


In the event a spill does reach groundwater or the threat of reaching groundwater remains, recovery or remediation activities will need to be conducted to mitigate the impacts. The impacts could be limited to low concentrations of hydrocarbons that have dissolved into the groundwater or, for larger spills, involve a layer of oil/product floating (separate, or non-aqueous, phase hydrocarbons) on the groundwater surface (water table) accompanied by elevated concentrations of dissolved (aqueous phase) hydrocarbons in the groundwater.

Some of the more common groundwater remediation techniques include:

•	Pump and Treat
•	Excavation
•	Bioremediation
•	Air Sparging
•	Soil Vapor Extraction
•	In Situ Oxidation

Selection of the most appropriate remediation technique will depend on a number of factors including product type, soil type, depth to groundwater, access, extent of impacts, current groundwater use, etc. The Company will utilize experienced remediation contractors to select and implement the most appropriate remediation technique(s). The local or regional remediation contractor(s) under contract to the Company are provided in the Contacts Section of this plan, along with their contact information.

Figure II-5.2 – Groundwater Spill Response Strategy Guide



Sec. II-5.22 Natural Disasters

This checklist identifies actions to be taken when the Pipeline and/or its facilities are threatened by thunderstorms, producing lightning or high winds.

Thunderstorms / Lightning / High Winds Checklist

Procedures	✓	Date/Time
Establish communications with the Field office for weather updates.	<input type="checkbox"/>	—/—/— [00:00]
Upon notification by weather monitoring of impending severe weather conditions, notify the initial Incident Commander or the appropriate office of the situation.	<input type="checkbox"/>	—/—/— [00:00]
Personnel will be instructed to shut down all nonessential activities and take shelter where available until the storm has passed.	<input type="checkbox"/>	—/—/— [00:00]
Immediately bring personnel off vessels, tanks, pipe racks, and other elevated work areas. Suspend product loading operations and close all tank openings.	<input type="checkbox"/>	—/—/— [00:00]
Take shelter until the storm has passed.	<input type="checkbox"/>	—/—/— [00:00]

Tornado Safety Checklist

If a **tornado warning** has been issued. Use the following checklist

Procedures	✓	Date/Time
Establish communications with the Field office for weather updates.	<input type="checkbox"/>	—/—/— [00:00]
Sound the alarm.	<input type="checkbox"/>	—/—/— [00:00]
Have location personnel report to the designated area.	<input type="checkbox"/>	—/—/— [00:00]
Avoid all windows and proceed to an interior room on the lowest floor or tornado shelter, if available. <ul style="list-style-type: none"> Interior stairwells will be one of the best shelters, if available. 	<input type="checkbox"/>	—/—/— [00:00]
Seek shelter under a sturdy/heavy piece of furniture.	<input type="checkbox"/>	—/—/— [00:00]
Use your arms to protect the back of your head and neck.	<input type="checkbox"/>	—/—/— [00:00]
Once the all clear has sounded:		
Account for all Personnel	<input type="checkbox"/>	—/—/— [00:00]
Begin search and rescue if any personnel is missing	<input type="checkbox"/>	—/—/— [00:00]

Earthquake

Procedures	✓	Date/Time
Assess situation and exercise caution.	<input type="checkbox"/>	—/—/— [00:00]
Emergency Shut Down, if necessary. Notify Control Center as needed.	<input type="checkbox"/>	—/—/— [00:00]
If damage has occurred, close the nearest block valves on either side of the damaged location.	<input type="checkbox"/>	—/—/— [00:00]
Conduct visual inspection of the line(s) using one or more of the following methods. <input type="checkbox"/> Aircraft <input type="checkbox"/> Vehicle <input type="checkbox"/> Walking	<input type="checkbox"/>	—/—/— [00:00]
Evacuate the line for closer inspection and/or pressure test prior to resuming operations, if necessary.	<input type="checkbox"/>	—/—/— [00:00]
Inspect system integrity	<input type="checkbox"/>	—/—/— [00:00]
Check off-site areas for damage.	<input type="checkbox"/>	—/—/— [00:00]

River Flood, Severe Storm, Freeze Protection Preparedness Checklist


Procedures	✓	Date/Time
Refer to applicable Flood, Hurricane, and Freeze Protection Preparedness Plan	<input type="checkbox"/>	—/—/— [00:00]



(b) (7)(F)



(b) (7)(F)





(b) (7)(F)

Sec. II-6 Detection Procedures**Sec. II-6.1 Release Detection**

The Company has a number of safety systems and practices in place to prevent the occurrence and mitigate the subsequent impact of accidental releases. The systems are designed to alert operators with alarms and provide automatic shut-in functions in the event of a release. Pipeline operators are trained to respond to the various system alarms in order to identify and control releases immediately.

The routine responsibilities that ensure releases will be detected and mitigated as soon as possible by IC/UC personnel may include, but are not limited to the following:

- | | |
|---|--|
| • | Regularly scheduled visual and aerial monitoring. |
| • | Routine walk-through and monitoring of process equipment to ensure proper operation of all equipment at each facility. |
| • | Immediate response to alarms and signals that may indicate a possible release. |
| • | Identification and control of the source as soon as safely possible. |
| • | Notify the Person in Charge. |

All pipelines operated by the Company are equipped with high and low pressure sensors. In the event of a change in pipeline pressure beyond a specified set point, the pressure sensors will trigger an alarm to the facility operator and/or shut down the pipeline and process equipment.

The Company operators will perform the following procedures when they are alerted to a potential pipeline emergency:

Procedures	✓	Date/Time
Ensure that the pipeline pressure sensing equipment is not malfunctioning.	<input type="checkbox"/>	___/___/___ [00:00]
The supervisor will request a field inspection of the pipeline in question to identify the source of the suspected leak.	<input type="checkbox"/>	___/___/___ [00:00]
In the event an oil leak is discovered along the pipeline, this Plan will be activated.	<input type="checkbox"/>	___/___/___ [00:00]
In the event a leak is not found, an investigation into the cause of the pressure change will continue until determined.	<input type="checkbox"/>	___/___/___ [00:00]

Sec. II-6.2 Discharge Detection Systems

The Company will provide a detailed description of the procedures and equipment used to detect discharges. A section on discharge detection by personnel and a discussion of automated discharge, if applicable, will be included for both regular operations and after hours operations. In addition, the Company will discuss the reliability of any automated system, how it will be checked and how frequently the system will be inspected.

Sec. II-6.3 Discharge Detection by Personnel**Sec. II-6.3.1 Routine Inspections**

Terminal operators perform routinely scheduled terminal inspections. Terminal equipment and current movements are checked for evidence of leaks or spills in addition to various other observations such as security, equipment operation, etc.

Sec. II-6.3.2 Safe Fill

When pipeline receipts or transfers are made, the volumes used in the calculations for space available use a safe fill height as the maximum operating level.

Sec. II-6.3.3 Receipt Monitoring

Terminal employees coordinate all receipts with pipeline representatives. This involves determination of the volume of each product grade prior to receipt. The receipt progress, incoming volumes and high level alarm signals are monitored at all times when product is being transferred into the terminal from the pipeline by the Control Center.

Sec. II-6.3.4 Tank Gauging

Each tank scheduled to receive a receipt is gauged prior to receipt to confirm that space is available for the receipt.

Sec. II-6.3.5 High Level Alarms

All tanks are equipped with high level alarms. High level alarms are indicated by an audible signal that can be heard anywhere on the complex as well as visual indication in the Control Room. A signal is also sent to the Control Center and requires immediate contact with the facility operator. Alarms are tested periodically in accordance with company preventive maintenance procedures.

Sec. II-6.3.6 Volume Reconciliation

Tanks are gauged at month end as part of our physical inventory reconciliation program.

Sec. II-6.3.7 Pipe Testing

Belowground piping is periodically tested.

Sec. II-6.3.8 Observations and Documentation

The condition of tanks and equipment are observed when employees responsible for the operation and maintenance of the terminal are on shift. Documentation of these conditions will be logged periodically at the discretion of the local supervisor.

The following are elements of the oil inventory control system:

Sec. II-6.3.9 Physical Inventory

This currently serves as the basis for comparing an inventory-reporting period with the previous reporting period. Current practice uses end of month physical inventory [calculated in net barrels per petroleum measurement tables (ASTM D1250 80, 5B, and 6B)] as an opening inventory for the next month's reporting period.

Sec. II-6.3.10 Facility Throughput

Facility throughput is product leaving a tank primarily through a truck loading rack with meters. Meters on truck loading racks are to be calibrated according to a set interval. They are also reconciled in conjunction with physical inventory taking as well as on a standalone basis. Quantity loaded shall be determined on a net basis using temperature from temperature probes mounted at or near the loading rack and gross gallon quantities from meter pulses. These throughput quantities shall be deducted from inventory.

Sec. II-6.3.11 Product Variation

A physical inventory can be taken to compare with the book inventory quantity, if necessary. The difference between the book and physical quantity is a product variation. Variations may be positive or negative. Statistical Process Control (SPC) is the basis for determining whether this variation should trigger an investigative effort to determine whether product is unknowingly being discharged.

Sec. II-6.3.12 Statistical Process Control (SPC)

(b) (7)(F)

Sec. II-6.4 Automated Discharge Detection

(b) (7)(F)

Sec. II-6.5 Source Control

Company operators have been trained to respond to abnormal pipeline/facility operations. Source control will be maintained with the following systems and procedures:

- (b) (7)(F)
- e.
- In the event the incident does not allow automatic control, the operator has the flexibility to control a release by manually activating shutdown devices or closing valves, etc. provided that the personnel are not exposed to the released substances.
- In the event the source cannot be controlled by the pipeline operator or remotely with a safety system, the Company will activate this Plan and assemble a team to respond to the situation.
- (b) (7)(F)

Sec. II-6.6 Good Engineering Practices.

The Company's approach to preventing discharges is to assure that all facilities are properly designed, constructed, maintained and operated.

Some examples of good engineering practices may include but are not limited to the following:

Engineering Practices	
•	Components in the pipeline system are designed and constructed in accordance with written specifications.
•	Components are inspected to ensure that quality is maintained during material procurement and construction.
•	Trained personnel are used during the construction of the facilities.
•	Various testing methods are used during construction of the facilities.
•	External and internal corrosion control methods are used to maintain the facilities in the best possible condition.
•	A preventive maintenance program reduces the potential for component malfunction or failure
•	Company personnel are properly trained to operate and maintain the pipeline system
•	Company has an extensive safety and drug testing program for its employees and requires the same for its contractors.
•	Company systems are designed and operated with safety factors in place. For example, the maximum operating pressure of a system is always less than the design pressure of the system and the test pressure of the system.
•	Pressures are monitored and controlled so that the maximum operating pressures are not exceeded.
•	When appropriate, internal inspection tools are used or lines are subjected to additional hydrostatic testing to determine and assure their integrity.
•	All wastes are stored in accordance with applicable regulatory requirements (DOT containers that are non-leaking, closed, in good condition, properly marked/labeled, inspected to ensure integrity, etc.)

Sec. II-6.7 Third-Party Damage Prevention

If the systems are properly designed, constructed, operated and maintained, then the most probably source of discharge is due to third-party damage. In order to minimize the risk of damage caused by a third-party a number of steps may be taken, including, but not limited to the following:

Prevention of Third-Party Damage	
•	The facilities are designed to reduce the chance of third-party damage. For example, most of the facilities are buried or located within fenced and locked areas.
•	Areas especially sensitive to third-party damage are road, railroad, and water crossings. Pipelines in these areas usually have additional wall thickness, or burial depth, or are cased to reduce the chance of damage.
•	Company facilities are normally located on well- maintained and clearly marked rights-of-way.
•	Company facilities are normally monitored by aerial or other patrol at least once per week to check for encroachment and construction activities.
•	Company participates in one-call pipeline locating and notification systems where available.
•	Company conducts education programs to reduce the possibility of third-party damage.

Sec. II-6.8 Corrosion Mitigation

For external corrosion prevention, the Company generally prevents corrosion of buried pipelines by using approved long-life pipeline coatings supplemented with cathodic protection. Aboveground facilities are generally inspected annually and provided protective coating systems to prevent corrosive deterioration. These primarily include buildings, aboveground pipelines and tanks.

In order to prevent internal corrosion of the pipelines, the Company uses chemical injection, pigging and corrosion inhibitors, and inspects pipelines located in high population density areas and environmentally sensitive areas with in-line inspection pigs, where appropriate. A large number of pipelines are hydrostatically tested.

Sec. II-6.9 Spill Mitigation

Source control and mitigation involve anything from shutdown of operations to patching a leak, containing a spill, dispersing a vapor cloud, protecting a sensitive area, recovering the spilled material, or other such activities that are involved in an emergency response. Because of the infinite number of circumstances under which an incident could occur and the variety of equipment that could be involved, it is impractical to describe procedures that should be followed in all foreseeable emergency situations.

Sec. II-6.10 Tank Overfill and Fire Prevention

Each tank is provided with a connection for a semi-fixed fire protection system. Individual foam laterals that run from connections outside the dike areas serve each tank. The foam laterals are controlled by manual valves. Connections to the tanks depend on roof construction. Foam fire fighting capabilities are provided by the Refinery and/or the Linden Fire Department.

Each bulk storage tank is equipped with a liquid level gauging device and an independent high-level alarm system with audible and visual alerts. During product movements the operator and field personnel maintain radio communication. All tanks are also manually gauged to check the accuracy of the automatic liquid level gauging system.

Delivery personnel monitor tank levels during the filling period for small mobile/portable tanks to provide overfill protection.

Sec. II-6.10.1 Storage Tank Overfill Lines

All overflow or vent lines on bulk storage tanks, as well as the building heating oil and gasoline additive tanks, are directed into the tank's secondary containment areas. Overflow lines on the jet fuel and diesel fuel additive tanks are directed into the truck rack secondary containment.

Sec. II-6.11 Visual Tank Inspection

The visual tank inspection checklist presented below has been included as guidance for inspections and monitoring. Also included in the visual tank inspection will be an inspection of the tank foundation and associated piping. All tankage, pumping equipment, piping and related terminal equipment are inspected every working day for leakage, malfunctions of seals, etc. Storage tanks are inspected monthly and annually and findings are recorded. Example forms are included in this plan. These records shall be maintained for a minimum of five years.

Check tanks for leaks, specifically looking for:

- | | |
|---|-------------------------------------|
| • | Drip marks |
| • | Discoloration of tanks |
| • | Puddles containing stored materials |
| • | Corrosion |
| • | Cracks |
| • | Localized dead vegetation |

Check foundation for:

- | | |
|---|-------------------------------------|
| • | Cracks |
| • | Discoloration |
| • | Puddles containing stored materials |
| • | Settling |
| • | Gaps between tank and foundation |
| • | Damage cause by vegetation roots |

Check piping for:

- | | |
|---|---|
| • | Droplets of stored material |
| • | Discoloration |
| • | Corrosion |
| • | Bowing of pipe between supports |
| • | Evidence of stored material seepage on valves and seals |
| • | Localized dead vegetation |

Terminal operators visually inspect all tanks each working day for leaks. Daily tank gauges are reviewed for evidence of product loss that would indicate a leak in the tank. Any visible oil leaks from tank seams, gaskets, rivets and/or bolts are corrected immediately.

Sec. II-6.12 Secondary Containment Inspection

The secondary containment areas shown on the site plans will be inspected on an annual basis. The inspections will include checking for the following:

Dike or berm system:

- | | |
|---|--|
| • | Level of precipitation in dike/available capacity |
| • | Operation status of drainage valves |
| • | Debris |
| • | Erosion |
| • | Location/status of pipes, inlets, drainage beneath tanks, etc. |

Secondary containment:

- | | |
|---|--|
| • | Cracks |
| • | Discoloration |
| • | Presence of stored materials (standing liquid) |
| • | Corrosion |
| • | Valve conditions |

Retention and drainage ponds:

•	Erosion
•	Available capacity
•	Presence of stored material
•	Debris
•	Stressed vegetation

Sec. II-6.13 Pipeline Inspections

All (b) (7)(F)

The operators can then dispatch field personnel to physically inspect the line in the area of the suspected leak.

(b) (7)(F)

These lines are observed regularly by facility/pipeline maintenance personnel. In addition to these inspections, aircraft that fly the pipeline on a scheduled weekly basis inspect the lines.

Sec. II-6.14 Buried Piping

Nearly all piping has been moved above grade. Most of the remaining buried, underground lines run under roadways. Some piping appears as "buried", but is really only penetrating an elevated roadway or containment berm for a short distance, approximately 20 feet. Even though such penetrations require sealing to not compromise the containment, any leakage from short, elevated lengths would appear where the pipe penetrates the berm/roadway, rather than migrate vertically downward through compacted clay berms/roadways. This leakage would readily be detected by personnel during routine visual inspections.

There are no existing state-of-the-art leak detection devices available for retrofitting to existing buried piping. When a leak is detected from a buried pipe, the Company will excavate, examine, and evaluate the pipe for the cause of the failure. Localized pipe failures will be repaired or replaced. For extensive pipe failures requiring substantial reconstruction, the Company will upgrade to the standard specified under the DPCC regulations. For the purposes of this plan, substantial reconstruction is defined as more than 50 percent of the replacement value of an existing pipe section from valve to valve.

Facility practices generally prohibit the installation of buried pipes, other than water and sewer lines. The need for new buried product piping is evaluated on a case-by-case basis. If such a need is identified, the Company will install new buried piping to the standard specified under the DPCC regulations. Should new elevated roadway/containment berm penetrations be required for a project, they will be constructed according to current practices.

Sec. II-6.14.1 Exposed Buried Piping

If a section of buried pipe is exposed for any reason, it is carefully examined for deterioration, and, if found to be deteriorated, shall be repaired or replaced. Buried piping requiring substantial reconstruction or replacement shall be rerouted above grade, if possible, or upgraded to new buried piping standards.

Sec. II-6.14.2 Out-of-Service Pipes

If not in service for extended periods of time, terminal pipe connections are blind flanged, plugged or capped and appropriately marked. This practice applies to- all piping in the terminal where an open-ended line could exist, whether or not protected by valving.

Sec. II-6.14.3 Pipe Supports

In accordance with good engineering practice and petroleum industry standards, pipe supports are designed to minimize abrasion and corrosion and allow for expansion and contraction of the pipeline.

Sec. II-6.14.4 Elevated Pipes

Elevated pipelines to the loading racks are sufficiently high and the supports adequately protected to prevent tank trucks from accidentally hitting them. Speed limit signs posted at the entrance of each loading rack bay limit any impact damage to aboveground pipelines.

Sec. II-6.15 Dike Drainage

Drainage of precipitation accumulation from dike areas is performed only after inspection of the accumulation to ensure compliance with applicable water quality standards. Any water possessing a film, sheen or discoloration on the surface is not discharged until such sheen has been physically removed with the use of absorbent pads.

Drain valves are sealed and locked at all times except when there is an operator on-site who:

- | | |
|---|---|
| • | Inspects the water for a film, sheen, or discoloration; |
| • | Removes any film, sheen, or discoloration; |
| • | Monitors the discharge; and, |
| • | Records the discharge event in the SPCC plan. |

Sec. II-6.16 High Level Alarms

High level alarms on storage tanks are inspected routinely to simulate actual operating conditions to ensure that overflow during tank filling operations are adequately detected. Results of high-level alarm inspections are recorded in the SPCC plan once every six months.

Sec. II-6.17 Rack Drain

Rack drains are inspected to ensure that any petroleum release from the loading facilities can be conveyed through clean, open drains into proper on-site containment. Results of the rack drain inspections are recorded in the SPCC plan every six (6) months.

Sec. II-6.18 Cathodic Protection System

Cathodic protection systems are inspected to ensure proper function. Results are updated in once every six (6) months.

Sec. II-6.19 Delivery Lines and Manifold

The facility tests the delivery lines and manifold on an annual basis with a two (2) hour recorded pressure test.

Sec. II-7 Emergency Response Equipment, Testing & Deployment**Sec. II-7.1 Response Equipment for Small Discharges**

Response equipment for small discharges (< 50 barrels) will primarily come from contracted OSRO's as well as any Company equipment stored locally. Much of this equipment is utilized for day-to-day booming of vessels, as well as for immediate rapid response to all leaks/discharges by terminal personnel and contractors. The equipment can be operated by terminal personnel and/or contractor personnel listed in this Plan. The Management Response Team may authorize additional contractor-supplied equipment and personnel, as needed. This Plan discusses onsite tank storage capacity for recovered oil/water mixtures.

***All OSRO specific information will be detailed in the applicable ICP Geographical Annex.**

Sec. II-7.2 Response Equipment for Medium Discharges

Response equipment for medium (1,200 barrels) discharges again will come from Contacted OSRO's as well as from Company equipment stored locally. Other contractors may be called upon as well depending on the specific needs. These too are listed in the applicable ICP Geographical Annex.

Sec. II-7.3 Response Equipment for Worst-Case Discharges

Response equipment for a worst-case discharge at any Company operational facility/pipeline is located in the applicable ICP Geographical Annex. The Company has guaranteed through contract or other approved means the ability to ensure appropriate response capabilities to any area worst case discharge. In addition, the Company has also ensured the ability to sustain prolonged operations as well.

Sec. II-8 Waste Management Plan**Sec. II-8.1 Introduction**

The following wastes may be generated and could be determined to be "hazardous":

- | | |
|---|--|
| • | Paint Chips |
| • | Avgas Filters |
| • | Petroleum contaminated materials that are not considered "of-spec product" |

Most of the wastes are "hazardous" due to the benzene concentrations in the wastes (>0.5 mg/l) or ignitability. The avgas filters are frequently determined to be "hazardous" due to the lead concentrations (>5.0 mg/l) in the filters. The paint chips are typically hazardous for lead, chromium or both (>5.0 mg/l).

The following materials are more frequently generated and are not considered a solid waste or a "hazardous waste".

These materials are exempt from the definition of a solid waste because they are classified as an "off-spec product" destined for product reclamation.

- | | |
|---|---------------------------|
| • | Tank bottom water |
| • | Loading rack runoff |
| • | Tank bottom sludge |
| • | Oil/water separate sludge |

It is the purpose of the Terminal's hazardous waste contingency plan to minimize hazards to human health and the environment in the event of an emergency. This plan is designed to address emergencies that may occur during operations at this facility involving hazardous wastes.

Sec. II-8.2 Applicability

The plan must be carried out immediately whenever there is a fire, explosion or release of **hazardous waste** that could threaten human health or the environment.

Sec. II-8.3 Amendments to Plan

The contingency plan must be reviewed and immediately amended whenever:

- | | |
|---|--|
| • | Applicable regulations are revised |
| • | Plan fails in an emergency |
| • | Facility changes in design, construction, operation, maintenance, or any way increasing the potential for fires, explosions, or releases of hazardous waste, or changes the response necessary in an emergency |
| • | List of emergency coordinators changes |
| • | List of emergency equipment changes |

Sec. II-8.4 Identification of Emergency Coordinator

The names, addresses and phone numbers (office and home) of all persons qualified to act as emergency coordinator are located ICP Geographical Annex 2 of this plan.

Sec. II-8.5 Emergency Procedures

Whenever there is an imminent or actual emergency situation the emergency coordinator or alternate must immediately activate the facility alarm systems or communications system. The actions that must be taken in the event of a release of hazardous waste to the air, soil or surface water at the facility are located in this Core Plan.

Sec. II-8.6 Evacuation Plan

Due to the characteristics of the hazardous wastes generated, evacuation of a facility should not be necessary. In the event evacuation is necessary, the facility evacuation plan should be followed. A description of the signal(s) to be used and evacuation routes is provided. The facility drainage plan can be located at the end of this section.

Sec. II-8.7 Notification Requirements

The only emergency that may occur with regard to the management of hazardous waste at the facility is a sudden or non-sudden release of hazardous waste. The reportable quantity (RQ) for spills of D018 waste is 10 pounds (1.2 gallons). Any spill equal to or greater than the RQ must be reported to the National Response Center. Reporting procedures should follow the guidelines provided in this Core Plan.

Sec. II-8.8 Arrangements with Agencies and Contractors

As required by 40 CFR 264.53, all Terminals will have provided the police departments, fire departments, hospitals and State and Local Emergency Response Teams that may be called upon to provide emergency services. In addition, the Company will make every effort to invite local agencies to participate, as appropriate, in any exercise or drill. .

Sec. II-8.9 Emergency Equipment**Emergency Equipment**

•	A list of all spill response equipment available in the event of a release is listed in the appropriate ICP Geographical Annex of this Core Plan. A list of spill response contractors to be used by the facility in the event of a release that could surpass the response capabilities of the facility is also located in appropriate ICP Geographical Annex of this Core Plan.
•	A list of emergency fire equipment at the facility is located in the Emergency Procedures Plan.
•	A description of the facility's communication equipment and plan is provided in this Core Plan.
•	A description of the facility's alarm systems is provided in this Core Plan.

Federal, state and local rules designed to ensure safe and secure handling of waste materials govern the waste disposal activities of the Company. To ensure proper disposal of recovered oils plus associated debris, the Company's Waste Management and Recycling Guide should be consulted/followed. The Company's Environmental Group will advise/support IC/UC on all waste management needs during an emergency response to ensure compliance with all applicable regulations and internal waste management policies and guidelines.

The Company must describe how and where the facility intends to recover, reuse, decontaminate or dispose of materials after a discharge has taken place. The appropriate permits required to transport or dispose of recovered materials according to local, State and Federal requirements must be addressed.

Material that must be accounted for in the disposal plan, as appropriate, include

•	Recovered product
•	Contaminated equipment and materials, including drums, tank parts, valves, shovels
•	Personnel protective equipment
•	Decontamination solutions
•	Adsorbents
•	Spent Chemicals

These plans must be prepared in accordance with Federal (e.g., the Resource Conservation and Recovery Act [RCRA], State and local regulations, where applicable.

Initial oil handling and disposal needs may be overlooked in the emergency phase of a response, which could result in delays and interruptions of cleanup operations. Initially, waste management concerns should address:

Initial Waste Management Concerns:

- | | |
|---|---|
| • | Skimmer Capacity |
| • | Periodic removal of contained oil |
| • | Adequate supply of temporary storage capacity and materials |

The following action items should be conducted during a spill response:

- | | |
|---|---|
| • | Development of a site-specific Safety and Health Plan addressing the proper PPE and waste handling procedures |
| • | Development of a Disposal Plan |
| • | Continuous tracking of oil disposition in order to better estimate amount of waste that could be generated over the short and long-term |
| • | Organization of waste collection, segregation, storage, transportation and proper disposal |
| • | Minimization of risk of any additional pollution |
| • | Regulatory review of applicable laws to ensure compliance |
| • | Documentation of all waste handling and disposal activities |
| • | Disposal of all waste in a safe and approved manner |

Good hazardous waste management includes:

- | | |
|---|--|
| • | Reusing materials when possible |
| • | Recycling or reclaiming waste |
| • | Treating waste to reduce hazards or reducing amount of waste generated |

The management of the wastes generated in clean-up and recovery activities must be conducted with the overall objective of ensuring:

Overall Objectives

- | | |
|---|--|
| • | Worker Safety |
| • | Waste Minimization |
| • | Cost-Effectiveness |
| • | Minimization of Environmental Impacts |
| • | Proper Disposal |
| • | Minimization of present and future environmental liability |

Solid wastes such as sorbents, PPE, debris and equipment will typically be transported from the collection site to a designated site for:

Designated Site Activities	
•	Storage
•	Waste segregation
•	Cost-Effectiveness
•	Packaging
•	Transportation

Once this process is complete, the waste will be shipped off-site to an approved facility for required disposal.

A general flowchart for waste management guidelines is shown in Figure II-8.1. An overall checklist for containment and disposal is located in Figure II-8.2.

Sec. II-8.10 Storage

During an oil spill the volume of oil that can be recovered depends on the storage capacity available. Typical short-term storage methods are summarized in Figure II-8.3. If storage containers such as bags or drums are used, the container should be clearly marked and/or color-coded to indicate the type of material or waste contained and/or the ultimate disposal option.

Figure II-8.1 – Waste Management Flowchart




Figure II-8.2 – General Waste Containment and Disposal Checklist

Consideration	Yes / No / NA
Is the material being recovered as waste or reusable product?	
Has all recovered waste been containerized and secured so there is no potential for further leakage while the material is being stored?	
Has each of the discrete waste streams been identified?	
Has a representative sample of each waste stream been collected?	
Has the sample been sent to an approved laboratory for the appropriate analysis (i.e. hazardous waste determination)?	
Have the appropriate waste classification and waste code numbers for the individual waste streams been received?	
Has a temporary EPA identification number and generator number(s) been received, if they are not already registered with EPA?	
Have the services of registered hazardous waste transporter been contracted, if waste is hazardous?	
If the waste is nonhazardous, is the transporter registered?	
Is the waste being taken to an approved disposal site?	
Is the waste hazardous or Class I nonhazardous?	
If the waste is hazardous or Class I nonhazardous, is a manifest being used?	
Is the manifest properly completed?	
Are all Federal, State and Local laws/regulations being followed?	
Are all necessary permits being obtained?	
Has a Disposal Plan been submitted for approval/review?	
Have PPE and waste-handling procedures been included in the Site Safety and Health Plan to protect the health and safety of waste handling personnel?	

Figure II-8.3 – Temporary Storage Methods

Containment	PRODUCT						Capacity
	OIL	OIL/WATER	OIL/SOIL	OIL/DEBRIS (Small)	OIL/DEBRIS (Medium)	OIL/DEBRIS (Large)	
Drums			X	X			.2-5 yd ³
Bags			X	X	X		1-2 yd ³
Boxes			X	X	X		1-5 yd ³
Open Top Rolloff	X	X	X	X	X	X	8-40 yd ³
Roll Top Rolloff	X	X	X		X	X	15-25 yd ³
Vacuum Box	X	X					15-25 yd ³
Frac Tank	X	X					500-20,000 gal
Poly Tank	X	X					200-4,000 gal
Vacuum Truck	X	X	X				2,000-5,000 gal
Tank Trailer	X	X					2,000-4,000 gal
Barge	X	X					3,000+ gal
Berm, 4 ft	X	X	X	X	X	X	1yd ³
Bladders	X	X					25-1,500 gal

Approved waste management facilities can be located on the Company website:
<http://hse.conocophillips.net/EN/environmental/waste/program/Pages/index.aspx>

Sec. II-9 Disposal Plan

Oil will be recovered and water will be disposed of as normal produced water through permitted UIC injection wells or third-party disposal wells. Solid waste recovered during clean-up activities will be stored in secure areas (lined, bermed temporary storage areas, lined pits, or tanks) until permits can be secured for proper disposal.

Disposal Options for contaminated soil, depending upon analysis, include but are not limited to the following:

- Surface remediation
- Enhanced surface remediation
- Third party recycling (adsorbents)
- Third party disposal

These disposal options will be dependent upon laboratory analysis per current federal, state and local regulation. The Company Waste Management and Recycling Guide should be consulted for the appropriate analytical requirements for each waste stream. Necessary federal, state and local permits will be obtained by Company Environmental personnel.

Oil contaminated absorbent materials will be stored in covered secured containers and ultimately shipped for recycling.

Spilled material will be skimmed to recover product and minimize contamination of vegetation and soil. Low pressure flushing will also be used to enhance recovery of liquid product. Absorbent materials may be used to recover spilled material that vacuum trucks are unable to pick up. Absorbent materials (and booms) are then recycled and returned for potential future use. Other oil contaminated booms, boats, and boots, will be cleansed by qualified contractors or wiped down on site with rags. The rags will be disposed of properly.

The Company has contracted with USCG Certified OSROs for each ICP Geographical Annex. Contact information and response capability for each OSRO can be found in that particular ICP geographically Annex.

The OSRO(s) contracted to respond in each ICP Geographical Annex is capable of being on site and ensuring planned temporary storage and waste disposal activities are accomplished within the appropriate tier times. They will provide sufficient temporary storage to ensure enough capacity is available to respond to a worst-case discharge.

Figure II-9.1 Disposal Plan Form

Disposal Plan		Page 1 of 3		
Date:		Location:		
Source of Release:				
Amount of Release:				
Incident Name:				
State On-Scene Coordinator:				
Federal On-Scene Coordinator:				
Time Required for Temporary Storage:				
Proposed Storage Method:				
Identified Storage Location / Staging Area:				
Disposal Priorities				
Sample Date:		Sample ID:		
Analysis Required (Type):				
Laboratory Performing Analysis:				
Disposal Options				
	Available	Likely	Possible	Unlikely
Landfill				
In-situ Bio-Remediation				
In-situ Burn				
Pit Burning				
Hydrocyclone				
Off Site Incineration				
Reclaim				
Recycle				
Resources Required for Disposal Option(s)				

Figure II-9.1 Disposal Plan Form (Cont'd)

Disposal Plan		Page 2 of 3
General Information		
Generator Name:		
US EPA ID#:		
Waste Properties:		
Waste Name::		
US EPA Waste Code:		
State Waste Code:		
EPA Hazardous Waste:		
Waste Storage and Transportation:		
Proposed Storage Method:		
Proposed Transportation Method:		
Permits Required for Storage:		
Permits Required for Transportation:		
Estimated Storage Capacity:		
Number and Type of Storage Required:		
Local Storage Available for Temporary Storage of Recovered Oil:		
PPE Required for Waste Handling:		
Waste Coordinator		Date:

Figure II-9.1 Disposal Plan Form (Cont'd)

Disposal Plan		Page 3 of 3
Sample Information		
Incident Name:		
Sample Number:	Date Sent:	
Source of Sample:		
Date Sample Data Received:		
Waste Hazardous? (Circle One)	YES	NO
Permits/Variations Requested:		
Approval Received on Waste Profile:		
Date Disposal Can Begin:		
Disposal Facilities:		
Profile Number:		
Storage Contractors:		
Waste Transporters:		
PPE Designated and In Accordance With Site Safety Plan:		
Additional Information:		
Waste Coordinator		Date:

Sec. II-10 Containment and Recovery

Sec. II-10.1 General

Containment and recovery refers to the techniques or methods that can be employed to contain and recover petroleum spills on water or the containment of petroleum spills flowing overland. Recovery of terrestrial spills is often very similar, or uses the same techniques as shoreline cleanup.

The following considerations should be taken into account when planning or implementing containment and recovery operations:

•	Containment is most effective when conducted near the source of the spill where the oil has not spread over a large area and the contained oil is of sufficient thickness to allow effective recovery and/or cleanup.
•	Feasibility is generally dependent on the size of the spill, available logistical resources, implementation time, and environmental conditions or the nature of the terrain in the spill area.
•	Aquatic (water) containment is primarily conducted through the use of oil spill containment booms.
•	Skimmers are usually the most efficient means of recovery of aquatic spills, although pumps, vacuum systems, and sorbents can also be effective, particularly in smaller waterways.
•	Terrestrial (land) containment typically involves berms or other physical barriers.
•	Recovery of free petroleum from the ground surface is best achieved by using pumps, vacuum sources, and/or sorbents.

Sec. II-10.2 Technique Selection - Terrestrial Containment and Recovery

The primary factors influencing terrestrial containment and recovery are:

•	Size - Most containment techniques provide limited storage capacity.
•	Slope - Berms and barriers are generally less effective on steeper slopes and accessibility may be limited.
•	Surface texture - Rough surfaces with natural ridges and depressions enhance containment and should be taken advantage of whenever possible.
•	Substrate permeability - Highly permeable sediments will allow rapid penetration of oil into the substrate, thus complicating containment and recovery.
•	Existing drainage courses - Oil is more easily contained and recovered if it is flowing within, or can be diverted to, existing natural or manmade drainage structures.
•	Stormwater runoff - Runoff generally requires the containment of larger quantities of liquids and complicates oil recovery.

Sec. II-10.3 Technique Selection - Aquatic Containment and Recovery

Selection of an appropriate aquatic containment, protection and recovery technique depends on a number of factors including:

•	Current speed - Surface currents greater than 1 knot can cause boom failure or entrainment of oil beneath the boom when the boom is deployed perpendicular to the current. If deployed at an angle, boom can generally be effective up to 2-3 knots.
•	Water depth - Depths greater than 50 feet can complicate boom anchor placement, whereas depths less than 2 feet can preclude effective boom use.
•	Channel width - Widths of more than 200 to 300 feet will generally preclude using booms to completely contain oil floating in the waterway, particularly if strong currents are present.
•	Slick thickness - Recovery effectiveness with pumps/vacuum systems and skimmers decreases as slick thicknesses decline, becoming relatively ineffective for very thin slicks or sheens.
•	Shoreline access - Obstacles (rocks, debris, man-made structures, etc.) in the water or steep or densely vegetated shorelines could restrict access and present safety and operational problems.
•	Anchor points - Soft bottom substrates can complicate boom anchor placement.
•	Safety - High currents and winds, large obstacles, and other dangerous conditions could present safety hazards and preclude certain techniques.

The OSRO(s) contracted to respond in each ICP Geographical Annex is capable of being on site and ensuring spill containment activities are accomplished within the appropriate tier times. They will provide sufficient containment equipment to ensure enough capacity is available to respond to a worst-case discharge.

Sec. II-10.4 Protection Technique Selection

Technique	Description	Primary Logistical Requirements	Use Limitations ¹	Potential Environmental Effects
Spills on Land				
A. Containment / Diversion Berms	Construct earthen berms ahead of advancing surface spill to contain spill or divert it to a containment area.	<u>Equipment*</u> 1 backhoe, bulldozer, front-end loader, or set of hand tools <u>Personnel</u> 4-8 Workers	<ul style="list-style-type: none"> Steep Slopes Porous substrate 	<ul style="list-style-type: none"> Disturbance to surface soils and vegetation Increased oil penetration
B. Storm Drain Blocking	Block drain opening with sediments, plastic sheet, boards, etc. and secure prevent oil from entering drain.	<u>Equipment*</u> Misc. hand tools, 1 board, plastic sheet, mat, etc. <u>Personnel</u> 1-2 Workers	<ul style="list-style-type: none"> May be advantageous for oil to enter drain Heavy precipitation 	<ul style="list-style-type: none"> Increased oil penetration Oil can spread to other areas
C. Blocking Dams	Construct dam in drainage course/stream bed to block and contain flowing oil. Cover with plastic sheeting. If water is flowing, install inclined pipes during dam construction to pass water underneath.	<u>Equipment*</u> 1 backhoe, bulldozer, front-end loader, or set of hand tools, 1 plastic sheeting roll <u>Personnel</u> 4-6 Workers	<ul style="list-style-type: none"> Upstream storage capacity Flowing water 	<ul style="list-style-type: none"> Increased oil penetration
D. Culvert Blocking	Block culvert opening with plywood, sediments, sandbags, etc. to prevent oil from entering culvert	<u>Equipment*</u> Misc. hand tools, misc. plywood, sandbags, etc <u>Personnel</u> 3-4 Workers	<ul style="list-style-type: none"> Upstream storage capacity Flowing water 	<ul style="list-style-type: none"> Increased oil penetration
E. Interception Trench	Excavate ahead of advancing surface/ near-surface spill to contain oil. Cover bottom and downgradient side with plastic.	<u>Equipment*</u> 1 backhoe or set of hand, tools, misc. plastic sheeting <u>Personnel</u> 3-6 Workers	<ul style="list-style-type: none"> Slope Depth to near-surface flow 	<ul style="list-style-type: none"> Increased oil penetration Disturbance to surface soils and vegetation

Sec. II-10.4 Protection Technique Selection (Cont'd)

Technique	Description	Primary Logistical Requirements	Use Limitations ¹	Potential Environmental Effects
Spills on Water				
F. Diversion Booming	Boom is deployed from the shoreline at an angle towards the approaching slick and anchored or held in place with a work boat. Oil is diverted towards the shoreline for recovery.	<u>Equipment*</u> 1 boat, 3 anchor systems (min), 100 feet boom (min) <u>Personnel</u> 3 workers plus boat crew	<ul style="list-style-type: none"> • Currents >2-3 kts • Waves > 1-2 ft • Water depth >50 feet (anchoring) • Sensitive shorelines 	<ul style="list-style-type: none"> • Minor substrate disturbance at anchor points • Heavy oiling at shoreline anchor point
G. Narrow Channel Containment Booming	Boom is deployed across entire river channel at an angle to contain floating oil passing through channel.	<u>Equipment*</u> 1 boat, vehicle, or winch; 1-2 booms (1.2 x channel width each); 2-10 anchor systems <u>Personnel</u> 2-3 Workers	<ul style="list-style-type: none"> • Currents >2-3 kts • Water depth >50 feet (anchoring) • Sensitive shorelines 	<ul style="list-style-type: none"> • Minor substrate disturbance at anchor points • Heavy shoreline oiling at downstream anchor point
H. Sorbent Barriers	A barrier is constructed by installing two parallel lines of stakes across a channel, fastening wire mesh to the stakes, and filling the space between with sorbents.	<u>Equipment*</u> (per 100 ft of barrier): misc. hand tools, 1 boat, 20 fence posts, 200 ft wire mesh, 200 ft ² sorbents, misc. fasteners, support lines, additional stakes, etc. <u>Personnel</u> 2-3 Workers	<ul style="list-style-type: none"> • Water depths >5-10 feet • Currents >0.5 kts • Soft substrate 	<ul style="list-style-type: none"> • Minor substrate disturbance at post and shoreline anchor points • High substrate disturbance if boat is not used
I. Exclusion Booming	Boom is deployed across or around sensitive areas and anchored in place. Approaching oil is excluded from area.	<u>Equipment*</u> (per 500 ft of boom): 1 boat, 6 anchor systems, 750 ft boom (min) <u>Personnel</u> 3 workers plus boat crew	<ul style="list-style-type: none"> • Currents >1-2 kts • Waves >1-2 feet • Water depth >50 feet (anchoring) 	<ul style="list-style-type: none"> • Minor substrate disturbance at anchor points

Sec. II-10.4 Protection Technique Selection (Cont'd)

Technique	Description	Primary Logistical Requirements	Use Limitations ¹	Potential Environmental Effects
Spills on Water (Cont'd)				
J. Deflection Booming	Boom is deployed from the shoreline away from the approaching slick and anchored or held in place with a work boat. Oil is deflected away from shoreline.	<u>Equipment*</u> 1 boat, 5 anchor systems, boom (200 feet) <u>Personnel</u> 3 workers plus boat crew	<ul style="list-style-type: none"> • Currents >2-3 kts • Waves >1-2 feet • Water depth >50 feet (anchoring) • Onshore winds 	<ul style="list-style-type: none"> • Minor substrate disturbance at anchor points • Oil is not contained and may contact other shorelines
K. Inlet Dams	A dam is constructed across the inlet or channel using local shoreline sediments to prevent oil from entering inlet. Dam can be covered with plastic to minimize erosion.	<u>Equipment*</u> 1 backhoe, bulldozer, front-end loader, or set of hand tools, 1 plastic sheeting roll <u>Personnel</u> 2-6 workers	<ul style="list-style-type: none"> • Water outflow • Inlet depth >5 feet • Excessive inlet width 	<ul style="list-style-type: none"> • Sediment/vegetation disturbance at borrow areas • Inlet substrate disturbance • Increases suspended sediments • Water in inlet can become stagnant
L. Debris / Ice Exclusion	Install fence barrier upstream of containment site to exclude debris/ice	<u>Equipment*</u> (per 100 ft of barrier): misc. hand tools, 1 boat, 10 fence posts, 100 feet cyclone fence, misc fasteners, support lines, etc. <u>Personnel</u> 2-3 workers	<ul style="list-style-type: none"> • Water depth >5-10 feet • Currents >3-4 kts • Soft substrate 	<ul style="list-style-type: none"> • Minor substrate disturbance at post an anchor points

¹ In addition to implementation and accessibility.

* Need to establish a safe perimeter and follow safety precautions as appropriate before work begins.

Sec. II-10.5 Shoreline and Terrestrial Cleanup**Sec. II-10.5.1 General**

In the event that terrestrial sediments do become oiled or that petroleum contacts and becomes stranded on a shoreline, cleanup operations should be undertaken to minimize the environmental effects of the petroleum. In most instances, cleanup efforts are not subject to the same time constraints as containment, recovery, and protection operations. As a result, better planning and greater attention to detail is possible. The exception is where there is a high probability of stranded oil becoming remobilized and migrating to previously unaffected areas. In this case, cleanup operations should be implemented immediately.

The following items should be considered in detail:

•	Documentation of the location, degree, and/or extent of oil conditions
•	Evaluation of all environmental, cultural, economic, and political factors
•	Cleanup technique selection
•	Mitigation of physical and environmental damage associated with cleanup technique implementation
•	Cost-effectiveness

The shoreline or terrestrial oil conditions can range from those which require immediate and thorough cleanup to lightly oiled areas where no action may be the most environmentally sound option. The amount and type of oil, shoreline sensitivity, substrate or shoreline type, intrusive nature of the candidate techniques, and shoreline exposure are all factors that influence technique selection and whether or not cleanup will be required.

Sec. II-10.5.2 Cleanup Technique Selection - Shoreline**The selection of an appropriate shoreline cleanup technique is primarily dependent on the following factors:**

•	Substrate type - Finer-grained sediments typically require different techniques than coarse-grained sediments.
•	Oil conditions - Heavier oil conditions and larger areas may require more intrusive or mechanical methods, whereas lighter conditions may not require any form of cleanup. For example – removing lighter oils in a marsh area or wetland may cause more harm to the environment than allowing for natural attenuation and biodegrading.
•	Shoreline slope - Heavy equipment may not be usable on steeper shorelines.
•	Shoreline sensitivity - Intrusive techniques may create a greater impact than the oil itself.
•	Oil penetration depth - Significant penetration can reduce the effectiveness of several techniques.

Sec. II-10.5.3 Cleanup Technique Selection - Terrestrial

The selection of an appropriate terrestrial cleanup technique is primarily dependent on the following factors:

•	Size - Larger areas will generally require the use of mechanical methods, whereas manual techniques can be used for smaller areas.
•	Slope - The use of heavy equipment is often restricted to gradually sloped areas, and manual techniques may be considered unsafe if used on steep terrain.
•	Sediment type - Softer sediments may reduce trafficability for heavy equipment and the presence of coarser sediments and bedrock could also restrict the use of certain types of heavy equipment.
•	Oil penetration depth - Significant penetration may require the use of heavy equipment or special subsurface remediation techniques.
•	Impacted groundwater - Special subsurface remediation techniques would likely be required.

Detailed containment and recovery guidelines, including diagrams and descriptions are described in the **Company's Operations Field Response Manual**.

The OSRO(s) contracted to respond in each ICP Geographical Annex are capable of being on site and ensuring spill recovery activities are accomplished within the appropriate tiered response times. They will provide sufficient recovery equipment to ensure enough capacity is available to respond to a worst-case discharge.

Sec. II-10.6 Non-Mechanical Response Options

Non-mechanical response options that could be used in responding to a spill include:

•	Chemical treatment / dispersants
•	Bioremediation
•	In-situ Burning

Although the physical control and recovery of spilled oil is advocated and generally preferable, such actions are not always possible or practical because of factors including safety hazards, remote spill sites, or weather. When non-mechanical methods can result in reduced human hazard or environmental damage, consideration of their use is appropriate but will require regulatory approval.

Sec. II-10.7 Dispersants – Criteria for Use

Consideration of dispersant use during a spill must account for all aspects of the situation including:

•	Nature of the oil
•	Resources at risk
•	Adequacy of cleanup techniques
•	Natural dispersion
•	Time
•	Logistics
•	Economics
•	Chemical dispersability of the oil
•	Nature of the oil/dispersant mixture

Special considerations such as threatened or endangered species, critical habitats, historical or cultural sites, and other structures must also be considered in the decision process.

Sec. II-10-7.1 Approval Process

All pre-approved dispersants are found in the NCP product schedule. This list is updated on a monthly or bimonthly basis. When considering dispersant use, only a product on this list may be used except during an emergency situation such as an immediate threat to human life. The Federal On-Scene Coordinator (FOSC) may authorize the use of dispersants when concurrence has been received by the RRT. In the case where dispersants are necessary due to an immediate threat, the FOSC may authorize their use and inform the RRT of the action by the most rapid mean of communication available.

Sec. II-10.8 In-situ Burning

When mechanical recovery of spilled oil is not feasible, in-situ burning should be considered as a potentially viable option. Since burning presents a potential safety and air pollution hazard to the surrounding area, approval from appropriate regulatory agencies is required.

In-situ burning alters the composition of the spilled oil by eliminating anywhere from 90 to 99 percent of the original volume of oil provided it is controlled within a fire resistant boom or other containment system. A portion of the original oil is released into the atmosphere as soot and gaseous emissions. Solid or semi-solid residues typically remain following a burn but are relatively easy to retrieve. They can be further reduced in volume through repeated burns, and ultimately are collected and removed from the marine environment.

Sec. II-10.8.1 Evaluation

In-situ burning generates a thick black smoke that contains primarily particulates, soot, and various gases (carbon dioxide, carbon monoxides, water vapor, nitrous oxides and PAHs). The components of the smoke are similar to those of car exhaust. Of these smoke constituents, small particulates less than 10 microns in diameter, known as PM-10, (which can be inhaled deeply into the lungs) are considered to pose the greatest risk to humans and nearby wildlife. Each affected area is considered on a case-by-case basis.

Decisions to burn or not to burn oil in areas considered case-by-case are made on the basis of the potential for humans to be exposed to the smoke plume, and pollutants associated with it. PM-10 exposure is generally limited to 150 micrograms per cubic meter. Smoke plume modeling is done to predict which areas might be adversely affected. In addition, in-situ burning responses require downwind air monitoring for PM-10. Aerial surveys are also conducted prior to initiating a burn to minimize the chance that concentrations of marine mammals, turtles and birds are in the operational area and affected by the response. SMART (Special Monitoring for Applied Response Technologies) protocols are used. They recommend that sampling is conducted for particulates at sensitive downwind sites prior to the burn (to gather background data) and after the burn has been initiated. Data on particulate levels are recorded and the Scientific Support Team forwards the data and recommendations to the Unified Command.

The potential for implementing a successful burn of spilled oil depends upon the knowledge and experience of those responsible for the assessment of the spill situation. Review of the spill conditions, together with the above spill checklist, will ensure that the safety issues, the benefits, and the environmental impacts will have been examined carefully. While steps may be taken to move critical equipment into position for a possible burn, there will be no attempt to ignite spilled oil without prior authorization from both Federal and/or State On-Scene Coordinators.

Before a spill on water is ignited, several factors must be considered:	
•	Oil type, amount and condition
•	Environmental conditions
•	Availability of personnel and equipment
•	Timing
•	Human safety
•	Danger of fire spreading
•	Presence of explosive vapors
•	Damage to nearby habitats that may prolong natural recovery

Sec. II-10.8.2 Approval Process and Monitoring**When a request for an in-situ burn is made:**

•	The burn must be outside the corporate city limits, except as deemed necessary by the local fire department.
•	Wind direction should move the smoke away from the city and/or populated Areas
•	Burning must be at least 300 feet from any adjacent properties.
•	Burning should commence between the hours of 9:00 am and 5:00 pm of the same day.
•	Wind speed should be between 6 and 23 mph during the burn period.
•	Burn should not be conducted during persistent atmospheric thermal inversions.

In general, SMART is conducted when there is a concern that the general public may be exposed to smoke from the burning oil. It follows that monitoring should be conducted when the predicted trajectory of the smoke plume indicates that the smoke may reach population centers, and the concentrations of smoke particulates at ground level may exceed safe levels. Monitoring is not required, however, when impacts are not anticipated.

Execution of in situ burning has a narrow window of opportunity. It is imperative that the monitoring teams are alerted of possible in situ burning and SMART operations as soon as burning is being considered, even if implementation is not certain. This increases the likelihood of timely and orderly

The monitoring teams are deployed at designated areas of concern to determine ambient concentrations of particulates before the burn starts. During the burn, sampling continues and readings are recorded both in the data logger of the instrument and manually in the recorder data log.

After the burn has ended and the smoke plume has dissipated, the teams remain in place for sometime (15-30 minutes) and again sample for and record ambient particulate concentrations. During the course of the sampling, it is expected that the instantaneous readings will vary widely.

However, the calculated time-weighted average readings are less variable, since they represent the average of the readings collected over the sampling duration, and hence are a better indicator of particulate concentration trend. When the time-weighted average readings approach or exceed the Level of Concern (LOC), the team leader conveys this information to the In-Situ Burn Monitoring Group Supervisor (ISB-MGS) who passes it on to the Technical Specialist in the Planning Section (Scientific Support Coordinator, where applicable), which reviews and interprets the data and passes them, with appropriate recommendations, to the Unified Command.

SMART activities are directed by the Operations Section Chief in the ICS/UCS. It is recommended that a "group" be formed in the Operations Section that directs the monitoring effort. The head of this group is the Monitoring Group Supervisor. Under each group there are monitoring teams. At a minimum, each monitoring team consists of two trained members: a monitor and assistant monitor. An additional team member could be used to assist with sampling and recording. The monitor serves as the team leader. The teams report to the Monitoring Group Supervisor who directs and coordinates team operations, under the control of the Operations Section Chief.

Communication of monitoring results should flow from the field (Monitoring Group Supervisor) to those persons in the ICS/UCS who can interpret the results and use the data. Typically, this falls under the responsibility of a Technical Specialist on in-situ burning in the Planning Section of the command structure. The observation and monitoring data will flow from the Monitoring Teams to the Monitoring Group Supervisor. The Group Supervisor forwards the data to the Technical Specialist. The Technical Specialist or his/her representative reviews the data and, most importantly, formulates recommendations based on the data. The Technical Specialist communicates these recommendations to the ICS/UCS. Quality assurance and control should be applied to the data at all levels. The Technical Specialist is the custodian of the data during the operation, but ultimately the data belongs to the ICS/UCS incident files. This will ensure that the data is properly archived, presentable, and accessible for the benefit of future monitoring operations.

Sec. II-10.9 Bioremediation

Sec. II-10.9.1 General

Bioremediation is the process of applying nutrients (fertilizer containing nitrogen and phosphorus) or genetically engineered bacteria to oiled terrestrial or shoreline areas to accelerate the natural biodegradation process. During this process, micro-organisms (bacteria) oxidize hydrocarbons, ultimately converting them to carbon dioxide and water. Biodegradation occurs primarily at the oil/water or oil/air interface and is limited by oxygen, moisture, and nutrient availability. It is also sensitive to temperature; the lower the ambient temperature, the lower the rate. If nutrients are used, they must be supplied in such a way that they will not be washed away by tides or any water runoff.

Sec. II-10.9.2 Evaluation

The decision to use bioremediation treatment should be based on the type of spill, the character of the area impacted, and the local political jurisdiction. In some cases, other forms of cleanup may be required in conjunction with nutrient addition to achieve the desired enhancement rate. Extensive efforts to achieve more acceptance of this technology are underway. As in the case of other oil spill response chemicals, approval must be obtained from the FOSC and SOSC before the nutrients are applied and the products must be listed on government product schedules where required. An expert should be consulted.

The use of biological additives is regulated under Subpart J of the NCP (40 CFR 300.900). Under the NCP, options for the authorization of biological agents are outlined, including a provision for conditional preapproval for use under certain conditions and in certain locations. Consult with the FOSC to determine whether an applicable preauthorization has been approved. The current application and approval procedure includes state approval and does not preempt the States from having their own testing criteria.

The Incident Commander will be responsible for providing the FOSC and SOSC with incident specific information needed to approve the conduct of bioremediation operations.

Sec. II-11 Water Quality and Sediment Quality Analysis

If the situations requires, following a release of oil to a waterway, Company will attempt to gather background data to determine the current conditions of the impacted waterway and sediments. An attempt will be made to collect samples ahead of the plume to determine current background conditions. Water quality data and sediment quality data will also be collected from within the impacted area to determine the changes in conditions. Following cleanup efforts, additional sampling will be conducted to demonstrate the effectiveness of the cleanup operations.

The sampling protocol will be determined by the volume and type of material spilled. In general, near surface water samples will be obtained along with sediment samples. In some cases, depending on spill-specific conditions, stratified sampling may be required. The following EPA analytical methods may be utilized to determine if oil from the Company release exists on the bottom sediments or within the water column. This is not intended to be an exhaustive list, but may be used as a guideline when deciding which methods to use.

Sec. II-11.1 EPA Analytical Methods**

Product	Constituent	Possible EPA Methods
GASOLINE	Benzene	8020, 8240
	Toluene	8020, 8240
	Ethylbenzene	8020,8240
	Xylenes	8020, 8240
DIESEL	Polynuclear Aromatic Hydrocarbons	8100, 8270, 8310
	BTEX	8020, 8240
OILS	Total Petroleum Hydrocarbons	418.1, Modified 8015

** Contact your Environmental Representative for assistance in selecting the proper analytical methods.

Sec. II-12 Drainage Plan

In addition to automated alarms and routine inspections to tanks and dikes, procedures are in place to further ensure the safety of personnel, equipment and protection of the environment. These procedures are intended to be followed at all times to maintain the safety of the facility and to mitigate or prevent the damage potential of a large-scale discharge.

The following elements will be addressed under general facility, storage tanks, the truck rack area, tank water draining, or facility piping and valves as appropriate:

•	Available containment volume
•	Route of drainage
•	Drainage through construction materials
•	Type/quantity of valves and separators
•	Sump pump capacities
•	Weir/boom containment capacity and location
•	Other cleanup material
•	General Facility: The available containment volume of this facility is location in ICP Geographical Annex 1 of this plan.

Sec. II-12.1 Storage Tanks

Each storage tank has a diked area. However, adjacent tanks share common dike walls and accumulated liquids can be drained from one diked area to another through valve regulated drain lines. Accumulated water is removed from diked areas through locked drain valves as necessary. Water accumulation within diked areas is visually inspected for petroleum products and any accumulation of oil is removed with sorbent materials before the water is removed. Drain valves are locked closed when not in use.

Drainage from undiked areas is controlled as follows: The two dock loading/unloading areas are equipped with spill pans for catching spilled oil. These pans are covered when there is no barge loading in order to minimize the amount of rainwater that collects in the pans. The pans are piped into a quick drain system, consisting of large containment pits that would channel any spilled product into a 10,000-gallon storage tank. After a rain event, the water in the containment pit is visually inspected prior to being pumped out.

Inspections and drainage events are recorded in the terminal SPCC logbook that is retained for a period of three years.

Sec. II-12.2 Truck Rack Area

There is an aboveground sump for the truck loading rack area. The sump will handle a small amount of storm run-off and has the petroleum containment capacity of a tank truck compartment. The loading rack is covered in order to reduce the amount of rainfall entering the system. Accumulated oil and water is hauled to a company approved treatment facility. All other non-contact storm water leaves the facility via sheet flow.

Sec. II-12.3 Tank Water Drains**Discharge from tank water drains are prevented by:**

•	Procedures require terminal personnel to be present at all times during the water draining operation.
•	All water from the tank is drained into a water collection tank for disposal under guidelines established by applicable pollution control laws, rules and regulations.

Sec. II-13 Detection/Mitigation Procedures**Sec. II-13.1 Discharge Detection**

The Company has a number of safety systems and practices in place to prevent the occurrence and mitigate the subsequent impact of accidental discharges. The systems are designed to alert operators with alarms and provide automatic shut-in functions in the event of a discharge. Pipeline operators are trained to respond to the various system alarms in order to identify and control releases immediately.

SAFETY SYSTEM LIST

•	Prevention practices and procedures
•	Pipeline and breakout tank inspection and testing procedures
•	Discharge detection equipment and procedures
•	Recognition of emergency conditions and prediction of the consequences
•	Leak response actions
•	Public education

The detection of a discharge from the Company pipeline system may occur in a number of ways, including:

•	Discharge detection by Company personnel, pipeline patrols, or the general public
•	(b) (7)(F)
•	Various other procedures and practices

Sec. II-13.2 Discharge Detection by Personnel

All pipelines operated by the Company are equipped with high and low pressure sensors. In the event of a change in pipeline pressure beyond a specified set point, the pressure sensors will trigger an alarm to the facility operator and/or shut down the pipeline and process equipment.

The routine responsibilities that ensure releases will be detected and mitigated as soon as possible by IC/UC personnel may include, but are not limited to the following:

- | | |
|---|--|
| • | Regularly scheduled visual and aerial monitoring. |
| • | Routine walk-through and monitoring of process equipment to ensure proper operation of all equipment at each facility. |
| • | Immediate response to alarms and signals that may indicate a possible release. |
| • | Identification and control of the source as soon as safely possible. |
| • | Notify the Initial Incident Commander. |

The Company operators will perform the following procedures when they are alerted to a potential pipeline emergency:

Procedures	✓	Date/Time
Ensure that the pipeline pressure sensing equipment is not malfunctioning.	<input type="checkbox"/>	___/___/___ [00:00]
The supervisor will request a field inspection of the pipeline ROW in question to identify the source of the suspected leak.	<input type="checkbox"/>	___/___/___ [00:00]
In the event an oil leak is discovered along the pipeline, this Plan will be activated.	<input type="checkbox"/>	___/___/___ [00:00]
In the event a leak is not found, an investigation into the cause of the pressure change will continue until determined.	<input type="checkbox"/>	___/___/___ [00:00]

Right-of-way (ROW) marker signs are installed and maintained at road crossings and other noticeable points and provide an emergency 24-hour telephone number to be used by any person wishing to report a pipeline leak.

Sec. II-13.3 Automated Discharge Detection

(b) (7)(F)

Sec. II-13.3.2 System Shutdown

An employee who discovers an outage, receives a report that an outage has occurred, or observes other hazardous conditions shall request shutdown of the affected system and notify the Area Supervisor if he is satisfied that a Company line is involved.

(b) (7)(F)

Sec. II-13.4 Leak Detection Systems, Devices, Equipment, or Procedures**Sec. II-13.4.1 Leak Detection and System Shutdown**

The Company's leak detection and response guidelines cover those facilities, controls, and actions required to detect a leak or spillage from the pipeline and to minimize the extent of such leak or spillage and its effect on public safety, the environment, and property.

Levels of Leak Detection

The Company currently uses the following three types of leak detection systems:

- Level I – Volume Balance
- Level II – Flow Rate and Pressure Deviation
- Level III – Pressure and Equipment Status Change

In determining the proper level to assign to a given pipeline system, a system analysis is required. In making such an analysis, consideration should be given to:

- Material characteristics
- System physical condition
- System size, throughput, and operating conditions
- Existing controls
- Evaluation of leak/hazard/response scenarios
- Public safety
- Environmental pollution exposure
- Potential property losses
- Cost/benefit

Sec. II-13.5 Leak Detection Systems, Devices, Equipment, or Procedures**Sec. II-13.5.1 Leak Detection and System Shutdown**

The primary consideration in selecting the leak detection system is public safety. Environmental pollution and property losses are important considerations, but since restoration and compensation means are available, these effects should be considered secondary to public safety.

Level I – Volume Balance**General Technique**

Level I systems will be provided with flow measurement facilities into and out of the system to enable volumetric balancing (including line inventory) at intervals of (b) (7)(F) [REDACTED]. These short time comparisons provide indications to the Control Center of large leaks, while a 24-hour comparison is used to detect smaller leaks. In addition, pressure sensing, status of pumping equipment, and excessive flow and pressure deviation

(b) (7)(F)

Alarm settings are adjusted as required to eliminate spurious alarms due to normal system fluctuations. Many require settings for both steady state and dynamic (planned changes) conditions.

Note: The Company's current Level I technique is a "steady state" technique and alarm limits are adjusted during dynamic change conditions.

Shutdown

(b) (7)(F)

- Control Center manual shutdown on major line balance deviations
- Control Center manual shutdown on overall alarm evaluation
- Close-off of controllable isolation valves where available and pressure watch to determine affected section.
- For new systems, the number, location, and remote operability of isolation valves should be carefully evaluated to meet codes and regulatory hazard requirements.

Sec. II-13.6 Leak Detection Systems, Devices, Equipment, or Procedures

Sec. II-13.6.1 Leak Detection and System Shutdown

Level II – Flow Rate and Pressure Deviation

General Technique

(b) (7)(F)

(b) (7)(F)

Shutdown

(b) (7)(F)

- Control Center manual shutdown on overall alarm evaluation
- Close-off if remote control isolation valves are available and pressure watch to determine affected section
- For new systems, the number, location, and remote operability of isolation valves should be carefully evaluated to meet codes, regulatory, and hazard requirements

Sec. II-13.7 Leak Detection Systems, Devices, Equipment, or Procedures**Sec. II-13.7.1 Leak Detection and System Shutdown****Level III – Pressure and Equipment Status Change****General Technique**

(b) (7)(F)

Shutdown

- (b) (7)(F)
- Control Center manual shutdown on alarm evaluation
- Isolate system to extent remote isolation valves are available. Call for manual isolation immediately upon confirmation of leak
- For new systems, the number, location, and remote operability of isolation valves should be carefully evaluated to meet codes, regulatory, and hazard requirements

General Pipeline Leak Response Actions

Travel to Suspected Site of Leak

- A means of locating the leak site is necessary for minimum travel time. The general location of the leak may be known from reports.
- If precise directions are not available for finding the site, air surveillance and assistance from a helicopter or other aircraft may be necessary. Areas should maintain a list of companies with aircraft for charter.

Find Leak

- If oil continues to escape from the line, the leak may be detected visually.
- If underwater, the leak can be found by having a diver survey the line. The line may have to be pressured up to force gas or oil out of the leak to aid in locating the leak.

Determine Extent of Damage

- In determining the extent of damage, three basic conditions of the line must be determined:
 - Degree of damage to the line
 - Length of damaged line
 - Misalignment angle if an underwater pipeline

Report to Area Supervisor

- Once the extent of damage has been determined, the following information should be reported:

<ul style="list-style-type: none"> • Location of leak • Size of the Line • Type of coating • Length of damaged section 	<ul style="list-style-type: none"> • Misalignment angle • Water depth (if appropriate) • Local terrain conditions
--	--

Begin Repair Preliminaries

- Perform whatever repair preliminaries are possible if it safe to do so.

Sec. II-13.8 Source Control

This section provides guidelines for controlling a release near the source and mitigating the associated consequences. Source control and mitigation involve anything from shutdown of operations to patching a leak, containing a spill, dispersing a vapor cloud, protecting a sensitive area, recovering the spilled material, or other such activities that are involved in an emergency response. Because of the infinite number of circumstances under which an incident could occur and the variety of equipment that could be involved, it is impractical to describe procedures that should be followed in all foreseeable emergency situations.

In the event of a spill involving a pipeline leak or rupture, the initial mitigation actions will likely consist of:

- | | |
|---|--|
| • | Shutting down the pipeline |
| • | Relieving the pressure on the affected line section |
| • | Isolating the line section by closing the appropriate valves |
| • | Evacuating the remaining contents of the affected line section |
| • | Exposing the leak or rupture and installing a temporary patch |

If the incident were to involve a breakout tank leak or overfill, the initial mitigation actions may include:

- | | |
|---|--|
| • | Terminating transfer operating to the tank, if in progress |
| • | Ensuring associated secondary containment system drain valves are closed |
| • | Transferring the tank contents into available tankage or back into the pipeline |
| • | Patching the leak if feasible and safe |
| • | Water flooding the containment area, if applicable, to minimize soil penetration |

Source control measures are implemented as close as possible to the source of a spill to minimize the extent of the affected area and generally involve:

- | | |
|---|---|
| • | Construction of barriers, trenches, or earthen berms for containment |
| • | Construction of berms or trenches for diverting spill to containment area |
| • | Deployment of containment booms in waterways down current of the source |
| • | Deployment of recovery equipment (pumps, vacuum trucks, skimmers) |

Sec. II-13.9 Good Engineering Practices.

The Company's approach to preventing discharges is to assure that all facilities are properly designed, constructed, maintained and operated in accordance with applicable codes, regulations and good engineering practices.

Some examples of good engineering practices may include but are not limited to the following:

Engineering Practices	
•	Components in the pipeline system are designed and constructed in accordance with written specifications.
•	Components are inspected to ensure that quality is maintained during material procurement and construction.
•	Trained personnel are used during the construction of the facilities.
•	Various testing methods are used during construction of the facilities.
•	External and internal corrosion control methods are used to maintain the facilities in the best possible condition.
•	A preventive maintenance program reduces the potential for component malfunction or failure
•	Company personnel are properly trained to operate and maintain the pipeline system
•	Company has an extensive safety and drug testing program for its employees and requires the same for its contractors.
•	Company systems are designed and operated with safety factors in place. For example, the maximum operating pressure of a system is always less than the design pressure of the system and the test pressure of the system.
•	Pressures are monitored and controlled so that the maximum operating pressures are not exceeded.
•	When appropriate, internal inspection tools are used or lines are subjected to additional hydrostatic testing to determine and assure their integrity.
•	All wastes are stored in accordance with applicable regulatory requirements (DOT containers that are non-leaking, closed, in good condition, properly marked/labeled, inspected to ensure integrity, etc.)

Sec. II-13.9 Third-Party Damage Prevention

If the systems are properly designed, constructed, operated and maintained, then the most probable source of discharge is due to third-party damage. In order to minimize the risk of damage caused by a third-party a number of steps may be taken, including, but not limited to the following:

Prevention of Third-Party Damage	
•	The facilities are designed to reduce the chance of third-party damage. For example, most of the facilities are buried or located within fenced and locked areas.
•	Areas especially sensitive to third-party damage are road, railroad, and water crossings. Pipelines in these areas usually have additional wall thickness, or burial depth, or are cased to reduce the chance of damage.
•	Company facilities are normally located on well- maintained and clearly marked rights-of-way.
•	Company facilities are normally monitored by aerial or other patrol at least once per week to check for encroachment and construction activities.
•	Company participates in one-call pipeline locating and notification systems where available.
•	Company conducts education programs to reduce the possibility of third-party damage.

Sec. II-13.10 Corrosion Mitigation

For external corrosion prevention, the Company generally prevents corrosion of buried pipelines by using approved long-life pipeline coatings supplemented with cathodic protection. Aboveground facilities are generally inspected annually and provided protective coating systems to prevent corrosive deterioration. These primarily include buildings, aboveground pipelines and tanks.

In order to prevent internal corrosion of the pipelines, the Company uses chemical injection, pigging and corrosion inhibitors, and inspects pipelines located in high population density areas and environmentally sensitive areas with in-line inspection pigs, where appropriate. A large number of pipelines are hydrostatically tested. For further details regarding the Corrosion Prevention program, refer to the Company Pipeline Integrity Management Program.

Sec. II-13.11 Spill Mitigation

Source control and mitigation involve anything from shutdown of operations to patching a leak, containing a spill, dispersing a vapor cloud, protecting a sensitive area, recovering the spilled material, or other such activities that are involved in an emergency response. Because of the infinite number of circumstances under which an incident could occur and the variety of equipment that could be involved, it is impractical to describe procedures that should be followed in all foreseeable emergency situations.

Sec. II-13.12 Breakout Tanks

The visual tank inspection checklist presented below has been included as guidance for inspections and monitoring. Also included in the visual tank inspection will be an inspection of the tank foundation and associated piping. All tankage, pumping equipment, piping and related terminal equipment are inspected every working day for leakage, malfunctions of seals, etc. Storage tanks are inspected monthly and annually and findings are recorded. Example forms are included in this plan. These records shall be maintained for a minimum of five years.

Check tanks for leaks, specifically looking for:

•	Drip marks
•	Discoloration of tanks
•	Puddles containing stored materials
•	Corrosion
•	Cracks
•	Localized dead vegetation

Check foundation for:

•	Cracks
•	Discoloration
•	Puddles containing stored materials
•	Settling
•	Gaps between tank and foundation
•	Damage cause by vegetation roots

Check piping for:

•	Droplets of stored material
•	Discoloration
•	Corrosion
•	Bowing of pipe between supports
•	Evidence of stored material seepage on valves and seals
•	Localized dead vegetation

Tank roof drains and firewall drains are normally kept closed.

The Company's major tanks have tank gauges which transmit oil heights to the Operations Control Center, where tank levels are monitored continuously. The tank gauges have alarms set for each tank for high tank level, low tank level, and emergency low tank level. Each tank also has an independent device which gives an alarm for emergency high tank level.

Sec. II-13-14 Response Procedures

A person evaluating a situation must assess the circumstances surrounding an event, to determine if an emergency situation exists, and respond accordingly. Company personnel are trained in hazards or emergency recognition procedures as described below.

An emergency in pipeline and facility operations often originates with the unexpected release or spill of commodities. Uncontained commodities and high vapor concentrations present substantial hazards for fires or explosions until they dissipate to safe levels. In these situations, sources of ignition must be controlled to eliminate fire and explosion hazards. The Company has strict rules for controlling sources of ignition within tank farm property to avoid such explosions or fires. Potential sources of ignition become more difficult to control on public property. Early detection and quick response are the best actions to reduce the hazards.

The purpose of this section is to identify the response checklist/procedures to follow based on the type of incident that could occur along the Pipeline System. The checklists below are developed to allow the field personnel the ability to make sound decisions during the initial response of an incident. The checklists are not meant to substitute for emergency response knowledge, training, or sound judgment calls and do not account for all circumstances. In the event of any type of incident, it is imperative that the safety of all personnel be considered first, and then the protection of property second.

Sec. II-14 Evacuation

Evacuation plans will be located in the applicable ICP Geographical Annex. All evacuation directives will be communicated through an audible signal, either through voice by the Emergency Response Coordinator, or by the activation of an alarm system. All facility personnel are trained routinely in evacuation and emergency response procedures. The facility contains no critical equipment that requires employees to continue to operate after the evacuation notification is made.

The purpose of the evacuation plan is to provide some guidance in the event shutdown and evacuation are necessary. In the event of an incident, the Terminal Operator will stop the flow of product by normal operating procedures. The facility supervisor shall be notified immediately of the emergency. Any terminal personnel who are not trained as Hazardous Material Technicians will evacuate the terminal. The Fire Department will be notified if there is a fire. Arriving personnel, equipment and fire resources will be met at the main terminal gate of the Facility, unless deemed unsafe to do so. Tactical deployment of arriving resources will depend on the current situation.

Evacuating personnel shall proceed in an orderly manner. The Operations Supervisor will account for all employees and arrange for medical assistance as required.

Sec. II-14.1 Training

The Company believes that constant training of its employees is the cornerstone of effective emergency response and mitigation of threats to human health and the environment. Personnel evacuation direction is further defined as follows:

- **Facility Employees** - All Company employees who are not directly involved with the abatement of the emergency will immediately evacuate the area of the emergency. They will proceed via an unthreatened route to the facility main gate and remain in a "stand by" mode until instructed by the Emergency Response Coordinator to do otherwise. Should access to the facility main gate be threatened by the emergency, proceed to a location on the facility unthreatened by the emergency and notify the Emergency Response Coordinator of your whereabouts as soon as practical.
- **Contractors, Freight Haulers, Vendors and Other Visitors** - All non-company personnel will immediately evacuate the plant when notified of an emergency. All material loading or unloading will cease. Personnel will proceed to the facility main gate via an unthreatened route. Non-Company personnel will exit immediately upon approval of the Emergency Response Coordinator. Should access to the facility main gate be threatened by the emergency, proceed to a location on the facility unthreatened by the emergency and notify the Emergency Response Coordinator of your whereabouts as soon as practical. After personnel evacuation was initiated, emergency response agencies and teams would be notified (either from on-site or off-site immediately after the evacuation was completed), and immediate response actions would be initiated to minimize threats to human health and the environment.


- **Community** - In the unlikely event that evacuation plans were required beyond the boundary of the facility, the Emergency Response Coordinator or designee would communicate further directives. These plans will include guidance of where to move potentially affected parties to minimize threats to human health and the environment.

When the alarm is sounded or a signal to evacuate is given all personnel should:

Evacuation Checklist		
Procedures	✓	Date/Time
Immediately stop work activities.	<input type="checkbox"/>	__/__/__ [00:00]
Check the wind direction.	<input type="checkbox"/>	__/__/__ [00:00]
Move upwind or cross wind.	<input type="checkbox"/>	__/__/__ [00:00]
Check the wind again.	<input type="checkbox"/>	__/__/__ [00:00]
Initial Incident Commander will conduct a head count to account for all personnel known to be at the facility.	<input type="checkbox"/>	__/__/__ [00:00]
Initial Incident Commander will assist in alerting and escorting personnel, including visitors and contractors to the appropriate evacuation point.	<input type="checkbox"/>	__/__/__ [00:00]
Initial Incident Commander will notify the TPTN Duty Officer.	<input type="checkbox"/>	__/__/__ [00:00]
Initial Incident Commander will assist in hazard control activities as requested.	<input type="checkbox"/>	__/__/__ [00:00]
Initial Incident Commander will initiate search and rescue of missing persons. Injured personnel will be transported to the nearest emergency medical facility.	<input type="checkbox"/>	__/__/__ [00:00]
All other personnel will remain at the evacuation point until the "All Clear" signal is given.	<input type="checkbox"/>	__/__/__ [00:00]
Note: Evacuation should be carried out in an orderly manner. Personnel should WALK, not run or panic.		



(b) (7)(F)



Integrated
Contingency
Plan




Core Plan




Section II:
Core Plan
Elements

(b) (7)(F)



(b) (7)(F)



(b) (7)(F)

Sec. II-16 Site Safety and Health Plan

Sec. II-16.1 Introduction

This document describes the health and safety guidelines developed for the Response Operations to protect personnel, visitors, and the public from physical harm and exposure to hazardous materials or wastes. The procedures and guidelines contained herein are based upon the best available information at the time of the plan's preparation. Specific requirements will be reviewed and revised when new information is received and/or conditions change.

The Site Safety & Health (SS&H) Plan is designed to comply with applicable Federal, State OSHA regulations for Response Operations covered in 29 CFR 1910.120 and Company H&S Policies. Specifically, this program provides procedures and information for program administration, safety and health considerations, personal protective equipment, medical surveillance, training, site control, industrial hygiene monitoring programs, personal hygiene, sanitation, housekeeping, and the decontamination of both personal protective equipment and equipment utilized during the response.

The ICS Forms for the Site Safety and Health Plan (ICS 201-5 and ICS 208) are located in the Forms Section of this plan.

Sec. II-16.2 Scope

All spill response and remedial activities will be conducted in accordance with this SS&H Plan. This plan will cover all personnel, including Company employees, contractors, subcontractors, government employees, and visitors. The SS&H Plan will be modified as necessary and where applicable will address multiple work environments. A copy of this program will be posted at all command, operations, and field centers for the duration of the clean-up activity. It is the responsibility of each manager, supervisor, and crew foremen to be familiar with this plan and to assist in its implementation.

Sec. II-16.3 Program Administration

The Safety and Health Officer will administer the SS&H Plan. The Safety and Health Officer will be available to answer questions regarding effective implementation of the Program Plan. The Safety and Health Officer is supported by other staff personnel advisors in Safety, Industrial Hygiene, Occupational Medicine, Environmental, Operations and Legal.

It is the responsibility of the Safety and Health Officer to monitor the effectiveness of the SS&H Plan and to contact the appropriate support staff for guidance if changes to the plan are necessary.

All employees who may be directly involved in any clean-up activities are required to have completed HAZWOPER Training and to have been briefed on the contents of this SS&H Plan. All employers and employees will be responsible for adhering to all Federal, State and Local regulations that may not be specifically outlined in this program.

The Safety and Health Officer will enforce compliance with the SS&H Plan and all other requirements. Any deviations from the stipulated requirements, which are noted by the Safety and Health Officer or any other Company personnel, will be communicated to the responsible contractor. The contractor will take immediate actions to correct the deviations and prepare a written corrective action report to be submitted to the Safety and Health Officer.

Sec. II-16.4 Daily Safety Briefings

Site safety meetings/briefings are the first step in maintaining site safety. Daily meetings will be held at the start of each shift to ensure that all personnel understand site conditions and operating procedures, to ensure that personal protective equipment is being used correctly, to address worker health and safety concerns and to communicate any changes or revisions to the Site Safety and Health Plan.

Briefing Attendance Forms shall be used to document that individuals working the Response Operation recognize the hazards present and the policies and procedures required to minimize exposure or adverse effects of these hazards.

Sec. II-16.5 Visitor Policy

All visitors must provide all required training documentation prior to arrival on-site, if possible. The On-Scene Coordinator and Public Affairs Advisor, or their designee, must approve the site visit and shall coordinate visitor tours with the Spill Containment/Clean-up Organization. The SS&H shall designate a safe route through the site and away from the on-going operations, and provide for visitor escorts. The Team Leader/Foreman at the task site must be notified when the visitor approaches. The Team Leader-Foreman shall acknowledge visitor arrival onsite and communicate approval of the visit and acceptable duration for the visitor onsite.

Visitors are expected to dress appropriately for a field visit and when required, shall wear personal protective equipment (PPE) consistent with that used by workers at the Response Site.

- All visitors shall be approved prior to arrival at the Incident Site
- All visitors to be escorted.

Sec. II-16.6 Response

During the initial response phase the ICS 201-5 form is used to ensure hazards are identified, evaluated and managed; and would typically be used for a Tier 1 response. The ICS 201-5 form can be supported by attachments such as the released product MSDS and other topics at the Safety Officers discretion. In a Tier 1 response the safety officer transitions to the ICS 208 form at their discretion

The Tier 2 response would typically use the MSDS, ICS 208 form and Medical Plan form. The ICS 201-5 form would be in place until the Tier 2 Safety team can transition from the Tier 1 team. The ICS 208 form can also be supported with attachments of MSDS and Medical Plan, at the Safety Officers discretion. MSDSs are available at the facility or may be accessed via the netMSDS intranet website at <http://w3apps.phillips66.com/netmsds/> or the webMSDS internet website at: <http://corpapps.phillips66.net/webmsds/MSDSViewer.aspx>. When a response has transitioned to the "project phase" the project is usually turned over to a remediation project group. At that time a SSHP will be developed based on company safety and health procedures.

Sec. II-16.7 Site Safety and Health Plan Evaluation Checklist

SITE SAFETY & HEALTH PLAN EVALUATION CHECKLIST

Name of Program Reviewed:

Program Drafted By (Name/Organization):

Program Reviewed By:

Date of Review:

Review Includes (check those appropriate):

- Comprehensive Work Plan (post-emergency)
- Safety & Health Program (for planning not site-specific)
- Site-Specific Site Safety & Health Plan (post-emergency)
- Emergency Response Plans (emergency phase & routine sites)

Comprehensive Work plan [1910.120(b)(3)]

- Work tasks, and objectives defined
- Methods of accomplishing tasks & objectives defined
- Personnel requirements for work plan accomplishments
- Training requirements identified (see 1910.120(e))
- Informational programs implemented (see 1910.120(i))
- Medical surveillance programs (see 1910.120(f))

Safety and Health Program [1910.120(b)]**General:**

- A written safety and health program [1910.120(b)(1)]
- Organizational structure [1910.120(b)(1)(ii)(A)]
- Safety and health training program
- Medical surveillance program
- Employer SOP on safety and health

Organization Structure [1910.120(b)(2)]:

- Chain of command identified
- Responsibilities of supervisors and employees
- Identifies supervisor
- Identifies site safety and health officer(s)
- Other personnel functions and responsibilities
- Lines of authority / responsibility / communications

Site-Specific Safety & Health Plan [1910.120(b)(4)]

For spill response operations (as opposed to those that start from a remedial action) these plans will vary in detail as the response progresses. During the initial emergency phase, responders rely on generic emergency response plans - contingency plans - while a site-specific plan is being developed. As the response progresses into post-emergency phase recovery operations, a basic site-specific plan is used and may become quite detailed for prolonged or large cleanups. Finally, a spill response may become a fully controlled site cleanup (e.g., remedial cleanups) where a fully developed site-specific plan is developed, including detailed emergency response plans for on-site emergencies.

SITE SAFETY & HEALTH PLAN EVALUATION CHECKLIST (CONT'D)**Site-Specific Safety & Health Plan [1910.120(b)(4)] (Cont'd)****General – Identify and/or specify:**

<input type="checkbox"/>	Risks for each task in work plan	<input type="checkbox"/>	Employee training assignments
<input type="checkbox"/>	Protective equipment for each task/objective	<input type="checkbox"/>	Medical surveillance requirements
<input type="checkbox"/>	Frequency and types of air monitoring	<input type="checkbox"/>	Frequency and types of personnel monitoring
<input type="checkbox"/>	Sampling techniques	<input type="checkbox"/>	Air monitoring instruments to be used
<input type="checkbox"/>	Maintenance and calibration for instrumentation	<input type="checkbox"/>	Site control measures
<input type="checkbox"/>	Site map	<input type="checkbox"/>	Work zones
<input type="checkbox"/>	Use of "buddy system"	<input type="checkbox"/>	Alerting means for emergencies
<input type="checkbox"/>	Safe working practices	<input type="checkbox"/>	Nearest medical assistance
<input type="checkbox"/>	Decontamination procedures	<input type="checkbox"/>	Emergency response plan
<input type="checkbox"/>	Confined space entry procedures	<input type="checkbox"/>	Spill containment program
<input type="checkbox"/>	Pre-entry briefings [1910.120(b)(4)(iii)]	<input type="checkbox"/>	Provisions for continual evaluation of plan

Site Characterization and Analysis:

<input type="checkbox"/>	Spill sites shall be evaluated to identify specific site hazards and determine appropriate safety and health controls.
--------------------------	--

Preliminary Evaluation – Performed by a qualified person, prior to site entry, to identify and/or specify:

<input type="checkbox"/>	Protection methods and site controls	<input type="checkbox"/>	All inhalation/skin hazards
<input type="checkbox"/>	Location and approximate size of site	<input type="checkbox"/>	Description of response activity
<input type="checkbox"/>	Duration of response activity	<input type="checkbox"/>	Site topography and accessibility (include air and ground accessibility)
<input type="checkbox"/>	Safety and health hazards anticipated	<input type="checkbox"/>	Pathways for hazardous substance dispersion
<input type="checkbox"/>	Status of emergency response units (rescue, fire, hazmat)		

Risk Identification [1910.120(c)(7):

<input type="checkbox"/>	Employees on site are informed of identified risks	<input type="checkbox"/>	All information concerning chemical, physical and toxicological properties of each substance available to the employer are made available to the responders
--------------------------	--	--------------------------	---

Detailed Evaluation [1910.120(c)(2):

<input type="checkbox"/>	Immediately after preliminary evaluation, a detailed evaluation is conducted to determine safety controls and protection needed.
--------------------------	--

Monitoring [1910.120(h):

<input type="checkbox"/>	Monitoring performed during initial entry	<input type="checkbox"/>	Monitoring performed periodically
<input type="checkbox"/>	Personnel monitoring performed		

Illumination Requirements [1910.120(m)]

<input type="checkbox"/>	Areas accessible to employees are lighted to levels not less than the intensities outlined in Table H-120.1
--------------------------	---

Sanitation Requirements [1910.120(n):

<input type="checkbox"/>	Potable(n)(1) / Non-potable water(n)(2)	<input type="checkbox"/>	Toilet facilities (n)(3)
<input type="checkbox"/>	Washing facilities (n)(6)	<input type="checkbox"/>	Shower and change rooms (n)(7)

SITE SAFETY & HEALTH PLAN EVALUATION CHECKLIST (CONT'D)

Emergency Response Plans [1910.120(l) and (q)] for emergency response operations (e.g., contingency plans used prior to site safety plan development), routine sites (e.g., emergency plans for remedial sites)

Purpose is to prepare for anticipated emergencies:

- Plan is written and available for inspection

Elements [1910.120(l)(2)(i-ix) to be specified

- Pre-emergency planning
- Personnel roles, lines of communication
- PPE and emergency equipment
- Emergency recognition and prevention
- Safe distances and places of refuge
- Site security and control
- Evacuation routes and procedures
- Emergency medical treatment and first aid
- Emergency decon procedures
- Emergency alerting and response procedures
- Critique of response and follow-up

Additional Elements [1910.120(l)(3)(i)(A-B)]:

- Site topography, layout and prevailing weather conditions
- Procedures for reporting incidents to: local, state, and federal government agencies
- Employee alarm system is installed to notify persons of an emergency situation

Additional Requirements [1910.120(l)(3)(ii-viii)] Emergency Response Plan shall be:

- A separate section of Site Safety and Health Plan
- Compatible with federal, state and local plans
- Rehearsed as part of on-site training
- Current

Sec. II-16.8 Site Exposure Monitoring Plan

Site Name:	Date / Time:
A. Monitoring Plan	
➤	Air monitoring at the spill site and surrounding areas will be done to ensure site worker and community safety.
➤	Air monitoring will be done during work shift site characterization and on each work shift during cleanup activities until results indicate no further monitoring is required.
➤	All monitoring done at the cleanup site will be documented and the data maintained by qualified personnel on site.
➤	Monitoring will be done in accordance with OSHA 29 CFR 1920.120. Monitoring will be done: <ul style="list-style-type: none"> <input type="checkbox"/> During initial site entry and characterization; <input type="checkbox"/> If a new potential inhalation hazard is introduced into the work area; <input type="checkbox"/> During cleanup activities, on each work shift; <input type="checkbox"/> If a new task is begun that may involve potential inhalation exposure.
➤	Noise monitoring, radiation monitoring, etc. will be conducted as needed.
B. Initial Site Monitoring	
➤	Monitoring will be done during initial site entry. The monitoring will include checking for: <ul style="list-style-type: none"> <input type="checkbox"/> Oxygen (O₂) deficiency using a direct reading oxygen meter; <input type="checkbox"/> Flammable atmospheres (%LEL) using a combustible gas indicator; <input type="checkbox"/> Benzene, hydrogen sulfide, hydrocarbons, and combustion by-products (SO₂, CO), as needed, using direct-reading instruments, colorimetric indicator tubes, and/or other valid methods.
➤	Instruments will be calibrated prior to and following use.
➤	All monitoring will be documented. (See attached form for example)
C. Post-Emergency Monitoring (On-Going)	
➤	Monitoring for benzene, hydrogen sulfide, hydrocarbons and combustion by-products will be done during each work shift on an on-going basis, as needed. Repeat initial site monitoring if any significant changes occur (i.e., temperature increases, more material released, wind direction changes, etc.)
➤	Checks for oxygen deficiency and flammable atmospheres will be made if confined spaces are encountered, or as required.
➤	Exposure monitoring shall be done as necessary. Personnel samples will be collected under the direction of the industrial hygiene personnel. Samples will be analyzed by a laboratory accredited by the American Industrial Hygiene Association.
➤	Results of site monitoring will be made available to site workers' supervision for informing all affected employees. Results will be available to the Command Center for review by regulatory agencies.

Sec. II-16.9 Industrial Hygiene HAZMAT Information – Field Data Form

Date:		Time		Wind Dir.		Wind Speed		Temp.		
Event Description:										
<u>Location Description</u>	<u>Time</u>	<u>PID / FID</u>	<u>H₂S</u>	<u>SO₂</u>	<u>CO</u>	<u>LEL</u>	<u>O₂</u>	<u>Benzene</u>	<u>Other</u>	<u>Comments</u>
1.										
2.										
3.										
4.										
5.										
6.										
7.										
8.										
9.										
10.										
11.										
12.										

Sec. II-17 Personal Protective Equipment

All work shall be conducted in accordance with procedures established during pre-entry briefings and the attached Work Plan. Personal Protective Equipment shall be selected and used to protect personnel from hazards that are likely to be encountered as identified during the initial site characterization and subsequent monitoring.

The Safety and Health Officer will determine the PPE requirements for each task associated with the incident based on the work to be conducted, associated hazards, and the following criteria:

1. PPE Use and Limitations

Several factors must be considered when selecting and using PPE:

- The protective clothing, gloves and boots must be resistant to permeation or penetration by oil and other chemicals that may be encountered on the site.
- Protective clothing and gloves should be durable for heavy work.
- Protective clothing and glove materials must maintain protection and flexibility in hot or cold weather conditions.
- Protective clothing must be large enough to fit over other clothing without ripping and tearing.
- For respirator use, procedures must be in place for the proper selection, use, care, and fit testing of the respirators. Additionally, wearer must be advised as to respirator cartridge expected life and of monitoring for contaminant breakthrough, etc.
- Protective footwear must have non-slip soles. Additionally, conditions may require the use of steel toe and/or steel shank footwear.

2. Work Duration

The work duration is expected to last for the full shift and will involve moderate to heavy physical exertion during cleanup activities.

3. PPE Maintenance and Storage

PPE will be maintained and stored by an assigned work crew. Protective clothing and gloves will be evaluated during and at the end of each shift and will be replaced as necessary. Boots and other PPE may be decontaminated for re-use.

4. PPE Decontamination and Disposal

PPE may be decontaminated in designated areas by assigned crews using soap or other suitable cleanser and rinse water. The cleaning solution used will be disposed of in properly labeled containers according to applicable regulations. Contaminated protective gloves and any other PPE to be disposed of will be placed in properly labeled bags and disposed of according to applicable regulations.

5. PPE Training and Proper Fitting

All site cleanup workers, supervisors and others entering the contaminated zone will be given training in proper use of PPE. The training will include:

- How to use PPE
- When and where to use the PPE
- How to inspect PPE to determine if it is working properly

Care will be taken to ensure employees are provided properly fitted PPE.

6. PPE Donning and Doffing Procedures

Prior to starting work, all site cleanup workers and others required to wear PPE will be instructed on proper procedures for donning and doffing PPE. Doffing of contaminated clothing, gloves and boots must be done in a manner to prevent skin exposure to the oil or chemicals.

Personal Protective Equipment (PPE)

Respiratory:	Wear a positive pressure air supplied respirator in situations where there may be potential for airborne exposure above exposure limits. If exposure concentration is unknown or if conditions immediately dangerous to life or health (IDLH) exist, use a NIOSH approved self-contained breathing apparatus (SCBA) or equivalent operated in a pressure demand or other positive pressure mode. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Skin:	The use of thermally resistant gloves is recommended.
Eye/Face:	Approved eye protection to safeguard against potential eye contact, irritation or injury is recommended. Depending on conditions of use, a face shield may be necessary.
Other Protective Equipment:	A source of clean water should be available in the work area for flushing eyes and skin. Impervious clothing should be worn as needed. Suggestions for the use of specific protective materials are based on readily available published data. Users should check with specific manufacturers to confirm the performance of their products.

Sec. II-18 Decontamination

Decontamination is the systematic removal of residual chemicals from personnel and equipment after exposure to toxic, flammable and/or hazardous products.

The benefits of Decontamination include:

- Enhancing the safety of responders and other personnel.
- Decreasing the hazard of environmental contamination.
- Restricting contamination to the immediate area and minimizes the potential for injury to others.
- Each step in the process reduces the amount of residual product on the clothing until safe and acceptable levels area achieved.

Non-Emergency / Routine vs. Emergency Decontamination

- **Routine decontamination** is designed to reduce the amount of residual product on the clothing until safe and acceptable levels are achieved.
- **Emergency decontamination** is designed to remove the patient from the hazardous area, remove contaminated clothing and flush the product off the patient. This will be accomplished taking into account any medical considerations. Water should be used to perform the emergency decontamination of the patient. There is less regard for runoff retention, and the emphasis is to expedite emergency medical treatment.

Decontamination Methods

There are many methods for decontamination. The proper method will be determined by the situation and materials involved.

Dilution	The application of water to reduce the concentration of product to a point that it no longer presents a hazard.
Absorption	Mechanically pulled in or soaked up by the sorbent.
Chemical Degradation	Altering the chemical composition of the material to the point that it is less hazardous or easier to remove. For example, emulsifying a gasoline spill.
Disposal	Easiest form of "decontamination".

Note: Contaminated products require proper disposal – incineration, burial, etc.

Factors Influencing Methodology

- Product(s) involved
- Hazards associated with the product(s)
- Degree or extent of contamination
- Physical and chemical properties of the product(s)

Sec. II-19 Response Termination and Follow-up Procedures

Termination activities are divided into three phases: debriefing the incident, post-incident analysis, and critiquing the incident. The extent to which these phases are undertaken depends on the nature and magnitude of the spill or release. Even a small product release could elicit very detailed termination activities. For example, a release of H₂S resulting with subsequent employee, or public, negative impact. Additionally, some spills or releases trigger outside agency reporting. These events would trigger the formal termination procedures outlined in this section.

Sec. II-19.1 Debriefing the Incident

Debriefings should begin as soon as the “emergency” phase of the operation is completed. Ideally, this should be before first responders leave the scene, and it should include the hazmat response team, sector officers, and other key players such as public information officers and agency representatives who the Incident Commander determines would benefit from being involved.

Debrief Checklist

Procedures		✓
Use safety meeting attendance forms and or memoranda to document the debriefing.		<input type="checkbox"/>
Inform responders exactly what hazardous materials they were (possibly) exposed to and the signs and symptoms.		<input type="checkbox"/>
Identify equipment damage and unsafe conditions requiring immediate attention or isolation for further evaluation		<input type="checkbox"/>
Assign information-gathering responsibilities for a Post-Incident Analysis and critique.		<input type="checkbox"/>
Summarize the activities performed by each sector, including topics for follow-up.		<input type="checkbox"/>
Reinforce the positive aspects of the response.		<input type="checkbox"/>
Debrief Performed By:	Date/Time	

Sec. II-19.2 Post-Incident Analysis: (PIA)**Response Termination**

Termination activities are divided into three phases: debriefing the incident, post-incident analysis, and critiquing the incident. The extent to which these phases are undertaken depends on the nature and magnitude of the spill or release. Even a small product release could elicit very detailed termination activities. For example, a release of H₂S with subsequent employee or public negative impact. Additionally, some spills or releases trigger outside agency reporting. These events would trigger the formal termination procedures outlined in this section.

General Information**Debriefing the Incident**

- | | |
|--------------------------|--|
| <input type="checkbox"/> | Debriefings should begin as soon as the “emergency” phase of the operation is completed. Ideally, this should be before first responders leave the scene, and it should include the hazmat response team, sector officers, and other key players such as public information officers and agency representatives who the IC determines would benefit from being involved. |
| <input type="checkbox"/> | Inform responders exactly what hazardous materials they were (possibly) exposed to and the signs and symptoms. |
| <input type="checkbox"/> | Identify equipment damage and unsafe conditions requiring immediate attention or isolation for further evaluation. |
| <input type="checkbox"/> | Assign information-gathering responsibilities for a Post-Incident Analysis (PIA) and critique. |
| <input type="checkbox"/> | Summarize the activities performed by each sector, including topics for follow-up. |

Safety meeting attendance forms and or memoranda may be utilized to document the debriefing.

Post-Incident Analysis:

	PIA is the detailed, step-by-step review of the incident to establish a clear picture of the events that took place during the incident. It is conducted to establish a clear picture of the emergency response for further study.
	The PIA is not the same as investigations conducted to establish the probable cause of the accident for administrative, civil, or criminal proceedings. Those are usually conducted utilizing root cause or hazard and operability methodologies. One person or (or office) should be designated to collect information about the response during the debriefing. Additional data may be obtained from Command post logs, incident reports and eyewitness interpretations.
	Once all available data has been assembled and a rough draft report developed, the entire package should be reviewed by key responders to verify the available facts are arranged properly and actually occurred. The PIA should focus on four key topics: <i>Command and Control, Tactical Operations, Resources and Support Services.</i>
	<i>Command and Control</i> – Was command established and sectors organized? Did information flow from operations personnel through Sector Officers to the Incident Commander? Were response objectives communicated to the personnel expected to carry them out?
	<i>Tactical Operations</i> – Were the tactical options ordered by the IC and implemented by emergency response personnel effective? What worked? What did not?
	<i>Resources</i> – Were the resources adequate for the job? Are improvements needed to apparatus and/or equipment? Were personnel trained to do the job effectively?
	<i>Support Services</i> – Were the support services received from other organizations adequate? What is required to bring support to the desired level?

Critiquing the Incident:

A commitment to critique an all hazardous material response will improve IMT performance by improving efficiency and pinpointing weaknesses. Use the tool as a valuable learning experience (everyone came to the incident with good intentions)
A good critique promotes:

	Trust in the response system as being self-correcting.
	Willingness to cooperate through teamwork.
	Continuing training of skills and techniques.
	Pre-planning for significant incidents.
	Sharing information between response agencies.

Critique Format:

A critique leader is assigned. This can be anyone who is comfortable and effective working in front of a group. The critique leader should:

- | | |
|--------------------------|--|
| <input type="checkbox"/> | Control the critique. Introduce the players and procedures. Keep it moving and end on schedule. |
| <input type="checkbox"/> | Ensure that specific questions receive detailed answers. |
| <input type="checkbox"/> | Ensure that all participants follow the critique rules. |
| <input type="checkbox"/> | Ensure that each operational group presents their observations. |
| <input type="checkbox"/> | Keep notes of important points. |
| <input type="checkbox"/> | Sum up the lessons learned. |
| <input type="checkbox"/> | Follow up. |
| <input type="checkbox"/> | Following the critique, forward the written comments to management. They should highlight suggestions for improving response capabilities and alternative solutions. |
| <input type="checkbox"/> | When larger incidents are involved or injuries have occurred, formal reports shall be circulated so that everyone in the response system can understand the "lessons learned." |

Section III – Table of Contents**III-1 Overall Training****III-2 Response Training****III-3 Incident Command System (ICS)/HAZWOPER
Training Program****III-4 Response Exercise Program**

Sec III-1 Overall Training

Experienced, well-trained people are essential for successful implementation of this Emergency Response Plan. Exercises are performed to check the effectiveness of the training and to test the Plan. An ongoing training and exercise program will be carried out at the facility. In addition to maintaining maximum familiarity with all aspects of the Plan, the training and exercise program is intended to provide members of the spill response team with the basic knowledge, skills and practical experience necessary to perform safe and effective spill response operations in accordance with the plan.

In order to have a successful exercise program, it is important for responders to be aware of and knowledgeable of the policies set forth in the Area Contingency Plan (ACP) and the use and location of Geographic Response Plans (GRPs) as applicable. Training on the contents of the ACP and use of the GRPs is conducted with annual ICS/UCS training, as applicable.

OSHA's Hazardous Waste Operations and Emergency Response (HAZWOPER) rule (29 CFR 1910.120) became law on March 6, 1990. It sets minimum training and/or competency requirements for people associated with an oil spill emergency. HAZWOPER requirements are described in the following section. Additional training and exercise requirements are discussed in the balance of this section.

The training coordinator will devise a training plan and schedule in response to governmental regulations and the specific requirements of the Company, and implement the training plan in cooperation with local oil spill response co-ops and selected contractors. Representatives of governmental agencies and other interested parties may be invited to observe or participate in these activities as determined appropriate.

Sec. III-2 Response Training

As required in the DOT regulation 49 CFR Appendix A to part 194 the company has developed a program for facility response training. Please refer to the appropriate training documentation, which is maintained and available in this section of the Core Plan.

Sec. III-2.1 Description of Response Training

The following summarizes the response training elements for all Facilities:

- | | |
|---|--|
| • | Incident Command System (ICS) Training Program |
| • | Classroom Training |
| • | HAZWOPER Response Qualifications |

Sec. III-3 Incident Command System (ICS)/HAZWOPER Training Program

Background

The Incident Command System (ICS) was first developed as a result of wild fires in southern California in the 1970s. In 1980, the ICS (originally developed by an entity called Firescope) made the transition into a national program called the National Incident Management System (NIMS). At that time, ICS became the backbone of a wider-based system for all Federal agencies with wildland fire management responsibility.

The NIMS ICS has also now been adopted by the U.S. Coast Guard for response to all oil and hazardous substance spills and has been integrated into the National Response System and therefore the National Contingency Plan of the U.S. The U.S. Federal Emergency Management Agency (FEMA) is adopting the ICS, as well as industry entities such as the National Fire Protection Association (NFPA).

In summary, the company ICS/UCS organizations and the associated training program was developed directly from NIMS.

Training Requirements

It is important to have well trained Spill Management Team. New Employees will complete ICS 100 and ICS 200 Level Training. Persons filling key roles in the ICS/UCS Organization (i.e. Command Staff Officers and General Staff Section Chiefs) will also complete ICS 300 Level Training and comply with one of the following:

Command and General Staff Additional Requirements

•	Observe position a minimum of one WCD exercise
•	Serve as Deputy (position) a minimum of one WCD exercise
•	Serve previously in (position) in a WCD exercise or actual response

ICS 100, ICS 200, and ICS 300 Level Training can be achieved through various mediums including:

- For ICS 100 and ICS 200 Level Training courses are available on-line through the FEMA Independent Study Courses through the Emergency Management Institute. A certificate will be provided upon completing each course. <http://www.training.fema.gov/IS/crslist.asp>:
 - IS-100 Introduction to Incident Command System, I-100
 - IS-200.a ICS for Single Resources and Initial Action Incidents
- The Company also offers ICS 100, ICS 200, and ICS 300 internally online through Computer Based Training (CBT), via the Company Learning Management System. A certificate will be provided upon completing each course.

Training Requirements (Cont'd)

3. Instructor Lead Courses- ICS 100, ICS 200, and ICS 300 are also available though a class room setting. Contact the Company's Emergency Management Coordinator to scheduling the course internally. In addition the course being offered through the company, both the Emergency Management Institute and the National Fire Academy sponsor NIMS compliant ICS-300 Level Training. Please contact your local or State's Emergency Management Agency or State Fire Academy for details about when and where these courses will be available.

Personnel Response Training Logs

The Company will conduct Emergency Response Plan training annually for their personnel to meet the requirement for "personnel response training logs". **The actual retention of this activity's documentation is maintained in the Company Learning Management System.** Please consult the training coordinator for further information on these records.

Sec. III-3.1 Classroom Training

The Company conducts training at this facility. The topics applicable to response training may consist of, but are not limited to, the following:

•	Facility Response Plan/OPA (annual)
•	SPCC/HWCP Training (annual)
•	PPE Use, Care and Maintenance
•	Biannual Boom Deployment Exercises (If owned and maintained at the facility)
•	Tabletop Drills per this ERP
•	Fire Extinguishing School
•	First Aid/CPR

Sec. III-3.2 HAZWOPER Response Qualifications

Certain designated Company employees are required to obtain qualifications to meet different levels of initial training (each require 8 hours of annual refresher training) in accordance with OSHA 1910.120 or HAZWOPER. The five (5) levels of HAZWOPER qualification applicable to Company employees are:

•	First Responder - Awareness (Level 1) (Sufficient hours of training to demonstrate competencies)
•	First Responder - Operations (Level 2) (8 hours initial)
•	Hazardous Material Technician (Level 3) (24 hours initial)
•	Hazardous Material Specialist (Level 4) (24 hours initial)
•	"On-Scene" Commander or Incident Commander (Level 5) (24 hours initial)

Sec. III-3-3 HAZWOPER Levels**First Responder Awareness Level**

First responders at the Awareness Level are individuals who are likely to witness or discover a hazardous substance release and who have been trained to initiate an emergency response sequence by notifying the proper authorities of the release. They would take no further action beyond notifying the authorities of the release. First responders at the Awareness Level shall have sufficient training or have had sufficient experience to objectively demonstrate competency in the following areas:

•	An understanding of what hazardous substances are, and the risks associated with them in an incident.
•	An understanding of the potential outcomes associated with an emergency created when hazardous substances are present.
•	The ability to recognize the presence of hazardous substances in an emergency.
•	The ability to identify the hazardous substances, if possible.
•	An understanding of the role of the first responder awareness individual in the employer's emergency response plan including site security and control and the U.S. Department of Transportation's Emergency Response Guidebook.
•	The ability to realize the need for additional resources, and to make appropriate notifications to the communication center.

Sec. III-3.3 HAZWOPER Levels (Cont'd)**First Responder Operations Level**

First responders at the Operations Level are individuals who respond to releases or potential releases of hazardous substances as part of the initial response to the site for the purpose of protecting nearby persons, property, or the environment from the effects of the release. They are trained to respond in a defensive fashion without actually trying to stop the release.

Their function is to contain the release from a safe distance, keep it from spreading and prevent exposures. First responders at the Operational Level shall have received at least eight hours of training or have had sufficient experience to objectively demonstrate competency in the following areas in addition to those listed for the awareness level and the employer shall so certify:

- | | |
|---|--|
| • | Knowledge of the basic hazard and risk assessment techniques. |
| • | Know how to select and use proper personal protective equipment provided to the first responder operational level. |
| • | An understanding of basic hazardous materials terms. |
| • | Know how to perform basic control, containment and/or confinement operations within the capabilities of the resources and PPE available with their unit. |
| • | Know how to implement basic decontamination procedures. |
| • | An understanding of the relevant standard operating procedures and termination procedures. |

Hazardous Materials Technician

Hazardous Materials Technicians are individuals who respond to releases or potential releases for the purpose of stopping the release. They assume a more aggressive role than a first responder at the operations level in that they will approach the point of release in order to plug, patch or otherwise stop the release of a hazardous substance. Hazardous Materials Technicians shall have received at least 24 hours of training equal to the first responder operations level and in addition have competency in the following areas and the employer shall so certify:

- | | |
|---|---|
| • | Know how to implement the employer's emergency response plan. |
| • | Know the classification, identification and verification of known and unknown materials by using field survey instruments and equipment. |
| • | Be able to function within an assigned role in the Incident Command System. |
| • | Know how to select and use proper specialized chemical personal protective equipment provided to the hazardous materials technician. |
| • | Understand hazard and risk assessment techniques. |
| • | Be able to perform advance control, containment and/or confinement operations within the capabilities of the resources and personal protective equipment available with the unit. |
| • | Understand and implement decontamination procedures. |
| • | Understand termination procedures. |
| • | Understand basic chemical and toxicological terminology and behavior. |

Sec. III-3.3 HAZWOPER Levels (Cont'd)

Hazardous Materials Specialist

Hazardous Materials Specialists are individuals who respond with and provide support to hazardous materials technicians. Their duties parallel those of the hazardous materials technician, however, those duties require a more directed or specific knowledge of the various substances they may be called upon to contain. The Hazardous Materials Specialist would also act as the site liaison with Federal, state, local and other government authorities in regards to site activities. Hazardous Materials Specialists shall have received at least 24 hours of training equal to the technician level and in addition have competency in the following areas and the employer shall so certify:

- Know how to implement the local emergency response plan.
- Understand classification, identification and verification of known and unknown materials by using advanced survey instruments and equipment.
- Know of the state emergency response plan.
- Be able to select and use proper specialized chemical personal protective equipment provided to the hazardous materials specialist.
- Understand in-depth hazard and risk techniques.
- Be able to perform specialized control, containment, and/or confinement operations within the capabilities of the resources and personal protective equipment available.
- Be able to determine and implement decontamination procedures.
- Have the ability to develop a site safety and control plan.
- Understand chemical, radiological and toxicological terminology and behavior.

On Scene Incident Commander

Incident Commanders, who will assume control of the incident scene beyond the First Responder Awareness Level, shall receive at least 24 hours of training equal to the First Responder Operations Level and in addition have competency in the following areas and the employer shall so certify:

- Know and be able to implement the employer's Incident Command System.
- Know how to implement the employer's emergency response plan.
- Know and understand the hazards and risks associated with employees working in chemical protective clothing.
- Know how to implement the local emergency response plan.
- Know of the state emergency response plan and of the Federal Regional Response Team.
- Know and understand the importance of decontamination procedures.

Sec. III-3.4 Refresher Training

Those employees who are trained in accordance with the above descriptions shall receive annual refresher training of sufficient content and duration to maintain their competencies, or shall demonstrate competency in those areas at least yearly.

Sec. III-3.5 HAZWOPER Training Certification and Documentation

The Company will certify that its spill management response team members assigned to all HAZWOPER levels have received the required training or equivalent and are competent. The Company will train and maintain its spill management team members to HAZWOPER per 29 CFR 1910.120(q) as a minimum. Upon receiving the initial HAZWOPER training, response team members will be issued a certificate indicating that they have completed the required amount of HAZWOPER training and can function as a response team member. A copy of the certificate is included in this Section. Documentation of specific training received by each employee is maintained within the Learning Management System.

Refresher training must satisfy the OSHA requirement to maintain competency and at least 4 hours¹ of refresher training must be completed. In order to maintain competency, the annual refresher may consist of any of the classes or combinations of classes listed in the Company approved HAZWOPER Courses Table outlined in this section.

¹Facilities located in the state of Washington require a minimum of 8-hours of refresher training annually.

The Learning Management System may be queried to determine the amount of HAZWOPER training that an employee has received, as well as, to verify that the annual refresher training requirement has been met. The designated Facility Supervisor will determine the specific refresher training provided for each employee.

By completing one of these options, the company considers the individual certified per 29 CFR 1910.120(q)(8)(ii).

Sec. III-3.6 Response Contractors

All contractors responding to a spill/release that involves the Company will be required by their contracts to satisfy the HAZWOPER training requirements of 29 CFR 1910.120 for their position.

Sec. III-3.7 Other Response Personnel**Sec. III-3.7.1 Skilled Temporary Support Personnel**

Company and other response support personnel whose skills are needed temporarily to perform immediate emergency support work (such as truck drivers and crane operators) are not required to meet the training requirements discussed above. However, these personnel must be briefed on the potential hazards and the duties to be performed at the site before participating in response operations. They must also receive instruction in the use of any safety and personal protective equipment needed and be provided with all other appropriate safety and health precautions.

Sec. III-3.7.2 Specialist Employees

Specialist employees are experts who would provide technical advice or guidance during response to a spill incident. Examples of such specialists might include chemists, biologists, industrial hygienists, physicians, or others with skills useful during a spill response operation. Such persons must receive appropriate training or demonstrate competency in their specialty annually. There are no specific requirements on training content or hours of training for these persons except that it entails whatever is necessary to maintain competency in their specific area of expertise. Training and demonstration of competency for skilled support personnel and specialists should be documented.

Sec. III-3.7.3 Casual Laborers

Casual laborers will generally not be hired, but may be employed by the Company's response contractors or other response organizations. Contractors will be responsible for providing the appropriate HAZWOPER training to these laborers prior to their involvement in response operations.

Sec. III-3.7.4 Volunteers

Normally, the Company will not hire and/or train volunteers for work on an oil spill response incident. Consequently, the company will refer volunteers to appropriate state and/or local agencies or organizations that are set up to handle volunteers. In addition, the Company will refer volunteers to appropriate wildlife rescue agencies or contractors, such as the International Bird Rescue Research Center, which may be contracted by the Company to work on the spill cleanup.

In the event that the Unified Command approved "volunteers" the Incident Action Plan will include them as resources with scope of work, training and PPE as required.

Sec. III-3.8 Waste Handling Training

Field operations personnel receive extensive regulatory-required training in HAZWOPER, HAZCOM, emergency response, fire fighting, and other areas as described in this section. Employees at sites which generate hazardous waste receive additional orientation and training specific to hazardous waste regulatory requirements, and hazardous waste emergency response. Site emergency coordinators (qualified individuals) also receive additional training on incident command systems.

Sec. III-3.9 Training Records

Training records will be maintained as long as personnel have duties under the Response Plan. Training documentation may be verified in the Company Learning Management System.

Sec. III-3.10 Company Approved HAZWOPER Courses

The following courses may be used for annual HAZWOPER Refresher Certification. A minimum of four (4) hours credit must be accrued annually to maintain HAZWOPER Refresher Certification. *(The state of Washington requires a minimum of 8-hours refresher training annually).*

Title	Area	Credit Hours	Frequency	References
Incident Command System (ICS)	ER	3.0	Initial/Annual	ERP
OPA '90 Plan Review	ER	1.0	Initial/Annual	ERP: EPA, DOT and USCG (PowerPoint or classroom)
OPA '90 Exercise - Table Top Exercise	ER	4.0	Annual	ERP
OPA '90 Exercise - Equipment Deployment	ER	3.0	Annual/ Semi-Annual	ERP
Security Training - Facility Personnel	ER	1.0	Initial & Changes	FSP (PowerPoint or classroom)
Security Training - Marine Facility Security Officer (FSO)	ER	4.0	Initial & Changes	FSO Training Program (PowerPoint or classroom)
Security - Facility Exercise	ER	2.0	Annual	FSP
Security - Marine Facility Quarterly Drill	ER	1.0	Initial & Quarterly	FSP
Combined Spill Response and Security Exercise	ER	4.0	Annual	ERP & FSP
Spill Prevention Control and Countermeasure Plans (SPCC)	ENV	1.0	Initial & Changes	ERP & SPCC
Spill Prevention Meeting	ER	1.0	As needed	ERP & FSP
Asbestos Communication of Hazard to Employees	HS	1.0	As needed	OSHA 1910.1001
Benzene	HS	1.0	Initial	OSHA 1910.1028
Field Survey Instruments & Equipment	HS	1.0	Annual	OSHA 1910.120
Fire Protection Equipment - Classroom	HS	1.0	Annual	OSHA 1910.155, 157, 158, 160, 164
Fire Protection Equipment – Hands-on	HS	1.0	Every 2 years	OSHA 1910.155, 157, 158, 160, 164
Hazard Communication	HS	2.0	Initial/As needed	OSHA 1910.1200
HAZWOPER – First Responder Awareness Level	ER	2.0	Initial/Annual	OSHA 1910.120
HAZWOPER – First Responder Operations Level	ER	2.0	Initial/Annual	OSHA 1910.120
HAZWOPER – General Training	ER	2.0	Initial/Annual	OSHA 1910.120
HAZWOPER – Hazardous Materials Technician	ER	24.0	Initial/Annual	OSHA 1910.120
HAZWOPER – On-Scene Incident Commander	ER	24.0	Initial/Annual	OSHA 1910.120
Hot Work Permits	HS	0.5	Initial/3-Years	OSHA 1910.120

Sec. III-3.10 Company Approved HAZWOPER Courses (Cont'd)

Title	Area	Credit Hours	Frequency	References
Hydrogen Sulfide – H2S	HS	1.0	Initial/3-Years	OSHA 1910.1028
Lead Awareness	HS	1.0	Initial/Changes	OSHA 1910.1025
Lockout/Tagout	HS	1.0	Initial/3-Years	OSHA 1910.147
Medical Services and First Aid - CPR	HS	6 Hours	Per Certification	OSHA 1910.151; Requires a Certified Instructor Course to be taught (determined locally)
NPDES Permitting and Hydrostatic Testing	ENV	1.0	As needed	Environmental Training Guideline
Occupational Exposure to Blood borne Pathogens	HS	1.0	Initial	OSHA 1910.1030
Occupational Noise Exposure	HS	12.0	Initial/ Annual (For Program Participants)	OSHA 1910.95
Permit-Required Confined Space Entry – General Awareness	HS	2.0	Initial/Periodically	OSHA 1910.146
Personal Protective Equipment	HS	1.0	Initial/As Needed	OSHA 1910.132, 133,135; OSHA 1926.500-503
RCRA-Personnel Training for Generators of Hazardous Waste Who accumulate waste on-site Storage	ENV	4.0	Initial/Annual	40 CFR 264.16 and 262.34
Respiratory Protection	HS	2.0	Initial/Annual	OSHA 1910.134
Safe Transportation of Hazardous Materials – Air	DOT	2.0	Initial/2 Years	IATA
Safe Transportation of Hazardous Materials – General Awareness	DOT	2.0	Initial/2 Years	49 CFR 172.704
Safe Transportation of Hazardous Materials – Highway	DOT	2.0	Initial/3 years	49 CFR 172.704
Safe Transportation of Hazardous Materials – Rail	DOT	2.0	Initial/3 years	49 CFR 172.704
Safe Transportation of Hazardous Materials – Water	DOT	2.0	Initial/3 years	49 CFR 172.704
Safety Related Work Practice - Electrical Hazards - Unqualified	HS	1.0	3-Years	OSHA 1910.331- .335
Security – General Awareness (Global)	SEC	1.0	Annual	
Specifications for Accident Prevention Signs and Tags	HS	1.0	As needed	OSHA 1910.145
Trenching and Excavation - Awareness	HS	1.0	Initial & Reg. Changes	OSHA 1926.651

Refer to the Learning Management System for additional course information and documentation.

Sec. III-4 Response Exercise Program

Experienced, well-trained people are essential for successful implementation of this Emergency Response Plan. Exercises are performed to check the effectiveness of the training and to test the Plan. An ongoing training and exercise program will be carried out at the facility. In addition to maintaining maximum familiarity with all aspects of the Plan, the training and exercise program is intended to provide members of the spill response team with the basic knowledge, skills and practical experience necessary to perform safe and effective spill response operations in accordance with the plan.

The Company exercise program is designed to be consistent with the exercise requirements as outlined in the National Preparedness for Response Exercise Program (PREP) Guidelines developed by the U.S. Coast Guard in conjunction with the Pipeline Hazardous Materials Safety Administration (PHMSA) and the U.S. Environmental Protection Agency (EPA). Participation in this program ensures that the Company meets all federal exercise requirements mandated by OPA '90.

The primary elements of the Company exercise program are notification exercises, tabletop exercises, facility-owned equipment deployment exercises, contractor exercises, unannounced exercises by government agencies and area-wide exercises conducted by industry and government agencies. The exercise year for all Company facilities will be from January 1 to December 31. The Facility Manager is responsible for implementing the exercise program.

All exercises and actual release event responses will be critiqued. If appropriate, the information derived from the post-exercise or post-event evaluation will be incorporated into the Emergency Response Plan. The IC will cause the facility plan to be updated as necessary and updates will be forwarded to Company Emergency Response & Security Group.

Sec. III-4.1 Exercise Format and Procedures

Exercises serve to evaluate the thoroughness and effectiveness of the emergency response component of the Emergency Response Plan by testing under simulated conditions. Exercises will be conducted in consistence with the PREP Guideline to maintain maximum effectiveness of the plan.

The following is a list of suggested organizations that should be invited to table top and equipment deployment exercises:

•	Federal Agencies having jurisdictional responsibility during a spill or emergency (i.e. USCG, EPA, DOT).
•	State agencies having jurisdictional responsibility during a spill or emergency.
•	Local agencies having jurisdictional reasonability during a spill or emergency (i.e. Local Fire Department, LEPC, Law Enforcement, Health Department).
•	Other interested entities that may play a critical role during a spill or fire (i.e. Local Utilities).

Sec. III-4.2 Coordination with Local Emergency Services

During an event meetings should be conducted with all local emergency services departments. If possible, a single source of contacts with these departments should be appointed. Lines of communication to this source must be determined to allow quick contact. If the situation is expected to be of longer duration, off-duty police or security personnel may be required to assist. These people will be very useful in traffic control including ingress and egress from the site, and preventing unauthorized personnel from entering the area.

To ensure coordination between Fire, Police, and other appropriate Public Officials is possible during an emergency, the Area Supervisors are responsible for establishing liaisons with public officials to learn their responsibilities and resources for responding to an emergency. Field Operations are encouraged to involve local officials in drills/training programs, where appropriate.

Company personnel will coordinate with local emergency service officials as necessary to:

•	Provide the officials with current information on all Company facilities within their jurisdiction
•	Exchange information about responsibilities and resources (both for Company and the officials) available for responding to hazardous liquid pipeline emergencies, and to discuss (preplan) possible responses to be made during potential emergency situations
•	Ensure that the names, addresses, and telephone numbers for the officials are current

Sec. III-4.3 Company Terminal Requirements

The program is on a 3-year cycle with different scenario requirements for the exercises throughout the cycle.

Each year a terminal will be required to conduct the following exercises:

•	Four Notification Exercises which can be exercised in conjunction with a Tabletop and/or Equipment Deployment or separately.
•	One Tabletop Exercise (TTX) ¹ which can be exercised alone or in conjunction with an Equipment Deployment.
•	Two Facility Equipment Deployments (EDX) ¹ (if there is facility-owned spill response equipment on site). If the facility relies upon the pipeline area response equipment, that equipment should follow the pipeline response plan and equipment exercise program.
•	An Agency unannounced exercise, if initiated by jurisdictional agency.
•	An area exercise, if required by jurisdictional agency.
•	Document that primary OSRO contractors listed in the OPA '90 plan have conducted training consistent with the PREP guidelines.
•	Self-certification and documentation. (Credit may be taken for responses to actual events, as long as it is properly documented.

¹Annually, one exercise, either TTX or EDX must be unannounced.

Sec. III.4.4 Company Pipeline Requirements

The program is also on a 3-year cycle with different scenario requirements for the exercises throughout the cycle.

Each year a pipeline response area will be required to conduct the following exercises:

•	Four Notification Exercises which can be exercised in conjunction with a Tabletop and/or Equipment Deployment or separately.
•	One Tabletop Exercise (TTX) ¹ which can be exercised alone or in conjunction with an Equipment Deployment.
•	One Pipeline Equipment Deployment (EDX) ¹ (if the pipeline area has pipeline-owned spill response equipment).
•	An Agency unannounced exercise, if initiated by Jurisdictional agency.
•	Document that primary OSRO contractors listed in the OPA '90 plan have conducted training consistent with the PREP guidelines.
•	Self-certification and documentation. (Credit may be taken for responses to actual events, as long as it is properly documented).

Sec. III-4.5 Guiding PrinciplesInternal Exercises

Internal exercises are those that are conducted wholly within the Company. The internal exercises test the various components of the response plan to ensure the plan adequately meets the OPA '90 requirements for spill response.

The internal exercises include:

•	Incident Commander (IC) Notification Exercises (Terminals)*
•	Internal Notification Exercises (Maintenance Groups)*
•	Spill Management Team Tabletop Exercises
•	Equipment Deployment Exercises (Facility-Owned Equipment)
•	Equipment Deployment Exercises (Response Contractors)
•	Government Initiated Unannounced Exercises

All of the internal exercises, with the exception of the government initiated unannounced exercises, will be self-evaluated and self-certified.

*The Qualified Individual is the Incident Commander for the Company. Refer to the job positions identified in the QI Delegation of Authority Letter located in the Introduction section of this plan that may serve as Incident Commander. Other delegated personnel in a supervisory position (i.e. a pump station supervisor, may act as the Incident Commander should a spill occur at his pump station). For the purposes of exercises, generally, the Terminal Supervisor or the Area Supervisor should be the contact person.

External Exercises

The external exercises go outside the Company to test the interaction of the Company with the response community. The external exercises will test the Company's entire plan and the coordination with members of the response community necessary to conduct an effective response to a pollution incident.

The external exercise includes: Area Exercises

An area exercise is conducted by EPA, the Coast Guard, DOT and industry working in cooperation to exercise the area contingency plan. This is a large-scale exercise that is planned and evaluated by all parties involved.

Sec. III-4.6 Triennial Cycle of Exercising the Entire Response Plan

Every three years all components of the entire response plan must be exercised. The purpose of this requirement is to ensure that all components of the plan function adequately for response to an oil or hazardous substance spill. By complying with the PREP Guidelines as set forth in this section, the Company meets this requirement.

Sec. III-4.7 Credit for Conducting an Exercise

When lesser-included exercises occur as part of larger exercises or a real event, the Company facility will receive credit for that lesser included exercise or real event when properly documented. For example, if a terminal responds to an actual spill, the activities involved in the spill response (i.e., the IC notification, the equipment deployment, etc.) will satisfy the requirements of these two exercises, provided the actual response activities meet the objectives of the exercises and are properly documented.

Credit for an Area Exercise will be given to the Company facility or facilities for an actual response to a spill in the Area if the plan was utilized for response to the spill and the objectives of the Area Exercise were met, properly documented and certified. The caveat to this statement is that if a The Company facility plan was scheduled for an Area Exercise and an actual spill occurred in the Area for which the facility's plan was not used (i.e., another company's plan was used or an agency plan was used), then the Company facility would not receive credit for the spill response.

Sec. III-4.8 Proper Documentation

Proper documentation includes documentation, which lists the exercise conducted, the objectives met and the results of the exercise evaluation. This documentation must be in writing and signed by an individual having responsibility for the asset conducting the exercise. All spill response exercise documentation records should be maintained on file at the facility for a minimum of five years.* This Section describes the proper exercise ICS/UCS documentation forms that should be used to document the corresponding exercises. All ICS forms in this section may be utilized to document exercises as well as assisting with actual response. Forms are found in the following locations:

- Section IV of this plan contains Company Forms.
- ERAP contains Initial Response Forms
- Company Website contains all Company and ICS Forms

*Note: Electronic documentation may be located on the Company Emergency Response website.

Sec. III-4.9 Certification Process

The Incident Commander or Exercise Facilitator certifies the response exercise.

Following an exercise or actual event, the responders should complete a critique of their response. The evaluation form located in this section should include the Company facility name, exercise date, type of exercise conducted, response plan or zone exercised and participants. This form is to be signed by the Incident Commander or Exercise Facilitator; then filed and retained for a minimum of five years at the facility.

Sec. III-4.10 EPA

EPA Regulated Facilities	
QI Notification Exercises	
Applicability	Facility
Frequency	Quarterly
Initiating Authority	Company policy
Participating Elements	Facility personnel and qualified individual
Scope	Exercise communications between facility personnel and qualified individual
Objectives	Contact must be made with a qualified individual or designee, as designated in the response plan.
Certification	Self-certification.
Verification	Environmental Protection Agency (EPA)
Records	
Retention	5 years
Location	Records to be kept at the facility
Evaluation	Self-evaluation.
Credit	Plan holder should take credit for this exercise when conducted in conjunction with other exercises as long as all objectives are met, the exercise is evaluated, and a proper record is generated. Credit should be taken for an actual spill response when these objectives are met, the response is evaluated, and a proper record is generated.

Sec. III-4.10 EPA (Cont'd)

EPA Regulated Facilities	
Spill Management Team Tabletop Exercises	
Applicability	Facility spill management team
Frequency	Annually
Initiating Authority	Company policy
Participating Elements	Spill management team as established in the response plan.
Scope	Exercise the spill management team's organization, communication, and decision-making in managing a spill response.
Objectives	<p>Exercise the spill management team in a review of'</p> <ul style="list-style-type: none"> • Knowledge of the response plan; • Proper notifications • Communications system • Ability access an OSRO; • Coordination of internal organization personnel with responsibility for spill response; • An annual review of the transition from a local team to a regional, national and international team, as appropriate • Ability to effectively coordinate spill response activity with the National Response System (NRS) infrastructure. (If personnel from the NRS are not participating in the exercise, the spill management team should demonstrate knowledge of response coordination with the NRS.) • Ability to access information in Area Contingency Plan for location of sensitive areas, resources available within the area, unique conditions of area, etc. <p>At least one spill management team tabletop exercise in a triennial cycle would involve simulation of a <u>worst-case discharge</u> scenario.</p>
Certification	Self-certification.
Verification	Environmental Protection Agency (EPA)
Records	
Retention	5 years
Location	At each facility
Evaluation	Self-evaluation.
Credit	Plan holder should take credit for this exercise when conducted in conjunction with other exercises as long as all objectives are met, the exercise is evaluated, and a proper record is generated. Credit should be taken for an actual spill response when these objectives are met, the response is evaluated, and a proper record is generated.

Sec. III-4.10 EPA (Cont'd)

EPA Regulated Facilities	
Equipment Deployment Exercises	
Applicability	Facilities with facility owned and operated response equipment.
Frequency	Semi-annually
Initiating Authority	Company policy
Participating Elements	Facility Personnel
Scope	<p>Deploy and operate facility owned and operated response equipment identified in the response plan. The equipment to be deployed would be either (1) the minimum amount of equipment for deployment as described in "Guiding Principles", or (2) the equipment necessary to respond to a small discharge at the facility, whichever is less.</p> <p>All of the facility personnel involved in equipment deployment operations must be included in a comprehensive training program. All of the facility equipment must be included in a comprehensive maintenance program. Credit should be taken for deployment conducted during training. The maintenance program must ensure that the equipment is periodically inspected and maintained in good operating condition in accordance with the manufacturers' recommendations and best commercial practices. All inspection and maintenance must be documented by the owner.</p>
Objectives	<p>Demonstrate ability of facility personnel to deploy and operate equipment.</p> <p>Ensure equipment is in proper working order.</p>
Certification	Self-certification.
Verification	Environmental Protection Agency (EPA)
Records	
Retention	5 years
Location	At each facility
Evaluation	Self-evaluation.
Credit	Plan holder should take credit for this exercise when conducted in conjunction with other exercises as long as all objectives are met, the exercise is evaluated, and a proper record is generated. Credit should be taken for an actual spill response when these objectives are met, the response is evaluated, and a proper record is generated.

Note: If a facility with facility owned and operated equipment also identified OSRO equipment in its response plan, the OSRO equipment must also be deployed and operated in accordance with the equipment deployment requirements for OSRO owned equipment.

Sec. III-4.10 EPA (Cont'd)

EPA Regulated Facilities	
Equipment Deployment Exercises	
Applicability	Facilities with OSRO response equipment cited in their response plan.
Frequency	Annually
Initiating Authority	Company policy
Participating Elements	Facility owner or operator and OSRO.
Scope	<p>Deploy and operate response equipment identified in the response plan. The equipment to be deployed would be the minimum amount of equipment for deployment as described in "Guiding Principles."</p> <p>All of the OSRO personnel involved in equipment deployment operations must be included in a comprehensive training program. All of the OSRO equipment must be included in a comprehensive maintenance program. Credit should be taken for equipment deployment conducted during training. The maintenance program must ensure that the equipment is periodically inspected and maintained in good operating condition in accordance with the manufacturer's recommendations and best commercial practices. The facility owner or operator must ensure that inspection and maintenance by the OSRO is documented. The OSRO must provide inspection and maintenance information to the owner or operator.</p> <p>Plan holders must ensure that when a regional OSRO is identified in the response plan, the OSRO conducts annual equipment deployment exercises in each operating environment for each CG or EPA Contingency Planning Area, or EPA sub-area (where identified).</p>
Objectives	<p>Demonstrate the ability of the personnel to deploy and operate response equipment.</p> <p>Ensure the response equipment is in proper working order.</p>
Certification	The facility owner or operator should ensure that the OSRO identified in the response plan provides adequate documentation that the requirements for this exercise have been met.
Verification	Environmental Protection Agency (EPA)
Records	
Retention	5 years, kept at the facility.
Evaluation	Self-evaluation.
Credit	Plan holder should take credit for this exercise when conducted in conjunction with other exercises as long as all objectives are met, the exercise is evaluated, and a proper record is generated. Credit should be taken for an actual spill response when these objectives are met, the response is evaluated, and a proper record is generated.

Note: If a facility with facility owned and operated equipment also identified OSRO equipment in its response plan, the OSRO equipment must also be deployed and operated in accordance with the equipment deployment requirements for OSRO owned equipment.

Sec. III-4.10 EPA (Cont'd)

EPA Regulated Facilities	
Government-Initiated Unannounced Exercises	
Applicability	EPA-regulated facility response plan holders within the region.
Frequency	Triennially, if successfully completed. A facility deemed by the CG/EPA not to have successfully completed the exercise may be required to participate in another government initiated unannounced exercise at the discretion of the exercising agency. (Plan holders who have successfully completed a PREP government-initiated unannounced exercise will not be required to participate in another one for at least 36 months from the date of the exercise).
Initiating Authority	EPA
Particip. Elements	EPA-regulated facility response plan holders.
Scope	<p>Unannounced exercises are limited to a maximum of 10% of response plan holders per EPA region per year.</p> <p>Exercises are limited to approximately 4 hours in duration.</p> <p>Exercises should involve response to a small discharge scenario (assume 2,100 gallons outside secondary containment and discharged into or on navigable waters and adjoining shorelines.)</p> <p>Exercise would involve deployment of response equipment identified in the facility response plan to respond to spill scenario.</p> <p>PHMSA and MMS will cover unannounced exercises for pipelines and offshore facilities <u>not a part of a complex</u> in their exercise programs.</p>
Objectives	<p>Conduct proper notifications to respond to unannounced scenario of a small discharge.</p> <p>Demonstrate that the response is:</p> <ul style="list-style-type: none"> • Timely as defined in Section 1 of these Guidelines; • Conducted with adequate amount of equipment for scenario; and • Properly conducted.
Certification	EPA
Verification	EPA
Records	
Retention	5 years, kept at the facility.
Evaluation	Evaluation to be conducted by initiating agency.
Credit	Credit may be granted by the initiating authority for an actual spill response when the PREP objectives are met, the response is evaluated by the initiating authority and a proper record is generated. Plan holders participating in this exercise may take credit for notification and equipment deployment exercises, if criteria for those exercises are met, the response is evaluated by the plan holder and a proper record is generated.

Sec. III-4.11 Coast Guard

Coast Guard Marine Transportation-Related (MTR) Facilities	
QI Notification Exercises	
Applicability	Facility
Frequency	Quarterly
Initiating Authority	Company policy.
Participating Elements	Facility personnel, qualified individual
Scope	Exercise communication between facility personnel and qualified individual.
Objectives	Contact must be made with a qualified individual or designee, as designated in the response plan.
Certification	Self-certification.
Verification	U.S. Coast Guard
Records	
Retention	3 years
Location	Records to be kept at the facility.
Credit	<p>Plan holder should take credit for this exercise when conducted in conjunction with other exercises as long as all objectives are met, the exercise is evaluated, and a proper record is generated. Credit should be taken for an actual spill response when these objectives are met, the response is evaluated, and a proper record is generated.</p> <p>For plan holders handling both oil and hazardous substances, a single QI notification will satisfy exercise requirements for both plans, if both plans rely on the same QI. If the plan holder uses two different QIs, the plan holder is required to exercise both separately.</p>

Sec. III-4.11 Coast Guard (Cont'd)

Coast Guard Marine Transportation-Related (MTR) Facilities	
Emergency Procedures Exercises (Optional)	
Applicability	Facility
Frequency	Quarterly
Initiating Authority	Facility owner or operator.
Particip. Elements	Facility personnel
Scope	Exercise the emergency procedures for the facility to mitigate or prevent any discharge or a substantial threat of such discharge or oil/HAZSUB resulting from facility operational activities associated with oil transfers.
Objectives	<p>Conduct an exercise of the facility's emergency procedures to ensure personnel knowledge of actions to be taken to mitigate a spill. This exercise may be a walk-through of the emergency procedures.</p> <p>Exercise should involve one or more of the sections of the emergency procedures for spill mitigation. For example, the exercise should involved a simulation of a response to an oil spill.</p> <p>The facility should ensure that spill mitigation procedures for all contingencies at the facility are addressed at some time.</p>
Certification	Self-certification.
Verification	U.S. Coast Guard
Records	
Retention	3 years
Location	Records to be kept at the facility.
Evaluation	Self-evaluation
Credit	<p>Plan holder should take credit for this exercise when conducted in conjunction with other exercises as long as all objectives are met, the exercise is evaluated, and a proper record is generated. Credit should be taken for an actual spill response when these objectives are met, the response is evaluated, and a proper record is generated.</p> <p>This section describes an option exercise to provide facilities with an exercise that may be conducted <u>unannounced</u> to fulfill the internal unannounced exercise requirement.</p> <p>At facilities covered by both oil and hazardous substance plans, separate oil and hazardous substance exercises are not required. However, the shipboard personnel should alternate oil and hazardous substance scenarios each quarter.</p>

Sec. III-4.11 Coast Guard (Cont'd)

Coast Guard Marine Transportation-Related (MTR) Facilities	
Spill Management Team Tabletop Exercise	
Applicability	Facility spill management team
Frequency	Annually
Initiating Authority	Company policy
Participating Elements	Spill management team as established in the response plan.
Scope	Exercise the spill management team's organization, communication, and decision-making in managing a spill response.
Objectives	<p>Exercise the spill management team in a review of:</p> <ul style="list-style-type: none"> • Knowledge of the response plan; • Proper notifications; • Communications system; • Ability to access an OSRO/HSRO; • Coordination of internal organization personnel with responsibility for spill response; • An annual review of the transition from a local team to a regional, national, and international team, as appropriate; • Ability to effectively coordinate spill response activity with the National Response System (NRS) infrastructure. (If personnel from the NRS are not participating in the exercise, the spill management team should demonstrate knowledge of response coordination with the NRS); • Ability to access information in the Area Contingency Plan for location of sensitive areas, resources available within the area, unique conditions of area, etc. • At least one spill management team tabletop exercise in a triennial cycle would involve simulation of <u>a worst-case discharge scenario</u>.
Certification	Self-certification.
Verification	U.S. Coast Guard
Records	
Retention	3 years
Location	Records to be kept at the facility.
Evaluation	Self-evaluation
Credit	<p>Plan holder should take credit for this exercise when conducted in conjunction with other exercises as long as all objectives are met, the exercise is evaluated, and a proper record is generated. Credit should be taken for an actual spill response when these objectives are met, the response is evaluated, and a proper record is generated.</p> <p>Plan holders are responsible for ensuring that SMTs are familiar with Area Committees/Regional Response Teams (*RRTs) and Area Contingency Plans in every area in which the plan holder operates. While it is not practicable to require an SMT to exercise in every area/region in which they offer cover each year, each SMT is expected to review ACPs annually and the make-up of Area Committees/RRTs in all areas in which they offer coverage. Self-certification for exercise credit should include SMT certification that the SMT has completed annual review and is familiar with the ACPs and Area Committees in all areas in which the plan holder operates.</p>

Sec. III-4.11 Coast Guard (Cont'd)

Coast Guard Marine Transportation-Related (MTR) Facilities	
Equipment Deployment Exercises	
Applicability	Facilities with facility owned and operated response equipment.
Frequency	Semiannually
Initiating Authority	Company policy
Particip. Elements	Facility personnel
Scope	<p>Deploy and operate facility owned and operated response equipment identified in the response plan. The equipment to be deployed would be either (1) the minimum amount of equipment for deployment as described in "Guiding Principles", or (2) the equipment necessary to response to an average most probably discharge at the facility, <u>whichever is less</u>.</p> <p>All of the facility's personnel involved in equipment deployment operations must be included in a comprehensive training program. All of the facility's equipment must be included in a comprehensive maintenance program. Credit should be taken for deployment conducted during training. The maintenance program must ensure that the equipment is periodically inspected and maintained in good operating condition in accordance with the manufacturer's recommendations and best commercial practices. All inspection and maintenance must be documented by the owner.</p>
Objectives	<p>Demonstrate ability of facility personnel to deploy and operate equipment.</p> <p>Ensure equipment is in proper working order. Deployment should also include testing ACP containment, protection and diversion strategies.</p>
Certification	Self-certification.
Verification	U.S. Coast Guard
Records	
Retention	3 years
Location	Records to be kept at the facility.
Evaluation	Self-evaluation
Credit	<p>Plan holder should take credit for this exercise when conducted in conjunction with other exercises as long as all objectives are met, the exercise is evaluated, and a proper record is generated. Credit should be taken for an actual spill response when these objectives are met, the response is evaluated, and a proper record is generated.</p> <p>Note: If a facility with facility owned and operated equipment also identifies OSRO equipment in its response plan, the OSRO equipment must also be deployed and operated in accordance with the equipment deployment requirements for OSRO owned equipment.</p>

Sec. III-4.11 Coast Guard (Cont'd)

Coast Guard Marine Transportation-Related (MTR) Facilities	
Equipment Deployment Exercises	
Applicability	Facilities with OSRO/HSRO response equipment cited in their response plan.
Frequency	Annually
Initiating Authority	Company policy
Participating Elements	Facility owner or operator and OSRO/HSRO.
Scope	<p>Deploy and operate response equipment identified in the response plan. The equipment to be deployed would be the minimum amount of equipment as described in "Guiding Principles."</p> <p>All of the OSRO/HSRO personnel involved in equipment deployment operations must be included in a comprehensive training program. All of the OSRO/HSRO equipment must be included in a comprehensive maintenance program. Credit should be taken for equipment deployment conducted during training. The maintenance program must ensure that the equipment is periodically inspected and maintained in good operating condition in accordance with the manufacturer's recommendations and best commercial practices. The facility owner or operator must ensure that inspection and maintenance by the OSRO/HSRO is documented. The OSRO/HSRO must provide inspection and maintenance information to the owner or operator.</p> <p>Plan holders must ensure that when a regional OSRO/HSRO is identified in the response plan, the OSRO/HSRO conducts annual equipment deployment exercises in each operating environment for each CG Contingency Planning Area.</p>
Objectives	<p>Demonstrate ability of personnel to deploy and operate equipment.</p> <p>Ensure the response equipment is in proper working order.</p> <p>Whenever feasible, equipment deployment should also include ACP containment, protection and diversion strategies.</p>
Certification	The facility owner or operator should ensure that the OSRO/HSRO identified in the response plan provides adequate documentation that the requirements for this exercise have been met.
Verification	U.S. Coast Guard
Records	
Retention	3 years
Location	Records to be kept at the facility.
Evaluation	Self-evaluation
Credit	Plan holder should take credit for this exercise when conducted in conjunction with other exercises as long as all objectives are met, the exercise is evaluated, and a proper record is generated. Credit should be taken for an actual spill response when these objectives are met, the response is evaluated, and a proper record is generated.

Sec. III-4.11 Coast Guard (Cont'd)

Coast Guard Marine Transportation-Related (MTR) Facilities	
Government-Initiated Unannounced Exercises	
Applicability	Vessel and MTR facility response plan holders within the area.
Frequency	Triennially, if successfully completed. A facility deemed by the CG/EPA not to have successfully completed the exercise may be required to participate in another government initiated unannounced exercise at the discretion of the exercising agency. (Plan holders who have successfully completed a PREP government-initiated unannounced exercise will not be required to participate in another one for at least 36 months from the date of the exercise.)
Initiating Authority	U.S. Coast Guard
Participating Elements	Vessel and MTR facility response plan holders.
Scope	Unannounced exercises are limited to a maximum of four exercises per area per year. Exercises are limited to approximately 4 hours in duration. Exercises must involved response to an average AMD scenario. PHMSA and MMS would cover unannounced exercises for pipelines and offshore facilities <u>not part of a complex</u> in their exercise program.
Objectives	Conduct proper notifications to response to unannounced scenario of an average most probable discharge. Demonstrate response is: <ul style="list-style-type: none"> • Timely – As a general rule, the regulatory planning standard is containment equipment (e.g., booms) on scene within one hour of notification and recovery equipment (skimmers and temporary storage) on scene within two hours. Therefore in a government-initiated unannounced exercise, plan holder should be able to initiate simulated clean up within approximately two hours of exercise commencement. • Conducted with adequate amount of equipment for scenario; • Properly conducted. Whenever feasible, equipment deployment should also include testing ACP containment, protection and diversion strategies.
Certification	U.S. Coast Guard
Verification	U.S. Coast Guard
Records	
Retention	3 years
Location	For facilities, at the facility. For vessels, in accordance with 33 CFR 155.1060(e)(2)
Evaluation	Evaluation to be conducted by initiating agency.
Credit	Credit may be granted by the initiating authority for an actual spill response when the PREP objectives are met, the response is evaluated by the initiating authority and a proper record is generated. Plan holders participating in this exercise may take credit for notification & equipment deployment exercises, if criteria for those exercises are met, the response is evaluated by the plan holder and a proper record is generated.

Sec. III-4.12 DOT (PHMSA)

Onshore Transportation Related Pipelines	
Owner or Operator Internal Notification Exercises	
Applicability	Pipeline owner or operator
Frequency	As indicated by the response plan and, at a minimum, consistent with the triennial cycle (quarterly)
Party Initiating Exercise	As indicated in the response plan
Participants	Facility response personnel and the facility's qualified individual
Scope	Exercise notification process between key facility personnel and the qualified individual to demonstrate the accessibility of the qualified individual
Objectives	Contact by telephone, radio, message-pager, or facsimile and confirmation established as indicated in response plan
Format	As indicated in response plan
Certification	Self-certification as indicated in response plan. Each plan should have a written description of the company's certification process.
Verification	Verification conducted by Pipeline and Hazardous Materials Safety Administration (PHMSA) during regular inspections* or PHMSA tabletop exercises. *Verification will not be done by inspections in the near term.
Records	
Retention	3 years
Location	Owner or operator shall retain records as indicated in response plan. PHMSA to retain verification records.
Credit	Plan holder should take credit for this exercise when conducted in conjunction with other exercises as long as all objectives are met, the exercise is evaluated, and a proper record is generated. Credit should be taken for an actual spill response when these objectives are met, the response is evaluated, and a proper record is generated.

Sec. III-4.12 DOT (PHMSA)[Cont'd]

Onshore Transportation Related Pipelines	
Internal Tabletop Exercises	
Applicability	Pipeline owner or operator
Frequency	As indicated by the response plan and, at a minimum, consistent with the triennial cycle (quarterly)
Party Initiating Exercise	As indicated in the response plan
Participants	Designated spill emergency response team members.
Scope	Demonstration of the response team's ability to organize, communicate, and make strategic decisions regarding population and environmental protection during a spill event.
Objectives	Designated emergency response team members should demonstrate: <ul style="list-style-type: none"> • Knowledge of facility response plan; • Ability to organize team members to effectively interface with a unified command; • Communication capability; and • Coordinate for response capability as outlined in response plan.
Format	Internal tabletop exercise as outlined in response plan.
Certification	Self-certification as indicated in response plan or as defined in the "Guiding Principles" section of this document, whichever is more stringent. Each plan should have a written description of the company's certification process.
Verification	Verification conducted by PHMSA during regular inspections* or PHMSA tabletop exercises. *Verification will not be done by inspections in the near term.
Records	
Retention	3 years
Location	Owner or operator shall retain records as indicated in response plan. PHMSA to retain verification records.
Credit	Plan holders should take credit for this exercise when conducted in conjunction with other exercises as long as all objectives are met, the exercise is evaluated, and a proper record is generated. Credit should be taken for an actual spill response when these objectives are met, the response is evaluated, and a proper record is generated.

Sec. III-4.12 DOT (PHMSA)[Cont'd]

Onshore Transportation Related Pipelines

Owner/Operator Equipment Deployment Exercises	
Applicability	Pipeline owner or operator
Frequency	As indicated by the response plan and, at a minimum, consistent with the triennial cycle (quarterly). *The number of equipment deployment exercises should be such that equipment and personnel assigned to each response zone are exercised at least once per year. If the same personnel and equipment respond to multiple zones, they need only exercise once per year. If different personnel and equipment respond to various response zones, each must participate in an annual equipment deployment exercise.
Party Initiating Exercise	As indicated in the response plan
Participants	Designated spill emergency response team members.
Scope	Demonstrate ability to deploy spill response equipment* identified in the FRP. *May consist entirely of operator owned equipment, or a combination of OSRO and operator equipment.
Objectives	Designated emergency response personnel should demonstrate: <ul style="list-style-type: none"> • Ability to organize, and; • Ability to deploy and operate representative types of key response equipment as described in response plan.
Format	Announced deployment exercise indicated in response plan.
Certification	Self-certification as indicated in response plan. Each plan should have a written description of the company's certification process.
Verification	Verification conducted by PHMSA during regular inspections* or PHMSA tabletop exercises. *Verification will not be done by inspections in the near term.
Records	
Retention	3 years
Location	Owner or operator shall retain records as indicated in response plan. PHMSA to retain verification records.
Credit	Plan holders should take credit for this exercise when conducted in conjunction with other exercises as long as all objectives are met, the exercise is evaluated, and a proper record is generated. Credit should be taken for an actual spill response when these objectives are met, the response is evaluated, and a proper record is generated.

Sec. III-4.12 DOT (PHMSA)[Cont'd]

Onshore Transportation Related Pipelines	
Unannounced Exercises	
Applicability	Pipeline owner or operator
Frequency	Maximum of 20 unannounced PHMSA exercises conducted annually for the pipeline industry as a whole. A single owner or operator will not be required to participate in a PHMSA- initiated unannounced exercise, if they have already participated in one within the previous 36 months.
Party Initiating Exercise	PHMSA
Participants	Designated spill emergency response team members. Operations staff. On-Scene Coordinator (optional). State and local government (optional).
Scope	Demonstrate ability to respond to a worst-case discharge spill event.
Objectives	Designated emergency response team members should demonstrate adequate knowledge of their facility response plan and the ability to organize, communicate, coordinate, and respond in accordance with that plan.
Format	Unannounced tabletop exercise to discuss strategic issues.
Certification	Certification can be effectuated by PHMSA personnel conducting the exercise. PHMSA will provide written certification of the exercise date, participants, and response zone exercised.
Verification	Verification can be made by PHMSA personnel conducting the exercise.
Records	
Retention	3 years
Location	Owner or operator shall retain records as indicated in response plan. PHMSA to retain verification records.
Credit	Plan holders should take credit for this exercise when conducted in conjunction with other exercises as long as all objectives are met, the exercise is evaluated, and a proper record is generated. Credit should be taken for an actual spill response when these objectives are met, the response is evaluated, and a proper record is generated.



Section IV – Table of Contents

IV-1 Company Forms

IV-2 Industry Forms



Transportation - Pipelines and Terminals

PI Form - GPL-205 - Annual Tank Inspection Report

1. TERMINAL/FACILITY:
2. TANK #:
3. INSPECTOR:
4. SERVICE:

TANK TYPE: External Internal Cone Roof
Spheroid Sphere Other
DATE:
5. CAPACITY:

(CHECK APPROPRIATE ANSWER OR MARK THROUGH THE QUESTION IF IT DOES NOT APPLY.)

TANK APPURTENANCES (ATMOSPHERIC STORAGE)

- 6. Are the relief valve vent screens clean?
7. Do the combination pressure/vacuum pallets move freely to an open or closed position?
8. Are the liquid thermal relief valves on tank piping properly mounted to prevent piping overpressure?
9. Is a flame arrestor on the tank (see Std. 26.01-18)?
10. Is tank gauge in satisfactory condition?
11. Is water drain valve in satisfactory condition?
12. Is roof drain apparently in satisfactory condition? (i.e., no staining at the base exit of the roof drain piping)

FILL IN ITEMS 14 THRU 27 FOR FIXED OR EXTERNAL FLOATING ROOFS

- 13. Is the external roof resting on the surface of the stored liquid?
14. Is gauge hatch in satisfactory condition?
15. Is roof paint in satisfactory condition?
16. Is check valve mounted in roof sump, is it free of debris, and does the internal "clapper" operate freely?
17. Is roof leak-free? Any patches or epoxy-type repairs noted?
18. Are pontoon compartments free of hydrocarbon liquids?
19. Does floating roof deck area drain accumulated water well?
20. Is roof travel apparently free at all shell height positions?
21. Are roof drain sump(s) clear of debris?
22. Does roof have large quantities of accumulated dirt on deck area?
23. Is primary/secondary seal in satisfactory condition? If not, how much is bad (in linear footage)?
24. Is seal fabric compatible for intended product service?
25. Are "grounding" shunts installed and spaced accordingly?
26. Are "pinholes" spotted on floating decks area? Accumulated liquid?
27. Additional comments:

FILL IN ITEM 28 FOR INTERNAL FLOATING ROOFS

- 28. Through manholes or roof hatches on the fixed roof, visually inspect the internal floating roof and primary seal or the secondary seal (if one is in service) for the following:
(A) Is the internal floating roof not resting on the surface of the liquid inside the storage tank?
(B) Is there any liquid accumulated on top of the roof?
(C) Is the seal detached?
(D) Are there holes or tears in the seal fabric?
(E) Are there any defects in the floating roof?
(F) IFR to shell bonding issues (cables or shunts, etc)?

*If the answer to any of the above questions is yes, note corrective actions and date taken.

NOTE: Documentation is required to ensure that repairs are made within 45 days of identifying a defect. If a defect is found that cannot be repaired in 45 days, notify the area environmental coordinator.

Distribution: Orig - Facility

Ref. Copy - Region Office (R) Regional Equipment Inspector

Retain inspection report for 2-year period if required by DOT 49CFR 195.404; or EPA 40 CFR 60.115b (NSPS)

Retain inspection report for 3-year period if required by EPA 40CFR 112.7(e) (SPCC Plan)

Retain inspection report for 5 years if required by facility emergency response plan 40 CFR 112.1.8.1(f) or if facility operates under a Title V Air Permit

FILL IN ITEMS 29 THRU 31 FOR LIFTER ROOF TANKS ONLY

- A "Lifter Roof" is a fixed roof that moves and collects vapors.
29. Is the relief valve opening mechanism in satisfactory condition?
30. Are the fixed roof stops in satisfactory condition?
31. Is roof travel apparently free at all positions?
32. For liquid seal, is the Launder apparently leak free?
33. Is liquid seal (i.e., diesel fuel) retaining specific gravity over time?
34. Additional comments:

SHELL

- 35. Is the shell free of leaks?
36. Any flat or visible dents on tank shell?
37. Full appearance of girth welds/rivet joints on the vertical/horizontal weld/rivet seams?
38. Is external "sketchplate or chime" experiencing corrosion?
39. Is the wind girder satisfactorily guarded from corrosion or water accumulation?
40. Is the general condition of paint satisfactory?
41. Additional comments:

TANK BOTTOM/FOUNDATION AREA

- 42. Is the edge tank bottom perimeter free of visible leaks?
43. Is tank berm properly sloped to divert storm water?
44. Are there any physical deformities caused by severe edge settlement?
45. Does he tank have a concrete ringwall?
If YES, please answer the following subparts:
A. Are any sections of ringwall missing?
B. Are cracks wider than 1/8" in diameter visible around the tank perimeter?
C. Is there evidence of water migration into ringwall cracks?
46. If tank is on earthen foundation, are there any locations where tank is unsupported from soil?
47. If tank has leak detection system, checked & no leaks found?
48. Additional comments:

* Be sure to seal tank double containment area after checking leak detection ports

FIRE PROTECTION - If Applicable to Storage Tank

- 49. Are foam line(s) and connections braced satisfactorily?
50. Do foam chambers appear clean and unobstructed?
51. Does tank dike area drain satisfactorily?
52. Is the foam bladder vessel filled to 95% capacity?
53. Are adequate portable fire extinguishers located at the base of the tank stairway or inside the tank farm?
54. Have the internal glass membrane plates remained unbroken in the side-mounted enclosed-shell foam chambers?
55. Is dike capacity maintained to original design capacity?
56. Are adequate "No Smoking" and "Hot Work Permit" signs posted at tank dike entranceway?
57. Additional comments:

**TRANSPORTATION – PIPELINES & TERMINALS
EPR&S PREP - COMPANY TRAINING ROSTER/LOG**

TRAINING DATE(S): _____ **START TIME:** _____
(YYYY-MM-DD) **END TIME:** _____

LOCATION: _____

COMPANY CONTACT: _____ **PHONE:** _____

Roster/Log Instructions: Check all training that was successfully completed by participants in attendance. The Course description is associated with the Learning Management System (LMS) Course Express Number.

TRAINING COURSE TITLE/ LEARNING MANAGEMENT SYSTEM COURSE EXPRESS NUMBER:

- | | |
|---|---|
| <input type="checkbox"/> Incident Command System / TPTER000012 | <input type="checkbox"/> Security – Site Personnel / TPTER000030 |
| <input type="checkbox"/> OPA '90 Plan Review / TPTER000023 | <input type="checkbox"/> Security - Annual Exercise / TPTER000025 |
| <input type="checkbox"/> Unannounced Tabletop Exercise / TPTER000021 (1/Y) | <input type="checkbox"/> Security - Marine FSO / TPTER000031 |
| <input type="checkbox"/> Tabletop Exercise / TPTER000015 | <input type="checkbox"/> Security - Marine Quarterly Drill / PTER000026 |
| <input type="checkbox"/> Unannounced Equipment Deployment Exercise / TPTER000019 | <input type="checkbox"/> Spill Prevention Briefing and SPCC Review / TPTHSE000323 |
| <input type="checkbox"/> Equipment Deployment Exercise / TPTER000013 | <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Unannounced Agency Drill / TPTER000018 | |
| <input type="checkbox"/> Spill Response Participation in an Actual OPA 90 Event / TPTER000022 | |

All classes listed above may be applied towards HAZWOPER Refresher Training.

- | | |
|--|--|
| <input type="checkbox"/> Hazwoper, 4-hr Refresher / TPTERHAZWOPER4 | <input type="checkbox"/> HAZWOPER QI-IC / TPTHSE000212 |
| <input type="checkbox"/> Hazwoper, 8-hr Refresher (WA ONLY) / TPTERHAZWOPER8 | <input type="checkbox"/> HAZWOPER Supervisor Certification / TPTER000024 |
| <input type="checkbox"/> Certification-24 Hour HAZWOPER Technician Level / TPTER000003 | <input type="checkbox"/> Other: _____ |

Company Contact: Send a copy of the completed Training Roster to an EPR&S Coordinator via Company Global Scan or Fax: 918-662-6807. Retain the original copy in the facility files.

► *For EPR&S and LMS use only:* Review/Submit to LMS Training Administrator *Initials:* _____ *Date:* _____
 LMS Entry Completed *Initials:* _____ *Date:* _____

LIST OF ATTENDEES TRAINED / COMPLETED SUCCESSFULLY

(* = Did not complete)

LAST NAME, FIRST NAME (PRINT)	EMPLOYEE ID No. OR COMPANY NAME	JOB TITLE & LOCATION	SIGNATURE
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
LAST NAME, FIRST NAME (PRINT)	EMPLOYEE ID No. OR COMPANY NAME	JOB TITLE & LOCATION	SIGNATURE

**TRANSPORTATION – PIPELINES & TERMINALS
EPR&S PREP - COMPANY TRAINING ROSTER/LOG**

TRAINING DATE(S): _____ **START TIME:** _____
(YYYY-MM-DD)

END TIME: _____

LOCATION: _____

COMPANY CONTACT: _____ **PHONE:** _____

15.			
16.			
17.			
18.			
19.			
20.			
21.			
22.			
23.			
24.			
25.			
26.			
27.			
28.			
29.			
30.			
31.			
32.			
33.			
34.			
35.			
36.			
37.			
38.			
39.			
40.			
41.			
42.			
43.			
44.			

TRANSPORTATION – HEALTH & SAFETY
EPR&S PREP - DRILL DOCUMENTATION

QUALIFIED INDIVIDUAL - NOTIFICATION EXERCISE

Facility Name: _____ Date: _____

Exercise Actual Response Quarter: 1st 2nd 3rd 4th
Conducted After Normal Working Hours Yes No Yes No Yes No Yes No
(One of the quarterly QI Notification Exercises must be conducted after normal working hours.)

Exercise Initiated by Terminal Pipeline Person Initiating Contact: _____
(Name/Position)

Person Notified: _____
(Name/Position)

Is this person identified in your response plan as qualified individual; or designee? Yes No

Time Initiated: _____ Number(s) Called _____

Initiation Communication used: Telephone Radio Pager Other: _____
Call Complete: Yes No Message Left: _____

Time in which QI or designee responded: _____ Number Called: _____

Response Communication used: Telephone Radio Pager Other: _____

Other Notification: _____
(Name/Position)

Type of Communication used: Telephone Radio Pager Other: _____

Time Called: _____ Number(s) Called _____

Notification Complete: Yes No Message Left: _____

Response Time: _____ Response Number Called: _____

Emergency Scenario: _____

Changes to be implemented: _____

Time Table for Implementation: _____

Corrective Follow-up assignment _____

Facility Supervisor Signature: _____ Date: _____

TRANSPORTATION – HEALTH & SAFETY
EPR&S PREP - DRILL DOCUMENTATION

SPILL MANAGEMENT TEAM (SMT) - TABLE TOP EXERCISE

Plan Name: _____ Date: _____

- Announced Exercise
- Unannounced Exercise
- Actual Response

Location: _____

Start time: _____ AM PM Stop time: _____ AM PM

- Response Plan Scenario Used:
- Small Spill / Average Most Probable Discharge
 - Medium Spill / Maximum Most Probable Discharge
 - "Worst-Case" Discharge (WCD)

Product: _____ Amount: _____ bbls

1. Did the Spill Management Team (SMT) utilize the ERP during the exercise? Yes No
2. Were internal and external notifications completed per the ERP? Yes No
3. Were communication systems adequate? Yes No
4. Were the Company Oil Spill Removal Organizations (OSRO) notified? Yes No
5. Was there good coordination with On-Scene Coordinator, State and applicable agencies? Yes No
6. Were sensitive site and resource information in the ERP accessed as needed? Yes No

7. Select which of the 15 PREP core components were employed during this particular exercise:

- | | |
|--|---|
| <input type="checkbox"/> Notifications | <input type="checkbox"/> Disposal of recovered material & contaminated debris |
| <input type="checkbox"/> Staff mobilization | <input type="checkbox"/> Communications |
| <input type="checkbox"/> Operate within Response Management System | <input type="checkbox"/> Transportation |
| <input type="checkbox"/> Discharge control | <input type="checkbox"/> Personnel support |
| <input type="checkbox"/> Assessment of discharge | <input type="checkbox"/> Equipment maintenance & support |
| <input type="checkbox"/> Containment of discharge | <input type="checkbox"/> Procurement |
| <input type="checkbox"/> Recovery of spilled material | <input type="checkbox"/> Documentation |
| <input type="checkbox"/> Protection of sensitive areas | |

8. Evaluation: [Refer to the attached Exercise Critique for this information.](#)

9. Changes to be Implemented and person responsible for follow-up of corrective action:

10. Time Table for Implementation:

11. Self Certifying Signature: _____
Print Name / Position: _____

**TRANSPORTATION – HEALTH & SAFETY
EPR&S PREP - DRILL DOCUMENTATION**

2. DEPLOYMENT OF OSRO AND/OR COOP-OWNED EQUIPMENT:

- a. List type & amount of all equipment deployed (e.g., boom & skimmers) and number of support personnel employed.
Refer to the attached ICS Forms: 211-E (for a list of equipment deployed), 211-P (for personnel employed) or 201-4 (Resource Summary).
- b. All response organization personnel that are responsible response operations involved in a comprehensive training program? Yes No
If so, describe the program: _____
- c. All pollution response equipment involved in a comprehensive maintenance program? Yes No
If so, describe the program: _____
- d. Date of last equipment inspection: _____
- e. Was a representative sample (at least 1,000 ft. of each boom type and one of each skimmer type) deployed? Yes No
If not, describe why: _____
- f. Was the equipment deployed by personnel responsible for its deployment in the event of an actual spill? Yes No
If not, describe why: _____
- g. Was the equipment deployed in its intended operating environment? Yes No
If not, describe why: _____
- h. Was all deployed equipment operational? Yes No
If not, explain why: _____

3. Select which of the 15 core components of the response plan were employed during this exercise:

- | | |
|--|---|
| <input type="checkbox"/> Notifications | <input type="checkbox"/> Disposal of recovered material & contaminated debris |
| <input type="checkbox"/> Staff mobilization | <input type="checkbox"/> Communications |
| <input type="checkbox"/> Operate within Response Management System | <input type="checkbox"/> Transportation |
| <input type="checkbox"/> Discharge control | <input type="checkbox"/> Personnel support |
| <input type="checkbox"/> Assessment of discharge | <input type="checkbox"/> Equipment maintenance & support |
| <input type="checkbox"/> Containment of discharge | <input type="checkbox"/> Procurement |
| <input type="checkbox"/> Recovery of spilled material | <input type="checkbox"/> Documentation |
| <input type="checkbox"/> Protection of sensitive areas | |

4. EDX CRITIQUE (Description of lessons learned, procedures and schedule for implementation, and person(s) responsible for follow-up of corrective actions.)

a. What went well?

b. Areas for improvement?

c. Corrective actions	d. Implementation schedule	e. Person responsible for follow up of corrective actions
_____	_____	_____
_____	_____	_____
_____	_____	_____

5. SELF-CERTIFYING SIGNATURE: _____ **DATE:** _____
Print Name/Position: _____

Sec. IV-2 Industry Forms

NATIONAL PREPAREDNESS FOR RESPONSE EXERCISE PROGRAM (PREP)				
15 PREP COMPONENTS EVALUATION WORKSHEET				
Incident/Drill Name:		Prepared by: at:		
Period: to		Company Name:		
ORGANIZATION DESIGN				
1) Notifications				
Components	ICS/UCS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
1a. Test the notifications procedures identified in the Area Contingency Plan and the associated Responsible Party Response Plan.				
2) Staff mobilization				
Components	ICS/UCS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
2a. Demonstrate the ability to assemble the spill response organization identified in the Area Contingency Plan and associated Responsible Party Response Plan.				
3) Ability to operate within the response management system described in the plan				
Components	ICS/UCS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
3.1 Unified Command: Demonstrate the ability of the spill response organization to work within a unified command.				
3.1.1 Federal Representation: Demonstrate the ability to consolidate the concerns and interests of the other members of the unified command into a unified strategic plan with tactical operations.				
3.1.2 State Representation: Demonstrate the ability to function within the unified command structure.				
3.1.3 Local Representation: Demonstrate the ability to within the unified command structure.				
Page 1 of 8				

NATIONAL PREPAREDNESS FOR RESPONSE EXERCISE PROGRAM (PREP)

15 PREP COMPONENTS EVALUATION WORKSHEET (Cont'd)

3) Ability to operate within the response management system described in the plan (Cont'd)

Components	ICS/UCS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
3.1.4 Responsible Party Representation: Demonstrated to function within the unified command structure organization to control and stop the discharge at the source.				
3.2. Response Management System: Demonstrate the ability of the response organization to operate within the framework of the response management system identified in their respective plans.				
3.2.1 Operations: Demonstrate the ability to coordinate or direct operations related to the implementation of action plans contained in the respective response and contingency plans developed by the unified command.				
3.2.2 Planning: Demonstrate the ability to consolidate the various concerns of the members of the unified command into joint planning recommendations and specific long-range strategic plans. Demonstrate the ability to develop short-range tactical plans for the operations division.				
3.2.3 Logistics: Demonstrate the ability to provide the necessary support of both the short-term and long-term action plans.				
3.2.4 Finance: Demonstrate the ability to document the daily expenditures of the organization and provide cost estimates for continuing operations.				
3.2.5 Public Affairs: Demonstrate the ability to form a joint information center and provide the necessary interface between the unified command and the media.				
3.2.6 Safety Affairs: Demonstrate the ability to monitor all field operations and ensure compliance with safety standards.				
3.2.7 Legal Affairs: Demonstrate the ability to provide the unified command with suitable legal advice and assistance.				

Page 2 of 8

NATIONAL PREPAREDNESS FOR RESPONSE EXERCISE PROGRAM (PREP)

15 PREP COMPONENTS EVALUATION WORKSHEET (Cont'd)

4) Discharge control

Components	ICS/UCS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
4. Demonstrate the ability of the spill response organization to control and stop the discharge at the source.				
4.1 Salvage: Demonstrate the ability to assemble and deploy salvage resources identified in the response plan.				
4.2 Firefighting: Demonstrate the ability to assemble and deploy the firefighting resources identified in the response plan.				
4.3 Lightering: Demonstrate the ability to assemble and deploy the lightering resources identified in the response plan.				
4.4 Other salvage equipment and devices: (electrical and manual controls and barriers to control the source) Demonstrate the ability to assemble and deploy the other salvage devices identified in the response plan.				

5) Assessment of discharge

Components	ICS/UCS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
5. Demonstrate the ability of the spill response organization to provide an initial assessment of the discharge and provide continuing assessments of the effectiveness of the tactical operations plan for use.				

6) Containment of discharge

Components	ICS/UCS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
6. Demonstrate the ability of the spill response organization to contain the discharge at the source or in various locations for recovery operations.				

NATIONAL PREPAREDNESS FOR RESPONSE EXERCISE PROGRAM (PREP)

15 PREP COMPONENTS EVALUATION WORKSHEET (Cont'd)

7) Recovery of spilled material

Components	ICS/UCS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
7. Demonstrate the ability of the spill response organization to recover, mitigate, and remove the discharged product. Includes mitigation and removal activities, e.g. dispersant use, ISB use, and bioremediation use.				
7.1 On-Water Recovery: Demonstrate the ability to assemble and deploy the on-water response resources identified in the response plans.				
7.2 Shore-Based Recovery: Demonstrate the ability to assemble and deploy the shoreside response resources identified in the response plans.				

8) Protection of sensitive areas

Components	ICS/UCS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
8. Demonstrate the ability of the spill response organization to protect the environmentally and economically sensitive areas identified in the Area Contingency Plan and the respective industry response plan.				
8.1 Protective Booming: Demonstrate the ability to assemble and deploy sufficient resources to implement the protection strategies contained in the Area Contingency Plan and the respective industry response plan.				
8.2 Water Intake Protection: Demonstrate the ability to quickly identify water intakes and implement the proper protection procedures from the Area Contingency Plan or develop a plan for use.				
8.3 Wildlife Recovery and Rehabilitation: Demonstrate the ability to quickly identify these resources at risk and implement the proper protection procedures from the Area Contingency Plan to develop a plan for use.				

NATIONAL PREPAREDNESS FOR RESPONSE EXERCISE PROGRAM (PREP)

15 PREP COMPONENTS EVALUATION WORKSHEET (Cont'd)

8) Protection of sensitive areas (Cont'd)

Components	ICS/UCS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
8.4 Population Protection (Protect Public Health and Safety): Demonstrate the ability to quickly identify health hazards associated with the discharged product and the population at risk from these hazards, and to implement the proper protection procedures from the Area Contingency Plan or develop a plan for use.				

9) Disposal of recovered material and contaminated debris

Components	ICS/UCS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
9. Demonstrate the ability of the spill response organization to dispose of the recovered material and contaminated debris.				

10) Communications

Components	ICS/UCS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
10. Demonstrate the ability to establish an effective communications system for the spill response organization.				
10.1 Internal Communications: Demonstrate the ability to establish an intra-organization communications system. This encompasses communications at the command post and between the command post and deployed resources.				
10.2 External Communications: Demonstrate the ability to establish communications both within the response organization and other entities (e.g., RRT, claimants, media, regional or HQ agency offices, non-governmental organizations, etc.).				

NATIONAL PREPAREDNESS FOR RESPONSE EXERCISE PROGRAM (PREP)

15 PREP COMPONENTS EVALUATION WORKSHEET (Cont'd)

11) Transportation

Components	ICS/UCS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
11. Demonstrate the ability to provide effective multi-mode transportation both for execution of the discharge and support functions.				
11.1 Land Transportation: Demonstrate the ability to provide effective land transportation for all elements of the response.				
11.2 Waterborne Transportation: Demonstrate the ability to provide effective waterborne transportation for all elements of the response.				
11.3 Airborne Transportation: Demonstrate the ability to provide the necessary support of all personnel associated with the response.				

12) Personnel support

Components	ICS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
12. Demonstrate the ability to provide the necessary support of all personnel associated with the response.				
12.1 Management: Demonstrate the ability to provide administrative management of all personnel involved in the response. This requirement includes the ability to move personnel into or out of the response organization with established procedures.				
12.2 Berthing: Demonstrate the ability to provide overnight accommodations on a continuing basis for a sustained response.				
12.3 Messing: Demonstrate the ability to provide suitable feeding arrangements for personnel involved with the management of the response.				
12.4 Operational and Administrative Spaces: Demonstrate the ability to provide suitable operational and administrative spaces for personnel involved with the management of the response.				

NATIONAL PREPAREDNESS FOR RESPONSE EXERCISE PROGRAM (PREP)

15 PREP COMPONENTS EVALUATION WORKSHEET (Cont'd)

12) Personnel support (Cont'd)

Components	ICS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
12.5 Emergency Procedures: Demonstrate the ability to provide emergency services for personnel involved in the incident.				

13) Equipment maintenance and support

Components	ICS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
13. Demonstrate the ability to maintain and support all equipment associated with the response.				
13.1 Response Equipment: Demonstrate the ability to provide effective maintenance and support for all response equipment. Provide effective waterborne transportation for all elements of the response.				
13.2 Response Equipment: Demonstrate the ability to provide effective maintenance and support for all equipment that supports the response. This requirement includes communications equipment, transportation equipment, administrative equipment, etc.				

14) Procurement

Components	ICS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
14. Demonstrate the ability to establish an effective procurement system.				
14.1 Personnel: Demonstrate the ability to procure sufficient personnel to mount and sustain an organized response. This requirement includes insuring that all personnel have qualifications and training required for their position within the response organization.				
14.2 Response Equipment: Demonstrate the ability to procure sufficient response equipment to mount and sustain an organized response.				
14.3 Support Equipment: Demonstrate the ability to procure sufficient support equipment to support and sustain an organized response.				

NATIONAL PREPAREDNESS FOR RESPONSE EXERCISE PROGRAM (PREP)

15 PREP COMPONENTS EVALUATION WORKSHEET (Cont'd)

15) Documentation

Components	ICS Position Responsible	Completed (Y/N)	Date/Time Completed	Comments
15. Demonstrate the ability of the spill response organization to document all operational and support aspects of the response and provide detailed records of decisions and actions taken.				

Page 8 of 8