



U.S. Department
of Transportation

Research and
Special Programs
Administration

JUN - 2 1994

400 Seventh Street, S.W.
Washington, D.C. 20590

DOT-E 10495
(SECOND REVISION)

EXPIRATION DATE: September 30, 1994

(FOR RENEWAL, SEE 49 CFR SECTION 107.105.)

1. **GRANTEE:** First Corporate Air, Incorporated
Howell, MI.
2. **PURPOSE AND LIMITATION:** This exemption authorizes the transportation in commerce of certain Division 1.1, 1.2, 1.3 and 1.4 explosives which are forbidden or exceed quantities authorized for transportation by cargo aircraft only. This exemption provides no relief from any regulation other than as specifically stated herein.
3. **REGULATORY SYSTEM AFFECTED:** 49 CFR Parts 106, 107 and 171-180.
4. **REGULATIONS FROM WHICH EXEMPTED:** 49 CFR Table 172.101, Column (9B), Sections 172.204(c)(3), 173.27(b)(2)(3) and 175.30(a)(1). Also, 49 CFR Part 107, Subpart B, Appendix B except as provided herein.
5. **BASIS.** This exemption is based on First Corporate Air, Incorporated's application dated January 22, 1993, submitted in accordance with 49 CFR 107.105.
6. **HAZARDOUS MATERIALS (49 CFR 172.101):**

Hazardous materials description/proper shipping name	Hazard Class/ Division	Identification number	Packing Group
Specific commodity name or generic description, as appropriate	Division 1.1, 1.2, 1.3, and 1.4, as appropriate	As appropriate	As appropriate

JUN - 2 1994

7. PACKAGING AND SAFETY CONTROL MEASURES:

PACKAGING - As prescribed in 49 CFR Section 173.62.

SAFETY CONTROL MEASURES -

a. Authorized explosives. Division 1.1, 1.2, 1.3 and 1.4 explosives that are not permitted for shipment by air, or are in quantities greater than those prescribed for shipment by air in 49 CFR Parts 100 through 178, may be accepted and transported in cargo aircraft only subject to the conditions stated herein. Explosives carried under the terms of this exemption must be authorized to be transported by common carrier by highway by 49 CFR Parts 100 through 178.

b. Authorized aircraft. The aircraft to be used must be authorized by First Corporate Air, Incorporated's FAA operations certificate.

c. Operations manual. Operations must be conducted in accordance with conditions and limitations specified in the certificate holder's operations manual accepted by the FAA.

d. Maximum weight. Not more than 2,000 pounds total net weight of explosives may be carried in the aircraft.

e. Authorized persons aboard aircraft. No person other than a required flight crewmember, an FAA inspector, the shipper or consignee of the material or a representative of the shipper or consignee so designated in writing, or person necessary for handling the material may be carried on the aircraft.

f. Advance Notice of FAA Civil Aviation Security Office (CASO). Notify the cognizant CASO at least 24 hours in advance of plans to operate under the exemption. The notification shall include the point of departure, intermediate stops and destinations and the approximate time schedule. Alternate notification procedures may be established subject to the written approval of the cognizant CASO.

g. Advance permission from airport. The operator of the aircraft must have advance permission from the owner or operator of each manned airport where the material is to be loaded or unloaded or where aircraft is to land while the materials are on board. When the destination is changed after departure because of weather or other unforeseen circumstances, permission from the owner or operator of the alternate airport shall be obtained as soon as practicable.

JUN - 2 1994

h. Flight plan. The operator of the aircraft shall include the following information in the "Remarks" section of each flight plan when the provisions of this exemption are exercised:

- (1) The classification of each hazardous material aboard the aircraft.
- (2) The net weight of each class of hazardous material aboard the aircraft.

i. Loading and unloading. Loading and unloading operations under this exemption shall comply with the following:

(1) The loading and unloading of the aircraft shall be conducted at a safe distance from heavily populated areas and from any place of human abode or assembly. However, at an airport where the airport owner or operator or authorized representative thereof has designated a specific location for loading or unloading, the explosives may not be loaded or unloaded at any other location.

(2) Carriage of explosives under this exemption is subject to the same limitations and conditions specified for their transportation by motor vehicle in 49 CFR 177.835(g) and 177.848.

(3) The loading arrangement to be used aboard the aircraft must be approved for safe carriage of the particular materials by the FAA Civil Aviation Security Office (CASO) charged with overall inspection of the air carrier's hazardous materials operations, or the appropriate CASO serving the place where the materials are to be loaded.

This requirement may be fulfilled if the loading arrangements for the materials concerned are contained in the operator's operations manual and have been accepted by the local CASO.

(4) During loading or unloading, no person may smoke or carry a lighted cigarette, cigar or pipe, and may not operate any devices capable of causing an open flame or spark within 50 feet of the aircraft.

(5) No fueling operations of the aircraft may be done during loading and unloading of the explosives.

JUN - 2 1994

j. Requirements during operation of aircraft. Operation of the aircraft during takeoff, en route, and landing must be conducted at a safe distance from heavily populated areas.

(1) Before movement of the aircraft prior to take-off, the pilot of the aircraft shall notify the control tower of the class(es) of explosive(s) (including ammunition) on board.

(2) The pilot of the aircraft, prior to entering an airport traffic area, shall notify the control tower of the amount and class of explosives on board and request this information be relayed to the appropriate airport officials. For airports without control towers, this call shall be made to the Flight Service Station nearest the airport of intended landing.

(3) When under radar control during the approach and landing phase, the pilot shall request appropriate vectors so as to avoid heavily populated areas.

(4) Whenever explosives are on board the aircraft, the pilot shall ensure that no person on the aircraft may smoke, or carry a lighted cigarette, cigar, or pipe, and may not operate any device capable of causing an open flame or spark.

k. Pilot requirements. The operator of the aircraft shall ensure the following with respect to pilots of aircraft operating under this exemption:

(1) A minimum of two pilots is required aboard any multi-engine aircraft carrying explosives under this exemption.

(2) Each pilot of the aircraft must be provided written instructions stating the conditions and limitations of the operations being conducted and the name of the official(s) granting the advance permission required by paragraph (g) above except when a landing permit has been granted by an agency of the Department of Defense for landing at a military installation.

(3) Each pilot of an aircraft being operated under this exemption must have received formal training on the requirements of 49 CFR Parts 170-178 that are applicable to his duties and be thoroughly familiar with the specific requirements of this exemption.

JUN - 2 1994

1. Attendance of explosives. Division 1.1, 1.2, and 1.3 explosives must be attended at all times they are in the possession of the operator (from the time of receipt from the consignor until time of receipt by the consignee) unless placed in an explosive storage magazine that is approved by the Federal, State or local authority or at a location on a military installation designated by appropriate military authorities.

8. SPECIAL PROVISIONS.

a. The aircraft operator shall maintain permanent records of each flight during which explosives are carried under the authority of this exemption. This record shall be made available at its principal business office to representatives of the Federal Aviation Administration and submitted to the Associate Administrator for Hazardous Materials Safety (AAHMS) upon request. The record for each flight shall include:

- (1) Name of the shipper(s).
- (2) Name of the consignee(s).
- (3) Origin airport(s).
- (4) En route airport(s).
- (5) Destination airport.
- (6) Shipping name and class of each explosive.
- (7) Net weight of each explosive.
- (8) Name of each pilot and any other person aboard the aircraft.
- (9) Registration number of the aircraft.
- (10) Name of the individual representing the owner or operator of each manned airport who granted advance permission for the aircraft to land or take-off while it was being operated under this exemption.

The record required by this paragraph shall be maintained current to within 72 hours of each flight under this exemption.

b. The requirements of Appendix B to Part 107 with respect to the "Flight of Civil Aircraft" under DOT exemptions is hereby waived except as provided herein.

c. This exemption authorizes transportation of explosives in aircraft of United States registry. It does not grant authority to use foreign controlled airspace or airports outside the United States.

9. MODES OF TRANSPORTATION AUTHORIZED. Cargo aircraft only.
10. MODAL REQUIREMENTS: A copy of this exemption must be carried aboard each aircraft used to transport explosives covered by this exemption.
11. COMPLIANCE. Failure by a person, operating under the authority of this exemption, to comply with a term or condition prescribed herein or any applicable regulation of 49 CFR Parts 171-180 may result in suspension of this exemption and may subject the person to enforcement action under the Hazardous Materials Transportation Act and the Hazardous Materials Regulations. (See 49 CFR 171.2.).
- No person may use or apply this exemption, including display of its number, when the exemption has expired or is otherwise no longer in effect unless a regulation has been amended making the exemption no longer necessary.
12. REPORTING REQUIREMENTS. The carrier is required to report any incident involving fire, explosion or loss of packaging contents or packaging failure to the Associate Administrator for Hazardous Materials Safety (AAHMS) as soon as practicable. (49 CFR 171.15 and 171.16 apply to any activity undertaken under the authority of this exemption.)

Issued at Washington, D.C.:



Alan I. Roberts
Associate Administrator
for Hazardous Materials Safety

JUN - 2 1994

(DATE)

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Research and Special Programs Administration, Department of Transportation, Washington, D.C. 20590.
Attention: DHM-31.

The original of this exemption is on file at the above office. Photo reproductions and legible reductions of this exemption are permitted. Any alteration of this exemption is prohibited.

Dist: FAA



U.S. Department
of Transportation

Research and
Special Programs
Administration

JUN - 2 1994

Ms. Joan S. Beckwith
President
First Corporate Air, Inc.
3540 West Grand River Avenue
Howell, MI 48843

Dear Ms. Beckwith:

This is in reference to DOT-E 10495, issued to your company, authorizing the carriage of certain Division 1.1, 1.2, 1.3 and 1.4 explosives by cargo aircraft only.

Enclosed is a revised version of the exemption which is issued in a new format and changes the former classes (Class A, B, and C) of explosives to (Division 1.1, 1.2, 1.3 and 1.4) which is consistent with the regulatory changes adopted under Docket HM-181. Please read the revised exemption carefully.

In addition, as stipulated in Paragraph 8.a. of the exemption, please provide a copy of your records containing the information required by Paragraph 8.a. (1) through (10) for your most active six-month period beginning May 1, 1993 to the present time. If you have any questions or problems concerning this request, or the revised version of the exemption, please contact Ms. Suzanne Hedgepeth at 202-366-4535.

Please forward this information to Ms. Hedgepeth by July 1, 1994. Your cooperation is appreciated.

Sincerely,

Alan I. Roberts
Associate Administrator for
Hazardous Materials Safety

Enclosure