



U.S. Department  
of Transportation


Research and  
Special Programs  
Administration

400 Seventh Street, S.W.  
Washington, D.C. 20590

DOT-E 10725 (EXTENSION)  
ORIGINAL July 14, 1992

In accordance with 49 CFR 107.105 of the Department of Transportation (DOT) Hazardous Materials Regulations DOT-E 10725 is hereby extended for the party(ies) listed below by changing the expiration date in paragraph 10 to April 30, 1996. This change is effective from the issue date of this extension. All other terms of the exemption remain unchanged.

This extension applies only to party(ies) listed below based on the application(s) received in accordance with 49 CFR 107.105. This extension constitutes a necessary part of this exemption and must be attached to it.

  
Alan I. Roberts  
Associate Administrator  
for Hazardous Materials Safety

MAY 11 1994

(DATE)

Dist: FHWA FRA USCG

EXEMPTION HOLDER

APPLICATION DATE

CoreSA S.A.  
Santiago, Chile  
(U.S. AGENT: Raul F. Pino  
Miami, FL)

February 28, 1994

ADVISORY

IF YOU ARE A HOLDER OF AN EXEMPTION THAT AUTHORIZES THE USE OF A PACKAGING WITH A MAXIMUM CAPACITY LESS THAN 450 L (119 GALLONS) OR A MAXIMUM NET MASS LESS THAN 400 KG (882 POUNDS), PLEASE BE ADVISED THAT YOUR EXEMPTION MAY NOT BE RENEWED BEYOND SEPTEMBER 30, 1996. IN ADDITION, NO NEW CONSTRUCTION OF PACKAGINGS WHICH FALL WITHIN THE NON-BULK CAPACITIES LISTED ABOVE ARE AUTHORIZED AFTER SEPTEMBER 30, 1994. THIS IS CONSISTENT WITH THE IMPLEMENTATION OF THE NEW PACKAGING REQUIREMENTS ADOPTED UNDER DOCKET HM-181. ANY APPLICATION SUBMITTED TO THIS OFFICE TO RENEW AN EXEMPTION BEYOND THE SEPTEMBER 30, 1996 DATE WILL BE DENIED UNLESS THE APPLICATION CONTAINS SUPPORTING INFORMATION TO JUSTIFY THE CONTINUATION OF THE EXEMPTION.

Expired - Not Active



U.S. Department  
of Transportation

Research and  
Special Programs  
Administration

400 Seventh Street, S.W.  
Washington, D.C. 20590

JUL 14 1992

DOT-E 10725

1. Coresa S.A., Santiago, Chile, (U.S. Agent: Raul Pino, Miami, Florida), is hereby granted an exemption from certain provisions of this Department's Hazardous Materials Regulations to manufacture, mark and sell the packaging described in paragraph 7 below for use in the transportation in commerce of the corrosive solids, oxidizer solids, flammable solids and class B poison solids described in paragraph 3 below, subject to the requirements specified herein. This exemption authorizes the manufacture, marking and sale of large, collapsible non-DOT specification non-reusable, flexible bulk bags having a capacity not over 2,200 pounds for shipment of corrosive solids, oxidizing materials, flammable solids and poison B solids and provides no relief from any regulation other than as specifically stated. Reference to 49 CFR sections in this exemption are to regulations in effect on September 30, 1990.

2. BASIS. This exemption is based on Coresa S.A.'s application dated December 26, 1991 and additional information dated May 11, 1992, submitted in accordance with 49 CFR 107.103 and the public proceeding thereon.

3. HAZARDOUS MATERIALS (Description and class). Those materials classed as Oxidizers, Corrosive materials, Poison B solids and Flammable solids listed in Appendix A of this exemption and other Oxidizers, Corrosive materials, Poison B solids and Flammable solids which are compatible with polyethylene and are specifically identified to and acknowledged in writing by the Office of Hazardous Materials Exemptions and Approvals (OHMEA) prior to first shipment.

4. PROPER SHIPPING NAME (49 CFR 172.101). The specific chemical name or generic commodity description, as appropriate.

5. REGULATION AFFECTED. 49 CFR 172.331, 173.154, 173.164, 173.178, 173.182, 173.204, 173.217, 173.234, 173.245b, 173.365, 173.366, 173.367.

6. MODES OF TRANSPORTATION AUTHORIZED. Motor vehicle, rail freight, and cargo vessel. Shipments by cargo vessel must be made in conformance with Section 26 of the General Introduction to the IMDG Code.

JUL 14 1992

7. SAFETY CONTROL MEASURES. Packaging prescribed are non-reusable, non-DOT specification, flexible bulk bags. The bag is fabricated of woven polypropylene, incorporating woven lifting straps, and fitted on the inside with a lining of polyethylene film of 0.0035-inch minimum thickness, nominally 0.0039-inch thickness. Each bag has a capacity of 2,200 pounds. Authorized models are RBL 447-09 E, RBL 447-10 E, RBV 457-09 E, and RBV 457-10 E conforming with Coresa S.A.'s model characteristics and design qualification test results dated March 20, 1992, on file with the Office of Hazardous Materials Exemptions and Approvals (OHMEA). Bag, prepared as for shipment, must be capable of satisfactorily withstanding: free-fall Drop tests (three from a height of four feet); Jerk test; Topple test; Topple and Drag test; Righting test; and Abrasion test; as described in Procedures for Performance Testing of Flexible Intermediate Bulk Containers, Packaging Institute, U.S.A., Procedure T-4102-85, dated February, 1985. Bulk bags that will be transported by vessel must pass the tests specified in subsection 26.3.5 the General Introduction to the IMDG Code.

8. SPECIAL PROVISIONS.

a. Offerors for transportation of hazardous materials specified in this exemption may use the packaging described in this exemption for the transportation of such hazardous materials so long as no modifications or changes are made to the packages, all terms of this exemption are complied with, and a copy of the current exemption is maintained at each facility from which such offering occurs.

b. Shippers using the packaging covered by this exemption must comply with the shipping paper, marking, labeling, and placarding requirements of 49 CFR Part 172; all provisions of this exemption, and all other applicable requirements contained in 49 CFR Parts 100-180.

c. Shipment by highway must be in closed vehicles or freight containers, in full truckloads only, except that ammonium nitrate fertilizer need not be in closed vehicles.

d. Shipment by rail must be in box cars except that COFC or TOFC service is authorized in accordance with 49 CFR 174.61.

e. When bulk bags are transported by vessel, the following additional special provisions apply:

JUL 14 1992

Continuation of DOT-E 10725

Page 3

i. Materials in Classes 4.2 (Flammable solids) (Dangerous when wet) and 5.1 (Oxidizers) that are permitted by the IMDG Code to be transported without secondary protection may be carried as break-bulk cargo, provided -

(1) The hold or compartment is dry and thoroughly cleaned of all residue of previous cargo, and all loose debris and dunnage are removed.

(2) The hatches are inspected for watertightness before loading.

(3) The hold is free of sharp projections that could tear or puncture the bags.

(4) After the bags are unloaded, the hold or compartment is inspected for spillage and any residue removed.

ii. When any Class 5.1 materials (Oxidizer) that is carried as break-bulk cargo is loaded or unloaded -

(1) Firehoses must be laid out in the loading or unloading area and must be operable at all times.

(2) Smoking, carrying matches or lighting devices, or performing hot work is prohibited in the loading or unloading area; and the area must be posted with appropriate warning signs.

iii. The provisions of 49 CFR 176.410(d), except subparagraphs (d)(1) and (d)(2), do not apply to shipment of ammonium nitrate fertilizer (UN 2067) by vessel under this exemption.

f. Each bag must be permanently and durably marked, in accordance with the requirements of Section 172.331 in letters at least two inches high on a contrasting background. In addition, for shipment by vessel, the marking requirements of subsection 26.1.5 of the General Introduction to the IMDG Code are required. The use of labels, tags or signs for marking purposes is prohibited.

g. A copy of this exemption must be carried aboard each vessel used to transport packages covered by this exemption.


h. A copy of this exemption, in its current status, must be maintained at each manufacturing facility at which this packaging is manufactured and must be made available to a DOT representative upon request.

i. Each packaging manufactured under the authority of this exemption must be either (1) marked with the name of the manufacturer and location (city and state) of the facility at which it is manufactured or (2) marked with a registration symbol designated for a specific manufacturing facility.

9. REPORTING REQUIREMENTS. Any incident involving fire, explosion or loss of packaging contents or packaging failure must be reported to the Associate Administrator for Hazardous Materials Safety as soon as practicable. (49 CFR 171.15 and 171.16 apply to any activity undertaken under the authority of this exemption.)

10. EXPIRATION DATE. April 30, 1994.

Issued at Washington, D.C.:

  
Alan I. Roberts  
Associate Administrator for  
Hazardous Materials Safety

JUL 14 1992  
\_\_\_\_\_  
(DATE)

Address all inquiries to : Associate Administrator for Hazardous Materials Safety, Research and Special Programs Administration, U.S. Department of Transportation, Washington, D.C., 20590.  
Attention: Exemptions Program.

Dist: FHWA, FRA, and USCG.

## APPENDIX A

| <u>Hazardous Material</u>               | <u>UN Number</u> |
|---|------------------|
| Aluminum bromide, anhydrous             | UN 1725          |
| Aluminum chloride, anhydrous            | UN 1726          |
| Aluminum nitrate                        | UN 1438          |
| Ammonium hydrogen fluoride,<br>solid    | UN 1727          |
| Ammonium nitrate                        | UN 1942          |
| Ammonium nitrate-carbonate<br>mixture   | UN 2068          |
| Ammonium nitrate fertilizer             | UN 2067          |
| Ammonium nitrate fuel oil<br>mixture *  | NA 0331          |
| Ammonium persulfate                     | UN 1444          |
| Antimony compound, inorganic,<br>n.o.s. | UN 1549          |
| Antimony tribromide                     | UN 1549          |
| Arsenic trioxide                        | UN 1561          |
| Arsenical compound, solid,<br>n.o.s.    | UN 1557          |
| Antimony tribromide                     | UN 1549          |
| Arsenic trioxide                        | UN 1561          |
| Arsenical compound, solid,<br>n.o.s.    | UN 1557          |
| Bromoacetic acid                        | UN 1938          |
| Calcium carbide *                       | UN 1402          |
| Calcium cyanide, solid *                | UN 1575          |

JUL 14 1992

Page 6

Continuation of DOT-E 10725

APPENDIX A

|   |         |
|---|---------|
| Calcium Hypochlorite,<br>hydrated   | UN 2880 |
| Calcium silicide * and * * * *  | UN 1405 |
| Carbamate pesticide, solid<br>N.O.S. (contains 15% or less<br>aldicarb by weight)   | UN 2757 |
| Chloroacetic acid, solid  | UN 1751 |
| Chromic acid, solid *   | UN 1463 |
| Cyanuric chloride   | UN 2670 |
| Dichloroisocyanuric acid salts<br>(Sodium dichloro-s-triazinetriions)   | UN 2465 |
| Environmentally hazardous substance solid, n.o.s.   | UN 3077 |
| Ferric chloride, solid, anhydrous   | UN 1773 |
| Lithium hypochlorite mixture, dry *<br>(containing not more than 42 %<br>available chlorine)                                    | UN 1471 |
| Magnesium granules, coated  | UN 2950 |
| Nickel sulfite (crude)  | UN 1759 |
| Organophosphorus Pesticide, solid, toxic,<br>(Fonofos) {Dyfonate II 10-G}; {Dyfonate II 15-G} or<br>{Dyfonate 20-G allopulgate} | UN 2783 |
| Oxidizer, n.o.s.<br>(1-Bromo-3-chloro-5, 5-demethylhydantion)   | UN 1479 |
| Para-nitro-toluene sulfonic   | UN 2811 |
| Pentachlorophenol   | UN 2811 |

JUL 14 1992

Continuation of DOT-E 10725

Page 7

APPENDIX

|  |         |
|--|---------|
| Pesticide, solid, toxic, n.o.s. (Tefuthrin)<br>{Force (GFU524)}  | UN 2588 |
| Poisonous solid, N.O.S. or<br>Poison B, solid, N.O.S.<br>(Amyl Phenol)<br>(Butyl Phenol)<br>(Octyl Phenol) | UN 2811 |
| Potassium cyanide *  | UN 1680 |
| Potassium dichloro-s-<br>triazinetrione  | UN 1479 |
| Potassium hydroxide, flake   | UN 1813 |
| Potassium hydroxide, solid   | UN 1813 |
| Potassium nitrate  | UN 1486 |
| Potassium persulfate   | UN 1492 |
| Sodium azide   | UN 1687 |
| Sodium bifluoride  | UN 2439 |
| Sodium chlorate  | UN 1495 |
| Sodium cyanide *   | UN 1689 |
| Sodium hydrosulfite *  | UN 1384 |
| Sodium hydroxide, solid  | UN 1823 |
| Sodium nitrate   | UN 1498 |
| Sodium nitrite   | UN 1500 |
| Sodium perborate monohydrate   | UN 1479 |
| Sodium persulfate  | UN 1505 |



JUL 14 1992

Continuation of DOT-10725

Page 8

APPENDIX

|  |         |
|--|---------|
| Sodium sulfide, anhydrous *              | UN 1385 |
| TEMIK (Aldicarb pesticide)               | UN 2588 |
| Thallium compounds, n.o.s.               | UN 1707 |
| Trichloroisocyanuric acid,<br>dry        | UN 2468 |
| Trichloro-s-triazinetriene,<br>dry * *   | UN 2468 |
| Waste arsenical mixture,<br>n.o.s. * * * | UN 1557 |
| Zinc dust                                | UN 1436 |

\* Transport by vessel not authorized.

\* \* This shipping description may be used only when all or part of the transport is by vessel. For transport by motor vehicle or rail freight, use "trichloroisocyanuric acid, dry."

\* \* \* For mixtures of arsenic compounds, the name(s) of the hazardous components of the mixture must appear in the parenthesis.

\* \* \* \* Packaging for calcium silicide must be hermetically sealed.