



U.S. Department
of Transportation

**Pipeline and Hazardous
Materials Safety
Administration**

April 01, 2022

1200 New Jersey Avenue, SE
Washington, DC 20590

DOT-SP 11180
(NINETEENTH REVISION)

(FOR RENEWAL, SEE 49 CFR 107.109)

1. GRANTEE: (See individual authorization letter)
2. PURPOSE AND LIMITATION:
 - a. This special permit authorizes the transportation in commerce of metal tubing that contains hazardous materials listed in paragraph 6 of this special permit and exempts the metal tubing from the packaging, marking, labeling, and placarding requirements of the Hazardous Materials Regulations. This special permit provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein. The most recent revision supersedes all previous revisions.
 - b. The safety analyses performed in development of this special permit only considered the hazards and risks associated with transportation in commerce.
 - c. Unless otherwise stated herein, this special permit consists of the special permit authorization letter issued to the grantee together with this document.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR Part 172 Subparts D, E, and F in that the metal tubing is exempt from marking, labeling, and placarding; § 173.24(c), and Subparts E and F of Part 173 in that the packaging is not authorized, except as specified herein.

5. BASIS: This special permit is based on the application of Affival, Incorporated dated November 2, 2021 and submitted in accordance with § 107.105 and the public proceeding.
6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Hazardous Materials Description			
Proper Shipping Name	Hazard Class/ Division	Identification Number	Packing Group
Antimony or tellurium materials classed as Division 6.1, Packing Group III	6.1	As appropriate	III
Calcium	4.3	UN1401	II
Environmentally hazardous substances, solid, n.o.s	9	UN3077	III
Materials listed in 172.101 Hazardous Materials Table that meet the definition of 4.3, Packing Group III	4.3	As appropriate	III
Sulfur	9	NA1350	III
Materials listed in 172.101 Hazardous Materials Table that meet the definition of Division 4.1, Packing Group III	4.1	As appropriate	III

7. SAFETY CONTROL MEASURES:

PACKAGING: The hazardous material must be in the core of a metal tube, and the seam of the tube must be sealed with either a vapor tight double overlapped locked seam (identified in drawing 11B1, dated November 15, 2004, on file with the Approvals and Permits Branch) or a welded seam (identified in drawing number AFCW-001, Rev C, dated March 5, 2022, on file with the Approvals and Permits Branch).

- a. Tubes with a diameter of 13.6 mm (0.54 in) or less are limited to not more than 0.7 kg (1.55 lbs) of hazardous material per meter of length, and tubes with a diameter of greater than 13.6 mm (0.54 in) and up to a maximum diameter of 25 mm (1 inch) are limited to not more than 1.0 kg (2.2 lbs) of hazardous material per meter of length.
- b. Tubes with a diameter of 13.6 mm (0.54 in) or smaller are limited to a length of 14,000 meters per reel or cage, and tubes with a diameter greater than 13.6 mm (0.54 in) and up to a maximum diameter of 25 mm (1 inch) are limited to a length of 10,000 meters per reel or cage.
- c. The ends of the tube must be sealed with a suitable vapor tight cap.
- d. The core-filled metal tubing must be continuously coiled on a strong wooden or steel reel or within a metal cage.
- e. Reels or cages of core-filled metal tubing must be shrink-wrapped and secured on a steel or wooden pallet.

8. SPECIAL PROVISIONS:

- a. A person who is not a holder of this special permit who receives a package covered by this special permit may reoffer it for transportation provided no modification or change is made to the package and it is reoffered for transportation in conformance with this special permit and the HMR.
- b. A current copy of this special permit must be maintained at each facility where the package is offered or reoffered for transportation.
- c. MARKING: The reel or cage must be marked with "DOT-SP 11180" in letters at least 2 inches high on a contrasting background.

9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle, rail freight and cargo vessel.10. MODAL REQUIREMENTS: A current copy of this special permit must be carried aboard each cargo vessel and motor vehicle used to transport packages covered by this special permit.

11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this special permit and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:

- o All terms and conditions prescribed in this special permit and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
- o Persons operating under the terms of this special permit must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
- o Registration required by § 107.601 et seq., when applicable.


Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this special permit must receive training on the requirements and conditions of this special permit in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this special permit, including display of its number, when the special permit has expired or is otherwise no longer in effect.

Under Title VII of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU)- 'The Hazardous Materials Safety and Security Reauthorization Act of 2005' (Pub. L. 109-59), 119 Stat. 1144 (August 10, 2005), amended the Federal hazardous materials transportation law by changing the term "exemption" to "special permit" and authorizes a special permit to be granted up to two years for new special permits and up to four years for renewals.

12. REPORTING REQUIREMENTS: Shipments or operations conducted under this special permit are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 - Immediate notice of certain hazardous materials incidents, and 171.16 - Detailed hazardous materials incident reports. In addition, the grantee(s) of this special permit must notify the Associate Administrator for Hazardous Materials Safety, in writing, of any incident involving a package, shipment or operation conducted under terms of this special permit.

Issued in Washington, D.C.:



for William Schoonover
Associate Administrator for Hazardous Materials Safety

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Pipeline and Hazardous Material Safety Administration, U.S. Department of Transportation, East Building PHH-13, 1200 New Jersey Avenue, Southeast, Washington, D.C. 20590.

Copies of this special permit may be obtained by accessing the Hazardous Materials Safety Homepage at

<https://www.phmsa.dot.gov/approvals-and-permits/hazmat/special-permits-search>. Photo reproductions and legible reductions of this special permit are permitted. Any alteration of this special permit is prohibited.

PO: ae