



U.S. Department
of Transportation

**Pipeline and Hazardous
Materials Safety Administration**

East Building, PHH - 30
1200 New Jersey Avenue, Southeast
Washington, D.C. 20590

DOT-SP 11486
(SEVENTH REVISION)

EXPIRATION DATE: March 31, 2010

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. GRANTEE: U.S. Department of Defense (DOD)
Scott Air Force Base, IL
2. PURPOSE AND LIMITATION:
 - a. This special permit authorizes the transportation in commerce of glass ampoules containing certain Division 2.3 materials for disposal in a non-DOT specification packaging known as a single round container. This special permit provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein. The most recent revision supersedes all previous revisions.
 - b. The safety analyses performed in development of this special permit only considered the hazards and risks associated with transportation in commerce.
 - c. No party status will be granted to this special permit.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: The marking requirements of § 172.301(c); § 173.40 and § 173.192 only in that the prescribed containers are not authorized packagings, except as specified herein.

February 12, 2009

5. BASIS: This special permit is based on the Pipeline and Hazardous Materials Safety Administration's (PHMSA) editorial review under § 107.121 initiated on December 3, 2008.
6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Hazardous Materials Description			
Proper Shipping Name	Hazard Class/ Division	Identification Number	Packing Group
Cyanogen chloride, stabilized	2.3	UN1589	N/A, Hazard Zone A
Phosgene	2.3	UN1076	N/A, Hazard Zone A

7. SAFETY CONTROL MEASURES:

a. PACKAGING -

(1) Packaging prescribed is a non-DOT specification container known as a single round container (SRC) containing 40 ml glass ampoules of either cyanogen chloride, inhibited or phosgene. The SRC must be designed and manufactured in accordance with U.S. Army Armament, Munitions & Chemical Command drawings submitted by the applicant and on file with the Office of Hazardous Materials Special Permits and Approvals (OHMSPA).

(2) The glass ampoules must be secured within the SRC by a non-reactive cushioning material such as vermiculite. The maximum quantity of cyanogen chloride, inhibited or phosgene contained within a single SRC is 1404 grams (28 ampoules) or 1620 grams (25 ampoules), respectively.

(3) The SRC must be shipped palletized on dedicated vehicles and may not be stacked.

February 12, 2009

- b. TESTING - Each SRC must be capable of successfully passing a hydrostatic pressure test of at least 200 psig.
 - c. OPERATIONAL CONTROLS -
 - (1) Standard Operating Procedure TU-000-M-235 dated January 1995 on file with the OHMSPA must be used for loading the glass ampoules into the SRC.
 - (2) Glass ampoules of cyanogen chloride, inhibited and phosgene may not be loaded into the same SRC.
 - d. MARKING - The marking requirements of § 172.301(c) are waived.
8. SPECIAL PROVISIONS:
- a. DOD must comply with all provisions of this special permit, and all other applicable requirements contained in 49 CFR Parts 171-180.
9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle.
10. MODAL REQUIREMENTS:
- a. A current copy of this special permit must be carried aboard each motor vehicle used to transport packages covered by this special permit.
 - b. Drivers must be instructed on the hazards of the materials being transported in addition to safeguards and proper procedures to be followed in the event of fire, accident or unusual delay.
11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this special permit and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:
- o All terms and conditions prescribed in this special permit and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
 - o Persons operating under the terms of this special permit must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.

February 12, 2009

- o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this special permit must receive training on the requirements and conditions of this special permit in addition to the training required by § 172.700 through § 172.704.

No person may use or apply this special permit, including display of its number, when the special permit has expired or is otherwise no longer in effect.

Under Title VII of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU) - 'The Hazardous Materials Safety and Security Reauthorization Act of 2005' (Pub. L. 109-59), 119 Stat. 1144 (August 10, 2005), amended the Federal hazardous materials transportation law by changing the term "exemption" to "special permit" and authorizes a special permit to be granted up to two years for new special permits and up to four years for renewals.

12. REPORTING REQUIREMENTS: Shipments or operations conducted under this special permit are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 - Immediate notice of certain hazardous materials incidents, and 171.16 - Detailed hazardous materials incident reports. In addition, the grantee(s) of this special permit must notify the Associate Administrator for Hazardous Materials Safety, in writing, of any incident involving a package, shipment or operation conducted under terms of this special permit.

Issued in Washington, D.C.:



for Theodore L. Willke
Associate Administrator for Hazardous Materials Safety

February 12, 2009

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Pipeline and Hazardous Material Safety Administration, U.S. Department of Transportation, East Building PHH-30, 1200 New Jersey Avenue, Southeast, Washington, D.C. 20590.

Copies of this special permit may be obtained by accessing the Hazardous Materials Safety Homepage at http://hazmat.dot.gov/sp_app/special_permits/spec_perm_index.htm Photo reproductions and legible reductions of this special permit are permitted. Any alteration of this special permit is prohibited.

PO: sln