

May 16, 2018



U.S. Department
of Transportation

East Building, PHH – 30
1200 New Jersey Avenue, Southeast
Washington, D.C. 20590

**Pipeline and Hazardous
Materials Safety Administration**

DOT-SP 11780
(NINTH REVISION)

EXPIRATION DATE: 2022-04-30

(FOR RENEWAL, SEE 49 CFR 107.109)

1. GRANTEE: Keysight Technologies, Inc.
Santa Rosa, CA
2. PURPOSE AND LIMITATIONS:
 - a. This special permit authorizes the manufacture, mark, sale, and use of certain x-ray systems containing sulfur hexafluoride for transportation in commerce. This special permit provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein. The most recent revision supersedes all previous revisions.
 - b. The safety analyses performed in development of this special permit only considered the hazards and risks associated with transportation in commerce.
 - c. In accordance with 49 CFR 107.107(a) party status may not be granted to a manufacturing permit. These packaging may be used in accordance with 49 CFR 173.22a.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR §§ 172.400(a) and 172.500(a) in that the labeling and placarding requirements are waived except when offered for transportation by air, and § 173.304a(a)(2) in that alternative packaging is authorized, except as specified herein.

May 16, 2018

5. BASIS: This special permit is based on the application of Keysight Technologies, Inc. dated April 23, 2018, submitted in accordance with § 107.109.
6. HAZARDOUS MATERIALS (49 CFR 172.101):

Hazardous Material Description			
Proper Shipping Name	Hazard Class/ Division	Identification Number	Packing Group
Sulfur hexafluoride	2.2	UN1080	N/A

7. SAFETY CONTROL MEASURES:

a. PACKAGING: Prescribed packagings are x-ray assemblies, consisting of a non-DOT specification pressure vessel, an X-ray tube, and other instrumentation. The sulfur hexafluoride is contained in the pressure vessel.

(1) The pressure vessel must be designed, constructed, certified and stamped in accordance with Section VIII, Division 1 of the ASME Code with a maximum allowable working pressure of 90 psig.

(2) The pressure vessel may not be charged with sulfur hexafluoride to a pressure exceeding 65 psig at 70 °F. Additionally, the pressure vessel must be equipped with a pressure relief device with a maximum set pressure of 90 psig.

(3) The x-ray assembly must be in accordance with Hewlett-Packard drawing D-E7200-67969-1 on file with the Office of Hazardous Materials Safety Approvals and Permits Division (OHMSAPA).

b. TESTING:

(1) Each pressure vessel must be pressure tested to at least 135 psig.

(2) Each pressure vessel must be checked for leaks prior to shipment.

May 16, 2018

c. OPERATIONAL CONTROLS: Individual pressure vessels must be overpacked in strong outside containers. X-ray assemblies must be shipped in closed motor vehicles. When so packed, the pressure vessels or assemblies are exempt from labeling, except when offered for transportation by air, and from placarding.

8. SPECIAL PROVISIONS:

a. In accordance with the provisions of Paragraph (b) of § 173.22a, persons may use the packaging authorized by this special permit for the transportation of the hazardous materials specified in paragraph 6, only in conformance with the terms of this special permit.

b. A person who is not a holder of this special permit, but receives a package covered by this special permit, may reoffer it for transportation provided no modification or change is made to the package and it is offered for transportation in conformance with this special permit and the HMR.

c. A current copy of this special permit must be maintained at each facility where the package is offered or reoffered for transportation.

d. Each packaging manufactured under the authority of this special permit must be either (1) marked with the name of the manufacturer and location (city and state) of the facility at which it is manufactured or (2) marked with a registration symbol designated by the Office of Hazardous Materials Special Permits and Approvals Program for a specific manufacturing facility.

e. A current copy of this special permit must be maintained at each facility where the package is manufactured under this special permit. It must be made available to a DOT representative upon request.

f. MARKING: Each outside packaging must be marked "DOT-SP 11780".

May 16, 2018

- g. This special permit serves as a Competent Authority Approval (CA-1997090001) by the Associate Administrator for Hazardous Materials Safety of the United States Department of Transportation, issued in accordance with Paragraph 7.9 of the International Maritime Dangerous Goods (IMDG) Code and Part 1; Chapter 1, Paragraph 1.2 of the International Civil Aviation Organization's Technical Instructions for the Safe Transportation of Dangerous Goods by Air (ICAO TI).
9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle, rail freight, cargo vessel, cargo aircraft only, and passenger-carrying aircraft.
10. MODAL REQUIREMENTS: A current copy of this special permit must be carried aboard each motor vehicle, cargo vessel, or aircraft used to transport packages covered by this special permit. The shipper must furnish a current copy of this special permit to the air carrier before or at the time the shipment is tendered.
11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this special permit and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:
- o All terms and conditions prescribed in this special permit and the Hazardous Materials Regulations, Parts 171-180.
 - o Persons operating under the terms of this special permit must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
 - o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this special permit must receive training on the requirements and conditions of this special permit in addition to the training required by §§ 172.700 and 172.704.

No person may use or apply this special permit, including display of its number, when the special permit has expired or is otherwise no longer in effect.

May 16, 2018

Under Title VII of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU) - "The Hazardous Materials Safety and Security Reauthorization Act of 2005" (Pub. L. 109-59), 119 Stat. 1144 (August 10, 2005), amended the Federal hazardous materials transportation law by changing the term "exemption" to "special permit" and authorizes a special permit to be granted up to two years for new special permits and up to four years for renewals.

12. REPORTING REQUIREMENTS: Shipments or operations conducted under this special permit are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 Immediate notice of certain hazardous materials incidents, and 171.16 Detailed hazardous materials incident reports. In addition, the grantee(s) of this special permit must notify the Associate Administrator for Hazardous Materials Safety, in writing, of any incident involving a package, shipment or operation conducted under terms of this special permit.

Issued in Washington, D.C.:



for William Schoonover
Associate Administrator for Hazardous Materials Safety

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Pipeline and Hazardous Material Safety Administration, U.S. Department of Transportation, East Building PHH-30, 1200 New Jersey Avenue, Southeast, Washington, D.C. 20590.

Copies of this special permit may be obtained by accessing the Hazardous Materials Safety Homepage at http://hazmat.dot.gov/sp_app/special_permits/spec_perm_index.htm Photo reproductions and legible reductions of this special permit are permitted. Any alteration of this special permit is prohibited.

PO: TG/SG