



U.S. Department  
of Transportation

**Research and  
Special Programs  
Administration**

**OCT 11 2000**

400 Seventh Street, S.W.  
Washington, D.C. 20590

DOT-E 12555

**EXPIRATION DATE: October 31, 2000**

1. GRANTEE: Airgas Intermountain  
Colorado Springs, CO
2. PURPOSE AND LIMITATION:
  - a. This emergency exemption authorizes the one-time transportation in commerce of a DOT specification 3A 2015 cylinder containing Chlorine. The cylinder has a leak on the side of the valve, which is equipped with a Chlorine Institute Emergency "A" kit. This exemption provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein.
  - b. The safety analyses performed in development of this exemption only considered the hazards and risks associated with transportation in commerce.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 173.34(d) in that a safety relief device is not required.
5. BASIS: This emergency exemption is based on the application of Airgas Intermountain, dated October 5, 2000, submitted in accordance with § 107.117 and a determination that it is necessary in order to protect life and property.

OCT 11 2000

continuation of DOT-E 12555

Page 2

6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Proper Shipping Name/ Hazardous Materials Description	Hazard Class/ Division	Identi- fication Number	Packing Group
Chlorine	2.3	UN1017	n/a

7. SAFETY CONTROL MEASURES:

a. PACKAGING - Packaging prescribed is a DOT specification 3A 2015 cylinder which has a leak around the valve due to corrosion. The cylinder is equipped with Chlorine Institute Emergency "A" kit. The emergency kit must prevent leakage during transportation.

b. OPERATIONAL CONTROLS -

(1) The cylinder will be transported from Colorado Springs, CO to Hudson, CO.

(2) The cylinder will be transported by a private contract carrier. The shipment must be accompanied by personnel trained in how to proceed in the event of an emergency.

8. SPECIAL PROVISIONS: A current copy of this exemption must be maintained at the facility where the package is offered for transportation.

9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle.

10. MODAL REQUIREMENTS: A current copy of this exemption must be carried aboard the motor vehicle used to transport the package covered by this exemption.

11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this exemption and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:

o All terms and conditions prescribed in this exemption and the Hazardous Materials Regulations, 49 CFR Parts 171-180.

o Registration required by § 107.601 et seq., when applicable.

OCT 11 2000

continuation of DOT-E 12555

Page 3


Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this exemption must receive training on the requirements and conditions of this exemption in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this exemption, including display of its number, when this exemption has expired or is otherwise no longer in effect.

12. REPORTING REQUIREMENTS: The carrier is required to report any incident involving loss of packaging contents or packaging failure to the Associate Administrator for Hazardous Materials Safety (AAHMS) as soon as practicable. (Sections 171.15 and 171.16 apply to any activity undertaken under the authority of this exemption.) In addition, the holder(s) of this exemption must inform the AAHMS, in writing, of any incident involving the package and shipments made under the terms of this exemption.

Issued at Washington, D.C.:

OCT 11 2000

  
\_\_\_\_\_  
Robert A. McGuire  
Associate Administrator for  
Hazardous Materials Safety

\_\_\_\_\_  
(DATE)

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Research and Special Programs Administration, Department of Transportation, Washington, D.C. 20590.  
Attention: DHM-31.

PO: AM