

February 27, 2019



U.S. Department
of Transportation

East Building, PHH-30
1200 New Jersey Avenue S.E.
Washington, D.C. 20590

**Pipeline and Hazardous
Materials Safety Administration**

DOT-SP 15874
(SECOND REVISION)

EXPIRATION DATE: 2023-01-31

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. GRANTEE: Summit Helicopter, Incorporated
Pacoima, CA
Part 133 Certificate Number #M55L155I
2. PURPOSE AND LIMITATION:
 - a. This special permit authorizes the transportation in commerce of certain hazardous materials by 14 CFR Part 133 Rotorcraft External Load Operations transporting hazardous materials attached to or suspended from an aircraft, in remote areas of the US only, without being subject to hazard communication requirements, quantity limitations and certain loading and stowage requirements. This special permit provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein. The most recent revision supersedes all previous revisions.
 - b. The safety analyses performed in the development of this special permit only considered the hazards and risks associated with the transportation in commerce.
 - c. No party status will be granted to this special permit.
 - d. This Special Permit does not grant the authority to use foreign controlled airspace or airports outside the United States.
 - e. This Special Permit does not waive any FAA airworthiness requirements or the need to obtain other required FAA authorizations.

February 27, 2019

3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR Table § 172.101, Column (9B) in that operations may exceed this limit and or 9B may state Forbidden, § 172.200 in that Shipping papers are waived, § 172.300 in that Marking is waived and § 172.400 in that Labeling is waived. The requirements in section § 173.27 general requirements by air, § 175.30 Inspection of shipment, § 175.33 shipping paper and pilot notification are all waived, Part 178 in that certain packaging requirements are waived, and § 175.75 in that alternative stowage is authorized.
5. BASIS: This special permit is based on the application of Summit Helicopter, Incorporated dated February 7, 2019, submitted in accordance with § 107.109.
6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Hazardous Materials Description			
Proper Shipping Name	Hazard Class/ Division	Identification Number	Packing Group
Aerosols, flammable, (each not exceeding 1 L capacity)	2.1	UN1950	N/A
Air, compressed	2.2	UN1002	N/A
Batteries, wet, filled with acid, electric storage	8	UN2794	III
Boosters, without detonator	1.1D	UN0042	II
Butane see also Petroleum gases, liquefied	2.1	UN1011	N/A
Cord, detonating, flexible	1.1D	UN0065	II
Charges, demolition	1.1D	UN0048	II
Detonators, non-electric for blasting	1.1B	UN0029	II

February 27, 2019

Hazardous Materials Description			
Proper Shipping Name	Hazard Class/Division	Identification Number	Packing Group
Diesel fuel	3	NA1993	III
Engines, internal combustion, flammable gas or Flammable liquid powered	9	UN3166	N/A
Explosive, blasting, type A	1.1D	UN0081	II
Flammable liquids, n.o.s.	3	UN1993	I
Fuel, aviation, turbine engine	3	UN1863	I, II, III
Fuse, safety	1.4S	UN0105	II
Gasoline <i>includes gasoline mixed with ethyl alcohol, with not more than 10% alcohol</i>	3	UN1203	II
Lighters or Lighter refills containing flammable gas	2.1	UN1057	N/A
Lithium batteries packed with equipment	9	UN3091	II
Lithium batteries, contained in equipment	9	UN3091	II
Oxygen, compressed	2.2	UN1072	N/A
Lighters, fuse	1.4S	UN0131	II
Paint related material <i>including paint thinning, drying, removing or reducing compound</i>	3	UN1263	I, II, III
Propane <i>see also</i> Petroleum gases, liquefied	2.1	UN1978	N/A

February 27, 2019

Hazardous Materials Description			
Proper Shipping Name	Hazard Class/ Division	Identification Number	Packing Group
Rags, oily	4.2	UN1856	III

7. SAFETY CONTROL MEASURES FOR MATERIALS OTHER THAN CLASS 1:

a. PACKAGING: Prescribed packaging is the manufacturer's original packaging or a packaging of equal or greater strength and integrity. Compatibility and effectiveness of all packaging must, at a minimum, meet the requirements of 49 CFR 173.24.

b. Aerosols: All aerosols and compressed gases must be secured in an upright position with protective caps and/or covers installed to prevent any unintentional discharge.

c. Batteries (Other than Lithium batteries): All batteries packed in equipment must be packed in a manner that prevents accidental activation or dangerous evolution of heat. Spare Batteries or batteries pack with equipment must have their terminals insulated or protected to prevent short circuits and prevent a dangerous evolution of heat.

d. Lithium batteries: All lithium batteries packed with equipment, or contained in equipment, must be packed in such a manner as to prevent short circuits, including movement that could lead to short circuits. They must be equipped with an effective means to prevent dangerous reverse current flow (e.g., diodes, fuses, etc.) if a battery contains cells or series of cells that are connected in parallel. Additionally, they must be of a type proven to meet the requirements of each test in the UN Manual of Tests and Criteria (IBR; see 49 CFR 171.7).

e. Equipment: Liquid fueled or gasoline powered equipment may be filled to not more than 80% of their capacity to allow for expansion due to altitude changes.

f. Compressed Gas: Compressed Gas (Propane etc...) must be transported in serviceable DOT approved cylinders. The cylinders must be secured in such a manner that prevents the cylinder from movement during transportation. The cylinder

February 27, 2019

neck/valve shall be protected by the use of safety caps or collars. At no time shall the safety caps or collars be used as a lifting point.

g. Spontaneously Combustible Materials: Division 4.2 materials must be transported in sealed containers to prevent any spontaneous combustion.

h. Compatibility of cargo: Hazardous material that might react dangerously with one another may not be placed next to each other or in a position that would allow a dangerous interaction in the event of leakage. Segregation Table in § 175.78 shall be used.

8. SAFETY CONTROL MEASURES FOR CLASS 1:

a. PACKAGING: As prescribed in § 173.62 (or equivalent) explosives shall be further packaged in a type 3 magazine and transported as a Class B external load. In accordance with ATF publication 5400.7 § 555.209, a type 3 magazine is a "day-box" or other portable magazine.

b. Authorized explosives: Explosives that are Forbidden in § 172.101 Column (9A) or (9B), may be accepted and transported in cargo aircraft only subject to the conditions stated herein.

c. Maximum weight: Not more than 1,000 pounds total net weight of explosives may be carried in, on, or suspended from the aircraft.

d. Advanced Notice of hazardous material movements performed under the provisions of the special permit. The operator of the aircraft must notify the Office of Hazardous Materials Safety (9-AWA-AXH-SPFlightNotifications@faa.gov). This notification must be given at least 72 hours in advance of plans to operate under the special permit, unless prior arrangements have been made with the Office of Hazardous Materials Safety. The notification must include the point of departure, intermediate stops, destination(s), and a loading and departure schedule. If a flight schedule deviates more than four hours from the originally scheduled departure time, the operator of the aircraft must immediately notify 9-AWA-AXH-SPFlightNotifications@faa.gov. Alternative notification procedures may be established subject to the written approval of the Office of Hazardous Materials Safety.

February 27, 2019

e. Advance permission from airport: If an airport is used, the operator of the aircraft must have advance permission from the owner or operator of each manned airport where the material is to be loaded or unloaded or where aircraft is to land while the materials are on board. When the destination is changed after departure because of weather or other unforeseen circumstances, permission from the owner or operator of the alternate airport must be obtained as soon as practicable.

f. Flight plan: The operator of the aircraft must include the following information in the "Remarks" section of each flight plan when the provisions of this special permit are exercised:

(1) The classification of each hazardous material aboard, attached to or suspended from the aircraft.

(2) The net weight of each class of hazardous material aboard the aircraft.

(3) This requirement does not apply to operations where a flight plan cannot be filed (e.g. operating in remote areas or uncontrolled airspace).

g. Loading and unloading: Loading and unloading operations under this special permit must comply with the following:

(1) During loading or unloading, no person may smoke or carry a lighted cigarette, cigar or pipe, or operate any device capable of causing an open flame or spark within 50 feet of the hazardous material on or off the aircraft.

(2) No fueling operations of the aircraft may be conducted during loading and unloading of the explosives. Whenever possible fueling operations shall be conducted without hazardous materials attached to the aircraft and located at a safe distance from any hazardous materials.

h. Security Plan: A copy of the required security plan must be made available to any DOT inspector upon request.

i. Records: The aircraft operator must maintain daily records during which explosives are carried. This record must be made available at its principal business office to representatives of the Federal Aviation Administration and

February 27, 2019

submitted to the Associate Administrator for Hazardous Materials Safety (AAHMS) upon request. The record shall include:

- (1) Geographic location of flight operations.
- (2) Shipping name and class of explosive(s).
- (3) Net weight of explosive(s) moved.
- (4) Registration number of the aircraft(s) used.

These records shall be maintained for a minimum of 1 year.

- j. Attendance of explosives: Division 1.1 explosives must be attended at all times they are in the possession of the operator unless placed in an explosive storage magazine that is approved by the Federal, State or local authority or at a location on a military installation designated by appropriate military authorities. All persons accompanying Class 1 explosives must be BATF Licensed Employees.
9. MODES OF TRANSPORTATION AUTHORIZED: Rotorcraft External Load Operations.
 10. OPERATIONAL REQUIREMENTS: A current copy of this special permit must be carried aboard each aircraft used to transport materials covered by this special permit.
 - a. Authorized aircraft: Aircraft used under this special permit must be authorized as part of an FAA 14 CFR Part 133 Operating Certificate.
 - b. Operations manual: FAA 14 CFR Part 133 operations must be conducted in accordance with conditions and limitations specified in the certificate holder's FAA-approved hazardous material manual(s) as appropriate.
 - c. Authorized persons aboard aircraft: No person may be carried on the aircraft other than as authorized by 14 CFR 133.35. Training or qualification of a new crewmember will not take place during the execution of this Special Permit.
 - d. Pilot requirements: Each pilot of an aircraft being operated under this special permit must have received formal training on the requirements of 49 CFR Parts 171-178 that are applicable to his/her duties and be thoroughly familiar with the specific requirements of this special permit.

February 27, 2019

11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this special permit and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:

- o All terms and conditions prescribed in this special permit and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
- o Persons operating under the terms of this special permit must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
- o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this special permit must receive training on the requirements and conditions of this special permit in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this special permit, including display of its number, when this special permit has expired or is otherwise no longer in effect.

Under Title VII of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU)—"The Hazardous Materials Safety and Security Reauthorization Act of 2005" (Pub. L. 109-59), 119 Stat. 1144 (August 10, 2005), amended the Federal hazardous materials transportation law by changing the term "exemption" to "special permit" and authorizes a special permit to be granted up to two years for new special permits and up to four years for renewals.

12. REPORTING REQUIREMENTS: Shipments or operations conducted under this special permit are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 Immediate notice of certain hazardous materials incidents, and 171.16 Detailed hazardous materials

February 27, 2019

incident reports. In addition, the grantee(s) of this special permit must notify the Associate Administrator for Hazardous Materials Safety, in writing, of any incident involving a package, shipment or operation conducted under terms of this special permit.

Issued in Washington, D.C.:



for William Schoonover
Associate Administrator for Hazardous Materials Safety

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Pipeline and Hazardous Material Safety Administration, U.S. Department of Transportation, East Building PHH-30, 1200 New Jersey Avenue, Southeast, Washington, D.C. 20590.

Copies of this special permit may be obtained by accessing the Hazardous Materials Safety Homepage at http://hazmat.dot.gov/sp_app/special_permits/spec_perm_index.htm. Photo reproductions and legible reductions of this special permit are permitted. Any alteration of this special permit is prohibited.

PO: LAVALLE/SG