



U.S. Department
of Transportation

**Pipeline and Hazardous
Materials Safety
Administration**

June 10, 2024

1200 New Jersey Avenue, SE
Washington, DC 20590

DOT-SP 16217
(FOURTH REVISION)

EXPIRATION DATE: 2028-05-31

(FOR RENEWAL, SEE 49 CFR 107.109)

1. GRANTEE: Fuji Electric Co., Ltd.
Shinagawa-ku, Tokyo, Japan

US AGENT: SME Associates LLC
Palmetto, FL
2. PURPOSE AND LIMITATIONS:
 - a. This special permit authorizes the manufacture, mark, sale and use of a neutron radiation detector containing a Division 2.1 flammable gas. This special permit provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein. The most recent revision supersedes all previous revisions.
 - b. The safety analyses performed in development of this special permit only considered the hazards and risks associated with transportation in commerce. The safety analyses did not consider the hazards and risks associated with consumer use, use as a component of a transport vehicle or other device, or other uses not associated with transportation in commerce.
 - c. In accordance with 49 CFR 107.107(a) party status may not be granted to a manufacturing permit. These packagings may be used in accordance with 49 CFR 173.22a.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171- 180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 173.310 in that a Division 2.1 material is not authorized, except as provided herein.

Tracking Number: 2024044938

5. BASIS: This special permit is based on the application of Fuji Electric Co., Ltd. dated May 7, 2024, and submitted in accordance with § 107.109.
6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Hazardous Material Description			
Proper Shipping Name	Hazard Class/ Division	Identification Number	Packing Group
Compressed gas, flammable, n.o.s.	2.1	UN1954	N/A

7. SAFETY CONTROL MEASURES:

a. PACKAGING: Prescribed packagings are non-DOT specification, hermetically sealed, non-refillable welded cylinders which are components of Fuji Electric Co., Ltd. Neutron Survey Meters, a neutron radiation detector. The design burst pressure of each cylinder must be at least four times the maximum operating pressure (service pressure). The cylinders must be manufactured in accordance with the design specifications and drawings in Fuji Electric Co., Ltd.'s application on file with the Office of Hazardous Materials Safety (OHMS) and with the following:

Cylinder volume: 1.5 liters (0.4 gallons)

Maximum operating pressure (service pressure): 0.4 MPa (58 psig).

Material: Stainless steel

- b. OPERATIONAL CONTROLS:

(1) Each cylinder must be shipped in a strong outer packaging capable of withstanding a drop test of at least 1.8 meters (6 feet) without breakage of the radiation detector or rupture of the outer packaging.

(2) If repackaged, packagings used to ship larger equipment containing radiation detectors covered by this special permit must be in strong outside packagings providing equivalent protection for the devices as specified in paragraph 7.b.(1) above.

(3) Emergency response information provided with the shipment and available via an emergency response telephone number must identify those cylinders that are not fitted with pressure relief devices and provide appropriate guidance for exposure to fire.

8. SPECIAL PROVISIONS:

a. In accordance with the provisions of Paragraph (b) of § 173.22a, persons may use the packaging authorized by this special permit for the transportation of the hazardous materials specified in paragraph 6, only in conformance with the terms of this special permit.

b. A person who is not a holder of this special permit, but receives a packaging covered by this special permit, may reoffer it for transportation provided no modification or change is made to the packaging and it is offered for transportation in conformance with this special permit and the HMR.

c. A current copy of this special permit must be maintained at each facility where the package is offered or reoffered for transportation.

d. Each packaging manufactured under the authority of this special permit must be either (1) marked with the name of the manufacturer and location (city and state) of the facility at which it is manufactured or (2) marked with a registration symbol designated by the Office of Hazardous Materials Special Permits and Approvals for a specific manufacturing facility.

e. A current copy of this special permit must be maintained at each facility where the packaging is manufactured under this special permit. It must be made available to a DOT representative upon request.

f. Except when offered for transportation by air:

(1) Packages covered by this special permit are excepted from the labeling requirement of Subpart E of 49 CFR Part 172.

(2) Shipments are not subject to the placarding requirements of Subpart F of 49 CFR Part 172.

9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle, cargo aircraft, and rail freight.

10. MODAL REQUIREMENTS: A current copy of this special permit must be carried aboard each aircraft or motor vehicle used to transport packages covered by this special permit. The shipper must furnish a copy of this special permit to the air carrier before or at the time the shipment is tendered.

11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this special permit and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:
- o All terms and conditions prescribed in this special permit and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
 - o Persons operating under the terms of this special permit must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
 - o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this special permit must receive training on the requirements and conditions of this special permit in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this special permit, including display of its number, when this special permit has expired or is otherwise no longer in effect.

Under Title VII of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU)—“The Hazardous Materials Safety and Security Reauthorization Act of 2005” (Pub. L. 109-59), 119 Stat. 1144 (August 10, 2005), amended the Federal hazardous materials transportation law by changing the term “exemption” to “special permit” and authorizes a special permit to be granted up to two years for new special permits and up to four years for renewals.

12. **REPORTING REQUIREMENTS:** Shipments or operations conducted under this special permit are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 - Immediate notice of certain hazardous materials incidents, and 171.16 - Detailed hazardous materials incident reports. In addition, the grantee(s) of this special permit must notify the Associate Administrator for Hazardous Materials Safety, in writing, of any incident involving a package, shipment or operation conducted under terms of this special permit.

Issued in Washington, D.C.:



for William Schoonover
Associate Administrator for Hazardous Materials Safety

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, East Building PHH-13, 1200 New Jersey Avenue, Southeast, Washington, D.C. 20590.

Copies of this special permit may be obtained by accessing the Hazardous Materials Safety Homepage at <https://www.phmsa.dot.gov/approvals-and-permits/hazmat/special-permits-search>. Photo reproductions and legible reductions of this special permit are permitted. Any alteration of this special permit is prohibited.

PO: Jephthah Nti