

March 02, 2017



U.S. Department
of Transportation

East Building, PHH-30
1200 New Jersey Avenue S.E.
Washington, D.C. 20590

**Pipeline and Hazardous
Materials Safety Administration**

DOT-SP 16275
(FIRST REVISION)

EXPIRATION DATE: 2021-02-28

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. GRANTEE: ThyssenKrupp Bilstein of America, Inc.
Hamilton, OH
2. PURPOSE AND LIMITATION:
 - a. This special permit authorizes the transportation in commerce of accumulators meeting the requirements of § 173.306(f)(2) except that the charge pressure may exceed 200 psig and the initial pressure test is waived as provided herein. This special permit provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein. The most recent revision supersedes all previous revisions.
 - b. The safety analyses performed in the development of this special permit only considered the hazards and risks associated with the transportation in commerce.
 - c. No party status will be granted to this special permit.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 173.306(f)(2) in that the accumulators may exceed 200 psig and the initial pressure test is waived, as provided herein.
5. BASIS: This special permit is based on the application of ThyssenKrupp Bilstein of America, Inc. dated January 6, 2017 submitted in accordance with § 107.109.

March 02, 2017

6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Hazardous Materials Description			
Proper Shipping Name	Hazard Class/ Division	Identification Number	Packing Group
Articles, pressurized pneumatic or hydraulic containing non-flammable gas	2.2	UN3164	N/A

7. SAFETY CONTROL MEASURES:a. PACKAGING -

(1) Prescribed packaging is a non-refillable "accumulator" as defined in § 173.306(f)(2). The authorized packaging must be constructed in accordance with the drawings and manufacturing procedures on file with the Office of Hazardous Materials Safety Approvals and Permits Division. The accumulators must conform to the following:

(i) Each accumulator must comply with the Drawing No. F4-BE5-2407-H0 and have a maximum volume capacity of 310 cm³. The accumulators must be designed and fabricated for a burst pressure of not less than 10 times the charge pressure.

(ii) Each accumulator may not have a charge pressure exceeding 320 psig.

(2) Each package must be prepared and shipped in accordance with the following:

(i) Each accumulator must be shipped as an inside packaging. Accumulators must be shipped in a UN standard 4G fiberboard box meeting the Packing Group I performance level.

(ii) The outside of each package must be plainly and durably marked "INSIDE CONTAINERS COMPLY WITH DOT-SP 16275".

March 02, 2017

b. TESTING - The initial pressure test to 3 times the charge pressure required by § 173.306(f)(2)(iii) is waived.

8. SPECIAL PROVISIONS:

a. Under the terms of this special permit, the grantee may only offer hazardous materials (i.e., the grantee is not authorized as a carrier).

b. A person who is not a holder of this special permit who receives a package covered by this special permit may reoffer it for transportation provided no modification or change is made to the package and it is reoffered for transportation in conformance with this special permit and the HMR.

c. A current copy of this special permit must be maintained at each facility where the package is offered or reoffered for transportation.

9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle and rail freight.

10. MODAL REQUIREMENTS: A current copy of this special permit must be carried aboard each motor vehicle used to transport packages covered by this special permit.

11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this special permit and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:

- o All terms and conditions prescribed in this special permit and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
- o Persons operating under the terms of this special permit must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
- o Registration required by § 107.601 et seq., when applicable.

March 02, 2017

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this special permit must receive training on the requirements and conditions of this special permit in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this special permit, including display of its number, when this special permit has expired or is otherwise no longer in effect.

Under Title VII of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU)—"The Hazardous Materials Safety and Security Reauthorization Act of 2005" (Pub. L. 109-59), 119 Stat. 1144 (August 10, 2005), amended the Federal hazardous materials transportation law by changing the term "exemption" to "special permit" and authorizes a special permit to be granted up to two years for new special permits and up to four years for renewals.

12. REPORTING REQUIREMENTS: Shipments or operations conducted under this special permit are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 Immediate notice of certain hazardous materials incidents, and 171.16 Detailed hazardous materials incident reports. In addition, the grantee(s) of this special permit must notify the Associate Administrator for Hazardous Materials Safety, in writing, of any incident involving a package, shipment or operation conducted under terms of this special permit.

Issued in Washington, D.C.:



for William Schoonover
Associate Administrator for Hazardous Materials Safety

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Pipeline and Hazardous Material Safety Administration, U.S. Department of Transportation, East Building PHH-30, 1200 New Jersey Avenue, Southeast, Washington, D.C. 20590.

March 02, 2017

Copies of this special permit may be obtained by accessing the Hazardous Materials Safety Homepage at http://hazmat.dot.gov/sp_app/special_permits/spec_perm_index.htm. Photo reproductions and legible reductions of this special permit are permitted. Any alteration of this special permit is prohibited.

PO: Majors/TD