



U.S. Department
of Transportation

Research and
Special Programs
Administration

400 Seventh Street, S.W.
Washington, D.C. 20590

DOT-E 7032 (EXTENSION)
SECOND REVISION May 10, 1988

In accordance with 49 CFR 107.109 of the Department of Transportation (DOT) Hazardous Materials Regulations DOT-E 7032 is hereby extended for the party(ies) listed below by changing the expiration date in paragraph 10 to April 30, 1999. This change is effective from the issue date of this extension. All other terms of the exemption remain unchanged.

This extension applies only to party(ies) listed below based on the application(s) received in accordance with 49 CFR 107.109. This extension constitutes a necessary part of this exemption and must be attached to it.

Alan I. Roberts
Alan I. Roberts
Associate Administrator
for Hazardous Materials Safety

11/21/88
(DATE)

Dist: FAA

EXEMPTION HOLDER

APPLICATION DATE

Polaroid Corporation
Needham, MA

February 2, 1997



U.S. Department
of Transportation

**Research and
Special Programs
Administration**

DOT-E 7032
(SECOND REVISION)

MAY 10 1988


400 Seventh Street, S.W.
Washington, D.C. 20590

KL

1. Polaroid Corporation, Needham, Massachusetts, is hereby granted an exemption from certain provisions of this Department's Hazardous Materials Regulations to offer packages prescribed herein of a certain corrosive solid for transportation in commerce subject to the limitations and special requirements specified herein. This exemption authorizes the carriage of outside packages exceeding the 100 pounds limitation aboard cargo aircraft only, and provides no relief from any regulation other than as specifically stated.
2. BASIS. This exemption is based on Polaroid Corporation's application dated January 11, 1988, submitted in accordance with 49 CFR 107.105 and the public proceeding thereon.
3. HAZARDOUS MATERIALS (Descriptor and class). Film developer having viscosity within range of 100,000 to 200,000 centipoises.
4. PROPER SHIPPING NAME (49 CFR 172.101). Corrosive solid, n.o.s.
5. REGULATION AFFECTED. 49 CFR 172.101, 175.3.
6. MODE OF TRANSPORTATION AUTHORIZED. Cargo aircraft only.
7. SAFETY CONTROL MEASURES. Packaging prescribed is a non-DOT specification removable head drum made of 16 gauge stainless steel with a capacity of 55-gallons. Top head must be secured to drum by means of a 12 gauge locking ring and 5/8 inch nut and bolt. Drum must be mounted on a wood pallet and enclosed with a plywood cover secured to the pallet with steel strapping as shown on drawings and photographs on file with the Office of Hazardous Materials Transportation (OHMT). Package gross weight is approximately 850 pounds.
8. SPECIAL PROVISIONS.
 - a. Persons who receive packages covered by this exemption may reship them pursuant to the provisions of 49 CFR 173.22a.
 - b. A copy of this exemption must be carried aboard each aircraft used to transport packages covered by this exemption.
9. REPORTING REQUIREMENTS. Any incident involving loss of contents of the package or damage to the packaging must be reported to the OHMT as soon as practicable.

10. EXPIRATION DATE. April 1, 1990.

Issued at Washington, D.C.:

for


Alan I. Roberts
Director
Office of Hazardous Materials Transportation

MAY 10 1988

(DATE)

Address all inquiries to: Director, Office of Hazardous Materials
Transportation, Research and Special Programs Administration, U.S.
Department of Transportation, Washington, D.C., 20590.
Attention: Exemptions Branch.

Dist: FAA