



U.S. Department
of Transportation

Research and
Special Programs
Administration


400 Seventh Street, S.W.
Washington, D.C. 20590

DOT-E 7719 (EXTENSION)
THIRD REVISION May 15, 1985

In accordance with 49 CFR 107.105 of the Department of Transportation (DOT) Hazardous Materials Regulations DOT-E 7719 is hereby extended for the party(ies) listed below by changing the expiration date in paragraph 10 to March 31, 1996. This change is effective from the issue date of this extension. All other terms of the exemption remain unchanged.

This extension applies only to party(ies) listed below based on the application(s) received in accordance with 49 CFR 107.105. This extension constitutes a necessary part of this exemption and must be attached to it.

APR 26 1994


Alan I. Roberts
Associate Administrator
for Hazardous Materials Safety

(DATE)

Dist: FHWA FRA

EXEMPTION HOLDER

APPLICATION DATE

Turner Division of Cooper Hand Tools
Sycamore, IL

March 10, 1994

ADVISORY

IF YOU ARE A HOLDER OF AN EXEMPTION THAT AUTHORIZES THE USE OF A PACKAGING WITH A MAXIMUM CAPACITY LESS THAN 450 L (119 GALLONS) OR A MAXIMUM NET MASS LESS THAN 400 KG (882 POUNDS), PLEASE BE ADVISED THAT YOUR EXEMPTION MAY NOT BE RENEWED BEYOND SEPTEMBER 30, 1996. IN ADDITION, NO NEW CONSTRUCTION OF PACKAGINGS WHICH FALL WITHIN THE NON-BULK CAPACITIES LISTED ABOVE ARE AUTHORIZED AFTER SEPTEMBER 30, 1994. THIS IS CONSISTENT WITH THE IMPLEMENTATION OF THE NEW PACKAGING REQUIREMENTS ADOPTED UNDER DOCKET HM-181. ANY APPLICATION SUBMITTED TO THIS OFFICE TO RENEW AN EXEMPTION BEYOND THE SEPTEMBER 30, 1996 DATE WILL BE DENIED UNLESS THE APPLICATION CONTAINS SUPPORTING INFORMATION TO JUSTIFY THE CONTINUATION OF THE EXEMPTION.



U.S. Department
of Transportation

Research and
Special Programs
Administration

400 Seventh Street, S.W.
Washington, D.C. 20590

DOT-E 7719
(THIRD REVISION)

1. Turner Company, Sycamore, Illinois, is hereby granted an exemption from those provisions of this Department's Hazardous Materials Regulations specified in paragraph 5 below to offer packages of a certain flammable compressed gas for transportation in commerce subject to the limitations and special requirements specified herein. This exemption authorizes the use of a brazed DOT Specification 39 cylinder, and provides no relief from any regulation other than as specifically stated.
2. BASIS. This exemption is based on Turner Company's applications dated September 10, 1984, and February 12, 1985, submitted in accordance with 49 CFR 107.105 and the public proceeding thereon; supplemented by letter dated February 18, 1985.
3. HAZARDOUS MATERIAL (Descriptor and class). Methylacetylene-propadiene, stabilized, classed as a flammable gas.
4. PROPER SHIPPING NAME (49 CFR 172.101). Methylacetylene-propadiene, stabilized.
5. REGULATION AFFECTED. 49 CFR 173.304, 175.3; 178.65.
6. MODES OF TRANSPORTATION AUTHORIZED. Motor vehicle, rail freight cargo aircraft only.
7. SAFETY CONTROL MEASURES. Packaging prescribed is DOT Specification 39 non-refillable steel cylinder, having 240 psig service pressure. Seams must be of a brazed alloy having a melting point of not lower than 1,000°F. Brazing alloy must have copper content less than 60 percent and be in accordance with alloy specifications on file with the Office of Hazardous Materials Regulation (OMHR).
8. SPECIAL PROVISIONS. Persons who receive packages covered by this exemption may reshipe them pursuant to the provisions of 49 CFR 173.22a.
9. REPORTING REQUIREMENTS. Any incident involving loss of contents of the package must be reported to the OHMR as soon as practicable.
10. EXPIRATION DATE. November 1, 1986.

Issued at Washington, D.C.:

Alan I. Roberts
Associate Director for
Hazardous Materials Regulation
Materials Transportation Bureau

MAY 15 1985

(DATE)

Address all inquiries to : Associate Director for Hazardous Materials Regulation,
Materials Transportation Bureau, Research and Special Programs Administration,
U.S. Department of Transportation, Washington, D.C., 20590. Attention: Exemptions
Branch.

Dist: FHWA, FRA, FAA