



U.S. Department  
of Transportation

**Pipeline and Hazardous  
Materials Safety  
Administration**

**January 30, 2023**

1200 New Jersey Avenue, SE  
Washington, DC 20590

DOT-SP 8914  
(FOURTEENTH REVISION)

**EXPIRATION DATE: 2026-12-31**

(FOR RENEWAL, SEE 49 CFR 107.109)

1. GRANTEE: Amerijet International, Inc.  
Miami Springs, FL  
FAA Certificate Number: PCSA059B (Part 121)
2. PURPOSE AND LIMITATION:
  - a. This special permit authorizes the transportation in commerce of certain Division 1.1, 1.2, 1.3 and 1.4 explosives, which are forbidden or exceed quantities authorized for transportation aboard cargo-only aircraft. This special permit provides no relief from the Hazardous Materials Regulations (HMR) or the International Civil Aviation Organization's Technical Instructions for the Safe Transport of Dangerous Goods by Air (ICAO TI) other than as specifically stated herein. The most recent revision supersedes all previous revisions.
  - b. The safety analyses performed in development of this special permit only considered the hazards and risks associated with transportation in commerce.
  - c. This special permit serves as an "exemption" as defined in 1;3.1.1 of the ICAO TI and as a "Competent Authority Approval" as defined under 49 CFR § 107.1.
  - d. No party status will be granted to this special permit.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 172.101 Hazardous Materials Table Column (9B), § 173.27(b)(2) and (3) and § 175.30(a)(1) in that the explosives are forbidden aboard cargo-only aircraft or the quantity limitation may not be exceeded, except as specified herein.

Tracking Number: 2022114576

5. BASIS: This special permit is based on Amerijet International, Inc.'s application dated November 11, 2022, submitted in accordance with § 107.109.
6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Hazardous Materials Description			
Proper Shipping Name	Hazard Class/ Division	Identification Number	Packing Group
Specific commodity name or generic description, as appropriate	Division 1.1, 1.2, 1.3 and 1.4, as appropriate	As appropriate	As appropriate

7. SAFETY CONTROL MEASURES:

PACKAGING: As prescribed in § 173.62.

- a. Authorized explosives: Division 1.1, 1.2, 1.3 and 1.4 explosives that are not permitted for shipment aboard cargo aircraft, or are in quantities greater than those prescribed for shipment aboard cargo-only aircraft in 49 CFR Parts 100 through 180, may be accepted and transported aboard cargo-only aircraft subject to the conditions stated herein. Explosives carried under the terms of this special permit must be authorized to be transported by common carrier by highway by 49 CFR Parts 100 through 180.
- b. Any shipper who offers for transportation in commerce explosives hazardous materials forbidden aboard aircraft requires permission from the Competent Authority of the States of departure and destination authorizing the offering of explosives hazardous materials forbidden for transportation in commerce aboard aircraft. The shipper must furnish a copy of such document(s) to the grantee of this special permit before or at the time the shipment is tendered.
- c. Authorized aircraft: The aircraft to be used must be authorized by Amerijet International, Inc.'s FAA operations certificate.
- d. Operations manual: Operations must be conducted in accordance with conditions and limitations specified in the certificate holder's operations manual accepted by the FAA.

- e. Maximum weight: The net weight of explosives may not exceed the payload capacity of the FAA certificated type aircraft. The safe operational weight limit of the aircraft may not be exceeded.
- f. Authorized persons aboard aircraft: No person other than a required flight crewmember, an FAA inspector, the shipper or consignee of the material or a representative of the shipper or consignee so designated in writing or person necessary for handling the material may be carried on the aircraft.
- g. Advanced Notice to FAA Office of Hazardous Materials Safety. The operator of the aircraft must notify the FAA Office of Hazardous Materials Safety ([9-AWA-AXH-SPFlightNotifications@faa.gov](mailto:9-AWA-AXH-SPFlightNotifications@faa.gov)) and the FAA Hazardous Materials Principal Inspector assigned to the certificate holder. This notification must be given at least 72 hours in advance of plans to operate under the special permit, unless prior arrangements have been made with the Office of Hazardous Materials Safety. The notification must include the point of departure, intermediate stops, destination(s), and a loading and departure schedule. If a flight schedule deviates more than four hours from the originally scheduled departure time, the operator of the aircraft must immediately notify [9-AWA-AXH-SPFlightNotifications@faa.gov](mailto:9-AWA-AXH-SPFlightNotifications@faa.gov). Alternative notification procedures may be established subject to the written approval of the FAA Office of Hazardous Materials Safety.
- h. Advance permission from airport: The operator of the aircraft must have advance permission from the owner or operator of each manned airport where the material is to be loaded or unloaded or where aircraft is to land while the materials are on board. When the destination is changed after departure because of weather or other unforeseen circumstances, permission from the owner or operator of the alternate airport must be obtained as soon as practicable.
- i. Flight plan: For flights within the United States only, the operator of the aircraft must include the following information in the “Remarks” section of each flight plan when the provisions of this special permit are exercised:
- (1) The classification of each hazardous material aboard the aircraft.
  - (2) The net weight of each class of hazardous material aboard the aircraft.
  - (3) This requirement does not apply to operations where a flight plan cannot be filed (e.g., operating in remote areas or uncontrolled airspace).
- j. Loading and unloading: Loading and unloading operations under this special permit must comply with the following:
- (1) The loading and unloading of the aircraft must be conducted at a safe distance from heavily populated areas and from any place of human abode or

assembly. However, at an airport where the airport owner or operator or authorized representative thereof has designated a specific location for loading or unloading, the explosives may not be loaded or unloaded at any other location.

(2) Carriage of explosives under this special permit is subject to the same limitations and conditions specified for their transportation by motor vehicle in § 177.835(g) and § 177.848.

(3) The loading arrangements to be used aboard the aircraft for the materials listed in paragraph 6 must be identified in the operator's operating specifications and have been accepted and approved in writing by an FAA-assigned Principal Operations Inspector in accordance with the operator's approved weight and balance program.

(4) During loading or unloading, no person may smoke an electronic cigarette, smoke or carry a lighted cigarette, cigar or pipe or operate any device capable of causing an open flame or spark within 50 feet of the aircraft.

(5) No fueling operations of the aircraft carried out during loading and unloading of the explosives.

k. Requirements during operation of aircraft: Operation of the aircraft during takeoff, en route and landing must be conducted at a safe distance from heavily populated areas.

(1) Before movement of the aircraft, prior to take-off and prior to entering an airport traffic area, the pilot of the aircraft must notify the control tower of the class(es) of explosive(s) (including ammunition) on board, and request that this information be released to the appropriate airport officials. This notification must be either communicated by radio transmission or facsimile transmission.

(2) In the event of a diversion from the scheduled route of flight to an airport that was not previously scheduled, the flight crew must notify the control tower during the approach phase of the amount of class of explosives on board and request this information be relayed to the appropriate airport officials. This notification must be either communicated by radio transmission or facsimile transmission. For airports without control towers, this communication must be made to the Flight Service Station nearest the airport of intended landing.

(3) When under radar control during the approach and landing phase, the pilot must request appropriate vectors to avoid heavily populated areas.

(4) Whenever explosives are on board the aircraft, no person on the aircraft may smoke an electronic cigarette, smoke or carry a lighted cigarette, cigar or pipe or operate any device capable of causing an open flame or spark.

l. Pilot requirements: The operator of the aircraft must ensure the following with respect to pilots of aircraft operating under this special permit:

(1) A minimum of two pilots is required aboard any multi-engine aircraft carrying explosives under this special permit.

(2) Each pilot of the aircraft must be provided written instructions stating the conditions and limitations of the operations being conducted and the name of the official(s) granting the advance permission required by paragraph 7.g. above except when a landing permit has been granted by an agency of the Department of Defense for landing at a military installation.

(3) Each pilot of an aircraft being operated under this special permit must have received formal training on the requirements of 49 CFR Parts 170-180 that are applicable to his duties and be thoroughly familiar with the specific requirements of this special permit.

m. Attendance of explosives: Division 1.1, 1.2 and 1.3 explosives must be attended at all times they are in the possession of the operator (from the time of receipt from the consignor until time of receipt by the consignee) unless placed in an explosive storage magazine that is approved by the Federal, State or local authority or at a location on a military installation designated by appropriate military authorities.

n. A copy of the required security plan must be made available to any DOT inspector upon request.

8. SPECIAL PROVISIONS:

a. The aircraft operator must maintain permanent records of each flight during which explosives are carried under the authority of this special permit. This record must be made available at its principal business office to representatives of the Federal Aviation Administration and submitted to the Associate Administrator for Hazardous Materials Safety (AAHMS) upon request. The record for each flight must include:

(1) Name of the shipper(s).

(2) Name of the consignee(s).

(3) Origin airport(s).

- (4) En route airport(s).
- (5) Destination airport.
- (6) Shipping name and class of each explosive.
- (7) Net weight of each explosive.
- (8) Name of each pilot and any other person aboard the aircraft.
- (9) Registration number of the aircraft.
- (10) Name of the individual representing the owner or operator of each manned airport who granted advance permission for the aircraft to land or take-off while it was being operated under this special permit.

The record required by this paragraph must be maintained current to within 72 hours of each flight under this special permit.

b. This special permit does not waive any FAA airworthiness requirements or the need to obtain other required FAA authorizations.

c. This special permit in no way affects the need to obtain any required authorizations from other agencies of the United States Government or from the competent authorities of the States of origin, transit, over flight, and destination of the consignment, as well as the State of the air operator.

- 9. MODES OF TRANSPORTATION AUTHORIZED: Cargo-only aircraft.
- 10. MODAL REQUIREMENTS: A current copy of this special permit must be carried aboard each cargo-only aircraft used to transport explosives covered by this special permit.
- 11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this special permit and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5105 et seq:
  - o All terms and conditions prescribed in this special permit and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
  - o Persons operating under the terms of this special permit must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable. In addition, the air carrier must comply with all cargo security mandates as required by the air carrier's applicable TSA approved security program and

associated security directives.

- o Registration required by § 107.601 et seq., when applicable.

Each “Hazmat employee”, as defined in § 171.8 who performs a function subject to this special permit must receive training on the requirements and conditions of this special permit in addition to the training required by § 172.700 through § 172.704.

No person may use or apply this exemptions, including display of its number, when the special permit has expired or is otherwise no longer in effect.

Under Title VII of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU)- “The Hazardous Materials Safety and Security Reauthorization Act of 2005” (Pub. L. 109-59), 119 Stat. 1144 (August 10, 2005), amended the Federal hazardous materials transportation law by changing the term “exemption” to “special permit” and authorizes a special permit to be granted up to two years for new special permits and up to four years for renewals.

12. REPORTING REQUIREMENTS: Shipments or operations conducted under this special permit are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 Immediate notice of certain hazardous materials incidents, and 171.16 Detailed hazardous materials incident reports. In addition, the grantee(s) of this special permit must notify the Associate Administrator for Hazardous Materials Safety, in writing, of any incident involving a package, shipment or operation conducted under terms of this special permit.

Issued in Washington, D.C.:



for William Schoonover  
Associate Administrator for Hazardous Materials Safety

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Pipeline and Hazardous Material Safety Administration, U.S. Department of Transportation, East Building PHH-13, 1200 New Jersey Avenue, Southeast, Washington, D.C. 20590.

Copies of this special permit may be obtained by accessing the Hazardous Materials Safety Homepage at <https://www.phmsa.dot.gov/approvals-and-permits/hazmat/special-permits-search>. Photo reproductions and legible reductions of this special permit are permitted. Any alteration of this special permit is prohibited.

PO: JN