




[illegible]

C3	Comment	Overspeed for 220.13 feet.	5349.30	53+49		15.7	0.617											15.8	42.5	26.7	17.3			
W27	Wall change from .617 to .740 for 2.80 feet - Enduro predicted		5593.67	55+94	527666.8	10.7	0.740											0.0	2.8	2.8	7.2		(b) (7)(F)	2610
B14	Bend 14.41 deg. 3.0 Ds Right Turn MCSO: 39.58	Before ult w.: 0.5%(0.211) MCSO: 40.4 ID:40.8 mph:11.1 C k:4 to 10 After d/s w.: 0.5%(0.231) MCSO: 40.5 ID:40.8 mph:10.0 C k:4 to 10 MPH coming into Bend (-10ft): 13.9 Leaving Bend (+10ft): 8.4 Min MPH over range: 8.4 at Index 1281482	5595.07	55+95		11.8	0.740											39.58	1.4	2.8	1.4	7.2		
W28	Wall change from .740 to .617 for 239.27 feet - Enduro predicted		5596.47	55+96	527669.11	10.8	0.617											0.0	7.2	7.2	32.1			2609
B15	Bend 49.3 deg. 3.0 Ds Right Turn MCSO: 39.86	Before ult w.: 0.9%(0.388) MCSO: 40.3 ID:40.8 mph:8.1 C k:2 to 8 After d/s w.: 1.0%(0.432) MCSO: 39.9 ID:40.5 mph:3.6 C k:6 to 12 MPH coming into Bend (-10ft): 10.2 Leaving Bend (+10ft): 4.4 Min MPH over range: 0.3 at Index 1309200	5834.25	58+34		2.7	0.617											39.86	4.5	6.0	1.5	3.7		
W29	Wall change from .617 to .740 for 3.70 feet - Enduro predicted		5835.74	58+36	527903.25	1.2	0.740											0.0	3.7	3.7	2.2			2560
W30	Wall change from .740 to .617 for 982.86 feet - Enduro predicted		5839.44	58+39	527906.57	2.6	0.617											0.0	2.2	2.2	42.5			2559
W31	Wall change from .617 to .740 for 3.82 feet - Enduro predicted		6822.30	68+22	528883.57	3.8	0.740											0.0	3.8	3.8	5.1			2516
B16	Bend 20.68 deg. 3.0 Ds Left Turn MCSO: 39.40	Before ult w.: 0.6%(0.336) MCSO: 40.4 ID:40.8 mph:4.0 C k:6 to 12 After d/s w.: 0.7%(0.286) MCSO: 40.5 ID:40.8 mph:2.2 C k:6 to 12 MPH coming into Bend (-10ft): 7.2 Leaving Bend (+10ft): 4.7 Min MPH over range: 0.3 at Index 1427950	6824.21	68+24		3.4	0.740											39.40	1.9	3.8	1.9	5.1		
W32	Wall change from .740 to .617 for 506.72 feet - Enduro predicted		6826.12	68+26	528884.84	1.8	0.617											0.0	5.1	5.1	19.3			2516
W33	Wall change from .617 to .740 for 3.92 feet - Enduro predicted		7332.84	73+33	529377.07	12.6	0.740											0.0	3.9	3.9	5.0			2611
B17	Bend 20.39 deg. 3.0 Ds Left Turn MCSO: 39.62	Before ult w.: 0.4%(0.176) MCSO: 40.4 ID:40.8 mph:11.6 C k:3 to 9 After d/s w.: 0.4%(0.182) MCSO: 40.5 ID:40.8 mph:11.8 C k:4 to 10 MPH coming into Bend (-10ft): 10.4 Leaving Bend (+10ft): 12.4 Min MPH over range: 8.6 at Index 1488228	7334.81	73+35		12.6	0.740											39.62	2.0	3.9	1.9	5.0		
W34	Wall change from .740 to .617 for 20.93 feet - Enduro predicted		7336.76	73+37	529381.71	12.3	0.617											0.0	5.0	5.0	11.9			2612
C4	Comment	Overspeed for 275.59 feet.	7356.16	73+56		15.7	0.617											2.5	4.0	1.5	3.2			
W35	Wall change from .617 to .740 for 3.20 feet - Enduro predicted		7357.69	73+58	529413.83	17.5	0.740											0.0	3.2	3.2	28.8			2614
B18	Bend 20.30 deg. 3.0 Ds Left Turn MCSO: 38.93	Before ult w.: 0.3%(0.141) MCSO: 40.5 ID:40.8 mph:15.2 C k:4 to 10 After d/s w.: 0.6%(0.257) MCSO: 40.4 ID:40.8 mph:15.6 C k:2 to 8 MPH coming into Bend (-10ft): 13.8 Leaving Bend (+10ft): 16.6 Min MPH over range: 12.4 at Index 1491577	7359.29	73+59		16.5	0.740											38.93	1.6	3.2	1.6	28.8		
W36	Wall change from .740 to .617 for 28.82 feet - Enduro predicted		7360.89	73+61	529417.33	16.0	0.617											0.0	28.8	28.8	2.9			2614
W37	Wall change from .617 to .740 for 2.89 feet - Enduro predicted		7389.71	73+90	529445.12	20.9	0.740											0.0	2.9	2.9	10.0			2612
B19	Bend 18.47 deg. 3.0 Ds Left Turn MCSO: 38.05	Before ult w.: 0.5%(0.216) MCSO: 40.5 ID:40.8 mph:19.5 C k:5 to 12 After d/s w.: 0.5%(0.193) MCSO: 40.5 ID:40.8 mph:18.5 C k:3 to 9 MPH coming into Bend (-10ft): 18.2 Leaving Bend (+10ft): 20.0 Min MPH over range: 16.4 at Index 1495396	7391.17	73+91		20.3	0.740											38.05	1.5	2.9	1.4	10.0		
W38	Wall change from .740 to .617 for 1665.17 feet - Enduro predicted		7392.60	73+93	529448.62	19.5	0.617											0.0	10.0	10.0	38.2			2612
W39	Wall change from .617 to .740 for 2.62 feet - Enduro predicted		9057.77	90+58	531107.56	6.2	0.740											0.0	2.6	2.6	7.1			2586
B20	Bend 12.87 deg. 3.0 Ds Right Turn MCSO: 40.21	Before ult w.: 0.4%(0.177) MCSO: 40.5 ID:40.8 mph:5.7 C k:3 to 9 After d/s w.: 0.3%(0.141) MCSO: 40.6 ID:40.8 mph:6.3 C k:3 to 9 MPH coming into Bend (-10ft): 4.7 Leaving Bend (+10ft): 7.5 Min MPH over range: 4.6 at Index 1695025	9059.10	90+59		6.7	0.740											40.21	1.3	2.6	1.3	7.1		
W40	Wall change from .740 to .617 for 210.42 feet - Enduro predicted		9060.39	90+60	531109.63	6.4	0.617											0.0	7.1	7.1	42.0			2586

[illegible]

W56	Wall change from .740 to .617 for 881.12 feet - Enduro predicted		12109.18	121+09	534089.74	3.7	0.617										0.0	15.6	15.6	40.0	2591
W57	Wall change from .617 to .740 for 3.75 feet - Enduro predicted		12990.30	129+90	534968.74	7.0	0.740										0.0	3.7	3.7	8.4	2626
B29	Bend 20.73 deg. 3.0 Ds Left Turn MCSD: 39.83	Before ult w.: 1.2% (0.502) MCSD: 40.2 ID:40.8 mph:6.7 Ck:4 to 10 After dis w.: 0.9% (0.367) MCSD: 40.4 ID:40.8 mph:6.6 Ck:4 to 10 MPH coming into Bend (-10ft): 6.1 Leaving Bend (+10ft): 7.4 Min MPH over range: 5.1 at Index 2167488	12992.17	129+92		7.1	0.740									39.83	1.9	3.7	1.9	8.4	
W58	Wall change from .740 to .617 for 92.33 feet - Enduro predicted		12994.05	129+94	534972.21	6.7	0.617										0.0	8.4	8.4	35.0	2626
W59	Wall change from .617 to .740 for 3.11 feet - Enduro predicted		13086.38	130+86	535063.41	13.4	0.740										0.0	3.1	3.1	5.0	2637
B30	Bend 15.89 deg. 3.0 Ds Left Turn MCSD: 39.54	Before ult w.: 0.7% (0.281) MCSD: 40.4 ID:40.8 mph:12.2 Ck:6 to 12 After dis w.: 0.7% (0.306) MCSD: 40.4 ID:40.8 mph:12.0 Ck:2 to 8 MPH coming into Bend (-10ft): 12.1 Leaving Bend (+10ft): 13.0 Min MPH over range: 10.1 at Index 2178438	13087.95	130+88		13.0	0.740									39.54	1.6	3.1	1.5	5.0	
W60	Wall change from .740 to .617 for 95.01 feet - Enduro predicted		13089.49	130+89	535066.63	12.1	0.617										0.0	5.0	5.0	26.3	2637
W61	Wall change from .617 to .740 for 2.77 feet - Enduro predicted		13184.50	131+84	535159.37	15.9	0.740										0.0	2.8	2.8	4.9	2627
B31	Bend 15.8 deg. 3.0 Ds Left & Up Turn MCSD: 39.88	Before ult w.: 0.2% (0.080) MCSD: 40.7 ID:40.8 mph:13.2 Ck:6 to 12 After dis w.: 0.3% (0.140) MCSD: 40.2 ID:40.5 mph:14.4 Ck:2 to 8 MPH coming into Bend (-10ft): 15.2 Leaving Bend (+10ft): 13.4 Min MPH over range: 11.1 at Index 2191806	13185.88	131+86		14.8	0.740									39.88	1.4	2.8	1.4	4.9	
W62	Wall change from .740 to .617 for 898.44 feet - Enduro predicted		13187.27	131+87	535162.01	13.3	0.617										0.0	4.9	4.9	27.6	2627
W63	Wall change from .617 to .740 for 4.27 feet - Enduro predicted		14085.71	140+86	536053.11	10.4	0.740										0.0	4.3	4.3	11.0	2614
B32	Bend 21.18 deg. 3.0 Ds Left Turn MCSD: 40.04	Before ult w.: 0.7% (0.307) MCSD: 40.4 ID:40.8 mph:9.8 Ck:4 to 10 After dis w.: 0.8% (0.340) MCSD: 40.4 ID:40.8 mph:9.8 Ck:4 to 10 MPH coming into Bend (-10ft): 9.7 Leaving Bend (+10ft): 10.0 Min MPH over range: 8.1 at Index 2298958	14087.84	140+88		10.2	0.740									40.04	2.1	4.3	2.1	11.0	
W64	Wall change from .740 to .617 for 453.85 feet - Enduro predicted		14089.97	140+90	536057.04	9.2	0.617										0.0	11.0	11.0	39.2	2614
W65	Wall change from .617 to .740 for 4.96 feet - Enduro predicted		14543.82	145+44	536504.08	7.7	0.740										0.0	5.0	5.0	7.0	2572
B33	Bend 26.54 deg. 3.0 Ds Right Turn MCSD: 39.85	Before ult w.: 0.5% (0.217) MCSD: 40.5 ID:40.8 mph:7.3 Ck:1 to 7 After dis w.: 0.5% (0.191) MCSD: 40.6 ID:40.8 mph:8.5 Ck:1 to 7 MPH coming into Bend (-10ft): 2.9 Leaving Bend (+10ft): 9.5 Min MPH over range: 2.9 at Index 2353257	14546.32	145+46		8.2	0.740									39.85	2.5	5.0	2.5	7.0	
W66	Wall change from .740 to .617 for 157.27 feet - Enduro predicted		14548.78	145+49	536508.84	8.0	0.617										0.0	7.0	7.0	40.0	2571
W67	Wall change from .617 to .740 for 5.15 feet - Enduro predicted		14706.05	147+06	536662.96	9.5	0.740										0.0	5.1	5.1	10.9	2556
B34	Bend 26.38 deg. 3.0 Ds Right Turn MCSD: 40.08	Before ult w.: 0.6% (0.258) MCSD: 40.5 ID:40.8 mph:7.5 Ck:2 to 8 After dis w.: 0.3% (0.118) MCSD: 40.6 ID:40.8 mph:7.5 Ck:1 to 7 MPH coming into Bend (-10ft): 9.5 Leaving Bend (+10ft): 9.2 Min MPH over range: 6.9 at Index 2373449	14708.62	147+09		9.6	0.740									40.08	2.6	5.1	2.6	10.9	
W68	Wall change from .740 to .617 for 579.31 feet - Enduro predicted		14711.20	147+11	536666.54	8.5	0.617										0.0	10.9	10.9	5.4	2556
W69	Wall change from .617 to .740 for 7.57 feet - Enduro predicted		15290.51	152+91	537237.79	8.8	0.740										0.0	7.6	7.6	5.5	2551
B35	Bend 37.89 deg. 3.0 Ds Right Turn MCSD: 40.01	Before ult w.: 0.6% (0.271) MCSD: 40.5 ID:40.8 mph:7.8 Ck:2 to 8 After dis w.: 0.7% (0.274) MCSD: 40.4 ID:40.8 mph:8.8 Ck:2 to 8 MPH coming into Bend (-10ft): 8.2 Leaving Bend (+10ft): 9.9 Min MPH over range: 6.3 at Index 2443567	15294.28	152+94		9.0	0.740									40.01	3.8	7.6	3.8	5.5	
W70	Wall change from .740 to .617 for 1142.84 feet - Enduro predicted		15298.07	152+98	537245.17	9.0	0.617										0.0	5.5	5.5	43.0	2551
W71	Wall change from .617 to .740 for 4.04 feet - Enduro predicted		16440.92	164+41	538375.29	8.4	0.740										0.0	4.0	4.0	10.3	2556

(b) (7)(F)

B36	Bend 18.35 deg. 3.0 Ds Left Turn MCSD: 39.86	Before u/s w.: 1.1%(0.456) MCSD: 40.2 ID:40.8 mph;8.2 Clk:1 to 7 After d/s w.: 0.9%(0.361) MCSD: 40.3 ID:40.8 mph;7.1 Clk:1 to 7 MPH coming into Bend (-10ft): 7.7 Leaving Bend (+10ft): 7.6 Min MPH over range: 6.8 at Index 2581584	16442.93	164+43		8.6	0.740											39.86	2.0	4.0	2.0	10.3			
W72	Wall change from .740 to .617 for 173.67 feet - Enduro predicted		16444.96	164+45	S38378.95	7.7	0.617												0.0	10.3	10.3	14.2			2556
W73	Wall change from .617 to .740 for 3.90 feet - Enduro predicted		16618.62	166+19	S38551.83	5.5	0.740												0.0	3.9	3.9	10.3			2561
B37	Bend 22.49 deg. 3.0 Ds Right Turn MCSD: 39.83	Before u/s w.: 0.6%(0.269) MCSD: 40.4 ID:40.8 mph;5.0 Clk:4 to 10 After d/s w.: 0.6%(0.253) MCSD: 40.5 ID:40.8 mph;1.5 Clk:5 to 11 MPH coming into Bend (-10ft): 6.5 Leaving Bend (+10ft): 5.8 Min MPH over range: 1.4 at Index 2603637	16620.58	166+21		4.5	0.740											39.83	2.0	3.9	1.9	10.3			
W74	Wall change from .740 to .617 for 459.42 feet - Enduro predicted		16622.52	166+23	S38555.65	3.3	0.617												0.0	10.3	10.3	38.3			2566
W75	Wall change from .617 to .740 for 6.67 feet - Enduro predicted		17081.95	170+82	S39014.95	7.4	0.740												0.0	6.7	6.7	7.8			2534
B38	Bend 33.66 deg. 3.0 Ds Right Turn MCSD: 39.94	Before u/s w.: 0.7%(0.301) MCSD: 40.4 ID:40.8 mph;6.6 Clk:2 to 8 After d/s w.: 0.8%(0.334) MCSD: 40.4 ID:40.8 mph;6.9 Clk:2 to 8 MPH coming into Bend (-10ft): 8.4 Leaving Bend (+10ft): 8.3 Min MPH over range: 5.7 at Index 2658544	17085.28	170+85		7.6	0.740											39.94	3.3	6.7	3.3	7.8			
W76	Wall change from .740 to .617 for 1290.75 feet - Enduro predicted		17088.62	170+89	S39020.73	7.6	0.617												0.0	7.8	7.8	42.3			2534
W77	Wall change from .617 to .740 for 3.07 feet - Enduro predicted		18379.37	183+79	S40294.57	8.4	0.740												0.0	3.1	3.1	5.1			2357
B39	Bend 15.91 deg. 3.0 Ds Left Turn MCSD: 40.06	Before u/s w.: 0.5%(0.210) MCSD: 40.5 ID:40.8 mph;8.3 Clk:6 to 12 After d/s w.: 0.5%(0.228) MCSD: 40.5 ID:40.8 mph;7.2 Clk:6 to 12 MPH coming into Bend (-10ft): 7.8 Leaving Bend (+10ft): 8.4 Min MPH over range: 6.1 at Index 2813541	18380.92	183+81		8.4	0.740											40.06	1.5	3.1	1.5	5.1			
W78	Wall change from .740 to .617 for 220.88 feet - Enduro predicted		18382.44	183+82	S40307.93	7.8	0.617												0.0	5.1	5.1	39.9			2357
W79	Wall change from .617 to .740 for 2.77 feet - Enduro predicted		18603.32	186+03	S40520.76	10.7	0.740												0.0	2.8	2.8	5.1			2325
B40	Bend 15.49 deg. 3.0 Ds Right Turn MCSD: 40.23	Before u/s w.: 0.3%(0.134) MCSD: 40.6 ID:40.8 mph;8.3 Clk:2 to 8 After d/s w.: 0.2%(0.102) MCSD: 40.6 ID:40.8 mph;9.9 Clk:6 to 12 MPH coming into Bend (-10ft): 10.6 Leaving Bend (+10ft): 10.5 Min MPH over range: 7.8 at Index 2841124	18604.72	186+05		10.2	0.740											40.23	1.4	2.8	1.4	5.1			
W80	Wall change from .740 to .617 for 342.32 feet - Enduro predicted		18606.10	186+06	S40523.25	9.9	0.617												0.0	5.1	5.1	43.0			2325
W81	Wall change from .617 to .888 for 4.29 feet - Enduro predicted		18948.42	189+48	S40855.99	6.9	0.888												0.0	4.3	4.3	16.6			2246
B41	Bend 22.83 deg. 3.0 Ds Up Turn MCSD: 39.73	Before u/s w.: 1.3%(0.554) MCSD: 40.2 ID:40.8 mph;8.3 Clk:1 to 7 After d/s w.: 0.6%(0.252) MCSD: 40.3 ID:40.5 mph;2.4 Clk:2 to 8 MPH coming into Bend (-10ft): 11.3 Leaving Bend (+10ft): 7.0 Min MPH over range: 0.3 at Index 2883679	18950.57	189+51		6.0	0.888											39.73	2.1	4.3	2.1	16.6			
W82	Wall change from .888 to .740 for 16.65 feet - Enduro predicted		18952.71	189+53	S40859.33	4.8	0.740												0.0	16.6	16.6	5.0			2246
W83	Wall change from .740 to .888 for 17.20 feet - Enduro predicted		18969.36	189+69	S40876.06	9.5	0.888												0.0	5.0	5.0	9.4			2246
W84	Wall change from .888 to .740 for 3.84 feet - Enduro predicted		18986.56	189+87	S40897.47	7.7	0.740												0.0	3.8	3.8	0.9			2246
F2	Valve	Operator Normal	18988.47	189+88		3.9	0.740												1.9	3.8	1.9	0.9			
W85	Wall change from .740 to .888 for 2.80 feet - Enduro predicted		18990.40	189+90	S40901.13	8.7	0.888												0.0	0.9	0.9	1.9			2246
W86	Wall change from .888 to .740 for 10.04 feet - Enduro predicted		18993.20	189+93	S40903.73	8.2	0.740												0.0	10.0	10.0	5.1			2246
W87	Wall change from .740 to .888 for 5.12 feet - Enduro predicted		19003.24	190+03	S40913.62	7.3	0.888												0.0	5.1	5.1	2.0			2246
W88	Wall change from .888 to .740 for 33.14 feet - Enduro predicted		19008.36	190+08	S40917.99	5.4	0.740												0.0	2.0	2.0	4.2			2246

B42	Bend 21.81 deg. 3.0 Ds Down Turn MCSD: 39.65	Before ult w.: 0.4%(0.177) MCSD: 40.4 ID:40.5 mph:5.3 Ck:3 to 9 After ult w.: 0.6%(0.269) MCSD: 40.2 ID:40.5 mph:10.0 Ck:3 to 9 MPH coming into Bend (-10ft): 7.4 Leaving Bend (+10ft): 12.4 Min MPH over range: 4.8 at Index 289949	19012.52	190+13		8.2	0.740											39.65	2.1	4.2	2.1	11.4				
B43	Bend 22.48 deg. 3.0 Ds Up & Right Turn MCSD: 40.01	Before ult w.: 0.2%(0.092) MCSD: 40.4 ID:40.5 mph:13.1 Ck:4 to 10 After ult w.: 0.5%(0.217) MCSD: 40.6 ID:40.8 mph:10.7 Ck:3 to 9 MPH coming into Bend (-10ft): 12.6 Leaving Bend (+10ft): 11.6 Min MPH over range: 10.0 at Index 2893389	19039.40	190+39		11.5	0.740											40.01	2.1	4.2	2.1	30.4				
W89	Wall change from .740 to .617 for 38.28 feet - Enduro predicted		19041.50	190+41	540947.72	10.5	0.617												0.0	30.4	30.4	7.8				2236
W90	Wall change from .617 to .740 for 3.67 feet - Enduro predicted		19079.78	190+80	540988.27	10.9	0.740												0.0	3.7	3.7	10.7				2231
B44	Bend 19.23 deg. 3.0 Ds Down & Left Turn MCSD: 39.69	Before ult w.: 0.6%(0.249) MCSD: 40.5 ID:40.8 mph:9.9 Ck:3 to 9 After ult w.: 0.8%(0.316) MCSD: 40.4 ID:40.8 mph:10.8 Ck:5 to 11 MPH coming into Bend (-10ft): 12.4 Leaving Bend (+10ft): 13.2 Min MPH over range: 9.4 at Index 2895288	19081.62	190+82		11.1	0.740											39.69	1.8	3.7	1.8	10.7				
W91	Wall change from .740 to .617 for 15.93 feet - Enduro predicted		19083.46	190+83	540992.18	10.9	0.617												0.0	10.7	10.7	5.2				2230
W92	Wall change from .617 to .740 for 4.55 feet - Enduro predicted		19099.39	190+99	541007.16	9.6	0.740												0.0	4.5	4.5	7.4				2223
B45	Bend 24.68 deg. 3.0 Ds Up Turn MCSD: 39.76	Before ult w.: 0.1%(0.052) MCSD: 40.6 ID:40.8 mph:9.9 Ck:4 to 10 After ult w.: 0.4%(0.164) MCSD: 40.5 ID:40.8 mph:6.8 Ck:2 to 8 MPH coming into Bend (-10ft): 13.6 Leaving Bend (+10ft): 8.9 Min MPH over range: 6.8 at Index 2901645	19101.67	191+02		8.6	0.740											39.76	2.3	4.5	2.3	7.4				
W93	Wall change from .740 to .617 for 176.45 feet - Enduro predicted		19103.94	191+04	541010.22	7.5	0.617												0.0	7.4	7.4	18.4				2223
W94	Wall change from .617 to .740 for 2.81 feet - Enduro predicted		19280.39	192+80	541186.25	1.7	0.740												0.0	2.8	2.8	16.0				2231
B46	Bend 16.15 deg. 3.0 Ds Up Turn MCSD: 39.64	Before ult w.: 0.5%(0.195) MCSD: 40.4 ID:40.8 mph:2.9 Ck:3 to 9 After ult w.: 0.2%(0.082) MCSD: 40.6 ID:40.8 mph:3.6 Ck:2 to 8 MPH coming into Bend (-10ft): 6.5 Leaving Bend (+10ft): 7.1 Min MPH over range: 0.3 at Index 2922479	19281.80	192+82		3.9	0.740											39.64	1.4	2.8	1.4	16.0				
W95	Wall change from .740 to .617 for 449.07 feet - Enduro predicted		19283.20	192+83	541188.59	4.2	0.617												0.0	16.0	16.0	43.0				2231
W96	Wall change from .617 to .740 for 4.22 feet - Enduro predicted		19732.27	197+32	541619.54	11.7	0.740												0.0	4.2	4.2	5.0				2350
B47	Bend 21.58 deg. 3.0 Ds Right Turn MCSD: 40.00	Before ult w.: 0.1%(0.062) MCSD: 40.7 ID:40.8 mph:11.0 Ck:5 to 12 After ult w.: 0.2%(0.098) MCSD: 40.7 ID:40.8 mph:9.5 Ck:1 to 7 MPH coming into Bend (-10ft): 11.5 Leaving Bend (+10ft): 10.8 Min MPH over range: 8.9 at Index 2977695	19734.39	197+34		9.8	0.740											40.00	2.1	4.2	2.1	5.0				
W97	Wall change from .740 to .617 for 194.11 feet - Enduro predicted		19736.50	197+36	541623.95	9.9	0.617												0.0	5.0	5.0	41.9				2350
W98	Wall change from .617 to .740 for 8.10 feet - Enduro predicted		19930.61	199+31	541816.42	4.8	0.740												0.0	8.1	8.1	4.9				2371
B48	Bend 40.1 deg. 3.0 Ds Right Turn MCSD: 39.74	Before ult w.: 0.5%(0.227) MCSD: 40.5 ID:40.8 mph:5.9 Ck:1 to 7 After ult w.: 0.8%(0.257) MCSD: 40.5 ID:40.8 mph:3.4 Ck:6 to 12 MPH coming into Bend (-10ft): 7.1 Leaving Bend (+10ft): 5.5 Min MPH over range: 3.4 at Index 3001817	19934.66	199+35		4.6	0.740											39.74	4.0	8.1	4.0	4.9				
W99	Wall change from .740 to .617 for 281.87 feet - Enduro predicted		19938.71	199+39	541825.58	5.2	0.617												0.0	4.9	4.9	41.4				2372
W100	Wall change from .617 to .740 for 3.12 feet - Enduro predicted		20220.57	202+21	542100.61	6.1	0.740												0.0	3.1	3.1	4.9				2426
B49	Bend 16.44 deg. 3.0 Ds Left Turn MCSD: 39.85	Before ult w.: 1.1%(0.446) MCSD: 40.3 ID:40.8 mph:6.0 Ck:2 to 8 After ult w.: 1.1%(0.457) MCSD: 40.3 ID:40.8 mph:5.5 Ck:2 to 8 MPH coming into Bend (-10ft): 5.4 Leaving Bend (+10ft): 6.5 Min MPH over range: 4.7 at Index 3035139	20222.14	202+22		5.7	0.740											39.85	1.6	3.1	1.6	4.9				
W101	Wall change from .740 to .617 for 42.07 feet - Enduro predicted		20223.70	202+24	542104.07	5.9	0.617												0.0	4.9	4.9	31.5				2427

(b) (7)(F)

W102	Wall change from .617 to .740 for 3.68 feet - Enduro predicted		20265.77	202+66	542143.05	10.2	0.740											0.0	3.7	3.7	5.4	2434
B50	Bend 18.95 deg. 3.0 Ds Left Turn MCSD: 40.09	Before ults w.: 0.8%(0.343) MCSD: 40.4 ID:40.8 mph:9.3 CIL:4 to 10 After dis w.: 0.7%(0.292) MCSD: 40.5 ID:40.8 mph:9.7 CIL:4 to 10 MPH coming into Bend (-10ft): 8.8 Leaving Bend (+10ft): 10.2 Min MPH over range: 7.1 at Index 3040558	20267.62	202+68		9.0	0.740										40.09	1.8	3.7	1.8	5.4	
W103	Wall change from .740 to .617 for 40.01 feet - Enduro predicted		20269.46	202+69	542154.91	9.2	0.617											0.0	5.4	5.4	29.1	2434
W104	Wall change from .617 to .740 for 2.66 feet - Enduro predicted		20309.47	203+09	542193.37	12.0	0.740											0.0	2.7	2.7	9.3	2439
B51	Bend 14.23 deg. 3.0 Ds Left Turn MCSD: 40.08	Before ults w.: 0.3%(0.122) MCSD: 40.6 ID:40.8 mph:11.1 CIL:5 to 12 After dis w.: 0.4%(0.175) MCSD: 40.5 ID:40.8 mph:10.1 CIL:5 to 11 MPH coming into Bend (-10ft): 11.5 Leaving Bend (+10ft): 11.0 Min MPH over range: 9.4 at Index 3045816	20310.80	203+11		10.8	0.740										40.08	1.3	2.7	1.3	9.3	
W105	Wall change from .740 to .617 for 119.52 feet - Enduro predicted		20312.12	203+12	542195.92	10.5	0.617											0.0	9.3	9.3	40.0	2439
W106	Wall change from .617 to .740 for 80.15 feet - Enduro predicted		20431.64	204+32	542314.49	5.4	0.740											0.0	40.1	40.1	40.1	2436
W107	Wall change from .740 to .617 for 261.87 feet - Enduro predicted		20511.79	205+12	542393.98	10.8	0.617											0.0	32.5	32.5	39.9	2449
W108	Wall change from .617 to .740 for 4.94 feet - Enduro predicted		20773.67	207+74	542649.35	8.7	0.740											0.0	4.9	4.9	2.1	2498
B52	Bend 26.34 deg. 3.0 Ds Right Turn MCSD: 39.90	Before ults w.: 0.9%(0.374) MCSD: 40.3 ID:40.8 mph:8.1 CIL:2 to 8 After dis w.: 0.5%(0.226) MCSD: 40.5 ID:40.8 mph:8.4 CIL:3 to 9 MPH coming into Bend (-10ft): 9.3 Leaving Bend (+10ft): 9.3 Min MPH over range: 7.1 at Index 3102396	20776.14	207+76		8.9	0.740										39.90	2.5	4.9	2.5	2.1	
W109	Wall change from .740 to .617 for 151.38 feet - Enduro predicted		20778.61	207+79	542654.03	7.1	0.617											0.0	2.1	2.1	39.9	2499
W110	Wall change from .617 to .740 for 3.62 feet - Enduro predicted		20929.99	209+30	542802.35	9.2	0.740											0.0	3.6	3.6	2.5	2530
B53	Bend 17.78 deg. 3.0 Ds Right Turn MCSD: 39.70	Before ults w.: 0.9%(0.376) MCSD: 40.4 ID:40.8 mph:8.0 CIL:2 to 8 After dis w.: 0.5%(0.226) MCSD: 40.5 ID:40.8 mph:7.7 CIL:2 to 8 MPH coming into Bend (-10ft): 9.1 Leaving Bend (+10ft): 9.1 Min MPH over range: 7.4 at Index 3120279	20931.80	209+32		9.7	0.740										39.70	1.8	3.6	1.8	2.5	
W111	Wall change from .740 to .617 for 375.36 feet - Enduro predicted		20933.61	209+34	542805.66	7.7	0.617											0.0	2.5	2.5	11.6	2530
W112	Wall change from .617 to .740 for 6.67 feet - Enduro predicted		21308.97	213+09	543166.58	7.3	0.740											0.0	4.7	4.7	2.0	2628
B54	Bend 24.67 deg. 3.0 Ds Left Turn MCSD: 39.57	Before ults w.: 1.3%(0.529) MCSD: 40.2 ID:40.8 mph:7.0 CIL:4 to 10 After dis w.: 1.5%(0.649) MCSD: 40.1 ID:40.5 mph:6.1 CIL:4 to 10 MPH coming into Bend (-10ft): 7.1 Leaving Bend (+10ft): 7.5 Min MPH over range: 5.7 at Index 3165720	21311.32	213+11		7.5	0.740										39.57	2.4	4.7	2.3	2.0	
W113	Wall change from .740 to .617 for 102.62 feet - Enduro predicted		21315.64	213+16	543172.96	6.0	0.617											0.0	19.7	19.7	39.1	2630
W114	Wall change from .617 to .740 for 6.64 feet - Enduro predicted		21418.27	214+18	543275.08	11.9	0.740											0.0	6.6	6.6	8.7	2639
B55	Bend 33.1 deg. 3.0 Ds Left Turn MCSD: 40.12	Before ults w.: 0.6%(0.252) MCSD: 40.5 ID:40.8 mph:11.4 CIL:4 to 10 After dis w.: 0.3%(0.133) MCSD: 40.6 ID:40.8 mph:9.6 CIL:3 to 9 MPH coming into Bend (-10ft): 11.0 Leaving Bend (+10ft): 10.6 Min MPH over range: 9.4 at Index 3178855	21421.59	214+22		11.0	0.740										40.12	3.3	6.6	3.3	8.7	
W115	Wall change from .740 to .617 for 984.01 feet - Enduro predicted		21424.91	214+25	543280.78	9.9	0.617											0.0	8.7	8.7	33.8	2636
W116	Wall change from .617 to .740 for 3.18 feet - Enduro predicted		22408.92	224+09	544246.71	9.8	0.740											0.0	3.2	3.2	3.5	2457
B56	Bend 15.82 deg. 3.0 Ds Up Turn MCSD: 39.76	Before ults w.: 0.5%(0.210) MCSD: 40.4 ID:40.8 mph:11.3 CIL:4 to 10 After dis w.: 0.8%(0.333) MCSD: 40.4 ID:40.8 mph:7.3 CIL:3 to 9 MPH coming into Bend (-10ft): 13.9 Leaving Bend (+10ft): 9.5 Min MPH over range: 6.5 at Index 3298585	22410.52	224+11		8.0	0.740										39.76	1.6	3.2	1.6	3.5	
W117	Wall change from .740 to .617 for 372.86 feet - Enduro predicted		22412.10	224+12	544249.29	8.0	0.617											0.0	3.5	3.5	16.6	2457

(b) (7)(F)

B57	Bend 29.93 deg. 3.0 Ds Left & Up Turn MCSD: 40.23	Before u/s w.: 0.4%(0.151) MCSD: 40.6 ID:40.8 mph;6.7 Ck:1 to 7 After d/s w.: 0.1%(0.042) MCSD: 40.8 ID:40.8 mph;1.8 Ck:6 to 12 MPH coming Into Bend (-10ft): 8.0 Leaving Bend (+10ft): 3.5 Min MPH over range: 0.2 at Index 3310780	22513.55	225+14		2.4	0.617												40.23	2.9	5.8	2.9	3.9	(b) (7)(F)	
W118	Wall change from .617 to .740 for 39.47 feet - Enduro predicted		22784.96	227+85	544607.45	10.7	0.740													0.0	39.5	39.5	39.2		2520
W119	Wall change from .740 to .617 for 41.46 feet - Enduro predicted		22824.43	228+24	544647.24	10.2	0.617													0.0	39.2	39.2	2.2		2527
W120	Wall change from .617 to .740 for 4.73 feet - Enduro predicted		22865.89	228+66	544690.02	11.9	0.740													0.0	4.7	4.7	1.8		2530
B58	Bend 23.31 deg. 3.0 Ds Right Turn MCSD: 39.81	Before u/s w.: 0.6%(0.272) MCSD: 40.3 ID:40.8 mph;10.1 C k:8 to 12 After d/s w.: 0.5%(0.255) MCSD: 40.4 ID:40.8 mph;10.1 C k:5 to 11 MPH coming Into Bend (-10ft): 12.0 Leaving Bend (+10ft): 11.3 Min MPH over range: 9.3 at Index 3353402	22868.26	228+68		11.2	0.740												39.81	2.4	4.7	2.4	1.8		
W121	Wall change from .740 to .617 for 462.89 feet - Enduro predicted		22870.62	228+71	544694.28	9.6	0.617													0.0	1.8	1.8	39.8		2530
W122	Wall change from .617 to .740 for 2.48 feet - Enduro predicted		23332.72	233+33	545137.2	6.3	0.740													0.0	2.5	2.5	9.9		2648
B59	Bend 13.59 deg. 3.0 Ds Right Turn MCSD: 39.69	Before u/s w.: 0.8%(0.353) MCSD: 40.4 ID:40.8 mph;5.1 Ck:5 to 11 After d/s w.: 0.8%(0.337) MCSD: 40.4 ID:40.8 mph;6.2 Ck:4 to 10 MPH coming Into Bend (-10ft): 5.2 Leaving Bend (+10ft): 7.7 Min MPH over range: 4.2 at Index 3408646	23333.97	233+34		6.6	0.740												39.69	1.2	2.5	1.2	9.9		
W123	Wall change from .740 to .617 for 126.57 feet - Enduro predicted		23335.20	233+35	545139.72	6.5	0.617													0.0	9.9	9.9	42.8		2648
W124	Wall change from .617 to .740 for 235.16 feet - Enduro predicted		23461.77	234+62	545266.09	7.7	0.740													0.0	40.3	40.3	15.2		2650
B60	Bend 44.39 deg. 3.0 Ds Left Turn MCSD: 39.79	Before u/s w.: 0.5%(0.192) MCSD: 40.2 ID:40.5 mph;2.7 Ck:4 to 10 After d/s w.: 0.4%(0.155) MCSD: 40.3 ID:40.5 mph;9.8 Ck:2 to 8 MPH coming Into Bend (-10ft): 2.1 Leaving Bend (+10ft): 11.7 Min MPH over range: 0.1 at Index 3430619	23521.86	235+22		7.4	0.740												39.79	4.6	9.2	4.6	31.9		
C6	Comment	Overspeed for 124.52 feet.	23552.47	235+52		15.7	0.740													26.0	31.9	5.8	40.4		
W125	Wall change from .740 to .888 for 3.19 feet - Enduro predicted		23696.93	236+97	545490.65	10.7	0.888													0.0	3.2	3.2	2.9		2630
B61	Bend 16.29 deg. 3.0 Ds Left & Up Turn MCSD: 39.44	Before u/s w.: 0.7%(0.277) MCSD: 40.1 ID:40.5 mph;11.6 C k:5 to 12 After d/s w.: 0.8%(0.327) MCSD: 40.1 ID:40.5 mph;10.2 C k:1 to 7 MPH coming Into Bend (-10ft): 15.2 Leaving Bend (+10ft): 11.5 Min MPH over range: 9.9 at Index 3453073	23698.54	236+99		10.8	0.888												39.44	1.6	3.2	1.6	2.9		
W126	Wall change from .888 to .740 for 19.70 feet - Enduro predicted		23700.12	237+00	545493.25	10.5	0.740													0.0	2.9	2.9	16.8		2629
W127	Wall change from .740 to .617 for 348.75 feet - Enduro predicted		23719.82	237+20	545511.97	13.0	0.617													0.0	40.3	40.3	31.2		2631
W128	Wall change from .617 to .740 for 4.75 feet - Enduro predicted		24068.57	240+69	545860.52	9.2	0.740													0.0	4.7	4.7	2.4		2646
B62	Bend 24.86 deg. 3.0 Ds Right Turn MCSD: 39.98	Before u/s w.: 0.4%(0.162) MCSD: 40.5 ID:40.8 mph;8.1 Ck:3 to 9 After d/s w.: 0.5%(0.230) MCSD: 40.4 ID:40.8 mph;7.5 Ck:3 to 9 MPH coming Into Bend (-10ft): 9.1 Leaving Bend (+10ft): 9.3 Min MPH over range: 6.9 at Index 3496934	24070.96	240+71		9.6	0.740												39.98	2.4	4.7	2.4	2.4		
W129	Wall change from .740 to .617 for 42.80 feet - Enduro predicted		24073.32	240+73	545865.12	8.4	0.617													0.0	2.4	2.4	40.4		2647
W130	Wall change from .617 to .740 for 41.78 feet - Enduro predicted		24116.12	241+16	545907.55	10.8	0.740													0.0	41.8	41.8	39.1		2647
W131	Wall change from .740 to .617 for 216.68 feet - Enduro predicted		24157.91	241+58	545948.08	12.0	0.617													0.0	39.1	39.1	39.7	2649	
W132	Wall change from .617 to .888 for 3.26 feet - Enduro predicted		24374.59	243+75	546164.63	8.7	0.888													0.0	3.3	3.3	9.5	2627	
B63	Bend 16.56 deg. 3.0 Ds Left Turn MCSD: 39.61	Before u/s w.: 0.2%(0.098) MCSD: 40.6 ID:40.8 mph;8.6 Ck:3 to 9 After d/s w.: 0.1%(0.029) MCSD: 40.7 ID:40.8 mph;6.8 Ck:2 to 8 MPH coming Into Bend (-10ft): 7.8 Leaving Bend (+10ft): 9.2 Min MPH over range: 6.0 at Index 3533653	24376.22	243+76		8.9	0.888												39.61	1.6	3.3	1.6	9.5		
W133	Wall change from .888 to .617 for 209.15 feet - Enduro predicted		24377.85	243+78	546168.36	7.7	0.617													0.0	9.5	9.5	36.9	2628	

(b) (7)(F)

W134	Wall change from .617 to .740 for 18.94 feet - Enduro predicted		24587.00	245+87	546371.28	9.3	0.740										0.0	18.9	18.9	42.9	2609
W135	Wall change from .740 to .617 for 42.92 feet - Enduro predicted		24605.94	246+06	546390.09	8.6	0.617										0.0	42.9	42.9	42.2	2607
W136	Wall change from .617 to .740 for 100.47 feet - Enduro predicted		24648.86	246+49	546433.05	10.3	0.740										0.0	42.2	42.2	16.3	2603
W137	Wall change from .740 to .617 for 387.99 feet - Enduro predicted		24749.33	247+49	546537.57	11.1	0.617										0.0	13.9	13.9	35.3	2577
W138	Wall change from .617 to .740 for 3.19 feet - Enduro predicted		25137.32	251+37	546917.18	10.5	0.740										0.0	3.2	3.2	8.6	2522
B64	Bend 16.36 deg. 3.0 Ds Left Turn MCSD: 39.97 Before uls w.: 0.5%(0.225) MCSD: 40.4 ID:40.8 mph:9.9 Ck:4 to 10 After d/s w.: 0.6%(0.239) MCSD: 40.5 ID:40.8 mph:9.5 Ck:5 to 11 MPH coming into Bend (-10ft): 10.3 Leaving Bend (+10ft): 10.4 Min MPH over range: 8.8 at Index 3625138		25138.92	251+39		10.3	0.740									39.97	1.6	3.2	1.6	8.6	
W139	Wall change from .740 to .617 for 18.90 feet - Enduro predicted		25140.52	251+41	546920.2	9.7	0.617										0.0	8.6	8.6	10.3	2522
W140	Wall change from .617 to .740 for 12.28 feet - Enduro predicted		25159.42	251+59	546937.94	11.8	0.740										0.0	3.7	3.7	8.6	2520
B65	Bend 19.29 deg. 3.0 Ds Left Turn MCSD: 39.68 Before uls w.: 0.4%(0.175) MCSD: 40.5 ID:40.8 mph:11.4 Ck:5 to 11 After d/s w.: 0.5%(0.227) MCSD: 40.4 ID:40.5 mph:11.1 Ck:2 to 8 MPH coming into Bend (-10ft): 10.7 Leaving Bend (+10ft): 11.7 Min MPH over range: 9.3 at Index 3627800		25161.27	251+61		10.7	0.740									39.68	1.9	3.7	1.8	8.6	
W141	Wall change from .740 to .617 for 112.52 feet - Enduro predicted		25171.70	251+72	546947.89	11.8	0.617										0.0	40.7	40.7	31.3	2518
W142	Wall change from .617 to .740 for 22.27 feet - Enduro predicted		25284.22	252+84	547079.69	11.7	0.740										0.0	22.3	22.3	4.4	2490
W143	Wall change from .740 to .888 for 4.42 feet - Enduro predicted		25306.50	253+06	547100.41	7.0	0.888										0.0	4.4	4.4	7.6	2481
B66	Bend 23.76 deg. 3.0 Ds Up Turn MCSD: 39.99 Before uls w.: 0.0%(0.011) MCSD: 40.6 ID:40.5 mph:7.6 Ck:1 to 7 After d/s w.: 0.1%(0.058) MCSD: 40.7 ID:40.8 mph:2.3 Ck:3 to 9 MPH coming into Bend (-10ft): 11.6 Leaving Bend (+10ft): 8.8 Min MPH over range: 0.1 at Index 3646295		25308.71	253+09		5.8	0.888									39.99	2.2	4.4	2.2	7.6	
W144	Wall change from .888 to .617 for 7.62 feet - Enduro predicted		25310.92	253+11	547103.55	1.4	0.617										0.0	7.6	7.6	41.5	2480
W145	Wall change from .617 to .740 for 41.53 feet - Enduro predicted		25318.53	253+19	547112.08	8.4	0.740										0.0	41.5	41.5	22.0	2480
W146	Wall change from .740 to .617 for 89.01 feet - Enduro predicted		25360.07	253+60	547154.41	8.7	0.617										0.0	22.0	22.0	43.2	2485
W147	Wall change from .617 to .888 for 3.95 feet - Enduro predicted		25449.07	254+49	547242.46	4.5	0.888										0.0	3.9	3.9	5.0	2498
B67	Bend 17.11 deg. 3.0 Ds Right Turn MCSD: 39.82 Before uls w.: 0.7%(0.304) MCSD: 40.4 ID:40.8 mph:3.6 Ck:3 to 9 After d/s w.: 0.6%(0.270) MCSD: 40.4 ID:40.5 mph:0.6 Ck:3 to 9 MPH coming into Bend (-10ft): 8.5 Leaving Bend (+10ft): 10.1 Min MPH over range: 0.1 at Index 3663298		25451.05	254+51		4.4	0.888									39.82	2.0	3.9	2.0	5.0	
W148	Wall change from .888 to .740 for 46.67 feet - Enduro predicted		25453.02	254+53	547246.33	0.5	0.740										0.0	5.0	5.0	41.7	2498
W149	Wall change from .740 to .617 for 272.40 feet - Enduro predicted		25499.70	255+00	547292.87	13.2	0.617										0.0	41.3	41.3	40.9	2496
W150	Wall change from .617 to .740 for 38.22 feet - Enduro predicted		25772.10	257+72	547565.56	11.7	0.740										0.0	38.2	38.2	42.3	2477
W151	Wall change from .740 to .617 for 143.38 feet - Enduro predicted		25810.32	258+10	547603.97	10.9	0.617										0.0	42.3	42.3	41.4	2474
W152	Wall change from .617 to .740 for 2.60 feet - Enduro predicted		25953.71	259+54	547746.73	7.6	0.740										0.0	2.6	2.6	2.9	2473
W153	Wall change from .740 to .888 for 2.87 feet - Enduro predicted		25956.31	259+56	547748.86	9.1	0.888										0.0	2.9	2.9	2.2	2473
B68	Bend 16.27 deg. 3.0 Ds Left Turn MCSD: 39.62 Before uls w.: 0.3%(0.124) MCSD: 40.5 ID:40.5 mph:3.3 Ck:3 to 9 After d/s w.: 0.3%(0.111) MCSD: 40.6 ID:40.8 mph:6.7 Ck:5 to 11 MPH coming into Bend (-10ft): 10.8 Leaving Bend (+10ft): 9.5 Min MPH over range: 6.7 at Index 3724262		25957.74	259+58		9.6	0.888									39.62	1.4	2.9	1.4	2.2	
W154	Wall change from .888 to .617 for 2.22 feet - Enduro predicted		25959.17	259+59	547751.72	7.5	0.617										0.0	2.2	2.2	41.9	2473
W155	Wall change from .617 to .740 for 41.93 feet - Enduro predicted		25961.40	259+61	547753.94	7.0	0.740										0.0	41.9	41.9	42.1	2473
W156	Wall change from .740 to .617 for 379.51 feet - Enduro predicted		26003.33	260+03	547795.89	10.7	0.617										0.0	42.1	42.1	40.0	2473
W157	Wall change from .617 to .888 for 3.25 feet - Enduro predicted		26382.84	263+83	548178.72	3.1	0.888										0.0	3.2	3.2	2.1	2474

B69	Bend 15.61 deg. 3.0 Ds Right Turn MCSD: 39.73	Before ult w.: 0.3%(0.120) MCSD: 40.6 ID:40.8 mph:1.6 CIL:6 to 12 After d/s w.: 0.1%(0.058) MCSD: 40.7 ID:40.8 mph:4.0 CIL:4 to 10 MPH coming into Bend (-10ft): 3.1 Leaving Bend (+10ft): 9.4 Min MPH over range: 0.1 at Index 3774104	26384.47	263+84		3.8	0.888											39.73	1.6	3.2	1.6	2.1	(b) (7)(F)	
W158	Wall change from .888 to .617 for 696.05 feet - Enduro predicted		26386.09	263+86	548180.84	2.2	0.617												0.0	2.1	2.1	42.1		2474
W159	Wall change from .617 to .740 for 59.02 feet - Enduro predicted		27082.14	270+82	548861.1	9.0	0.740												0.0	2.2	2.2	4.2		2588
B70	Bend 19.39 deg. 3.0 Ds Right Turn MCSD: 39.75	Before ult w.: 1.2%(0.491) MCSD: 40.1 ID:40.5 mph:9.5 CIL:2 to 8 After d/s w.: 1.1%(0.451) MCSD: 40.2 ID:40.5 mph:6.3 CIL:2 to 8 MPH coming into Bend (-10ft): 10.3 Leaving Bend (+10ft): 7.5 Min MPH over range: 5.7 at Index 3859860	27086.41	270+86		8.4	0.740											39.75	2.1	4.2	2.1	4.4		
W160	Wall change from .740 to .888 for 4.42 feet - Enduro predicted		27141.16	271+41	548919.81	10.1	0.888												0.0	4.4	4.4	8.2		2592
B71	Bend 23.06 deg. 3.0 Ds Right Turn MCSD: 39.80	Before ult w.: 0.5%(0.225) MCSD: 40.2 ID:40.5 mph:10.3 CIL:4 to 10 After d/s w.: 0.7%(0.295) MCSD: 40.4 ID:40.8 mph:9.0 CIL:3 to 9 MPH coming into Bend (-10ft): 9.3 Leaving Bend (+10ft): 11.7 Min MPH over range: 8.9 at Index 3866651	27143.37	271+43		10.5	0.888											39.80	2.2	4.4	2.2	8.2		
W161	Wall change from .888 to .617 for 8.23 feet - Enduro predicted		27145.58	271+46	548923.79	9.5	0.617												0.0	8.2	8.2	6.8		2592
W162	Wall change from .617 to .740 for 19.62 feet - Enduro predicted		27153.82	271+54	548939.21	11.8	0.740												0.0	8.8	8.8	5.7		2592
B72	Bend 29.22 deg. 3.0 Ds Right Turn MCSD: 40.07	Before ult w.: 0.7%(0.287) MCSD: 40.4 ID:40.5 mph:12.1 CIL:5 to 11 After d/s w.: 0.8%(0.341) MCSD: 40.3 ID:40.5 mph:11.0 CIL:4 to 10 MPH coming into Bend (-10ft): 12.3 Leaving Bend (+10ft): 12.3 Min MPH over range: 10.0 at Index 3869152	27165.42	271+65		10.9	0.740											40.07	2.8	5.7	2.8	5.2		
W163	Wall change from .740 to .617 for 527.60 feet - Enduro predicted		27173.43	271+73	548956.61	11.6	0.617												0.0	42.7	42.7	41.3		2592
W164	Wall change from .617 to .740 for 3.99 feet - Enduro predicted		27701.03	277+01	549484.37	10.1	0.740												0.0	4.0	4.0	2.0		2609
B73	Bend 18.96 deg. 3.0 Ds Left Turn MCSD: 40.12	Before ult w.: 0.6%(0.239) MCSD: 40.5 ID:40.8 mph:10.7 CIL:5 to 11 After d/s w.: 0.2%(0.072) MCSD: 40.6 ID:40.8 mph:7.7 CIL:2 to 8 MPH coming into Bend (-10ft): 11.2 Leaving Bend (+10ft): 10.2 Min MPH over range: 7.4 at Index 3933557	27703.03	277+03		9.8	0.740											40.12	2.0	4.0	2.0	2.0		
W165	Wall change from .740 to .617 for 203.57 feet - Enduro predicted		27705.02	277+05	549488.68	7.4	0.617												0.0	2.0	2.0	41.5		2609
W166	Wall change from .617 to .740 for 2.33 feet - Enduro predicted		27908.59	279+09	549690.95	7.1	0.740												0.0	2.3	2.3	4.1		2606
W167	Wall change from .740 to .888 for 13.23 feet - Enduro predicted		27910.92	279+11	549693.05	8.3	0.888												0.0	4.1	4.1	9.1		2606
B74	Bend 67.67 deg. 3.0 Ds Left Turn MCSD: 39.62	Before ult w.: 1.1%(0.463) MCSD: 39.9 ID:40.2 mph:6.7 CIL:2 to 8 After d/s w.: 0.5%(0.190) MCSD: 40.5 ID:40.8 mph:0.9 CIL:3 to 9 MPH coming into Bend (-10ft): 9.7 Leaving Bend (+10ft): 5.2 Min MPH over range: 0.0 at Index 3959948	27917.17	279+17		5.0	0.888											39.62	2.2	9.1	7.0	2.1		
W168	Wall change from .888 to .617 for 42.54 feet - Enduro predicted		27924.16	279+24	549706.71	1.4	0.617												0.0	2.1	2.1	40.5		2606
W169	Wall change from .617 to .740 for 40.01 feet - Enduro predicted		27966.70	279+67	549748.85	14.7	0.740												0.0	40.0	40.0	42.0		2600
W170	Wall change from .740 to .617 for 188.67 feet - Enduro predicted		28006.71	280+07	549787.75	13.7	0.617												0.0	42.0	42.0	42.9		2592
W171	Wall change from .617 to .740 for 27.43 feet - Enduro predicted		28195.37	281+95	549971.28	12.8	0.740												0.0	27.4	27.4	41.4		2543
W172	Wall change from .740 to .617 for 43.48 feet - Enduro predicted		28222.81	282+23	550000.5	12.8	0.617												0.0	41.4	41.4	2.1		2535
W173	Wall change from .617 to .740 for 4.33 feet - Enduro predicted		28266.29	282+66	550041.06	7.7	0.740												0.0	4.3	4.3	4.2		2525
B75	Bend 22.62 deg. 3.0 Ds Right Turn MCSD: 40.01	Before ult w.: 0.3%(0.137) MCSD: 40.5 ID:40.5 mph:9.4 CIL:6 to 12 After d/s w.: 0.5%(0.254) MCSD: 40.5 ID:40.8 mph:7.5 CIL:5 to 11 MPH coming into Bend (-10ft): 10.7 Leaving Bend (+10ft): 10.3 Min MPH over range: 6.9 at Index 4001697	28268.46	282+68		9.0	0.740											40.01	2.2	4.3	2.2	4.2		
W174	Wall change from .740 to .617 for 335.38 feet - Enduro predicted		28270.62	282+71	550044.76	7.8	0.617												0.0	4.2	4.2	41.5		2524

W175	Wall change from .617 to .740 for 43.42 feet - Enduro predicted		28606.01	286+06	550373.08	9.6	0.740										0.0	43.4	43.4	42.6	(b) (7)(F)	2460
W176	Wall change from .740 to .617 for 191.64 feet - Enduro predicted		28649.42	286+49	550416.29	9.7	0.617										0.0	42.6	42.6	15.1		2454
W177	Wall change from .617 to .888 for 3.62 feet - Enduro predicted		28841.06	288+41	550607.43	12.5	0.888										0.0	3.8	3.8	6.9		2445
B76	Bend 20.1 deg. 3.0 Ds Right Turn MCSD: 39.84	Before ult w.: 0.5%(0.203) MCSD: 40.5 ID:40.8 mph:9.0 Cl:6 to 12 After d/s w.: 0.4%(0.152) MCSD: 40.6 ID:40.8 mph:10.2 Cl:2 to 8 MPH coming into Bend (-10ft): 13.1 Leaving Bend (+10ft): 12.0 Min MPH over range: 9.0 at Index 4069683	28842.98	288+43		11.7	0.888										39.84	1.9	3.8	1.9	6.9	
W178	Wall change from .888 to .617 for 78.80 feet - Enduro predicted		28844.89	288+45	550610.88	10.9	0.617										0.0	6.9	6.9	41.3		2445
W179	Wall change from .617 to .740 for 4.37 feet - Enduro predicted		28923.69	289+24		12.2	0.740										0.0	4.4	4.4	2.2		2443
B77	Bend 22.05 deg. 3.0 Ds Left Turn MCSD: 39.83	Before ult w.: 0.7%(0.303) MCSD: 40.4 ID:40.8 mph:12.5 Cl:5 to 11 After d/s w.: 0.9%(0.369) MCSD: 40.3 ID:40.8 mph:9.9 Cl:5 to 11 MPH coming into Bend (-10ft): 12.6 Leaving Bend (+10ft): 11.3 Min MPH over range: 9.1 at Index 4080487	28925.87	289+26		10.7	0.740										39.83	2.2	4.4	2.2	2.2	
W180	Wall change from .740 to .617 for 203.57 feet - Enduro predicted		28928.06	289+28		9.8	0.617										0.0	2.2	2.2	41.8		2443
W181	Wall change from .617 to .888 for 2.70 feet - Enduro predicted		29131.63	291+32	550893.19	13.3	0.888										0.0	2.7	2.7	13.0		2408
B78	Bend 14.31 deg. 3.0 Ds Left Turn MCSD: 39.87	Before ult w.: 0.9%(0.387) MCSD: 40.3 ID:40.8 mph:11.9 Cl:5 to 12 After d/s w.: 0.1%(0.060) MCSD: 40.6 ID:40.8 mph:11.2 Cl:5 to 11 MPH coming into Bend (-10ft): 11.1 Leaving Bend (+10ft): 12.3 Min MPH over range: 10.4 at Index 4104465	29132.98	291+33		12.3	0.888										39.87	1.3	2.7	1.3	13.0	
W182	Wall change from .888 to .617 for 263.51 feet - Enduro predicted		29134.33	291+34	550895.77	11.3	0.617										0.0	13.0	13.0	43.3		2407
W183	Wall change from .617 to .888 for 5.88 feet - Enduro predicted		29397.84	293+98	551155.35	7.0	0.888										0.0	5.9	5.9	5.0		2370
B79	Bend 29.74 deg. 3.0 Ds Right Turn MCSD: 39.92	Before ult w.: 0.6%(0.268) MCSD: 40.4 ID:40.8 mph:7.4 Cl:3 to 9 After d/s w.: 0.7%(0.278) MCSD: 40.5 ID:40.8 mph:3.7 Cl:2 to 8 MPH coming into Bend (-10ft): 9.4 Leaving Bend (+10ft): 6.2 Min MPH over range: 1.4 at Index 4137703	29400.78	294+01		7.3	0.888										39.92	2.9	5.9	2.9	5.0	
W184	Wall change from .888 to .617 for 464.05 feet - Enduro predicted		29403.72	294+04	551161.7	5.9	0.617										0.0	5.0	5.0	41.0		2370
W185	Wall change from .617 to .740 for 39.94 feet - Enduro predicted		29867.77	298+68	551612.33	10.2	0.740										0.0	39.9	39.9	15.9		2263
W186	Wall change from .740 to .617 for 23.16 feet - Enduro predicted		29907.71	299+08	551651.4	10.4	0.617										0.0	15.9	15.9	7.2		2255
W187	Wall change from .617 to .740 for 2.05 feet - Enduro predicted		29930.87	299+31	551673.84	9.4	0.740										0.0	2.0	2.0	2.8		2248
W188	Wall change from .740 to .888 for 2.83 feet - Enduro predicted		29932.92	299+33	551675.89	6.9	0.888										0.0	2.8	2.8	9.2		2248
B80	Bend 13.61 deg. 3.0 Ds Up Turn MCSD: 39.88	Before ult w.: 0.4%(0.187) MCSD: 40.4 ID:40.5 mph:8.4 Cl:6 to 12 After d/s w.: 0.5%(0.229) MCSD: 40.5 ID:40.8 mph:2.0 Cl:4 to 10 MPH coming into Bend (-10ft): 11.0 Leaving Bend (+10ft): 4.9 Min MPH over range: 2.0 at Index 4201462	29934.34	299+34		7.0	0.888										39.88	1.4	2.8	1.4	9.2	
W189	Wall change from .888 to .617 for 9.16 feet - Enduro predicted		29935.76	299+36	551678.07	5.2	0.617										0.0	9.2	9.2	40.6		2248
W190	Wall change from .617 to .740 for 60.07 feet - Enduro predicted		29944.91	299+45	551687.35	5.5	0.740										0.0	40.6	40.6	19.5		2248
W191	Wall change from .740 to .617 for 13.35 feet - Enduro predicted		30004.99	300+05	551746.61	9.4	0.617										0.0	13.3	13.3	7.1		2248
W192	Wall change from .617 to .740 for 7.14 feet - Enduro predicted		30018.34	300+18	551760.34	11.9	0.740										0.0	7.1	7.1	3.3		2248
W193	Wall change from .740 to .888 for 3.27 feet - Enduro predicted		30025.48	300+25	551767.5	11.3	0.888										0.0	3.3	3.3	37.3		2248
B81	Bend 17.33 deg. 3.0 Ds Left & Up Turn MCSD: 39.06	Before ult w.: 1.3%(0.555) MCSD: 40.1 ID:40.5 mph:9.4 Cl:1 to 7 After d/s w.: 1.5%(0.614) MCSD: 40.1 ID:40.8 mph:8.3 Cl:1 to 7 MPH coming into Bend (-10ft): 11.0 Leaving Bend (+10ft): 10.5 Min MPH over range: 8.3 at Index 4212630	30027.12	300+27		10.3	0.888										39.06	1.6	3.3	1.6	37.3	
W194	Wall change from .888 to .617 for 349.82 feet - Enduro predicted		30028.76	300+29	551770.29	9.8	0.617										0.0	37.3	37.3	26.8		2247
W195	Wall change from .617 to .740 for 33.67 feet - Enduro predicted		30378.57	303+79	552107.65	10.3	0.740										0.0	33.7	33.7	41.5		2340

W196	Wall change from .740 to .617 for 516.23 feet - Enduro predicted		30412.25	304+12	552139.11	10.2	0.617										0.0	41.5	41.5	24.2	(b) (7)(F)	2349
W197	Wall change from .617 to .740 for 10.16 feet - Enduro predicted		30930.48	309+30	552643.76	12.4	0.740										0.0	10.2	10.2	2.7		2287
W198	Wall change from .740 to .888 for 2.67 feet - Enduro predicted		30940.64	309+41	552653.79	8.7	0.888										0.0	2.7	2.7	7.0		2286
B82	Bend 15.14 deg. 3.0 Ds Up Turn MCSD: 39.35	Before ult w.: 0.1%(0.026) MCSD: 40.7 ID:40.8 mph:12.2 C/I:5 to 11 After d/s w.: 1.7%(0.703) MCSD: 39.4 ID:40.2 mph:9.4 C/I:6 to 12 MPH coming into Bend (-10ft): 12.4 Leaving Bend (+10ft): 10.5 Min MPH over range: 7.9 at Index 4322371	30941.97	309+42		9.9	0.888										39.35	1.3	2.7	1.3	7.0	
W199	Wall change from .888 to .617 for 516.23 feet - Enduro predicted		30943.31	309+43	552656.24	8.5	0.617										0.0	7.0	7.0	42.0		2286
W200	Wall change from .617 to .740 for 5.82 feet - Enduro predicted		31459.54	314+60	553168.76	9.6	0.740										0.0	5.8	5.8	2.8		2319
W201	Wall change from .740 to .888 for 2.77 feet - Enduro predicted		31465.36	314+65	553174.21	7.7	0.888										0.0	2.8	2.8	2.2		2319
B83	Bend 15.49 deg. 3.0 Ds Left Turn MCSD: 39.63	Before ult w.: 0.6%(0.252) MCSD: 40.4 ID:40.5 mph:7.8 C/I:4 to 10 After d/s w.: 0.6%(0.266) MCSD: 40.4 ID:40.8 mph:4.3 C/I:4 to 10 MPH coming into Bend (-10ft): 9.7 Leaving Bend (+10ft): 8.2 Min MPH over range: 4.3 at Index 4385360	31466.76	314+67		8.2	0.888										39.63	1.4	2.8	1.4	2.2	
W202	Wall change from .888 to .617 for 153.33 feet - Enduro predicted		31468.14	314+68	553176.37	6.5	0.617										0.0	2.2	2.2	39.7		2319
W203	Wall change from .617 to .740 for 9.09 feet - Enduro predicted		31621.47	316+21	553327.03	9.4	0.740										0.0	9.1	9.1	2.2		2318
B84	Bend 44.51 deg. 3.0 Ds Left Turn MCSD: 39.77	Before ult w.: 0.2%(0.098) MCSD: 40.6 ID:40.5 mph:3.2 C/I:4 to 10 After d/s w.: 0.0%(0.008) MCSD: 40.7 ID:40.8 mph:7.2 C/I:2 to 8 MPH coming into Bend (-10ft): 9.8 Leaving Bend (+10ft): 9.9 Min MPH over range: 6.8 at Index 4404429	31626.02	316+26		7.9	0.740										39.77	4.5	9.1	4.5	2.2	
W204	Wall change from .740 to .617 for 225.92 feet - Enduro predicted		31630.56	316+31	553334.21	7.8	0.617										0.0	2.2	2.2	39.9		2318
W205	Wall change from .617 to .888 for 2.62 feet - Enduro predicted		31856.49	318+56	553560.16	9.0	0.888										0.0	2.6	2.6	2.1		2287
B85	Bend 15.39 deg. 3.0 Ds Right Turn MCSD: 39.24	Before ult w.: 0.4%(0.180) MCSD: 40.5 ID:40.8 mph:8.0 C/I:2 to 8 After d/s w.: 0.3%(0.136) MCSD: 40.5 ID:40.5 mph:7.8 C/I:2 to 8 MPH coming into Bend (-10ft): 9.7 Leaving Bend (+10ft): 10.4 Min MPH over range: 6.3 at Index 4431496	31857.80	318+58		10.2	0.888										39.24	1.3	2.6	1.3	2.1	
W206	Wall change from .888 to .740 for 2.08 feet - Enduro predicted		31859.11	318+59	553562.81	7.7	0.740										0.0	2.1	2.1	33.2		2286
W207	Wall change from .740 to .617 for 136.85 feet - Enduro predicted		31861.19	318+61	553564.99	7.8	0.617										0.0	33.2	33.2	30.4		2286
W208	Wall change from .617 to .740 for 2.16 feet - Enduro predicted		31998.04	319+98	553698.79	8.6	0.740										0.0	2.2	2.2	3.4		2274
W209	Wall change from .740 to .888 for 3.37 feet - Enduro predicted		32000.22	320+00	553700.97	7.3	0.888										0.0	3.4	3.4	9.5		2274
B86	Bend 18.04 deg. 3.0 Ds Right Turn MCSD: 39.76	Before ult w.: 0.7%(0.273) MCSD: 40.4 ID:40.5 mph:6.7 C/I:3 to 9 After d/s w.: 0.1%(0.022) MCSD: 40.7 ID:40.8 mph:4.0 C/I:1 to 7 MPH coming into Bend (-10ft): 10.2 Leaving Bend (+10ft): 6.1 Min MPH over range: 4.0 at Index 4449675	32001.95	320+02		7.6	0.888										39.76	1.7	3.4	1.6	9.5	
W210	Wall change from .888 to .617 for 101.39 feet - Enduro predicted		32003.59	320+04	553704.76	6.6	0.617										0.0	9.5	9.5	39.8		2274
W211	Wall change from .617 to .740 for 3.80 feet - Enduro predicted		32104.98	321+05	553810.96	10.4	0.740										0.0	3.8	3.8	2.1		2271
B87	Bend 21.69 deg. 3.0 Ds Right Turn MCSD: 39.83	Before ult w.: 1.0%(0.406) MCSD: 40.3 ID:40.8 mph:10.5 C/I:1 to 7 After d/s w.: 0.4%(0.163) MCSD: 40.6 ID:40.8 mph:7.5 C/I:2 to 8 MPH coming into Bend (-10ft): 11.5 Leaving Bend (+10ft): 9.2 Min MPH over range: 7.2 at Index 4462258	32106.88	321+07		10.3	0.740										39.83	1.9	3.8	1.9	2.1	
W212	Wall change from .740 to .617 for 305.14 feet - Enduro predicted		32108.78	321+09	553815.01	7.5	0.617										0.0	2.1	2.1	39.9		2270
W213	Wall change from .617 to .740 for 2.90 feet - Enduro predicted		32413.92	324+14	554119.33	4.3	0.740										0.0	2.9	2.9	2.5		2267

B88	Bend 14.18 deg. 3.0 Ds Right Turn MCSD: 40.09	Before u/s w.: 0.3%(0.127) MCSD: 40.6 ID:40.8 mph:3.1 Clk:6 to 12 After d/s w.: 0.3%(0.123) MCSD: 40.6 ID:40.8 mph:2.1 Clk:3 to 9 MPH coming Into Bend (-10ft): 6.0 Leaving Bend (+10ft): 7.9 Min MPH over range: 0.0 at Index 4499055	32415.37	324+15		4.6	0.740												40.09	1.4	2.9	1.4	2.5	(b) (7)(F)
W214	Wall change from .740 to .617 for 694.61 feet - Enduro predicted		32416.82	324+17	554122.09	2.7	0.617												0.0	2.5	2.5	39.7	2266	
W215	Wall change from .617 to .740 for 1.66 feet - Enduro predicted		33111.43	331+11	554811.79	5.1	0.740												0.0	1.7	1.7	2.1	2196	
B89	Bend 7.62 deg. 3.0 Ds Up Turn MCSD: 40.13	Before u/s w.: 0.4%(0.167) MCSD: 40.6 ID:40.8 mph:8.6 Clk:6 to 12 After d/s w.: 0.9%(0.377) MCSD: 40.4 ID:40.8 mph:4.8 Clk:3 to 9 MPH coming Into Bend (-10ft): 7.1 Leaving Bend (+10ft): 5.0 Min MPH over range: 4.1 at Index 4582457	33112.26	331+12		4.4	0.740											40.13	0.8	1.7	0.8	2.1		
W216	Wall change from .740 to .617 for 51.94 feet - Enduro predicted		33113.09	331+13	554813.07	4.6	0.617												0.0	2.1	2.1	41.9	2196	
W217	Wall change from .617 to .740 for 80.78 feet - Enduro predicted		33165.03	331+65	554864.3	6.8	0.740												0.0	39.9	39.9	40.9	2203	
W218	Wall change from .740 to .888 for 2.81 feet - Enduro predicted		33245.81	332+46	554943.19	4.6	0.888												0.0	2.8	2.8	11.0	2217	
B90	Bend 14.92 deg. 3.0 Ds Left Turn MCSD: 39.67	Before u/s w.: 0.2%(0.089) MCSD: 40.4 ID:40.5 mph:0.4 Clk:6 to 12 After d/s w.: 0.1%(0.040) MCSD: 40.7 ID:40.8 mph:1.1 Clk:1 to 7 MPH coming Into Bend (-10ft): 4.1 Leaving Bend (+10ft): 8.9 Min MPH over range: 0.1 at Index 4598261	33247.25	332+47		6.3	0.888											39.67	1.4	2.8	1.4	11.0		
W219	Wall change from .888 to .617 for 11.03 feet - Enduro predicted		33248.62	332+49	554945.81	5.4	0.617												0.0	11.0	11.0	4.4	2217	
W220	Wall change from .617 to .888 for 4.36 feet - Enduro predicted		33259.66	332+60	554956.77	9.1	0.888												0.0	4.4	4.4	34.6	2219	
W221	Wall change from .888 to .617 for 444.17 feet - Enduro predicted		33264.01	332+64	554960.93	7.7	0.617												0.0	34.6	34.6	37.7	2220	
W222	Wall change from .617 to .740 for 3.70 feet - Enduro predicted		33708.19	337+08	555396.16	9.2	0.740												0.0	3.7	3.7	2.8	2267	
W223	Wall change from .740 to .888 for 2.76 feet - Enduro predicted		33711.89	337+12	555399.39	6.7	0.888												0.0	2.8	2.8	2.0	2266	
B91	Bend 13.96 deg. 3.0 Ds Up Turn MCSD: 38.94	Before u/s w.: 1.6%(0.671) MCSD: 39.9 ID:40.5 mph:7.2 Clk:6 to 12 After d/s w.: 1.6%(0.670) MCSD: 39.9 ID:40.8 mph:5.1 Clk:6 to 12 MPH coming Into Bend (-10ft): 7.3 Leaving Bend (+10ft): 5.8 Min MPH over range: 4.9 at Index 4654978	33713.26	337+13		7.8	0.888											38.94	1.4	2.8	1.4	2.0		
W224	Wall change from .888 to .617 for 565.13 feet - Enduro predicted		33714.65	337+15	555402.35	6.4	0.617												0.0	2.0	2.0	39.8	2267	
B92	Bend 50.77 deg. 3.0 Ds Right Turn MCSD: 40.16	Before u/s w.: 0.5%(0.195) MCSD: 40.7 ID:40.8 mph:4.3 Clk:6 to 12 After d/s w.: 0.5%(0.203) MCSD: 40.5 ID:40.8 mph:4.3 Clk:6 to 12 MPH coming Into Bend (-10ft): 3.7 Leaving Bend (+10ft): 5.1 Min MPH over range: 2.2 at Index 4705364	34136.84	341+37		2.2	0.617											40.16	5.0	10.1	5.0	2.1		
W225	Wall change from .617 to .740 for 3.42 feet - Enduro predicted		34279.78	342+80	555967.78	6.3	0.740												0.0	3.4	3.4	9.6	2362	
W226	Wall change from .740 to .617 for 854.17 feet - Enduro predicted		34283.20	342+83	555970.41	6.2	0.617												0.0	9.6	9.6	2.0	2362	
B93	Bend 70.38 deg. 3.0 Ds Right Turn MCSD: 39.92	Before u/s w.: 0.8%(0.352) MCSD: 40.1 ID:40.5 mph:6.9 Clk:6 to 12 After d/s w.: 0.3%(0.105) MCSD: 40.6 ID:40.8 mph:7.6 Clk:3 to 9 MPH coming Into Bend (-10ft): 8.6 Leaving Bend (+10ft): 8.0 Min MPH over range: 5.8 at Index 4723167	34286.35	342+86		5.9	0.617											39.92	3.1	9.6	6.5	2.0		
B94	Bend 62.84 deg. 3.0 Ds Left Turn MCSD: 40.01	Before u/s w.: 0.5%(0.218) MCSD: 40.6 ID:40.8 mph:8.4 Clk:6 to 12 After d/s w.: 0.3%(0.109) MCSD: 40.5 ID:40.5 mph:9.3 Clk:1 to 7 MPH coming Into Bend (-10ft): 8.4 Leaving Bend (+10ft): 9.6 Min MPH over range: 6.8 at Index 4738053	34417.99	344+18		8.4	0.617											40.01	6.6	13.1	6.5	2.2		
W227	Wall change from .617 to .888 for 6.85 feet - Enduro predicted		35137.36	351+37	556811.5	8.8	0.888												0.0	6.8	6.8	14.0	2403	

[illegible]

W241	Wall change from .617 to .740 for 113.99 feet - Enduro predicted		38485.84	384+86	560138.08	8.4	0.740										0.0	40.5	40.5	40.5	(b) (7)(F)	2419
W242	Wall change from .740 to .888 for 3.37 feet - Enduro predicted		38599.83	386+00	560246.98	4.5	0.888										0.0	3.4	3.4	9.1		2420
B103	Bend 17.73 deg. 3.0 Ds Left Turn MCSD: 39.03	Before ult w.: 1.2%(0.487) MCSD: 40.0 ID:40.5 mph:4.0 CIL:2 to 8 After dis w.: 1.3%(0.560) MCSD: 39.9 ID:40.5 mph:2.1 CIL:2 to 8 MPH coming into Bend (-10ft): 6.5 Leaving Bend (+10ft): 5.8 Min MPH over range: 2.0 at Index 5241543	38601.51	386+02		5.5	0.888										39.03	1.7	3.4	1.7	9.1	
W243	Wall change from .888 to .740 for 124.77 feet - Enduro predicted		38603.20	386+03	560250.4	3.6	0.740										0.0	9.1	9.1	40.5		2420
W244	Wall change from .740 to .617 for 11.25 feet - Enduro predicted		38727.97	387+28	560373.82	4.4	0.617										0.0	8.4	8.4	2.9		2424
B104	Bend 57.61 deg. 3.0 Ds Right Turn MCSD: 39.92	Before ult w.: 0.9%(0.383) MCSD: 40.2 ID:40.5 mph:3.0 CIL:2 to 8 After dis w.: 0.5%(0.205) MCSD: 40.5 ID:40.8 mph:5.1 CIL:2 to 8 MPH coming into Bend (-10ft): 3.4 Leaving Bend (+10ft): 5.9 Min MPH over range: 2.9 at Index 5256101	38732.16	387+32		6.4	0.617										39.92	4.2	8.4	4.2	2.9	
W245	Wall change from .617 to .740 for 361.93 feet - Enduro predicted		38739.22	387+39		7.2	0.740										0.0	6.1	6.1	26.7		
W246	Wall change from .740 to .888 for 7.96 feet - Enduro predicted		39101.16	391+01	560737.57	6.7	0.888										0.0	8.0	8.0	9.4		2344
B105	Bend 39.0 deg. 3.0 Ds Left Turn MCSD: 39.67	Before ult w.: 0.6%(0.233) MCSD: 40.3 ID:40.5 mph:6.0 CIL:5 to 11 After dis w.: 0.4%(0.166) MCSD: 40.3 ID:40.5 mph:6.1 CIL:5 to 11 MPH coming into Bend (-10ft): 5.3 Leaving Bend (+10ft): 6.1 Min MPH over range: 4.2 at Index 5300803	39105.14	391+05		7.3	0.888										39.67	4.0	8.0	4.0	9.4	
W247	Wall change from .888 to .740 for 9.37 feet - Enduro predicted		39109.11	391+09	560744.26	7.3	0.740										0.0	9.4	9.4	39.3		2342
W248	Wall change from .740 to .888 for 609.18 feet - Enduro predicted		39118.49	391+18	560753.36	6.1	0.888										0.0	39.3	39.3	40.6		2339
B106	Bend 35.33 deg. 3.0 Ds Left Turn MCSD: 39.20	Before ult w.: 0.9%(0.386) MCSD: 39.8 ID:40.2 mph:6.2 CIL:6 to 12 After dis w.: 0.3%(0.141) MCSD: 40.0 ID:40.2 mph:6.1 CIL:1 to 7 MPH coming into Bend (-10ft): 4.4 Leaving Bend (+10ft): 6.9 Min MPH over range: 4.3 at Index 5315935	39233.95	392+34		10.0	0.888										39.20	3.9	7.8	3.9	2.0	
B107	Bend 20.27 deg. 3.0 Ds Up Turn MCSD: 39.24	Before ult w.: 1.2%(0.505) MCSD: 39.7 ID:40.2 mph:4.1 CIL:2 to 8 After dis w.: 0.9%(0.371) MCSD: 39.7 ID:40.2 mph:4.4 CIL:2 to 8 MPH coming into Bend (-10ft): 3.9 Leaving Bend (+10ft): 3.3 Min MPH over range: 2.5 at Index 5330425	39347.56	393+48		3.5	0.888										39.24	1.9	3.7	1.9	2.2	
W249	Wall change from .888 to .740 for 75.63 feet - Enduro predicted		39727.67	397+28	561354.76	7.2	0.740										0.0	40.3	40.3	25.7		
B108	Bend 32.98 deg. 3.0 Ds Right Turn MCSD: 39.59	Before ult w.: 0.8%(0.350) MCSD: 40.0 ID:40.2 mph:6.8 CIL:4 to 10 After dis w.: 0.5%(0.220) MCSD: 40.2 ID:40.5 mph:10.7 CIL:4 to 10 MPH coming into Bend (-10ft): 7.8 Leaving Bend (+10ft): 12.1 Min MPH over range: 5.9 at Index 5384466	39800.15	398+00		10.6	0.740										39.59	3.2	6.3	3.2	4.9	
W250	Wall change from .740 to .740 for 318.21 feet - Enduro predicted		39803.31	398+03	561427.28	10.5	0.740										0.0	4.9	4.9	40.3		2365
W251	Wall change from .740 to .888 for 5.39 feet - Enduro predicted		40121.51	401+22	561744.18	9.5	0.888										0.0	5.4	5.4	2.1		2379
B109	Bend 28.2 deg. 3.0 Ds Right Turn MCSD: 39.45	Before ult w.: 0.5%(0.221) MCSD: 40.2 ID:40.5 mph:3.4 CIL:4 to 10 After dis w.: 0.7%(0.308) MCSD: 40.1 ID:40.5 mph:10.1 CIL:3 to 9 MPH coming into Bend (-10ft): 9.9 Leaving Bend (+10ft): 12.0 Min MPH over range: 7.8 at Index 5423426	40124.22	401+24		9.9	0.888										39.45	2.7	5.4	2.7	2.1	
W252	Wall change from .888 to .740 for 85.86 feet - Enduro predicted		40126.91	401+27	561748.99	9.5	0.740										0.0	2.1	2.1	40.5		2378
W253	Wall change from .740 to .888 for 2.63 feet - Enduro predicted		40212.76	402+13	561834.38	9.1	0.888										0.0	2.6	2.6	1.9		2364
B110	Bend 15.02 deg. 3.0 Ds Right Turn MCSD: 39.53	Before ult w.: 1.0%(0.403) MCSD: 40.1 ID:40.5 mph:9.1 CIL:3 to 9 After dis w.: 1.2%(0.514) MCSD: 40.0 ID:40.5 mph:12.0 CIL:2 to 8 MPH coming into Bend (-10ft): 12.6 Leaving Bend (+10ft): 11.7 Min MPH over range: 8.8 at Index 5434455	40214.08	402+14		12.2	0.888										39.53	1.3	2.6	1.3	1.9	

W254	Wall change from .888 to .740 for 172.44 feet - Enduro predicted		40215.40	402+15	561837.17	9.5	0.740										0.0	1.9	1.9	40.3	2363
W255	Wall change from .740 to .888 for 79.87 feet - Enduro predicted		40387.84	403+88	562002.49	8.1	0.888										0.0	39.1	39.1	40.8	2315
W256	Wall change from .888 to .740 for 106.64 feet - Enduro predicted		40467.71	404+68	562076.94	6.8	0.740										0.0	25.5	25.5	40.5	2291
W257	Wall change from .740 to .888 for 75.37 feet - Enduro predicted		40574.35	405+74	562181.81	9.9	0.888										0.0	40.1	40.1	35.2	2269
W258	Wall change from .888 to .740 for 147.12 feet - Enduro predicted		40649.71	406+50	562255.45	8.4	0.740										0.0	40.6	40.6	40.5	2259
W259	Wall change from .740 to .888 for 29.94 feet - Enduro predicted		40796.83	407+97	562400.78	4.2	0.888										0.0	29.9	29.9	40.8	2237
W260	Wall change from .888 to .740 for 101.17 feet - Enduro predicted		40826.77	408+27	562429.81	7.4	0.740										0.0	40.8	40.8	20.2	2231
W261	Wall change from .740 to .888 for 56.18 feet - Enduro predicted		40927.95	409+28	562530.08	6.1	0.888										0.0	16.0	16.0	20.2	2226
W262	Wall change from .888 to .740 for 7.21 feet - Enduro predicted		40984.13	409+84	562585.75	4.7	0.740										0.0	7.2	7.2	4.3	2226
W263	Wall change from .740 to .888 for 4.27 feet - Enduro predicted		40991.34	409+91	562592.81	4.1	0.888										0.0	4.3	4.3	5.0	2226
B111	Bend 22.97 deg. 3.0 Ds Up Turn MCSD: 39.69	Before u/s w.: 0.7%(0.299) MCSD: 40.1 ID:40.5 mph:4.6 CIL:4 to 10 After d/s w.: 0.7%(0.307) MCSD: 40.1 ID:40.2 mph:2.6 CIL:5 to 11 MPH coming into Bend (-10ft): 4.6 Leaving Bend (+10ft): 3.9 Min MPH over range: 2.4 at Index 5528150	40993.48	409+93		2.6	0.888									39.69	2.1	4.3	2.1	5.0	
W264	Wall change from .888 to .740 for 203.62 feet - Enduro predicted		40995.61	409+96	562596.26	3.2	0.740										0.0	5.0	5.0	40.6	2226
W265	Wall change from .740 to .888 for 3.36 feet - Enduro predicted		41199.23	411+99	562784.75	4.1	0.888										0.0	3.4	3.4	2.2	2299
B112	Bend 15.09 deg. 3.0 Ds Left Turn MCSD: 39.46	Before u/s w.: 1.3%(0.529) MCSD: 39.9 ID:40.5 mph:4.0 CIL:6 to 12 After d/s w.: 0.5%(0.216) MCSD: 40.3 ID:40.5 mph:4.3 CIL:6 to 12 MPH coming into Bend (-10ft): 4.1 Leaving Bend (+10ft): 5.8 Min MPH over range: 3.7 at Index 5552569	41200.91	412+01		5.2	0.888									39.46	1.7	3.4	1.7	2.2	
W266	Wall change from .888 to .740 for 486.40 feet - Enduro predicted		41202.59	412+03	562787.27	5.3	0.740										0.0	2.2	2.2	40.3	2300
W267	Wall change from .740 to .888 for 9.32 feet - Enduro predicted		41688.99	416+89	563268.75	6.3	0.888										0.0	9.3	9.3	2.3	2351
B113	Bend 43.01 deg. 3.0 Ds Right Turn MCSD: 39.43	Before u/s w.: 0.6%(0.260) MCSD: 40.2 ID:40.5 mph:7.4 CIL:3 to 9 After d/s w.: 0.7%(0.280) MCSD: 40.2 ID:40.5 mph:7.3 CIL:3 to 9 MPH coming into Bend (-10ft): 7.5 Leaving Bend (+10ft): 6.1 Min MPH over range: 4.1 at Index 5612320	41693.66	416+94		5.7	0.888									39.43	4.7	9.3	4.7	2.3	
W268	Wall change from .888 to .740 for 516.12 feet - Enduro predicted		41698.31	416+98	563276.09	7.8	0.740										0.0	2.3	2.3	40.3	2351
W269	Wall change from .740 to .888 for 13.21 feet - Enduro predicted		42214.44	422+14	563779.92	6.4	0.888										0.0	9.0	9.0	4.2	2437
B114	Bend 63.83 deg. 3.0 Ds Left Turn MCSD: 39.60	Before u/s w.: 0.9%(0.372) MCSD: 40.1 ID:40.5 mph:6.0 CIL:4 to 10 After d/s w.: 0.6%(0.353) MCSD: 40.0 ID:40.2 mph:6.9 CIL:4 to 10 MPH coming into Bend (-10ft): 6.7 Leaving Bend (+10ft): 6.0 Min MPH over range: 5.4 at Index 5674401	42220.39	422+20		6.2	0.888									39.60	5.9	9.0	3.1	4.2	
W270	Wall change from .888 to .740 for 185.39 feet - Enduro predicted		42227.65	422+28	563789.78	6.7	0.740										0.0	2.2	2.2	40.8	2437
W271	Wall change from .740 to .888 for 4.39 feet - Enduro predicted		42413.04	424+13	563980.28	6.4	0.888										0.0	4.4	4.4	3.2	2434
B115	Bend 22.53 deg. 3.0 Ds Left Turn MCSD: 39.91	Before u/s w.: 0.4%(0.170) MCSD: 40.4 ID:40.5 mph:7.2 CIL:2 to 8 After d/s w.: 0.5%(0.202) MCSD: 40.3 ID:40.5 mph:5.1 CIL:2 to 8 MPH coming into Bend (-10ft): 6.6 Leaving Bend (+10ft): 6.9 Min MPH over range: 5.1 at Index 5699265	42415.23	424+15		7.3	0.888									39.91	2.2	4.4	2.2	3.2	
W272	Wall change from .888 to .740 for 581.50 feet - Enduro predicted		42417.43	424+17	563984.45	6.3	0.740										0.0	3.2	3.2	40.6	2433
W273	Wall change from .740 to .888 for 4.39 feet - Enduro predicted		42998.93	429+99	564557.13	6.4	0.888										0.0	4.4	4.4	2.2	2448
B116	Bend 20.69 deg. 3.0 Ds Left Turn MCSD: 39.33	Before u/s w.: 1.3%(0.552) MCSD: 39.9 ID:40.5 mph:6.4 CIL:5 to 11 After d/s w.: 1.2%(0.486) MCSD: 40.0 ID:40.5 mph:5.4 CIL:5 to 11 MPH coming into Bend (-10ft): 6.7 Leaving Bend (+10ft): 7.3 Min MPH over range: 5.4 at Index 5769561	43001.13	430+01		7.2	0.888									39.33	2.2	4.4	2.2	2.2	
W274	Wall change from .888 to .740 for 743.39 feet - Enduro predicted		43003.32	430+03	564561.13	5.7	0.740										0.0	2.2	2.2	41.1	2447

(b) (7)(F)

W275	Wall change from .740 to .888 for 16.92 feet - Enduro predicted		43746.71	437+47	565295.24	8.2	0.888											0.0	9.0	9.0	7.9	(b) (7)(F)	
B117	Bend 86.34 deg. 3.0 Dis Right Turn MCSD: 39.63	Before u/s w.: 0.3%(0.107) MCSD: 40.4 ID:40.5 mph:7.5 CIL:4 to 10 After d/s w.: 1.2%(0.489) MCSD: 39.7 ID:40.2 mph:5.5 CIL:3 to 9 MPH coming into Bend (-10ft): 7.1 Leaving Bend (+10ft): 5.6 Min MPH over range: 5.3 at Index 5860035	43754.66	437+55		6.2	0.888										39.63	7.9	9.0	1.1	7.9		
W276	Wall change from .888 to .740 for 21.97 feet - Enduro predicted		43763.64	437+64	565312.39	6.1	0.740											0.0	2.2	2.2	5.2		
W277	Wall change from .740 to .888 for 3.69 feet - Enduro predicted		43785.61	437+86	565333.9	9.8	0.888											0.0	3.7	3.7	2.2		
B118	Bend 18.04 deg. 3.0 Dis Down Turn MCSD: 39.62	Before u/s w.: 0.4%(0.154) MCSD: 40.4 ID:40.5 mph:9.8 CIL:4 to 10 After d/s w.: 0.8%(0.348) MCSD: 40.1 ID:40.5 mph:10.5 CIL:6 to 12 MPH coming into Bend (-10ft): 9.0 Leaving Bend (+10ft): 10.7 Min MPH over range: 7.2 at Index 5862960	43787.46	437+87		12.1	0.888										39.62	1.9	3.7	1.8	2.2		
W278	Wall change from .888 to .740 for 796.23 feet - Enduro predicted		43789.30	437+89	565337.89	9.2	0.740											0.0	2.2	2.2	40.1		
W279	Wall change from .740 to .888 for 83.12 feet - Enduro predicted		44585.53	445+86	566091.09	4.3	0.888											0.0	28.5	28.5	4.2		
B119	Bend 22.0 deg. 3.0 Dis Up Turn MCSD: 39.06	Before u/s w.: 1.3%(0.544) MCSD: 39.6 ID:40.2 mph:2.3 CIL:3 to 9 After d/s w.: 1.6%(0.654) MCSD: 39.5 ID:40.2 mph:0.2 CIL:3 to 9 MPH coming into Bend (-10ft): 1.4 Leaving Bend (+10ft): 4.0 Min MPH over range: 0.0 at Index 5963352	44616.16	446+16		1.8	0.888										39.06	2.1	4.2	2.1	10.0		
W280	Wall change from .888 to .740 for 685.31 feet - Enduro predicted		44668.65	446+69	566172.64	6.7	0.740											0.0	40.5	40.5	37.8		
W281	Wall change from .740 to .617 for 324.32 feet - Enduro predicted		45353.96	453+54	566830.55	9.1	0.617											0.0	40.3	40.3	40.0		
W282	Wall change from .617 to .888 for 9.03 feet - Enduro predicted		45678.27	456+78	567145.15	7.5	0.888											0.0	9.0	9.0	2.2		
B120	Bend 45.61 deg. 3.0 Dis Left Turn MCSD: 39.47	Before u/s w.: 0.6%(0.258) MCSD: 40.4 ID:40.5 mph:7.3 CIL:6 to 12 After d/s w.: 0.9%(0.376) MCSD: 40.3 ID:40.8 mph:3.9 CIL:3 to 9 MPH coming into Bend (-10ft): 8.4 Leaving Bend (+10ft): 6.4 Min MPH over range: 3.8 at Index 6091630	45682.79	456+83		5.4	0.888										39.47	4.5	9.0	4.5	2.2		
W283	Wall change from .888 to .617 for 545.84 feet - Enduro predicted		45687.31	456+87	567152.99	4.9	0.617											0.0	2.2	2.2	37.2		
W284	Wall change from .617 to .740 for 3.82 feet - Enduro predicted		46233.15	462+33	567689.31	6.8	0.740											0.0	3.8	3.8	7.1		
W285	Wall change from .740 to .888 for 7.14 feet - Enduro predicted		46236.97	462+37	567693.31	6.3	0.888											0.0	7.1	7.1	1.9		
S1	Deformation - Ovality	Field Reported Before u/s w.: 2.3%(0.969) MCSD: 39.7 ID:40.5 mph:6.4 CIL:6 to 12 After d/s w.: 1.7%(0.730) MCSD: 40.0 ID:40.8 mph:5.3 CIL:1 to 7 MPH coming into Bend (-10ft): 6.6 Leaving Bend (+10ft): 7.0 Min MPH over range: 4.8 at Index 6158381	46240.54	462+41		5.2	0.888	10.06	0.000	0.00				0.00	0.00	0.969	2.31	.00	38.23	3.6	7.1	3.6	1.9
B121	Bend 34.55 deg. 3.0 Dis Right Turn MCSD: 38.23	Before u/s w.: 2.3%(0.969) MCSD: 39.7 ID:40.5 mph:6.4 CIL:6 to 12 After d/s w.: 1.7%(0.730) MCSD: 40.0 ID:40.8 mph:5.3 CIL:1 to 7 MPH coming into Bend (-10ft): 6.6 Leaving Bend (+10ft): 7.0 Min MPH over range: 4.8 at Index 6158381	46240.54	462+41		5.2	0.888										38.23	3.6	7.1	3.6	1.9		
W286	Wall change from .888 to .617 for 336.66 feet - Enduro predicted		46244.11	462+44	567701.45	5.3	0.617											0.0	1.9	1.9	39.8		
W287	Wall change from .617 to .740 for 2.29 feet - Enduro predicted		46580.77	465+81	568028.55	6.4	0.740											0.0	2.3	2.3	4.5		
W288	Wall change from .740 to .888 for 4.48 feet - Enduro predicted		46583.06	465+83	568030.71	5.5	0.888											0.0	4.5	4.5	2.0		
S2	Deformation - Ovality	Field Reported Before u/s w.: 2.5%(1.040) MCSD: 39.6 ID:40.5 mph:6.1 CIL:1 to 7 After d/s w.: 2.7%(1.129) MCSD: 39.6 ID:40.8 mph:5.5 CIL:1 to 7 MPH coming into Bend (-10ft): 5.5 Leaving Bend (+10ft): 6.6 Min MPH over range: 4.7 at Index 6198815	46585.31	465+85		5.7	0.888	10.58	0.000	0.00				0.00	0.00	1.129	2.69	.00	38.46	2.2	4.5	2.2	2.0

(b) (7)(F)

B122	Bend 21.69 deg. 3.0 Ds Right Turn MCSD: 38.46	Before ult w.: 2.5%(1.040) MCSD: 39.6 ID:40.5 mph:5.1 Ck:1 to 7 After d/s w.: 2.7%(1.129) MCSD: 39.6 ID:40.8 mph:5.5 Ck:1 to 7 MPH coming into Bend (-10ft): 5.5 Leaving Bend (+10ft): 6.6 Min MPH over range: 4.7 at Index 6198615	46585.31	465+85	568034.76	5.7	0.888												38.46	2.2	4.5	2.2	2.0	(b) (7)(F)
W289	Wall change from .888 to .617 for 322.41 feet - Enduro predicted		46587.55	465+88	568034.76	5.7	0.617													0.0	2.0	2.0	38.6	2642
W290	Wall change from .617 to .740 for 7.42 feet - Enduro predicted		46909.96	469+10	568341.21	6.6	0.740													0.0	7.4	7.4	2.1	2727
B123	Bend 36.42 deg. 3.0 Ds Left Turn MCSD: 39.84	Before ult w.: 0.4%(0.171) MCSD: 40.5 ID:40.8 mph:6.5 Ck:3 to 9 After d/s w.: 0.3%(0.129) MCSD: 40.7 ID:40.8 mph:3.7 Ck:4 to 10 MPH coming into Bend (-10ft): 6.6 Leaving Bend (+10ft): 7.0 Min MPH over range: 3.3 at Index 6239177	46913.66	469+14		4.5	0.740												39.84	3.7	7.4	3.7	2.1	
W291	Wall change from .740 to .617 for 481.97 feet - Enduro predicted		46917.37	469+17	568360.87	3.8	0.617													0.0	2.1	2.1	40.0	2727
W292	Wall change from .617 to .888 for 6.80 feet - Enduro predicted		47399.34	473+99	568837.51	7.0	0.888													0.0	6.8	6.8	2.2	2768
B124	Bend 34.36 deg. 3.0 Ds Right Turn MCSD: 39.70	Before ult w.: 1.0%(0.408) MCSD: 40.4 ID:40.8 mph:5.1 Ck:3 to 9 After d/s w.: 0.5%(0.207) MCSD: 40.6 ID:40.8 mph:5.1 Ck:3 to 9 MPH coming into Bend (-10ft): 7.0 Leaving Bend (+10ft): 8.5 Min MPH over range: 4.0 at Index 6296623	47402.74	474+03		6.8	0.888												39.70	3.4	6.8	3.4	2.2	
W293	Wall change from .888 to .617 for 544.27 feet - Enduro predicted		47406.14	474+06	568843.4	5.9	0.617													0.0	2.2	2.2	40.0	2767
W294	Wall change from .617 to .888 for 8.74 feet - Enduro predicted		48350.41	483+50	569762.32	5.1	0.888													0.0	8.7	8.7	2.2	2735
B125	Bend 45.01 deg. 3.0 Ds Right Turn MCSD: 39.76	Before ult w.: 0.7%(0.276) MCSD: 40.5 ID:40.8 mph:3.9 Ck:4 to 10 After d/s w.: 0.8%(0.345) MCSD: 40.5 ID:40.8 mph:2.7 Ck:3 to 9 MPH coming into Bend (-10ft): 4.9 Leaving Bend (+10ft): 6.2 Min MPH over range: 2.4 at Index 6412245	48354.80	483+55		2.8	0.888												39.76	4.4	8.7	4.4	2.2	
W295	Wall change from .888 to .617 for 128.79 feet - Enduro predicted		48359.16	483+59	569767.7	3.1	0.617													0.0	2.2	2.2	39.8	2737
W296	Wall change from .617 to .740 for 6.06 feet - Enduro predicted		48487.95	484+88	569895.66	5.4	0.740													0.0	6.1	6.1	2.1	2748
B126	Bend 30.53 deg. 3.0 Ds Left Turn MCSD: 39.78	Before ult w.: 1.3%(0.560) MCSD: 40.2 ID:40.8 mph:5.6 Ck:4 to 10 After d/s w.: 1.3%(0.527) MCSD: 40.2 ID:40.8 mph:6.0 Ck:4 to 10 MPH coming into Bend (-10ft): 5.1 Leaving Bend (+10ft): 7.2 Min MPH over range: 4.5 at Index 6427172	48490.99	484+91		6.5	0.740												39.78	3.0	6.1	3.0	2.1	
W297	Wall change from .740 to .617 for 28.82 feet - Enduro predicted		48494.01	484+94	569905.47	5.8	0.617													0.0	2.1	2.1	26.7	2747
W298	Wall change from .617 to .888 for 3.05 feet - Enduro predicted		48522.82	485+23	569932.44	6.3	0.888													0.0	3.0	3.0	2.0	2744
B127	Bend 15.15 deg. 3.0 Ds Left Turn MCSD: 39.61	Before ult w.: 0.5%(0.204) MCSD: 40.5 ID:40.8 mph:5.9 Ck:2 to 8 After d/s w.: 0.4%(0.151) MCSD: 40.7 ID:40.8 mph:4.8 Ck:2 to 8 MPH coming into Bend (-10ft): 7.3 Leaving Bend (+10ft): 9.1 Min MPH over range: 4.6 at Index 6431434	48524.35	485+24		7.7	0.888												39.61	1.5	3.0	1.5	2.0	
W299	Wall change from .888 to .617 for 71.47 feet - Enduro predicted		48525.87	485+26	569935.83	6.1	0.617													0.0	2.0	2.0	39.6	2744
W300	Wall change from .617 to .888 for 7.17 feet - Enduro predicted		48597.35	485+97	570007.62	7.9	0.888													0.0	7.2	7.2	2.0	2727
B128	Bend 33.47 deg. 3.0 Ds Left Turn MCSD: 39.54	Before ult w.: 1.3%(0.562) MCSD: 40.0 ID:40.5 mph:9.1 Ck:1 to 7 After d/s w.: 0.9%(0.363) MCSD: 40.4 ID:40.8 mph:5.4 Ck:2 to 8 MPH coming into Bend (-10ft): 8.4 Leaving Bend (+10ft): 9.1 Min MPH over range: 5.2 at Index 6441697	48600.95	486+01		7.0	0.888												39.54	3.6	7.2	3.6	2.0	
W301	Wall change from .888 to .617 for 1370.62 feet - Enduro predicted		48604.52	486+05	570013.62	5.8	0.617													0.0	2.0	2.0	40.1	2725
W302	Wall change from .617 to .888 for 4.42 feet - Enduro predicted		49975.14	499+75	571351.14	2.2	0.888													0.0	4.4	4.4	2.0	2533

B129	Bend 20.79 deg. 3.0 Ds Right Turn MCSD: 39.29	Before ult w.: 0.9%(0.383) MCSD: 40.4 ID:40.8 mph:1.8 CIL:3 to 9 After d/s w.: 1.1%(0.479) MCSD: 40.3 ID:40.8 mph:1.6 CIL:3 to 9 MPH coming into Bend (-10ft): 4.0 Leaving Bend (+10ft): 7.5 Min MPH over range: 0.0 at Index 6606416	49977.36	499+77		1.7	0.888											39.29	2.2	4.4	2.2	2.0	(b) (7)(F)
W303	Wall change from .888 to .617 for 230.57 feet - Enduro predicted		49979.56	499+80	571355.69	1.7	0.617												0.0	2.0	2.0	41.6	2534
W304	Wall change from .617 to .888 for 2.81 feet - Enduro predicted		50210.13	502+10	571585.88	7.5	0.888												0.0	2.8	2.8	14.1	2520
B130	Bend 13.99 deg. 3.0 Ds Left Turn MCSD: 39.64	Before ult w.: 1.2%(0.512) MCSD: 40.1 ID:40.5 mph:7.8 CIL:4 to 10 After d/s w.: 0.4%(0.150) MCSD: 40.7 ID:40.8 mph:5.5 CIL:3 to 9 MPH coming into Bend (-10ft): 9.7 Leaving Bend (+10ft): 10.4 Min MPH over range: 5.4 at Index 6634736	50211.54	502+12		8.4	0.888											39.64	1.4	2.8	1.4	14.1	
W305	Wall change from .888 to .617 for 361.84 feet - Enduro predicted		50212.94	502+13	571588.8	6.5	0.617												0.0	14.1	14.1	42.8	2520
W306	Wall change from .617 to .888 for 4.71 feet - Enduro predicted		50574.78	505+75	571942.03	3.3	0.888												0.0	4.7	4.7	2.1	2504
B131	Bend 24.24 deg. 3.0 Ds Right Turn MCSD: 39.13	Before ult w.: 1.1%(0.443) MCSD: 40.3 ID:40.8 mph:2.2 CIL:3 to 9 After d/s w.: 1.2%(0.494) MCSD: 40.3 ID:40.8 mph:1.6 CIL:3 to 9 MPH coming into Bend (-10ft): 3.5 Leaving Bend (+10ft): 6.8 Min MPH over range: 0.1 at Index 6678409	50577.16	505+77		2.0	0.888											39.13	2.4	4.7	2.3	2.1	
W307	Wall change from .888 to .617 for 138.64 feet - Enduro predicted		50579.49	505+79	571945.72	1.1	0.617												0.0	2.1	2.1	40.0	2504
W308	Wall change from .617 to .740 for 4.36 feet - Enduro predicted		50718.13	507+18	572083.19	6.3	0.740												0.0	4.4	4.4	2.2	2507
B132	Bend 21.71 deg. 3.0 Ds Left Turn MCSD: 39.69	Before ult w.: 1.1%(0.451) MCSD: 40.4 ID:40.8 mph:6.4 CIL:5 to 11 After d/s w.: 0.7%(0.291) MCSD: 40.5 ID:40.8 mph:4.3 CIL:5 to 11 MPH coming into Bend (-10ft): 5.7 Leaving Bend (+10ft): 7.4 Min MPH over range: 4.0 at Index 6695822	50720.31	507+20		7.1	0.740											39.69	2.2	4.4	2.2	2.2	
W309	Wall change from .740 to .617 for 435.58 feet - Enduro predicted		50722.49	507+22	572086.89	4.6	0.617												0.0	2.2	2.2	42.6	2508
W310	Wall change from .617 to .740 for 6.40 feet - Enduro predicted		51158.07	511+58	572521.42	5.7	0.740												0.0	6.4	6.4	2.1	2531
B133	Bend 40.34 deg. 3.0 Ds Right Turn MCSD: 38.99	Before ult w.: 2.1%(0.903) MCSD: 39.8 ID:40.8 mph:5.9 CIL:1 to 7 After d/s w.: 0.9%(0.390) MCSD: 39.9 ID:40.2 mph:3.7 CIL:6 to 12 MPH coming into Bend (-10ft): 6.4 Leaving Bend (+10ft): 7.0 Min MPH over range: 1.7 at Index 6748329	51162.21	511+62		2.6	0.740											38.99	4.1	6.4	2.3	2.1	
W311	Wall change from .740 to .888 for 2.07 feet - Enduro predicted		51164.47	511+64	572526.41	4.0	0.888												0.0	2.1	2.1	2.1	2531
W312	Wall change from .888 to .617 for 171.35 feet - Enduro predicted		51166.55	511+67	572528.56	3.7	0.617												0.0	2.1	2.1	40.1	2531
W313	Wall change from .617 to .888 for 3.47 feet - Enduro predicted		51337.90	513+38	572697.59	1.7	0.888												0.0	3.5	3.5	5.2	2508
B134	Bend 19.66 deg. 3.0 Ds Left Turn MCSD: 39.79	Before ult w.: 0.4%(0.173) MCSD: 40.6 ID:40.8 mph:2.8 CIL:4 to 10 After d/s w.: 0.2%(0.083) MCSD: 40.8 ID:40.8 mph:2.5 CIL:1 to 7 MPH coming into Bend (-10ft): 5.2 Leaving Bend (+10ft): 7.2 Min MPH over range: 0.1 at Index 6769846	51339.63	513+40		3.1	0.888											39.79	1.7	3.5	1.7	5.2	
W314	Wall change from .888 to .617 for 228.67 feet - Enduro predicted		51341.36	513+41	572700.52	1.5	0.617												0.0	5.2	5.2	43.2	2508
W315	Wall change from .617 to .888 for 3.37 feet - Enduro predicted		51570.03	515+70	572928.74	3.1	0.888												0.0	3.4	3.4	5.1	2525
B135	Bend 16.83 deg. 3.0 Ds Right Turn MCSD: 39.34	Before ult w.: 1.7%(0.707) MCSD: 40.0 ID:40.8 mph:3.0 CIL:3 to 9 After d/s w.: 0.7%(0.306) MCSD: 40.5 ID:40.8 mph:0.9 CIL:2 to 8 MPH coming into Bend (-10ft): 6.1 Leaving Bend (+10ft): 7.4 Min MPH over range: 0.5 at Index 6797966	51571.71	515+72		4.9	0.888											39.34	1.7	3.4	1.7	5.1	
W316	Wall change from .888 to .617 for 428.42 feet - Enduro predicted		51573.40	515+73	572931.94	2.6	0.617												0.0	5.1	5.1	42.6	2526
W317	Wall change from .617 to .740 for 3.06 feet - Enduro predicted		52001.82	520+02		4.9	0.740												0.0	3.1	3.1	2.1	

B136	Bend 22.58 deg. 3.0 Ds Right Turn MCSD: 39.61	Before ult w.: 1.6%(0.675) MCSD: 40.1 ID:40.8 mph:4.3 Cl:2 to 8 After d/s w.: 1.4%(0.571) MCSD: 40.2 ID:40.8 mph:2.2 Cl:2 to 8 MPH coming into Bend (-10ft): 4.0 Leaving Bend (+10ft): 3.6 Min MPH over range: 1.4 at Index 6849691	52003.36	520+03		5.0	0.740											39.61	1.5	3.1	1.5	2.1	(b) (7)(F)	
W318	Wall change from .740 to .617 for 260.13 feet - Enduro predicted		52004.88	520+05	573351.98	3.0	0.617												0.0	2.1	2.1	42.4		2597
W319	Wall change from .617 to .740 for 5.00 feet - Enduro predicted		52265.01	522+65	573605.35	2.7	0.740												0.0	5.0	5.0	2.1		2646
B137	Bend 27.61 deg. 3.0 Ds Left Turn MCSD: 39.61	Before ult w.: 0.7%(0.307) MCSD: 40.4 ID:40.8 mph:2.1 Cl:3 to 9 After d/s w.: 1.0%(0.417) MCSD: 40.3 ID:40.8 mph:0.8 Cl:3 to 9 MPH coming into Bend (-10ft): 1.9 Leaving Bend (+10ft): 5.0 Min MPH over range: 0.0 at Index 6881255	52267.51	522+68		1.6	0.740											39.61	2.5	5.0	2.5	2.1		
W320	Wall change from .740 to .617 for 86.13 feet - Enduro predicted		52270.01	522+70	573607.35	1.1	0.617												0.0	2.1	2.1	39.0		2646
W321	Wall change from .617 to .740 for 5.27 feet - Enduro predicted		52356.15	523+56	573700.16	7.1	0.740												0.0	0.9	0.9	4.4		2665
B138	Bend 26.76 deg. 3.0 Ds Left Turn MCSD: 39.46	Before ult w.: 2.2%(0.989) MCSD: 39.5 ID:40.5 mph:7.1 Cl:3 to 9 After d/s w.: 1.2%(0.490) MCSD: 40.3 ID:40.8 mph:5.3 Cl:3 to 9 MPH coming into Bend (-10ft): 6.8 Leaving Bend (+10ft): 7.5 Min MPH over range: 4.2 at Index 6891404	52358.10	523+58		7.5	0.740											39.46	1.1	4.4	3.3	2.2		
W322	Wall change from .740 to .617 for 70.50 feet - Enduro predicted		52361.42	523+61	573703.37	4.7	0.617												0.0	2.2	2.2	39.9		2666
W323	Wall change from .617 to .888 for 2.87 feet - Enduro predicted		52431.92	524+32	573772.99	5.7	0.888												0.0	2.9	2.9	2.2		2669
B139	Bend 15.4 deg. 3.0 Ds Left Turn MCSD: 39.78	Before ult w.: 0.1%(0.063) MCSD: 40.6 ID:40.8 mph:4.6 Cl:3 to 9 After d/s w.: 0.5%(0.211) MCSD: 40.5 ID:40.8 mph:2.9 Cl:3 to 9 MPH coming into Bend (-10ft): 6.0 Leaving Bend (+10ft): 7.5 Min MPH over range: 2.9 at Index 6901352	52433.36	524+33		6.2	0.888											39.78	1.4	2.9	1.4	2.2		
W324	Wall change from .888 to .617 for 1277.89 feet - Enduro predicted		52434.80	524+35	573775.56	4.4	0.617												0.0	2.2	2.2	42.5		2669
W325	Wall change from .617 to .740 for 7.24 feet - Enduro predicted		53712.69	537+13	575047.56	2.8	0.740												0.0	7.2	7.2	2.0		2669
B140	Bend 33.26 deg. 3.0 Ds Right Turn MCSD: 39.90	Before ult w.: 0.6%(0.256) MCSD: 40.5 ID:40.8 mph:2.4 Cl:4 to 10 After d/s w.: 0.5%(0.224) MCSD: 40.6 ID:40.8 mph:2.8 Cl:4 to 10 MPH coming into Bend (-10ft): 2.5 Leaving Bend (+10ft): 6.3 Min MPH over range: 0.0 at Index 7054871	53716.31	537+16		0.2	0.740											39.90	3.6	7.2	3.6	2.0		
W326	Wall change from .740 to .617 for 1106.09 feet - Enduro predicted		53719.93	537+20	575050.62	1.7	0.617												0.0	2.0	2.0	25.1		
W327	Wall change from .617 to .740 for 2.93 feet - Enduro predicted		54826.02	548+26	576136.67	3.3	0.740												0.0	2.9	2.9	14.3		2379
B141	Bend 14.83 deg. 3.0 Ds Right Turn MCSD: 40.03	Before ult w.: 1.1%(0.480) MCSD: 40.3 ID:40.8 mph:3.2 Cl:1 to 7 After d/s w.: 0.3%(0.137) MCSD: 40.7 ID:40.8 mph:1.1 Cl:5 to 11 MPH coming into Bend (-10ft): 3.9 Leaving Bend (+10ft): 3.5 Min MPH over range: 0.9 at Index 718635	54827.51	548+28		3.5	0.740											40.03	1.5	2.9	1.4	14.3		
W328	Wall change from .740 to .617 for 485.52 feet - Enduro predicted		54828.96	548+29	576138.84	1.3	0.617												0.0	14.3	14.3	40.1		2374
B142	Bend 57.88 deg. 3.0 Ds Left Turn MCSD: 40.17	Before ult w.: 0.4%(0.159) MCSD: 40.7 ID:40.8 mph:2.6 Cl:4 to 10 After d/s w.: 0.3%(0.107) MCSD: 40.7 ID:40.8 mph:4.4 Cl:3 to 9 MPH coming into Bend (-10ft): 3.5 Leaving Bend (+10ft): 3.7 Min MPH over range: 2.1 at Index 7213637	55048.03	550+48		5.0	0.617											40.17	5.9	11.9	5.9	2.1		
W329	Wall change from .617 to .740 for 4.50 feet - Enduro predicted		55314.48	553+14	576625.84	2.0	0.740												0.0	4.5	4.5	2.0		2319
B143	Bend 21.61 deg. 3.0 Ds Right Turn MCSD: 39.81	Before ult w.: 0.7%(0.283) MCSD: 40.5 ID:40.8 mph:2.1 Cl:2 to 8 After d/s w.: 0.6%(0.271) MCSD: 40.6 ID:40.8 mph:3.4 Cl:1 to 7 MPH coming into Bend (-10ft): 4.0 Leaving Bend (+10ft): 5.9 Min MPH over range: 0.0 at Index 7247131	55316.73	553+17		3.1	0.740											39.81	2.2	4.5	2.2	2.0		
W330	Wall change from .740 to .617 for 130.55 feet - Enduro predicted		55318.98	553+19	576631.22	1.5	0.617												0.0	2.0	2.0	13.5		2319

W331	Wall change from .617 to .740 for 4.37 feet - Enduro predicted		55449.53	554+50	576759.54	4.6	0.740											0.0	4.4	4.4	2.3	(b) (7)(F)	2296
B144	Bend 22.12 deg. 3.0 Dis Right Turn MCSO: 39.86	Before u/s w.: 0.6%(0.238) MCSO: 40.5 ID:40.8 mph:4.2 CIL:3 to 9 After d/s w.: 0.7%(0.293) MCSO: 40.5 ID:40.8 mph:3.9 CIL:3 to 9 MPH coming into Bend (-10ft): 6.8 Leaving Bend (+10ft): 6.5 Min MPH over range: 3.8 at Index 7263499	55451.72	554+52		5.8	0.740										39.86	2.2	4.4	2.2	2.3		
W332	Wall change from .740 to .617 for 816.32 feet - Enduro predicted		55453.91	554+54	576765.6	4.8	0.617											0.0	2.3	2.3	36.0		2299
W333	Wall change from .617 to .888 for 3.72 feet - Enduro predicted		56270.22	562+70	577572.24	6.1	0.888											0.0	3.7	3.7	2.9		2301
B145	Bend 20.29 deg. 3.0 Dis Left Turn MCSO: 39.31	Before u/s w.: 1.1%(0.449) MCSO: 40.2 ID:40.8 mph:5.3 CIL:4 to 10 After d/s w.: 1.2%(0.505) MCSO: 40.3 ID:40.8 mph:4.0 CIL:4 to 10 MPH coming into Bend (-10ft): 5.5 Leaving Bend (+10ft): 6.8 Min MPH over range: 3.9 at Index 7361084	56272.09	562+72		6.6	0.888										39.31	1.9	3.7	1.8	2.9		
W334	Wall change from .888 to .617 for 665.96 feet - Enduro predicted		56273.94	562+74	577575.92	5.7	0.617											0.0	2.9	2.9	36.3		2301
W335	Wall change from .617 to .888 for 2.42 feet - Enduro predicted		56939.90	569+40	578227.24	2.3	0.888											0.0	2.4	2.4	4.1		2196
B146	Bend 13.64 deg. 3.0 Dis Right Turn MCSO: 39.23	Before u/s w.: 0.7%(0.278) MCSO: 40.5 ID:40.8 mph:0.5 CIL:2 to 8 After d/s w.: 1.0%(0.412) MCSO: 40.4 ID:40.8 mph:1.1 CIL:2 to 8 MPH coming into Bend (-10ft): 3.3 Leaving Bend (+10ft): 8.4 Min MPH over range: 0.0 at Index 7442217	56941.11	569+41		3.4	0.888										39.23	1.2	2.4	1.2	4.1		
W336	Wall change from .888 to .617 for 44.17 feet - Enduro predicted		56942.32	569+42	578229.46	0.2	0.617											0.0	4.1	4.1	40.1		2196
W337	Wall change from .617 to .740 for 175.61 feet - Enduro predicted		56986.50	569+86	578272.94	7.9	0.740											0.0	39.9	39.9	40.4		2196
W338	Wall change from .740 to .888 for 4.32 feet - Enduro predicted		57162.10	571+62	578459.52	4.8	0.888											0.0	4.3	4.3	2.3		2226
B147	Bend 22.74 deg. 3.0 Dis Left Turn MCSO: 39.73	Before u/s w.: 1.0%(0.399) MCSO: 40.0 ID:40.5 mph:5.9 CIL:4 to 10 After d/s w.: 0.9%(0.392) MCSO: 40.1 ID:40.5 mph:2.7 CIL:4 to 10 MPH coming into Bend (-10ft): 8.2 Leaving Bend (+10ft): 4.7 Min MPH over range: 2.7 at Index 7469141	57164.26	571+64		5.2	0.888										39.73	2.2	4.3	2.2	2.3		
W339	Wall change from .888 to .740 for 41.42 feet - Enduro predicted		57166.42	571+66	578463.36	4.4	0.740											0.0	2.3	2.3	36.8		2226
W340	Wall change from .740 to .888 for 3.12 feet - Enduro predicted		57207.84	572+08	578502.87	6.7	0.888											0.0	3.1	3.1	2.3		2223
B148	Bend 16.67 deg. 3.0 Dis Left Turn MCSO: 39.85	Before u/s w.: 0.2%(0.078) MCSO: 40.4 ID:40.5 mph:5.6 CIL:3 to 9 After d/s w.: 0.4%(0.154) MCSO: 40.3 ID:40.5 mph:6.2 CIL:3 to 9 MPH coming into Bend (-10ft): 6.3 Leaving Bend (+10ft): 7.1 Min MPH over range: 4.6 at Index 7473557	57209.40	572+09		7.7	0.888										39.85	1.6	3.1	1.6	2.3		
W341	Wall change from .888 to .740 for 275.57 feet - Enduro predicted		57210.96	572+11	578505.94	7.3	0.740											0.0	2.3	2.3	40.5		2223
W342	Wall change from .740 to .888 for 3.12 feet - Enduro predicted		57486.53	574+87	578771.15	3.9	0.888											0.0	3.1	3.1	2.1		2153
B149	Bend 15.8 deg. 3.0 Dis Left Turn MCSO: 39.56	Before u/s w.: 0.8%(0.332) MCSO: 40.2 ID:40.5 mph:3.7 CIL:2 to 8 After d/s w.: 0.9%(0.364) MCSO: 40.2 ID:40.5 mph:1.5 CIL:3 to 9 MPH coming into Bend (-10ft): 4.5 Leaving Bend (+10ft): 5.1 Min MPH over range: 1.3 at Index 7507916	57488.09	574+88		4.6	0.888										39.56	1.6	3.1	1.6	2.1		
W343	Wall change from .888 to .740 for 77.81 feet - Enduro predicted		57489.65	574+90	578773.73	3.2	0.740											0.0	2.1	2.1	14.4		2152
W344	Wall change from .740 to .888 for 4.50 feet - Enduro predicted		57567.45	575+67	578851.88	0.5	0.888											0.0	4.5	4.5	12.3		2125
B150	Bend 24.71 deg. 3.0 Dis Up Turn MCSO: 39.31	Before u/s w.: 1.5%(0.635) MCSO: 39.9 ID:40.5 mph:2.8 CIL:3 to 9 After d/s w.: 1.4%(0.581) MCSO: 39.9 ID:40.5 mph:1.1 CIL:3 to 9 MPH coming into Bend (-10ft): 4.4 Leaving Bend (+10ft): 3.8 Min MPH over range: 0.2 at Index 7517120	57569.70	575+70		1.9	0.888										39.31	2.2	4.5	2.2	12.3		
W345	Wall change from .888 to .740 for 12.35 feet - Enduro predicted		57571.95	575+72	578857.44	2.1	0.740											0.0	12.3	12.3	3.0		2124
W346	Wall change from .740 to .888 for 3.02 feet - Enduro predicted		57584.30	575+84	578866.16	1.0	0.888											0.0	3.0	3.0	2.3		2123

B151	Bend 17.01 deg. 3.0 Ds Up Turn MCSD: 39.27	Before ult w.: 1.1%(0.477) MCSD: 40.0 ID:40.5 mph:2.3 CM:3 to 9 After d/s w.: 1.1%(0.472) MCSD: 39.9 ID:40.2 mph:3.7 CM:3 to 9 MPH coming Into Bend (-10ft): 3.2 Leaving Bend (+10ft): 6.5 Min MPH over range: 0.3 at Index 7519018	57585.82	575+86		3.2	0.888											39.27	1.5	3.0	1.5	2.3	
W347	Wall change from .888 to .740 for 413.00 feet - Enduro predicted		57587.32	575+87	578869.42	3.7	0.740												0.0	2.3	2.3	40.6	2123
B152	Bend 30.09 deg. 3.0 Ds Right & Down Turn MCSD: 39.64	Before ult w.: 0.9%(0.362) MCSD: 40.2 ID:40.5 mph:4.0 CM:5 to 11 After d/s w.: 1.0%(0.413) MCSD: 40.1 ID:40.5 mph:6.9 CM:4 to 10 MPH coming Into Bend (-10ft): 6.2 Leaving Bend (+10ft): 6.5 Min MPH over range: 3.9 at Index 7528649	57669.27	576+69		6.0	0.740											39.64	2.9	5.8	2.9	2.1	
W348	Wall change from .740 to .888 for 2.41 feet - Enduro predicted		58000.32	580+00	579272.1	4.8	0.888												0.0	2.4	2.4	2.1	2126
B153	Bend 14.3 deg. 3.0 Ds Left Turn MCSD: 39.71	Before ult w.: 0.2%(0.087) MCSD: 40.4 ID:40.5 mph:5.2 CM:1 to 7 After d/s w.: 0.7%(0.307) MCSD: 39.9 ID:40.2 mph:4.8 CM:3 to 9 MPH coming Into Bend (-10ft): 5.7 Leaving Bend (+10ft): 5.2 Min MPH over range: 2.5 at Index 7569505	58001.54	580+02		5.1	0.888											39.71	1.2	2.4	1.2	2.1	
W349	Wall change from .888 to .740 for 140.02 feet - Enduro predicted		58002.73	580+03	579278.8	4.2	0.740												0.0	2.1	2.1	10.3	2128
W350	Wall change from .740 to .888 for 4.25 feet - Enduro predicted		58142.75	581+43	579418.47	4.5	0.888												0.0	4.2	4.2	2.2	2119
B154	Bend 23.25 deg. 3.0 Ds Right Turn MCSD: 39.47	Before ult w.: 1.0%(0.422) MCSD: 40.1 ID:40.5 mph:4.5 CM:5 to 11 After d/s w.: 1.2%(0.487) MCSD: 40.0 ID:40.5 mph:2.7 CM:4 to 10 MPH coming Into Bend (-10ft): 5.7 Leaving Bend (+10ft): 5.5 Min MPH over range: 2.7 at Index 756741	58144.87	581+45		4.4	0.888											39.47	2.1	4.2	2.1	2.2	
W351	Wall change from .888 to .740 for 734.00 feet - Enduro predicted		58147.00	581+47	579422.71	3.9	0.740												0.0	2.2	2.2	40.4	2119
B155	Bend 20.31 deg. 3.0 Ds Right Turn MCSD: 39.56	Before ult w.: 1.2%(0.516) MCSD: 40.0 ID:40.5 mph:4.2 CM:2 to 8 After d/s w.: 0.5%(0.365) MCSD: 40.1 ID:40.5 mph:5.3 CM:2 to 8 MPH coming Into Bend (-10ft): 5.0 Leaving Bend (+10ft): 6.3 Min MPH over range: 3.7 at Index 7659636	58762.30	587+62		5.8	0.740											39.56	2.2	4.3	2.1	6.1	
W352	Wall change from .740 to .888 for 4.12 feet - Enduro predicted		58881.00	588+81	580130.66	1.2	0.888												0.0	4.1	4.1	2.8	2048
B156	Bend 23.4 deg. 3.0 Ds Up Turn MCSD: 39.82	Before ult w.: 1.0%(0.440) MCSD: 40.1 ID:40.5 mph:2.5 CM:1 to 7 After d/s w.: 0.9%(0.325) MCSD: 40.2 ID:40.5 mph:4.8 CM:1 to 7 MPH coming Into Bend (-10ft): 5.2 Leaving Bend (+10ft): 7.1 Min MPH over range: 0.1 at Index 7674646	58883.07	588+83		3.8	0.888											39.82	2.1	4.1	2.0	2.8	
W353	Wall change from .888 to .740 for 199.87 feet - Enduro predicted		58885.12	588+85	580133.1	4.9	0.740												0.0	2.8	2.8	40.4	2048
W354	Wall change from .740 to .888 for 3.46 feet - Enduro predicted		59085.00	590+85	580328.28	4.3	0.888												0.0	3.5	3.5	6.2	2116
B157	Bend 15.64 deg. 3.0 Ds Left Turn MCSD: 39.81	Before ult w.: 0.2%(0.075) MCSD: 40.4 ID:40.5 mph:3.5 CM:3 to 9 After d/s w.: 0.2%(0.090) MCSD: 40.4 ID:40.5 mph:4.5 CM:2 to 8 MPH coming Into Bend (-10ft): 5.5 Leaving Bend (+10ft): 6.7 Min MPH over range: 3.4 at Index 7698936	59086.73	590+87		5.9	0.888											39.81	1.7	3.5	1.7	5.2	
W355	Wall change from .888 to .740 for 73.85 feet - Enduro predicted		59088.45	590+88	580330.11	5.7	0.740												0.0	5.2	5.2	40.5	2117
W356	Wall change from .740 to .888 for 3.39 feet - Enduro predicted		59162.30	591+62	580402.19	5.6	0.888												0.0	3.4	3.4	7.2	2131
B158	Bend 17.85 deg. 3.0 Ds Left Turn MCSD: 39.75	Before ult w.: 0.3%(0.111) MCSD: 40.4 ID:40.5 mph:5.2 CM:5 to 11 After d/s w.: 0.0%(0.015) MCSD: 40.4 ID:40.5 mph:4.5 CM:1 to 7 MPH coming Into Bend (-10ft): 4.8 Leaving Bend (+10ft): 6.2 Min MPH over range: 4.4 at Index 7707424	59164.00	591+64		6.4	0.888											39.75	1.7	3.4	1.7	7.2	
W357	Wall change from .888 to .740 for 424.77 feet - Enduro predicted		59165.70	591+66	580404.86	6.1	0.740												0.0	7.2	7.2	40.5	2132
W358	Wall change from .740 to .888 for 6.54 feet - Enduro predicted		59590.47	595+90	580818.87	0.8	0.888												0.0	5.2	5.2	1.3	2087

(b) (7)(F)

B159	Bend 36.08 deg. 3.0 Ds Up & Right Turn MCSO: 39.18	Before w/s w.: 0.6%(0.251) MCSO: 40.2 ID:40.5 mph:2.4 CIL:4 to 10 After d/s w.: 0.9%(0.399) MCSO: 40.1 ID:40.5 mph:4.6 CIL:4 to 10 MPH coming into Bend (-10ft): 5.5 Leaving Bend (+10ft): 6.6 Min MPH over range: 0.1 at Index 7759915	59593.10	595+93		0.1	0.888												39.18	2.6	5.2	2.6	1.3	(b) (7)(F)	
W359	Wall change from .888 to .740 for 457.17 feet - Enduro predicted		59597.01	595+97	580829.29	4.7	0.740													0.0	2.3	2.3	10.9		2057
B160	Bend 22.57 deg. 3.0 Ds Right Turn MCSO: 39.91	Before w/s w.: 0.4%(0.163) MCSO: 40.4 ID:40.5 mph:7.1 CIL:1 to 7 After d/s w.: 0.3%(0.126) MCSO: 40.4 ID:40.5 mph:5.4 CIL:1 to 7 MPH coming into Bend (-10ft): 7.6 Leaving Bend (+10ft): 5.4 Min MPH over range: 5.3 at Index 7800728	59922.75	599+23		6.8	0.740												39.91	2.2	4.3	2.1	11.2		
W360	Wall change from .740 to .888 for 4.31 feet - Enduro predicted		60054.18	600+54	581274.4	5.2	0.888													0.0	4.3	4.3	6.2		2110
B161	Bend 21.82 deg. 3.0 Ds Left Turn MCSO: 39.62	Before w/s w.: 0.7%(0.304) MCSO: 40.2 ID:40.5 mph:4.8 CIL:5 to 11 After d/s w.: 0.6%(0.253) MCSO: 40.3 ID:40.5 mph:3.6 CIL:6 to 12 MPH coming into Bend (-10ft): 3.9 Leaving Bend (+10ft): 4.8 Min MPH over range: 3.6 at Index 7816190	60056.38	600+56		6.0	0.888												39.62	2.2	4.3	2.1	6.2		
W361	Wall change from .888 to .740 for 126.05 feet - Enduro predicted		60058.49	600+58	581276.04	4.9	0.740													0.0	6.2	6.2	10.7		2109
W362	Wall change from .740 to .888 for 4.32 feet - Enduro predicted		60184.54	601+85	581391.78	2.5	0.888													0.0	4.3	4.3	14.2		2098
B162	Bend 22.51 deg. 3.0 Ds Right Turn MCSO: 39.38	Before w/s w.: 1.4%(0.596) MCSO: 39.9 ID:40.5 mph:1.6 CIL:2 to 8 After d/s w.: 1.6%(0.672) MCSO: 39.7 ID:40.5 mph:1.5 CIL:2 to 8 MPH coming into Bend (-10ft): 3.1 Leaving Bend (+10ft): 3.8 Min MPH over range: 1.5 at Index 7831839	60186.70	601+87		3.4	0.888												39.38	2.2	4.3	2.2	14.2		
W363	Wall change from .888 to .740 for 26.45 feet - Enduro predicted		60188.86	601+89	581406.48	2.2	0.740													0.0	14.2	14.2	5.2		2098
B163	Bend 20.97 deg. 3.0 Ds Left & Up Turn MCSO: 39.50	Before w/s w.: 1.2%(0.499) MCSO: 40.0 ID:40.5 mph:4.5 CIL:6 to 12 After d/s w.: 1.2%(0.484) MCSO: 40.0 ID:40.5 mph:1.8 CIL:6 to 12 MPH coming into Bend (-10ft): 4.6 Leaving Bend (+10ft): 1.5 Min MPH over range: 0.1 at Index 7835122	60210.40	602+10		4.2	0.740												39.50	2.1	4.2	2.1	2.8		
W364	Wall change from .740 to .888 for 102.92 feet - Enduro predicted		60215.31	602+15	581432.19	2.3	0.888													0.0	16.1	16.1	7.0		2100
B164	Bend 11.41 deg. 3.0 Ds Down Turn MCSO: 39.71	Before w/s w.: 0.3%(0.109) MCSO: 40.1 ID:40.2 mph:5.8 CIL:5 to 11 After d/s w.: 0.3%(0.130) MCSO: 40.0 ID:40.2 mph:6.3 CIL:5 to 11 MPH coming into Bend (-10ft): 3.1 Leaving Bend (+10ft): 6.3 Min MPH over range: 2.9 at Index 7836410	60239.55	602+40		6.6	0.888												39.71	1.1	2.3	1.1	2.9		
W365	Wall change from .888 to .740 for 376.52 feet - Enduro predicted		60318.23	603+18	581502.93	6.1	0.740													0.0	2.2	2.2	11.7		2107
B165	Bend 55.94 deg. 3.0 Ds Right Turn MCSO: 39.58	Before w/s w.: 0.8%(0.321) MCSO: 40.3 ID:40.5 mph:7.7 CIL:4 to 10 After d/s w.: 0.4%(0.156) MCSO: 40.3 ID:40.5 mph:13.0 CIL:4 to 10 MPH coming into Bend (-10ft): 4.3 Leaving Bend (+10ft): 11.4 Min MPH over range: 4.3 at Index 7846828	60326.23	603+26		11.8	0.740												39.58	5.8	11.7	5.8	2.9		
W366	Wall change from .740 to .888 for 9.27 feet - Enduro predicted		60694.75	606+95	581907.11	5.5	0.888													0.0	9.3	9.3	9.0		2080
B166	Bend 44.80 deg. 3.0 Ds Left Turn MCSO: 39.04	Before w/s w.: 0.3%(0.118) MCSO: 40.4 ID:40.5 mph:5.3 CIL:6 to 12 After d/s w.: 0.1%(0.037) MCSO: 40.5 ID:40.5 mph:4.0 CIL:6 to 12 MPH coming into Bend (-10ft): 4.7 Leaving Bend (+10ft): 4.5 Min MPH over range: 4.0 at Index 7893659	60699.39	606+99		5.5	0.888												39.04	4.6	9.3	4.6	9.0		
W367	Wall change from .888 to .740 for 393.47 feet - Enduro predicted		60704.02	607+04	581914.77	4.9	0.740													0.0	9.0	9.0	40.5		
B167	Bend 22.74 deg. 3.0 Ds Left Turn MCSO: 39.80	Before w/s w.: 0.7%(0.307) MCSO: 40.2 ID:40.5 mph:4.3 CIL:4 to 10 After d/s w.: 0.7%(0.278) MCSO: 40.2 ID:40.5 mph:4.4 CIL:4 to 10 MPH coming into Bend (-10ft): 3.9 Leaving Bend (+10ft): 4.7 Min MPH over range: 3.9 at Index 7921251	60946.33	609+46		5.3	0.740												39.80	2.2	4.3	2.1	13.9		

B168	Bend 45.11 deg. 3.0 Ds Left Turn MCSD: 39.37	Before w/s w.: 1.2%(0.493) MCSD: 40.0 ID:40.5 mph:6.2 CIL:2 to 8 After d/s w.: 1.2%(0.517) MCSD: 39.9 ID:40.5 mph:5.3 CIL:2 to 8 MPH coming into Bend (-10ft): 6.1 Leaving Bend (+10ft): 5.4 Min MPH over range: 5.2 at Index 7934895	61056.80	610+57		5.7	0.740												39.37	4.6	9.1	4.6	19.4	(b) (7)(F)	
W368	Wall change from .740 to .888 for 8.92 feet - Enduro predicted		61097.49	610+97	582278.38	6.6	0.888													0.0	8.9	8.9	36.0		2048
B169	Bend 44.59 deg. 3.0 Ds Right Turn MCSD: 39.90	Before w/s w.: 0.2%(0.085) MCSD: 40.4 ID:40.5 mph:5.3 CIL:2 to 8 After d/s w.: 0.1%(0.057) MCSD: 40.4 ID:40.5 mph:7.5 CIL:1 to 7 MPH coming into Bend (-10ft): 4.8 Leaving Bend (+10ft): 9.2 Min MPH over range: 4.5 at Index 7940388	61101.95	611+02		7.6	0.888												39.90	4.5	8.9	4.5	36.0		
W369	Wall change from .888 to .740 for 53.15 feet - Enduro predicted		61106.41	611+06	582290.97	8.4	0.740													0.0	36.0	36.0	17.2		2046
W370	Wall change from .740 to .888 for 5.16 feet - Enduro predicted		61159.56	611+60	582334.28	3.7	0.888													0.0	5.2	5.2	2.8		2039
B170	Bend 26.6 deg. 3.0 Ds Right Turn MCSD: 39.75	Before w/s w.: 0.5%(0.216) MCSD: 40.3 ID:40.5 mph:1.9 CIL:2 to 8 After d/s w.: 0.6%(0.253) MCSD: 40.3 ID:40.5 mph:3.1 CIL:3 to 9 MPH coming into Bend (-10ft): 4.6 Leaving Bend (+10ft): 4.3 Min MPH over range: 1.6 at Index 7947794	61162.15	611+62		3.8	0.888												39.75	2.6	5.2	2.6	2.8		
W371	Wall change from .888 to .740 for 8.26 feet - Enduro predicted		61164.72	611+65	582350.5	4.3	0.740													0.0	2.8	2.8	5.4		2038
W372	Wall change from .740 to .888 for 2.09 feet - Enduro predicted		61172.98	611+73	582357.76	3.8	0.888													0.0	2.1	2.1	2.8		2037
B171	Bend 10.97 deg. 3.0 Ds Up Turn MCSD: 39.48	Before w/s w.: 0.9%(0.382) MCSD: 40.1 ID:40.5 mph:4.2 CIL:3 to 9 After d/s w.: 0.5%(0.217) MCSD: 40.3 ID:40.5 mph:1.7 CIL:3 to 9 MPH coming into Bend (-10ft): 4.6 Leaving Bend (+10ft): 1.6 Min MPH over range: 0.5 at Index 7950792	61174.03	611+74		4.1	0.888												39.48	1.0	2.1	1.0	2.8		
W373	Wall change from .888 to .740 for 137.17 feet - Enduro predicted		61175.07	611+75	582362.24	4.4	0.740													0.0	2.8	2.8	11.3		2036
W374	Wall change from .740 to .888 for 6.52 feet - Enduro predicted		61312.24	613+12	582498.41	1.6	0.888													0.0	6.5	6.5	2.1		2040
B172	Bend 36.05 deg. 3.0 Ds Up Turn MCSD: 39.37	Before w/s w.: 0.3%(0.130) MCSD: 40.4 ID:40.5 mph:4.8 CIL:6 to 12 After d/s w.: 0.1%(0.037) MCSD: 40.5 ID:40.5 mph:5.8 CIL:3 to 9 MPH coming into Bend (-10ft): 3.5 Leaving Bend (+10ft): 9.3 Min MPH over range: 0.2 at Index 7966628	61315.50	613+16		0.5	0.888												39.37	3.3	6.5	3.3	2.1		
W375	Wall change from .888 to .740 for 466.74 feet - Enduro predicted		61318.76	613+19	582501.04	4.6	0.740													0.0	2.1	2.1	29.6		2041
W376	Wall change from .740 to .617 for 113.17 feet - Enduro predicted		61785.50	617+86	582895.67	7.9	0.617													0.0	31.4	31.4	40.6		2223
W377	Wall change from .617 to .740 for 6.22 feet - Enduro predicted		61898.68	618+99	583043.72	5.0	0.740													0.0	6.2	6.2	2.4		2237
B173	Bend 31.24 deg. 3.0 Ds Left Turn MCSD: 40.06	Before w/s w.: 0.2%(0.100) MCSD: 40.6 ID:40.8 mph:4.7 CIL:2 to 8 After d/s w.: 0.4%(0.165) MCSD: 40.6 ID:40.8 mph:3.2 CIL:1 to 7 MPH coming into Bend (-10ft): 2.7 Leaving Bend (+10ft): 6.0 Min MPH over range: 0.2 at Index 8036174	61901.80	619+02		4.6	0.740												40.06	3.1	6.2	3.1	2.4		
W378	Wall change from .740 to .617 for 127.64 feet - Enduro predicted		61904.90	619+05	583049.12	3.7	0.617													0.0	2.4	2.4	40.1		
W379	Wall change from .617 to .740 for 3.87 feet - Enduro predicted		62032.55	620+33	583171.68	2.9	0.740													0.0	3.9	3.9	18.2		2242
B174	Bend 22.54 deg. 3.0 Ds Left Turn MCSD: 39.95	Before w/s w.: 0.8%(0.351) MCSD: 40.3 ID:40.8 mph:3.3 CIL:5 to 11 After d/s w.: 0.5%(0.227) MCSD: 40.6 ID:40.8 mph:2.2 CIL:5 to 11 MPH coming into Bend (-10ft): 2.1 Leaving Bend (+10ft): 4.3 Min MPH over range: 0.4 at Index 8053457	62034.49	620+34		3.3	0.740												39.95	1.9	3.9	1.9	18.2		
W380	Wall change from .740 to .617 for 121.92 feet - Enduro predicted		62036.42	620+36	583175.67	1.4	0.617													0.0	18.2	18.2	39.9		2242
W381	Wall change from .617 to .740 for 40.62 feet - Enduro predicted		62158.34	621+58	583277.64	3.5	0.740													0.0	40.6	40.6	40.6		2245
W382	Wall change from .740 to .617 for 454.34 feet - Enduro predicted		62198.96	621+99	583301.18	4.1	0.617													0.0	40.6	40.6	15.6		2246
W383	Wall change from .617 to .740 for 8.20 feet - Enduro predicted		62653.30	626+53	583756.33	4.1	0.740													0.0	2.4	2.4	5.8		2256

B175	Bend 30.52 deg. 3.0 Ds Right Turn MCSD: 39.21	Before u/s w.: 1.5%(0.633) MCSD: 40.0 ID:40.5 mph;3.5 Ck:2 to 8 After d/s w.: 1.7%(0.702) MCSD: 40.1 ID:40.8 mph;3.0 Ck:2 to 8 MPH coming Into Bend (-10ft): 3.9 Leaving Bend (+10ft): 5.2 Min MPH over range: 3.0 at Index 8128552	62658.60	626+59		5.2	0.740										39.21	2.9	5.8	2.9	2.1
W384	Wall change from .740 to .617 for 84.73 feet - Enduro predicted		62661.50	626+62	583810.01	3.6	0.617											0.0	2.1	2.1	40.5
W385	Wall change from .617 to .740 for 4.52 feet - Enduro predicted		62746.24	627+46	583896.77	3.9	0.740											0.0	4.5	4.5	7.3
B176	Bend 22.22 deg. 3.0 Ds Right Turn MCSD: 40.01	Before u/s w.: 0.8%(0.347) MCSD: 40.4 ID:40.8 mph;3.7 Ck:3 to 9 After d/s w.: 0.5%(0.207) MCSD: 40.6 ID:40.8 mph;2.0 Ck:2 to 8 MPH coming Into Bend (-10ft): 3.2 Leaving Bend (+10ft): 2.8 Min MPH over range: 1.8 at Index 8139182	62748.50	627+48		5.4	0.740										40.01	2.3	4.5	2.3	7.3
W386	Wall change from .740 to .617 for 164.83 feet - Enduro predicted		62750.75	627+51	583899.05	3.5	0.617											0.0	7.3	7.3	40.3
W387	Wall change from .617 to .740 for 6.06 feet - Enduro predicted		62915.59	629+16	584065.78	6.1	0.740											0.0	6.1	6.1	15.8
B177	Bend 29.78 deg. 3.0 Ds Left Turn MCSD: 39.82	Before u/s w.: 0.9%(0.393) MCSD: 40.3 ID:40.8 mph;5.0 Ck:4 to 10 After d/s w.: 0.7%(0.294) MCSD: 40.5 ID:40.8 mph;3.1 Ck:4 to 10 MPH coming Into Bend (-10ft): 3.9 Leaving Bend (+10ft): 4.8 Min MPH over range: 2.5 at Index 8159657	62918.62	629+19		5.7	0.740										39.82	3.0	6.1	3.0	15.8
W388	Wall change from .740 to .617 for 829.07 feet - Enduro predicted		62921.65	629+22	584068.15	2.9	0.617											0.0	15.8	15.8	40.9
B178	Bend 44.96 deg. 3.0 Ds Right Turn MCSD: 40.06	Before u/s w.: 1.0%(0.417) MCSD: 40.5 ID:40.8 mph;3.7 Ck:3 to 9 After d/s w.: 1.1%(0.461) MCSD: 40.4 ID:40.8 mph;2.8 Ck:3 to 9 MPH coming Into Bend (-10ft): 3.5 Leaving Bend (+10ft): 4.4 Min MPH over range: 2.2 at Index 8238039	63570.09	635+70		4.5	0.617										40.06	4.3	8.6	4.3	2.0
W389	Wall change from .617 to .740 for 39.72 feet - Enduro predicted		63750.72	637+51	584865.88	5.6	0.740											0.0	39.7	39.7	41.9
W390	Wall change from .740 to .617 for 734.84 feet - Enduro predicted		63790.44	637+90	584910.82	3.6	0.617											0.0	41.9	41.9	41.8
B179	Bend 51.77 deg. 3.0 Ds Left Turn MCSD: 40.23	Before u/s w.: 0.2%(0.089) MCSD: 40.8 ID:40.8 mph;5.3 Ck:1 to 7 After d/s w.: 0.3%(0.123) MCSD: 40.7 ID:40.8 mph;4.9 Ck:4 to 10 MPH coming Into Bend (-10ft): 4.4 Leaving Bend (+10ft): 5.3 Min MPH over range: 4.3 at Index 8294095	64035.50	640+35		6.8	0.617										40.23	5.3	10.5	5.2	7.1
B180	Bend 44.2 deg. 3.0 Ds Left Turn MCSD: 39.54	Before u/s w.: 0.7%(0.303) MCSD: 40.5 ID:40.8 mph;6.2 Ck:6 to 12 After d/s w.: 0.4%(0.184) MCSD: 40.6 ID:40.8 mph;4.4 Ck:5 to 11 MPH coming Into Bend (-10ft): 4.7 Leaving Bend (+10ft): 4.9 Min MPH over range: 4.2 at Index 8318187	64253.40	642+53		6.0	0.617										39.54	4.6	9.2	4.6	2.1
W391	Wall change from .617 to .740 for 6.18 feet - Enduro predicted		64525.28	645+25	585671.41	3.9	0.740											0.0	6.2	6.2	2.2
B181	Bend 29.55 deg. 3.0 Ds Left Turn MCSD: 39.21	Before u/s w.: 1.3%(0.540) MCSD: 40.2 ID:40.8 mph;4.4 Ck:4 to 10 After d/s w.: 1.0%(0.417) MCSD: 40.4 ID:40.8 mph;2.3 Ck:4 to 10 MPH coming Into Bend (-10ft): 4.3 Leaving Bend (+10ft): 4.3 Min MPH over range: 1.6 at Index 8352686	64528.37	645+28		3.8	0.740										39.21	3.1	6.2	3.1	2.2
W392	Wall change from .740 to .617 for 173.45 feet - Enduro predicted		64531.46	645+31	585677.45	1.8	0.617											0.0	2.2	2.2	40.6
W393	Wall change from .617 to .740 for 5.72 feet - Enduro predicted		64704.91	647+05	585845.99	4.3	0.740											0.0	5.7	5.7	4.9
B182	Bend 29.69 deg. 3.0 Ds Right Turn MCSD: 39.84	Before u/s w.: 1.2%(0.503) MCSD: 40.2 ID:40.8 mph;3.5 Ck:2 to 8 After d/s w.: 0.5%(0.218) MCSD: 40.6 ID:40.8 mph;3.3 Ck:2 to 8 MPH coming Into Bend (-10ft): 4.5 Leaving Bend (+10ft): 4.0 Min MPH over range: 1.9 at Index 8374131	64707.77	647+08		3.7	0.740										39.84	2.9	5.7	2.9	4.9
W394	Wall change from .740 to .617 for 891.55 feet - Enduro predicted		64710.63	647+11	585855.9	2.4	0.617											0.0	4.9	4.9	40.6

B183	Bend 64.72 deg. 3.0 Ds Right Turn MCSD: 39.92	Before ult w.: 0.9%(0.367) MCSD: 40.5 ID:40.8 mph:3.2 CM:2 to 8 After d/s w.: 0.8%(0.342) MCSD: 40.5 ID:40.8 mph:3.2 CM:4 to 10 MPH coming into Bend (-10ft): 3.7 Leaving Bend (+10ft): 4.2 Min MPH over range: 2.6 at Index 8384280	64794.56	647+95		3.2	0.617											39.92	6.0	11.9	5.9	2.1	(b) (7)(F)
W395	Wall change from .617 to .740 for 4.61 feet - Enduro predicted		65602.18	656+02	586743.03	4.6	0.740												0.0	4.6	4.6	7.1	2344
B184	Bend 23.06 deg. 3.0 Ds Left Turn MCSD: 40.12	Before ult w.: 0.4%(0.176) MCSD: 40.6 ID:40.8 mph:4.3 CM:4 to 10 After d/s w.: 0.5%(0.210) MCSD: 40.6 ID:40.8 mph:3.3 CM:3 to 9 MPH coming into Bend (-10ft): 3.1 Leaving Bend (+10ft): 4.8 Min MPH over range: 2.7 at Index 8481942	65604.49	656+04		5.7	0.740											40.12	2.3	4.6	2.3	7.1	
W396	Wall change from .740 to .617 for 108.28 feet - Enduro predicted		65606.79	656+07	586746.75	3.8	0.617												0.0	7.1	7.1	41.2	2345
B185	Bend 44.88 deg. 3.0 Ds Left Turn MCSD: 40.26	Before ult w.: 0.9%(0.396) MCSD: 40.5 ID:40.8 mph:4.3 CM:4 to 10 After d/s w.: 0.7%(0.310) MCSD: 40.5 ID:40.8 mph:5.8 CM:4 to 10 MPH coming into Bend (-10ft): 3.5 Leaving Bend (+10ft): 6.5 Min MPH over range: 3.3 at Index 8491320	65696.30	656+96		5.7	0.617											40.26	4.5	9.0	4.5	2.0	
W397	Wall change from .617 to .740 for 870.27 feet - Enduro predicted		65715.07	657+15	586839.92	6.3	0.740												0.0	31.9	31.9	40.7	2366
W398	Wall change from .740 to .888 for 4.98 feet - Enduro predicted		66585.34	665+85	587668.26	3.6	0.888												0.0	5.0	5.0	9.9	2217
W399	Wall change from .888 to .740 for 9.92 feet - Enduro predicted		66590.32	665+90	587703.89	4.6	0.740												0.0	9.9	9.9	1.9	2217
W400	Wall change from .740 to .888 for 1.87 feet - Enduro predicted		66600.24	666+00	587708.93	6.9	0.888												0.0	1.9	1.9	4.8	2217
W401	Wall change from .888 to .740 for 4.80 feet - Enduro predicted		66602.10	666+02	587718.98	6.3	0.740												0.0	4.8	4.8	2.5	
W402	Wall change from .740 to .888 for 2.51 feet - Enduro predicted		66606.90	666+07		7.5	0.888												0.0	2.5	2.5	10.0	
W403	Wall change from .888 to .740 for 9.96 feet - Enduro predicted		66609.41	666+09	587728.46	7.3	0.740												0.0	10.0	10.0	5.1	2217
W404	Wall change from .740 to .888 for 5.14 feet - Enduro predicted		66619.37	666+19	587728.46	4.4	0.888												0.0	5.1	5.1	2.0	
W405	Wall change from .888 to .740 for 2.01 feet - Enduro predicted		66624.51	666+25	587743.22	3.3	0.740												0.0	2.0	2.0	4.2	2217
W406	Wall change from .740 to .888 for 4.21 feet - Enduro predicted		66626.52	666+27	587743.22	6.5	0.888												0.0	4.2	4.2	15.3	2217
B186	Bend 22.58 deg. 3.0 Ds Down Turn MCSD: 39.86	Before ult w.: 0.3%(0.132) MCSD: 40.4 ID:40.5 mph:3.6 CM:2 to 8 After d/s w.: 0.4%(0.163) MCSD: 40.3 ID:40.5 mph:8.7 CM:3 to 9 MPH coming into Bend (-10ft): 4.6 Leaving Bend (+10ft): 11.2 Min MPH over range: 1.7 at Index 8603494	66628.63	666+29		8.6	0.888											39.86	2.1	4.2	2.1	15.3	
W407	Wall change from .888 to .740 for 15.29 feet - Enduro predicted		66630.73	666+31	587745.35	8.9	0.740												0.0	15.3	15.3	4.1	2216
W408	Wall change from .740 to .888 for 4.12 feet - Enduro predicted		66646.02	666+46	587750.25	3.4	0.888												0.0	4.1	4.1	1.9	2210
B187	Bend 22.2 deg. 3.0 Ds Up Turn MCSD: 40.02	Before ult w.: 0.6%(0.272) MCSD: 40.1 ID:40.2 mph:9.1 CM:3 to 9 After d/s w.: 0.5%(0.222) MCSD: 40.2 ID:40.2 mph:2.9 CM:3 to 9 MPH coming into Bend (-10ft): 10.3 Leaving Bend (+10ft): 6.8 Min MPH over range: 0.6 at Index 8606559	66648.09	666+48		3.8	0.888											40.02	2.1	4.1	2.1	1.9	
W409	Wall change from .888 to .740 for 208.29 feet - Enduro predicted		66650.15	666+50	587764.56	4.9	0.740												0.0	1.9	1.9	9.0	2210
W410	Wall change from .740 to .888 for 35.65 feet - Enduro predicted		66858.44	668+58	587969.58	4.6	0.888												0.0	35.6	35.6	40.6	2203
W411	Wall change from .888 to .740 for 178.74 feet - Enduro predicted		66894.09	668+94	587975.01	4.7	0.740												0.0	40.6	40.6	40.7	2200
W412	Wall change from .740 to .888 for 2.96 feet - Enduro predicted		67072.83	670+73	5881+66.29	7.3	0.888												0.0	3.0	3.0	6.0	2209
B188	Bend 15.67 deg. 3.0 Ds Down Turn MCSD: 39.75	Before ult w.: 0.0%(0.003) MCSD: 40.4 ID:40.5 mph:9.3 CM:1 to 7 After d/s w.: 1.1%(0.453) MCSD: 39.9 ID:40.2 mph:1.9 CM:3 to 9 MPH coming into Bend (-10ft): 7.1 Leaving Bend (+10ft): 4.4 Min MPH over range: 0.8 at Index 8657152	67074.31	670+74		3.0	0.888											39.75	1.5	3.0	1.5	6.0	
W413	Wall change from .888 to .740 for 6.30 feet - Enduro predicted		67075.79	670+76	588186.26	4.1	0.740												0.0	6.0	6.0		2208
F3	End Line Pipe		67081.83	670+82		2.2	0.740												0.0				