

**PHMSA UNDERGROUND NATURAL GAS STORAGE (UNGS)  
IL DNR PROGRAM EVALUATION – CY2022  
CONDUCTED 7/24-28/2023**

<b>A – PROGRESS REPORT AND PROGRAM DOCUMENTATION REVIEW</b>	<b>9 of 9</b>
<b>B – PROGRAM INSPECTION PROCEDURES</b>	<b>14 of 14</b>
<b>C – PROGRAM PERFORMANCE</b>	<b>30 of 31 (34)</b>
<b>D – COMPLIANCE ACTIVITIES</b>	<b>12 of 12 (21)</b>
<b>E – INCIDENT INVESTIGATIONS</b>	<b>4 of 4 (13)</b>
<b>F – DAMAGE PREVENTION</b>	<b>4 of 4</b>
<b>G – FIELD INSPECTIONS</b>	<b>12 of 12</b>
<b>H - 60106 AGREEMENT STATE (if applicable)</b>	<b>6 of 6 (6)</b>
<b>TOTAL PROGRAM EVALUATION POINTS</b>	<b>91 of 92 (113)</b>

## PHMSA UNGS STATE PROGRAM EVALUATION – CY2022

<b>A – PROGRESS REPORT AND PROGRAM DOCUMENTATION REVIEW</b> <b>THIS SECTION ANALYZES ACCURACY AND COMPLETENESS OF ANNUAL PROGRESS REPORT</b>		SCORE
1	Accuracy of Jurisdictional Authority and Operator/Inspection Units Data – Progress Report Attachment 1 (Yes= 1 point, No= 0 Points, NI=.5 point) <b>Comments: Yes. Attachment 1 correlates with Attachment 3 and Program Partner records.</b>	1
2	Review of Inspection Days for accuracy – Progress Report Attachment 2 (Yes= 1 point, No= 0 Points, NI=.5 point) <b>Comments: Yes. Attachment 2 agrees with Partner records.</b>	1
3	Accuracy verification of Operators and Operators Inspection Units in State – Progress Report Attachment 3 (Yes= 1 point, No= 0 Points, NI=.5 point) <b>Comments: Yes. Attachment 3 agrees with Partner records.</b>	1
4	Accuracy verification of Compliance Activities – Progress Report Attachment 5 (Yes= 1 point, No= 0 Points, NI=.5 point) <b>Comments: Yes, Attachment 5 agrees with partner records.</b>	1
5	Were UNGS program files well-organized and accessible? - Progress Report Attachment 6 (Yes= 2 points, No= 0 Points, NI=1 point) <b>Comments: Yes. The records are in an easily accessible Database.</b>	2
6	Was employee listing and completed training accurate and complete? – Progress Report Attachment 7 (Yes= 1 point, No= 0 Points, NI=.5 point) <b>Comments: Yes. Attachment 7 is consistent with IL OOGRM records. 1.17 inspector years; Training is verified with TQ records. All okay.</b>	1
7	Verification of Part 192 and 199 Rules and Amendments – Progress Report Attachment 8 (Yes= 1 point, No= 0 Points) <b>Comments: Yes, Attachment 8 agrees with internal records. No immediate plans for becoming a 60105 partner.</b>	1
8	List of Planned Performance - Did State describe accomplishments on Progress Report in detail – Progress Report Attachment 10 (Yes= 1 point, No= 0 Points, NI=.5 point) <b>Comments: Yes. Attachment 10 is an accurate report of 2022 activities and 2023 plans.</b>	1
9	<b>General Comments: Natalie Phelps Finnie, Director, Illinois Department of Natural Resources, One Natural Resources Way, Springfield, Illinois, 62702-1271; Ernest Kierbach, Field Manager OOGRM; Jared Rubsam, likely next UNGS Program Manager; Patrick Gaume, Evaluator. UNGS PROGRESS REPORT REVIEW score is 44 of 50: 6 pt. reduction due to 60106 jurisdiction. No incidents were reported in UNGS for 2022. Part A scored 9 of 9 points.</b>	9

<b>B – PROGRAM INSPECTION PROCEDURES</b> Does State Inspection Plan include procedures that address the following elements? (See Guidelines Section 5.1)		
1	Does State have written inspection procedures?(Yes= 2 points, No= 0 Points, NI=1 point) <b>Comments: Yes. Underground Natural Gas Storage Intrastate – 60106 Agreement Procedures Manual. Also, the Well Inspector’s Field Manual.</b>	2
2	<p>Standard Inspections</p> <p>Do Standard Inspection procedures give guidance to State inspectors that insure consistency for inspections conducted by the State? The following elements should be addressed at a minimum. (Review of Procedures, Records, or Field Items to complete a PHMSA UNGS IA Question Set (RESERVOIR or CAVERN) – 2019.12.31)</p> <ul style="list-style-type: none"> <li>• Pre-Inspection Activities</li> <li>• Inspection Activities</li> <li>• Post Inspection Activities</li> </ul> <p>(Yes= 2 points, No= 0 Points, NI=1 point)  <b>Comments: Yes. See 60106 Procedures Manual Section IV; and Well Inspector’s Field Manual.</b></p>	2
3	<p>Integrity Management Inspections</p> <ul style="list-style-type: none"> <li>• Do Integrity Management Inspection procedures give guidance to State inspectors that insure consistency for inspections conducted by the State? The following elements should be addressed at a minimum. (Integrity Testing and Maintenance: Observing Integrity Testing (Tubing, Casing, Cement), reservoir integrity monitoring, &amp; FLIR Camera inspections.)</li> <li>• Pre-Inspection Activities</li> <li>• Inspection Activities</li> </ul> <p>Post Inspection Activities(Yes= 2 points, No= 0 Points, NI=1 point)  <b>Comments: Yes. See 60106 Procedures Manual Section IV; and Well Inspector’s Field Manual.</b></p>	2
4	<p>Design, Testing, and Construction Inspections</p> <p>Do Design, Testing, and Construction Inspection procedures give guidance to State inspectors that insure consistency for Inspections conducted by the State? The following elements should be addressed at a minimum. (Review of procedures, records, and field activities to complete PHMSA UNGS IA Question Set (RESERVOIR or CAVERN CONSTRUCTION) – 2019.12.31. Inspection activities for well design, drilling and completion activities, well workover, reservoir maintenance/repair activities, and abandonment (Plugging and cementing), temporary abandonment, and restoration.)</p> <ul style="list-style-type: none"> <li>• Pre-Inspection Activities</li> <li>• Inspection Activities</li> <li>• Post Inspection Activities</li> </ul> <p>(Yes= 1 point, No= 0 Points, NI=.5 point)  <b>Comments: Yes. See 60106 Procedures Manual Section IV; and Well Inspector’s Field Manual.</b></p>	1

5	<p><b>Wellhead Inspections</b></p> <p>Do Wellhead Inspection procedures give guidance to State inspectors that insure consistency for Inspections conducted by the State? The following elements should be addressed at a minimum.</p> <ul style="list-style-type: none"> <li>• Pre-Inspection Activities</li> <li>• Inspection Activities</li> <li>• Post Inspection Activities</li> </ul> <p>(Yes= 1 point, No= 0 Points, NI=.5 point)</p> <p><b>Comments: Yes. See 60106 Procedures Manual Section IV; and Well Inspector's Field Manual.</b></p>	1
6	<p><b>Drug and Alcohol Inspections</b></p> <p>Do Drug and Alcohol Inspection procedures give guidance to State inspectors that insure consistency for Inspections conducted by the State? The following elements should be addressed at a minimum. (Using AI to complete the federal Comprehensive Drug and Alcohol program (Form 3.1.11). Includes time conducting joint inspections with other agencies for this type of inspection.)</p> <ul style="list-style-type: none"> <li>• Pre-Inspection Activities</li> <li>• Inspection Activities</li> <li>• Post Inspection Activities</li> </ul> <p>(Yes= 1 point, No= 0 Points, NI=.5 point)</p> <p><b>Comments: Yes. See 60106 Procedures Manual Section IV.</b></p>	1
7	<p>Does inspection plan address inspection priorities of each inspection unit, based on the following elements?</p> <ul style="list-style-type: none"> <li>• <b>Length of time since last inspection (Within five-year interval per inspection unit)</b></li> <li>• <b>Operating history of operator/unit and/or location (includes leakage, incident, Integrity Testing, and compliance activities)</b></li> <li>• <b>Type of activity being undertaken by operators in inspection units (i.e. construction)</b></li> <li>• <b>Locations of operator's inspection units being inspected - (Geographic area, Population Density, etc.)</b></li> <li>• <b>Process to identify high-risk inspection units considering integrity threats</b></li> </ul> <p>Are inspection units broken down appropriately?(Yes= 5 points, No= 0 Points, NI=1-4 points)</p> <p><b>Comments: Yes. See Chapter IV, Section C. See Attachment 2 for the current risk ranking summary. Also see the Risk Ranking spreadsheet, revision 7/17/2023 in 'PHMSA' folder. Risk ranking will be reviewed annually and mitigating changes will be noted.</b></p>	5
8	<p><b>General Comments: Part B scored 14 of 14 points.</b></p>	14

C – PROGRAM PERFORMANCE		
1	<p>Was ratio of Total Inspection Person-Days to Total Person-Days acceptable? (Chapter 4.2)</p> <p><b>A = Total Inspection Person Days (Attachment 2)</b>  <b>B = Total Inspection Person Days Charged to the program</b>  <b>(220 x Number of Inspection person years from Attachment 7)</b>  <b>Ratio = A/B      If Ratio &gt;= .38 then score = 5 points. If Ratio &lt; .38 then score = 0 points.</b>          (Yes= 5 points, No= 0 Points)  <b>Comments: 285.6 inspection days, 220*1.17=257.4 Inspector person days, 285.6/257.4=1.11 &gt;.38, okay.</b></p>	5
2	<p>Has each Inspector and Program Manager fulfilled the TQ Training Requirements? (See Guidelines Appendix C for requirements and Chapter 4.3.1) (Yes= 5 points, No= 0 Points, NI=1-4)  <b>Comments: Yes. All 5 inspectors (including the Program Manager) have completed TQ UNGS Training.</b></p>	5
3	<p>Does State use the PHMSA Inspection Assistant (IA) program to document inspections? (Yes= 2 points, No= 0 Points, NI=1 point)  <b>Comments: Yes, Inspections from 2019-2022 are in IA.</b></p>	2
4	<p>Did records and discussions with Program Manager indicate adequate knowledge of PHMSA program and regulations? Chapter 4.1,8.1 (Yes= 2 points, No= 0 Points, NI=1 point)  <b>Comments: Yes. Ernest has been the Program Manager since 2019 and demonstrates competence in this position. Jared is his likely replacement and has been an inspector for our UNGS Partnership since 2018.</b></p>	2
5	<p>Did State respond to PHMSA's Evaluation Letter within 60 days and correct or address any noted deficiencies? Chapter 8.1 (Yes= 2 points, No= 0 Points, NI=1 point)  <b>Comments: NI, 1 of 2 points. 11/29/22 to 4/10/23, deadline was January 28<sup>th</sup>. All deficiencies were addressed.</b></p>	1
6	<p>Did State inspect all types of operators and inspection units in accordance with time intervals established in their written procedures? Chapter 5.1 (Yes= 5 points, No= 0 Points, NI=1-4 points)  <b>Comments: Yes, on a 5-year inspection cycle for initial inspections and thereafter, except for wellhead inspections being required annually. 2022 was the 5th year of the partnership.</b></p>	5
7	<p>Did State Inspection form(s) cover all applicable code requirements addressed on Federal Inspection form(s)? Chapter 5.1 (Yes= 2 points, No= 0 Points, NI=1 point)  <b>Comments: Yes. The appropriate modules in the UNGS IA form are being used.</b></p>	2
8	<p>Did State complete all applicable portions of inspection forms? (Yes= 2 points, No= 0 Points, NI=1 point)  <b>Comments: Yes. The IA form questions are being answered.</b></p>	2
9	<p>Has the State reviewed Operator Annual reports, along with Incident reports, for accuracy and analyzed data for trends and operator issues? (Yes= 2 points, No= 0 Points, NI=1 point)  <b>Comments: Yes. The annual reports have been downloaded, disaggregated, and studied for trends and missing information. There have been no incidents.</b></p>	2

10	<p>Is the State verifying operators are conducting drug and alcohol tests required by regulations? This should include verifying positive tests are responded to in accordance with program. 49 CFR 199</p> <p>(Yes= 2 points, No= 0 Points, NI= 1 point)</p> <p><b>Comments: Yes. ILDNR worked with ILCC and got them all done and loaded into IA.</b></p>	2
11	<p>Does the State have a mechanism for communicating with stakeholders regarding the inspection and enforcement program? (This should include making enforcement cases available to public).</p> <p>(Yes= 1 points, No= 0 Points, NI=.5 point)</p> <p><b>Comments: Yes, IL OOGRM has a website that includes contact information, regulations, and forms; IL OOGRM has operator contact information and communicates needed information to the operators; IL OOGRM has an open-door policy.</b></p>	1
12	<p>Did State execute appropriate follow-up actions to Safety Related Condition Reports (SRCR)? Chapter 6.3</p> <p>(Yes= 1 points, No= 0 Points, NI=.5 point)</p> <p><b>Comments: NA. No SRCs in this program's history.</b></p>	NA
13	<p>Did the State participate in/respond to surveys or information requests from PHMSA?</p> <p>(Yes= 1 points, No= 0 Points, NI=.5 point)</p> <p><b>Comments: Yes, IL OOGRM responds to PHMSA requests.</b></p>	1
14	<p>Did the State forward any potential waivers/special permits to PHMSA for review prior to issuing them to operators?</p> <p>(Yes= 1 point, No= 0 Points, NI=.5 point)</p> <p><b>Comments: NA. there are none. New Partner effective 2018.</b></p>	NA
15	<p>If the State has issued any waivers/special permits for any operator, has the State verified conditions of those waivers/special permits are being met? This should include having the operator amend procedures where appropriate.</p> <p>(Yes= 1 point, No= 0 Points, NI=.5 point)</p> <p><b>Comments: NA. there are none. New Partner effective 2018.</b></p>	NA
16	<p><b>General Comments: Part C scored 30 of 31 points. 3 questions, #12, 14, &amp; 15, were NA; #5 was NI.</b></p>	30

D – COMPLIANCE ACTIVITIES		
1	<p>Does the State have written procedures to identify steps to be taken from the discovery to resolution of a probable violation? Chapter 5.1</p> <ul style="list-style-type: none"> <li>• <b>Procedures to notify an operator (company officer) when a noncompliance is identified (60105 States)</b></li> <li>• <b>Procedures to routinely review progress of compliance actions to prevent delays or breakdowns</b></li> <li>• <b>Procedures regarding closing outstanding probable violations</b></li> </ul> <p>(Yes= 4 points, No= 0 Points, NI=1-3 points)  <b>Comments: Yes, see IL OGRM Administrative Rule 62-240, Sub Part A, Sections 240.125-240.186; also Section 240.1854.</b></p>	4
2	<p>Did the State follow compliance procedures (from discovery to resolution) and adequately document all probable violations, including what resolution or further course of action is needed to gain compliance? Chapter 5.1</p> <ul style="list-style-type: none"> <li>• Were compliance actions sent to company officer or manager/board member if municipal/government system (60105 States)?</li> <li>• Document probable violations</li> <li>• Resolve probable violations</li> <li>• Routinely review progress of probable violations</li> </ul> <p>(Yes= 4 points, No= 0 Points, NI=1-3 points)  <b>Comments: Yes. Communication with Operators is well established, and contact with PHMSA, Eastern Region, for UNGS enforcement actions, is effective. Two NOPVs with multiple UNSATS are in process. Concerns &amp; UNSATS are documented.</b></p>	4
3	<p>Did State within 30 days of the end of an inspection conduct a post-inspection briefing with the owner or operator of the UNGS facility inspected outlining any concerns identified during the inspection?</p> <p>(Yes= 2 points, No= 0 Points, NI=1 point)  <b>Comments: Yes, there is a 'Post Inspection Briefing' performed at the close of every inspection.</b></p>	2
4	<p>Did State within 90 days, to the extent practicable, provide the owner or operator with written preliminary findings of the inspection?</p> <p>(Yes= 2 points, No= 0 Points, NI=1 point)  <b>Comments: Yes, the Exit interview is reviewed and Written Preliminary Findings are emailed to the operator typically within 45 days.</b></p>	2
5	<p>Did the State issue compliance actions for all probable violations discovered (60105 States)?</p> <p>(Yes= 2 points, No= 0 Points, NI=1 point)  <b>Comments: NA, is a 60106 partner. They have issued violations of State regulations. They have also identified concerns and unsatisfactory items while performing federal UNGS inspections and have forwarded them to PHMSA for handling.</b></p>	NA
6	<p>Did compliance actions give reasonable due process to all parties? Including "show cause" hearing if necessary (60105 States).</p> <p>(Yes= 2 points, No= 0 Points)  <b>Comments: NA, is a 60106 Partner. Good communication is established with operators and the Eastern Region, PHMSA.</b></p>	NA

7	<p>Is the Program Manager familiar with State process for imposing civil penalties (60105 States)? (describe any actions taken)</p> <p>(Yes= 2 points, No= 0 Points, NI=1 point)</p> <p><b>Comments: NA, is a 60106 partner. IL DNR staff is familiar with the process for imposing civil penalties.</b></p>	NA
8	<p>Were civil penalties considered for repeat violations, violations which can't be corrected by other means, or violations resulting in incidents (60105 States)? (Yes= 2 points, No= 0Points, NI=1 point)</p> <p><b>Comments: NA, is a 60106 partner.</b></p>	NA
9	<p>Can the State demonstrate it is using their enforcement fining authority for safety violations (60105 States)? (Yes= 1 point, No= 0 Points, NI= .5 point)</p> <p><b>Comments: NA, is a 60106 partner.</b></p>	NA
10	<b>General Comments: Part D scored 12 of 12 points. Questions 5 - 9 were NA.</b>	21



E – INCIDENT INVESTIGATIONS		
1	<p>Does the State have written procedures to address State actions in the event of an incident? (Yes= 2 points, No= 0 Points, NI=1 point)</p> <p><b>Comments: Yes, it is in the General Field Manual which is referenced by the UNGS Procedures Manual.</b></p>	2
2	<p>Does State have adequate mechanism to receive and respond to operator reports of incidents, including after-hours reports? (Yes= 2 points, No= 0 Points, NI=1 point)</p> <p><b>Comments: Yes, see IL DNR Regulations Sections 240.1853, 24.1854, &amp; 240.1880. See Form OG 21A and others.</b></p>	2
3	<p>Did the State keep adequate records of Incident notifications received? (Yes= 2 points, No= 0 Points, NI=1 point)</p> <p><b>Comments: NA, none. It would be kept electronically as a sub-part of the Operator file and in the Enforcement File if a violation was found.</b></p>	NA
4	<p>If onsite investigation was not made, did State obtain sufficient information from the operator and/or by other means to determine the facts to support the decision to not go on-site? Chapter 6 (Yes= 1 point, No= 0 Points, NI= .5 point)</p> <p><b>Comments: NA, none. Per Field Procedures manual all incidents that meet State criteria for reporting, (see Section 240.1880) must be on-site investigated within 48 hours. Per 240.1805 the IL definition of 'incident' is more stringent than the Federal definition of 'significant incident'.</b></p>	NA
5	<p>Were all incidents investigated, thoroughly documented, and with conclusions and recommendations?</p> <ul style="list-style-type: none"> <li>• Observations and document review</li> <li>• Contributing Factors</li> <li>• Recommendations to prevent recurrences where appropriate</li> </ul> <p>(Yes= 3 points, No= 0 Points, NI=1-2 points)</p> <p><b>Comments: NA, none. No incidents for the life of this partnership, 2018-7/24/2023.</b></p>	NA
6	<p>Did the State initiate compliance action for violations found during any incident investigation? (60106 States forward violations to PHMSA) (Yes= 1 point, No= 0 Points)</p> <p><b>Comments: NA, none. No incidents for the life of this partnership, 2018-7/24/2023.</b></p>	NA
7	<p>Did the State assist the Region Office or Accident Investigation Division (AID) by taking appropriate follow-up actions related to the operator incident reports to ensure accuracy and final report has been received by PHMSA? (validate report data from operators concerning incidents and investigate discrepancies) Chapter 6 (Yes= 1 point, No= 0 Points, NI= .5 point)</p> <p><b>Comments: NA, none. No UNGS incidents, INTER OR INTRA, for the life of this partnership. They are willing to do so.</b></p>	NA
8	<p>Does State share lessons learned from incidents with PHMSA? (Yes= 1 point, No= 0 Points)</p> <p><b>Comments: NA, none. No incidents for the life of this partnership. They are willing to do so.</b></p>	NA

9	General Comments: Part E scored 4 of 4 points. 6 questions, #3-8, are NA.	4
---	---	---

F – DAMAGE PREVENTION		
1	<p>Did the State inspector verify UNGS operators are following their written procedures pertaining to notification of excavation, marking, positive response and the availability and use of the one call system? (API 1171 Section 11.10 Public Awareness and Damage Prevention) (Yes= 2 points, No= 0 Points, NI=1 Point)</p> <p><b>Comments: Yes. Damage Prevention is discussed during UNGS inspections.</b></p>	2
2	<p>Did the State encourage and promote practices for reducing damages to all underground facilities to its regulated companies? (Common Ground Alliance Best Practices, support excavation damage prevention legislation, etc.) (Yes= 2 points, No= 0 Points, NI=1 Point)</p> <p><b>Comments: Yes, with the operator. ILCC is the lead with Damage Prevention; will support ILCC as requested.</b></p>	2
3	<p><b>General Comments: Part F scored 4 of 4 points.</b></p>	4

G – FIELD INSPECTIONS		
1	Operator, Inspector, Location, Date and PHMSA Representative <b>Comments: Peoples Gas Light Coke Company, opid 15329; Jared Rubsam Dist. Mngr.; Fisher, IL; 7/25-28/23; Patrick Gaume, UNGS Liaison, PHMSA.</b>	
2	Was the operator or operator's representative notified and/or given the opportunity to be present during inspection? (Yes= 1 point, No= 0 Points) <b>Comments: Yes. They were notified, the inspection was at the Manlove UNGS facility, and several Peoples personnel were present.</b>	1
3	Did the inspector use an appropriate inspection form/checklist and was the form/checklist used as a guide for the inspection? (Yes= 2 points, No= 0 Points, NI=1 Point) <b>Comments: Yes. IA was used, and all questions had comments. See '23-266216 15329 Peoples Gas UNGS Manlove' in IA, sort for: 2023, ILDNR, GT.</b>	2
4	Did the inspector thoroughly document results of the inspection? (Yes= 2 points, No= 0 Points, NI=1 Point) <b>Comments: Yes. The inspection is still active but everything is well documented to date.</b>	2
5	Did the inspector check to see if the operator had necessary equipment during inspection to conduct tasks viewed? (Yes= 1 point, No= 0 Points) <b>Comments: Yes. The operator had facilities, tools, and documents for the inspection; Some records could not be located and some time has been granted for the operator to find those documents.</b>	1
6	Did the inspector adequately review the following during the field portion of the State Program Evaluation? <ul style="list-style-type: none"> <li>• Procedures</li> <li>• Records</li> <li>• Field Activities/Facilities</li> <li>• Other (please comment)</li> </ul> (Yes= 2 points, No= 0 Points, NI=1 Point) <b>Comments: Yes. This inspection was a full standard inspection and addressed procedures, Records, and Field observations.</b>	2
7	Did the inspector have adequate knowledge of the UNGS safety program and regulations? (Evaluator will document reasons if unacceptable) (Yes= 2 points, No= 0 Points, NI=1 Point) <b>Comments: Yes. Jared demonstrated and professional knowledge of the UNGS safety program and regulations.</b>	2
8	Did the inspector conduct an exit interview? (If inspection is not totally complete the interview should be based on areas covered during time of field evaluation) (Yes= 1 point, No= 0 Points) <b>Comments: Yes. Several concerns were identified, as some forms or records needed to be located, and there were several directed recommendations to reference relevant forms in the procedures.</b>	1

[illegible]

H - 60106 AGREEMENT STATE (if applicable)		
1	<p>Did the State use the current federal inspection form(s)? (Yes= 1 point, No= 0 Points, NI=.5 point)</p> <p><b>Comments: Yes. IA was used in 2022.</b></p>	1
2	<p>Are results documented demonstrating inspection units were reviewed in accordance with State inspection plan? (Yes= 1 point, No= 0 Points, NI=.5 point)</p> <p><b>Comments: Yes, all operators are being visited every year, Risk ranking was adopted and implemented starting in 2020. Communication with Eastern Region, PHMSA is established.</b></p>	1
3	<p>Were all probable violations identified by State referred to PHMSA for compliance action? (NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.) (Yes= 1 point, No= 0 Points, NI=.5 point)</p> <p><b>Comments: Yes. Violations were found in 2022. They were documented in IA and IL OOGRM submitted notices to PHMSA Eastern Region within 60 days.</b></p>	1
4	<p>Did the State immediately report to PHMSA conditions which may pose an imminent safety hazard to the public or to the environment? (Yes= 1 point, No= 0 Points, NI=.5 point)</p> <p><b>Comments: Yes. Process is in place. No imminent safety hazards in 2022.</b></p>	1
5	<p>Did the State give written notice to PHMSA within 60 days of all probable violations found? (Yes= 1 point, No= 0 Points, NI=.5 point)</p> <p><b>Comments: Yes. PHMSA is being notified on all inspections within 60 days regardless of violation status.</b></p>	1
6	<p>Did the State initially submit adequate documentation to support compliance action by PHMSA on probable violations? (Yes= 1 point, No= 0 Points, NI=.5 point)</p> <p><b>Comments: Yes, One NOPV with several issues was submitted in 2022.</b></p>	1
7	<p><b>General Comments: Part H 6 of 6 points.</b></p>	6