

4th Qtr 2025 FOIA Log Received between 07/01/2025 and 09/30/2025

Request ID	Received Date	Organization	Request Description
PHMS-2025-00232		Energy	"I am conducting a title curative review in Stevens County, Kansas (near Road L & Road18, Hugoton, KS 67951), related to a pipeline easement granted initially to Northern Natural Gas and later assigned to Enron Gathering Limited Partnership (EGLP) around 1994. I request the following: 1. Documentation of any FERC certificate transfers or asset sales involving EGLP assets in this region, to entities such as Kinder Morgan, Southern Union, Energy Transfer, and affiliates/successors. Both Kinder Morgan and Energy Transfer have confirmed they do not have any assets/pipelines in Stevens County, KS. 2. Records from PHMSA/NPMS confirming the current registered operator or owner of any pipeline infrastructure in the referenced area, including OPIDs or operator contact details. 3. Any related docket numbers, asset transfer filings, or operator assignments pertinent to the location described."
PHMS-2025-00235	07/03/2025	East Grove Management	"I am looking for information regarding a 16" in diameter pipeline segment crossing the Mississippi River near the city of Natchez in Adams County, Mississippi. The pipeline was originally operated by Southern Natural Gas Co. in natural gas service before being sold to Denbury Onshore, Inc. in 2006. The segment in particular is the Lake St. John segment. I believe it is approximately 20.48 miles of 16" diameter pipeline originally constructed or placed in service on or around 1963. It appears to be shown as Abandoned in the PHSMA NPMS. I am looking for information on how and when the pipeline was abandoned and the condition of pipeline integrity prior to being taken out of service."
PHMS-2025-00236	07/03/2025	TROTTYZONE	"Requesting records on hazardous materials transportation incidents since 2018 impacting individuals, potentially linked to a kidnapping. Seeking information on pipeline transportation incidents or security concerns since 2018 related to missing persons. Looking for data concerning training and technical assistance in transportation safety connected to abduction scenarios. Requesting any PHMSA investigations or reports since 2018 mentioning kidnapped individuals in transportation contexts. Seeking communications between PHMSA and law enforcement regarding kidnappings affecting hazardous materials or pipelines. Requesting protocols on security measures for hazardous materials/pipeline transport relevant to preventing abductions. Seeking PHMSA records regarding safety vulnerabilities in transportation that could inadvertently enable kidnappings."

DUMO 2025 2225	07/07/222	T' 011 ''	
PHMS-2025-00237	07/07/2025	Tiano O'dell	"I hereby request copies of the following public records: 1. All reports and investigations, assessments, or other documents prepared by or for the Pipeline and Hazardous Materials Safety Administration concerning the gas line explosion which occurred on January 26, 2025, at or near 146 Kramer Drive, Clarksburg, WV 26301. 2. Any and all photographs, video, emails, text messages, memos or other correspondence regarding any property inspection near 146 Kramer Drive, Clarksburg, WV 26301 related to the above-referenced gas line explosion. 3. Any and all reports, investigations, photographs, records, or any information regarding any road work or gas line work performed at or near the intersection of Harvey Street and South Chestnut Street in Clarksburg, WV 26301. FOIA to Pipeline and Hazardous Materials Safety Administration July 3, 2025. 4. All communication with Clarksburg Water Board, Thrasher Engineering, Hope Gas, Inc. or any other entity related to the gas line explosion occurring on January 26, 2025, at or near 146 Kramer Drive, Clarksburg, WV 26301. 5. Any and all statements taken related to the gas line explosion at or near 146 Kramer Drive, Clarksburg, WV 26301. 6. Any and all communication with the Clarksburg Police Department or any other law enforcement authority related to the gas line explosion at or near 146 Kramer Drive, Clarksburg, WV 26301 which occurred on or about January 26, 2025. 7. Any and all communication with the Clarksburg Fire Department or any other authority related to the gas line explosion at or near 146 Kramer Drive, Clarksburg, WV 26301 which occurred on or about January 26, 2025. 8. Any and all communication with the West Virginia Fire Marshall or any other authority related to the gas line explosion at or any other authority related to the gas line explosion at or any other authority related to the gas line explosion at or any other authority related to the gas line explosion at or any other authority related to the gas line explosion at any other authority related to the gas li
			explosion at or near 146 Kramer Drive, Clarksburg, WV 26301 which occurred on or about January 26, 2025.
PHMS-2025-00238	07/07/2025	Individual	Requested status of VISA issued by Department of State.
PHMS-2025-00239			All communication and documentation from August 1, 2023 - January 1, 2024 containing the below phrases and names, recipients or senders: Michael Barnhill Damon
			Bowers David Mitchell Joe Klesin James Therien "Non-compliant" "out of compliance" "Corroded joints" "preheat aspect" "non-compliant weld" "weld".
PHMS-2025-00240	07/08/2025	Appalachian Voices	All communication and documentation from August 1, 2023 - January 1, 2024 containing the below phrases and
			names, recipients or senders: Michael Barnhill Damon Bowers David Mitchell Joe Klesin, James Therien "Non- compliant" "out of compliance" "Corroded joints" "preheat aspect" "non-compliant weld".
PHMS-2025-00241	08/08/2025	Individual	Requested all available records or documents on Atmos Energy Corporation, UCG Storage Inc., WKG Storage Inc., or Atmos Pipeline and Storage, LLC in the Western Kentucky area for either Above Ground Gas Storage or
			Underground Gas Storage, Refinery, or Distribution of LNG Gases, or any new pipelines that have been installed to assist in transport, storage, or production of gases coming into or out of these storage areas in Western Kentucky.
PHMS-2025-00242		AUP Asset Recovery	" 1. A copy of any records related to uncashed /stale-dated checks showing the (i) payee or vendor names, (ii) check issue dates, (iii) check number and (iv) dollar amounts equal to or greater than one thousand dollars (\$1,000.00). 2. Accounting records of property tax overpayments or claimed/unredeemed tax lien certificates which have been

			refundable, showing the (i) payee names (ii) check issue dates, (iii) check numbers, (iv) dollar amounts over \$1,000.00. 3. For the above two requests please include all the necessary claim forms, affidavits or instructions required for the reissuance of the deposits/outstanding/stale dated checks or refunds. 4. At what frequency are these records updated? Monthly, quarterly, semiannually, annually or upon request? Please confirm, if uncashed checks are remitted to state unclaimed property bureau. If so, after what aging period?"
PHMS-2025-00243	07/08/2025	Vetinuity, LLC	TMAS raw traffic volume data for the following stations(100399, 100395, 100396, 100082, 100079, 100122, 100124) for the period of January 1, 2024, to the most recent date available.
PHMS-2025-00244	07/08/2025	Individual	I request documentation PHMSA holds on me including that came from other countries, training completion and certificates. (identification attached) Additionally please provide documentation regarding the activities and programs targeting me and or taking place in Maryland that started on or about January 1, 2016 – to current July 7, 2025. Please include complete documentation showing who approved what pertaining to these activities that are unwanted, unethical and illegal and what businesses or countries have my name attached to a facility license, operating or cross border agreement. You have certain rights under the Privacy Act if an agency files information about you with your name or any other identifying information. You can inspect that information; prevent others from seeing it; and correct it if it's inaccurate. Shipments originating in the United States must comply with Title 49 of the Code of Federal Regulations (49 CFR). There's a level of reciprocity in place between the United States and Canada, which affects registration and training requirements.
PHMS-2025-00245	07/09/2025	Environmental Defense Fund	Received PHMSA Equities for review for OST-2025-1096 FOIA Litigation.
PHMS-2025-00246		Delaware Riverkeeper Network	The Delaware Riverkeeper Network requests all documents including reports, notes, meeting notes, meeting logs, incident reports, violation reports, and scientific reports regarding the presence of Type A sleeves installed in the Sunoco/Energy Transfer Twin Oaks Pipeline, running from Hopewell Township/Ewing Township Mercer County NJ to Newark NJ in the possession of PHMSA from January 1, 2025 to present day. Delaware Riverkeeper Network also requests all communications including emails, meeting notes, meeting logs, calendars, reports, permits, and applications between PHMSA and New Jersey Department of Environmental Protection regarding the presence of Type A sleeves installed in the Sunoco/Energy Transfer Twin Oaks Pipeline, running from Hopewell Township/Ewing Township Mercer County NJ to Newark NJ in the possession of PHMSA from January 1, 2025 to present day.
PHMS-2025-00247		Standing Rock Sioux Tribe	The inspection files, driller logs, incident reports, and supporting documentation for the 2017 Dakota Access Pipeline construction-related Horizontal Directional Drill (HDD) work under Lake Oahe. This includes any mechanical breakdown, pressure exceedances beyond the drilling plan, "non-existent" drilling mud returns, loss of drilling fluid beyond the HDD annular space, "surface indication" reviews, and releases to in the soil formation, ground water or Lake Oahe; Inspection files and related

	1	1	I
			documents addressing an environmental inspection report dated March 15, 2017 noting that DAPL Lake Oahe HDD drilling mud had breached the containment berm at mud disposal site 1804; The most updated spill model and environmental receptor report by RPS/ASA and the Wood Group or other contractors relating to the operation of the Dakota Access Pipeline; The most recent DAPL Facility Response Plan and Lake Oahe Geographic Response Plan for the Dakota Access Pipeline. Provide all correspondence and related documentation from 2017 to present. concerning the review and approval of DAPL's Facility Response plans including identification of deficiencies, operator response and consideration, final decision and approval, and periodic reviews and updates. Documents related to any PHMSA consultation with other agencies like the EPA or USCG, or Federal On-Scene Coordinator (FOSC) addressing issues such as any concerns regarding the Facility Response Plan's ability to respond to a worst-case discharge. The detailed Dakota Access Pipeline Lake Oahe crossing worst case discharge calculation and methodology; The as-built drawings for the Dakota Access Pipeline HDD construction at Lake Oahe; Information relating to the impacts to historic properties and traditional cultural properties from the construction and operation of the Dakota Access Pipeline; The most recent risk assessment for the Dakota Access Pipeline; Most recent Integrity Management plan - specific to the Dakota Access Pipeline Lake Oahe crossing; Surge analysis and protection plan that includes analysis of the increase in the capacity of the Dakota Access Pipeline; Operations, Maintenance and Emergencies Manual specific to the Dakota Access Pipeline Lake Oahe crossing; Management of change documentation relating to the increase in the capacity of the Dakota Access Pipeline Lake Oahe crossing; Management of change documentation relating to the increase in the capacity of the Dakota Access Pipeline; Performance verification tests of the installed leak detection system
PHMS-2025-00248	307/11/2025		I am writing to make a FOIA request for any and all records to include documents, photos, videos, emails and reports related to an incident which occurred at 908 College Avenue, Houghton, Michigan 49931 on March 13, 2022.
		Grimm Biehn & Thatcher	"With respect to the Twin Oaks Pipeline Discharge and consent order attached to this request: 1. Copy of the Type A Sleeve Integrity Plan issued pursuant to Paragraph 14 of the Consent Order under the heading "Corrective Measures" for CPF No. 4-2025-054-NOPSO. 2. Any in-line Inspection results, even preliminary, for the Twin Oaks pipeline submitted to PHMSA since January 1, 2025. 3. The Remedial Work Plan submitted pursuant to Paragraph 15 of the Consent Order 4. The Emergency Response Plan and Training Review prepared pursuant to Paragraph 22 of the Consent Order 5. Any data, reports, documents submitted by Energy Transfer to PHMSA from January 31, 2025 to February 28, 2025."
PHMS-2025-0025(08/15/2025	Morgan & Morgan, P.A.	Your correspondence requested records concerning a fireworks incident on July 4, 2023 in Duval County, Florida to include: (1) All correspondence, emails, letters, notes, text messages, or other communications to or from, or in the possession of, the U.S. Department of Transportation (DOT) or the Pipeline and Hazardous Materials Safety Administration (PHMSA), concerning: (a) Four Seasons Fireworks, Inc.; (b) Paved 2 Perfection, LLC; (c) Darrow

DUMC 2025 002510741742002		Ventures, Inc.; or (d) Liyuan Raginbull Exp & Imp Co., Ltd., (e) Tian Cheng Pyrotechnics Laboratory, (f) Any related person, agent, subsidiary, or corporate entity or any fireworks certification agency. (2) The EX-number, FC number, DOT/PHMSA approvals, violations, Competent Authority testing, UN Manual of Tests and Criteria, engineering designs, thermal stability testing, photographs, and the full chemical composition and formulation (by weight) of the firework article "Jack Ass" 12-shot 200 grams.
PHMS-2025-00251 07/17/202	Television	Requesting any documents for 1.4G or 1.3G fireworks including, but not limited to EX Number, EX Classification Approval, Registrations, Reports, and Applications for approval, approval documents, and any other paperwork involving: Devastating Pyrotechnics, Esparto, CA Blackstar Fireworks, Sheridan, WY.
PHMS-2025-00252 07/22/202	Herald	"I would like to obtain an electronic copy (or print, if not otherwise possible) of the following public records: The Root Cause Failure Analysis from the April 8, 2025, Keystone Pipeline spill that resulted in approximately 147,000 gallons being spilled near Fort Ransom, North Dakota and the Failure Investigation Report on the same incident."
PHMS-2025-00253 07/23/202	Regulatory Commission	Consultation from NRC - requested review of responsive records containing DOT equities regarding competent authority for shipments of RAM. Requester Michael Ravnitzky, NRC control number FOIA-2024-000217.
PHMS-2025-00254 07/23/202	5 Individual	Request for records non-jurisdictional to PHMSA.
PHMS-2025-00255 07/24/202	5 Individual	Requested VISA for individual. Misdirected request should have gone to DoS.
PHMS-2025-00256 07/24/202	5 Individual	"I am requesting records for the Interlock Ignition Device (IID) installations and removals from April to June 2025 by vendor breakdown if possible."
PHMS-2025-0025707/24/202	5 Individual	Received a referral from DTIC Ft. Belvoir RM Mailbox, FOIA stating "I am requesting the cockpit voice recorder data - full audio or transcript; flight data records summaries and interpretations; all internal communications, emails, reports, or memos between the FAA, NTSB, Boeing, Air Indican, or other investigative bodies regarding this incident; any safety bulletins, advisories, directives, or internal evaluations issued or under review by your agency or Boeing in response to this crash."
PHMS-2025-00258 07/24/202	5 Clifford Law Offices	Requested, the Failure Investigation Report related to the investigation in Grand Tower, Illinois on 10/23/2023.
PHMS-2025-00259 07/25/202	Todd	A formal request for certified copies of any and all records and/or documents and/or the investigative file(s), including photographs, regarding the April 9, 2025 gas explosion/fire incident which occurred at 1717 Franklin Ave., Lexington, MO and the surrounding area.
PHMS-2025-00260 07/25/202	5 Transport Canada	Consultation from Transport Canada on PHMSA equities identified in a FOIA request. "Clarification obtained on 2015/07/17: The date range for this request is January 31, 2014 to the present (July 7, 2015). Any scientific data and results from Transport Canada's study of crude oil properties that relate to crude varieties carried by rail in Canada. Also, any scientific data and results from Transport Canada's study, in partnership with the Canadian Crude Quality Technical Association, of how to accurately measure light hydrocarbons in crude. Correspondence or memos of Transport Canada staff, including staff in the Transportation of Dangerous Goods Directorate branch,

PHMS-2025-00261 07/24/2025	Individual	regarding the need for or the results of Transport Canada's study of crude oil properties. Any correspondence between Transport Canada staff, including staff in the Transportation of Dangerous Goods Directorate branch, regarding the need for or the results of Transport Canada's study of how to accurately measure light hydrocarbons in crude." Requested 1) Records of benzene shipments transported by
		barge using Marquette Transportation and the Jason W. Nyberg towboat between 2006 and 2021; 2) Information on barge operators, departure and destination ports, and quantities transported; and 3)Any incident or safety reports related to benzene barge transport for Marquette Transportation and the Jason W. Nyberg between 2006 and 2021.
PHMS-2025-00262 07/25/2025	Lundy, LLP	Requested copies of documents on file with the U.S. Department of Transportation that respond to the following: 1.Maps of the City Utilities of Springfield natural gas pipeline system. 2.Identification of the product(s) and associated products being transported by Southern Star and/or any other entity through the City Utility of Springfield natural gas pipeline. 3.All City Utilities of Springfield Permit Applications on file. 4.Product Safety Data Sheets for all substances transported through the City Utilities of Springfield natural gas pipeline. 5.Documents related to the presence of radioactive materials (NORM) in the City Utilities of Springfield natural gas pipeline. 6.All documents/correspondence relating to the oversight and involvement of USDOT with City Utilities of Springfield regarding the natural gas pipeline for the period of 2019 to present. 7.All documents/correspondence related to the City Utilities of Springfield natural gas pipeline clean-out for the period of 2019 to present. 8. Environmental impacts, emissions, and/or waste materials associated with the City Utilities of Springfield including, but not limited to, the natural gas pipeline cleanout for the period of 2019 to present. 9. Any enforcement actions, citations, or compliance orders/measures related to the City Utilities natural gas pipeline for the period of 2019 to present. 10. All waste manifest logs since 2019 associated with the City Utilities of Springfield natural gas pipeline clean-out. 11. All submissions, documents and/or correspondences, from Southern Star, Paxon Energy, and/or SET Environmental to the USDOT, relating to the City Utilities of Springfield pipeline for the period of 2019 to present. 12. All copies of sampling results, taken from the pipeline itself and/or during clean-out and/or from any areas of leakage, spillage, or explosion for the period of 2019 to present.
PHMS-2025-00263 07/29/2025		"Langan Engineering is conducting a Phase I Environmental Site Assessment (ESA) of the property located near 8980 IL-38, Ashton, Ogle County, IL 61006. The property is also identified by Ogle County parcel identification number 24-30-100-001. In support of our Phase I ESA, Langan is requesting any information or copies of files regarding environmental conditions at the site, particularly in relation to a pipeline accident with the following details: Date: 8/28/2007 National Pipeline Report Number: 20070287 Name: Magellan Pipeline Company, L.P. NRC Report: 847098
PHMS-2025-00264 08/01/2025	NatGas Consulting	"I am seeking a file, or report, documents (anything in the file or investigation) from an investigation by LG&E filed with PHMSA. The investigation was opened 12-14-2022

		and closed on 12-19-2022. The file number is "22-262305" as reflected fully below; Activity ID: 22-262305 Activity Unit ID CSV: Activity Created Date: 12/14/2022 Activity Effort Start Date: Activity Closure Date: 12/19/2022 Activity Type: FAILURE INVESTIGATION Activity Status: Closed"
PHMS-2025-00265 07/28/2025	Osage News	"I am requesting documentation for the approved pipelines passing through Osage County, Oklahoma. The Superintendent of the Osage Agency, Adam Trumbly, has informed me that it is the Pipeline and Hazardous Materials Safety Administration who approves pipelines moving through the Osage reservation, which is recognized by U.S. Congress as a sovereignly managed area. I need to find out the full list of pipelines installed in and passing through this area. I would also like to find out which county, in Oklahoma, is the most saturated with oil pipelines."
PHMS-2025-00266 08/04/2025	Stantec Consulting Services, Inc.	Requesting records related to the installation and abandonment of pipelines M-120, M-121, and M-126. The pipeline(s) were installed ~1948, were operated by Exxon Mobil and are believed to have been emptied in the 2000s. We also request any information you may hold on to maintenance activities, spills or releases from these pipelines, particularly if they occurred along a ~3-mile section of pipeline in the vicinity of our project site located at approximate coordinates of 35.72320°, - 120.83713° (northern extent) and 35.696360°, - 120.843764° (southern extent), approximately 9 miles northwest of Paso Robles, San Luis Obispo County.
	Restored	Democracy Restored seeks records between November 5, 2024, to January 20, 2025, as described below. All records of communications from the custodians about how government officials would communicate, coordinate, work, interface, or otherwise deal with incoming or current officials serving as appointees in the Trump administration. Terms to help guide the search: "Malicious compliance" "Rigorous adherence" "To the letter" "Bureaucratic delay" "Over-communicate" "Endless questions" "Strategic interpretation" DOT – Pipeline and Hazardous Materials Safety Administration: Please search records from the three highest ranking career officials (meaning those who are not considered political appointees) at any time during the timeframe of this FOIA request. As used in this request, the term "records" includes any type of "agency record" subject to FOIA, and it also includes, but is not limited to, the following: Emails, with any attachments. Calendar entries, including invitations, responses, invitees, notes, and attached documents. Text messages. Communications via any other messaging applications, such as Signal and WhatsApp. Phone logs. Formal letters, documents, reports, memoranda, and other similar records. Messages from any messaging platform the agency may use, such as Slack or any other internal messaging platforms. Logs, transcripts, and chats from virtual meeting platforms, such as Zoom, Microsoft Teams, or any similar platforms the agency may use.
PHMS-2025-00268 08/07/2025	The Washington Post	• Any record about Paid Administrative Leave at your agency which includes: The total number of employees placed on paid administrative leave from Jan. 20, 2025 to August 4, 2025; The total amount of salary or compensation paid to those employees while on paid administrative leave, broken down by year; Any record about DRP (Deferred Resignation Program), VERA

		(Voluntary Early Retirement Authority);, and VISP (Voluntary Incentive Separation Program) at your agency which includes: The total number of employees who participated in DRP (Deferred Resignation Program) or any similar early retirement/discontinued service program from Jan. 20, 2025 to August 4, 2025; The total number of employees who participated in VERA (Voluntary Early Retirement Authority) from Jan. 20, 2025 to August 4, 2025; The total number of employees who participated in VISP (Voluntary Incentive Separation Program) from Jan. 20, 2025 to August 4, 2025; Any record about Reduction in Force at your agency which includes: The total number of employees laid off from Jan. 20, 2025 to August 4, 2025;
DHWC 2025 0036009/09/2025	Droup 0	A convert the reports applications and all file decuments
	Crouppen	A copy of the reports, applications, and all file documents related to a fireworks injury involving Brothers Pyrotechnics, Inc, UN0336 1.4G, BP-A036/6, Smoke n Mirrors Artillery, incident date July 5, 2025 in Sikeston, Mo.
	Thatcher	Upper Makefield Township repeats its request that Energy Transfer and PHMSA provide all in-line inspection data in its possession. Given the unknown nature of the anomaly, we ask that Energy Transfer immediately notify impacted residents. Further, we demand that Energy Transfer take immediate action to address any anomalies it has identified in Upper Makefield Township and all along the Twin Oaks Pipeline.
	Hunegs Leneva & Kvas	Requesting copies of any and all data or documentation generated, received or maintained by the U.S. Department of Transportation Pipeline and Hazardous Materials Safety Administration (PHMSA) related to this hazardous materials incident that occurred on May 11, 2022, involving a sulfuric acid leak at a BNSF Argentine railyard, from the date of occurrence to present. This FOIA request includes, but is not limited to: 1. Incident reports or hazardous materials spill reports submitted to PHMSA or generated by PHMSA regarding this event; 2. Inspection or investigation records, including internal memoranda, photos, or notes; 3. Correspondence (emails, letters, or other communication) between PHMSA and BNSF Railway, other federal or state agencies, or third parties concerning the incident; 4. Any enforcement actions, citations, or compliance documents issued in relation to this sulfuric acid leak; 5. Any relevant safety advisories, bulletins, or notices related to this specific incident. If possible, please include records with specific reference to the date (May 11, 2022), location (BNSF railyard), and substance involved (sulfuric acid), and any records noting injuries to personnel or chemical exposure.
PHMS-2025-00272 08/12/2025		I would like to find out the specific reason why my job offer with PHMSA was rescinded. I tried reaching out to the agency, but no one is responding back to me. I would like to request a copy of the background check findings or a summary of the information that led to this decision, so I may better understand the outcome and address any potential concerns.
	O'Connor	We would like to obtain copies of all Gas Distribution System Annual Reports filed with your agency since 2017 to current by the operator Lower Valley Energy, Inc. (OPID 31044) aka Lower Valley Power & Light, Inc.
PHMS-2025-00274 08/12/2025	Environmental Defense Fund	Consultation on PHMSA equities located in records located in OST FOIA Search.

		Ţ
PHMS-2025-00275 08/12/	Defense Fund	Any records the agency maintains that reference the company Neuralink Corp. ("Neuralink") since January 1, 2016. This includes, but is not limited to, records concerning the Department of Transportation's ("DOT") investigations into Neuralink, and records that give any insight into Neuralink's prior alleged unsafe transport of contaminated or hazardous materials. This also includes, but is not limited to, materials submitted to the agency by Neuralink or anyone in its management team on Neuralink's behalf, communications between the agency and Neuralink regarding investigations into the company, and documents reflecting the agency's decision on and reasoning for terminating its investigation into Neuralink, including any conclusions the agency reached.
PHMS-2025-00276 08/13/	2025 Austin Fizz,	I am requesting the application of iDrink Products inc. for a
	LLC	special permit. I have found the actual special permit online, but I am unable to find the associated application. Could you email it to me? This is related to DOT SP 16504 specifically.
PHMS-2025-00277 08/14/	2025 Bensinger,	Pursuant to Michigan Freedom of Information Act, MCL
	Cotant & Menkes, P.C.	15.231 et seq., we respectfully request a complete copy of photographs, statements, and any reports prepared in conjunction with the above structure fire/gas explosion accident. Date of Accident 3/13/2022, Involved Parties Semco v MJO; Location 908 College Ave., Houghton. MI.
PHMS-2025-00278 08/15/	2025 Austin Fizz,	I would like to add to my request. I would like five
PHMS-2025-00279 08/25/	LLC	applications for special permits in total. Here are the details of all five. Again, the special permits are freely available online. I am requesting their completed applications, which I am currently unable to access online. 1. iDrink Products Inc. DOT SP 16504 (SP completed application requested) 2. Natural Choice Corporation d.b.a. KUL Refreshment, Inc. DOT SP 20892 (SP completed application requested) 3. Simpli Soda LLC DOT-SP 21416 (SP completed application requested) 4. CO2 Exchange LLC DOT-SP 20936 (SP completed application requested) 5. SodaStream USA Inc. DOT-SP 20796 (SP completed application requested) This is a request under the Freedom of Information Act for
	Corrosion	all records related to Case No. 24-0139-SH-SW, including:
DIME 2025 CO200 PM	Solutions, LLC	1. All service records for the NOPV (mailing logs, receipts, email transmittals, cover letters). 2. The complete inspection file (investigator notes, photos, internal correspondence). 3. All civil penalty worksheets, internal evaluation memoranda, and mitigation notes.
PHMS-2025-00280 08/18/		Requested all the inspection reports generated by the consent agreement for Mountain Valley Pipeline and either send them to the interested parties or place them in the FOIA Electronic Reading Room. The date range is 8/18/24 to 8/18/2025.
PHMS-2025-00281 08/21/	2025 Alvarez & Marsal	I request copies of all records in the custody of the Pipeline and Hazardous Materials Safety Administration relating to the following property and operator: Property Address: 2821 Industrial Blvd., Waycross, GA 31503 (Ware County, Parcel #050 03 011) Operator: CF Rail Services (operated at the site approximately 2007–2023) Facility Type: Railcar cleaning and maintenance operation Specifically, I am requesting: Hazardous Materials Compliance Records Any hazardous materials registration, notifications, or filings made by CF Rail Services for the above location. Any inspection reports, audits, or compliance reviews conducted by PHMSA at this facility. Incident and Enforcement

		Records Hazardous materials incident reports, spill or release reports, or accident/incident investigations tied to this facility. Notices of violation, warning letters, or enforcement actions issued to CF Rail Services or any associated entities at this location. Correspondence and Permit Files Any correspondence between PHMSA and CF Rail Services regarding hazardous materials handling, transport, or compliance at this property. Any permit applications or approvals (if applicable).
PHMS-2025-00282 08/21/202	Works, Inc	I am completing a Phase I Environmental Site Assessment (ESA) for the parcel located at Hammock Ct, O'Fallon, MO 63368 (38°45'05.5"N 90°44'40.1"W) (Parcel ID: 4-069B-9780-00-000B.0000000). I am submitting a request regarding any pipeline spills or releases related to the Cherokee Pipeline / Ajax Pipeline Corp in O' Fallon, MO from the 1940s to present day. Specifically, I am seeking any records of spills, releases, or incidents associated with the pipeline located on or adjacent to this property. This includes but is not limited to spill reports, releases, or leaks, inspection records, violation notices or enforcement actions, or any corrective actions or remediation associated with the pipeline.
PHMS-2025-00283 08/22/202	International	I'm seeking a copy of a 2025 PHMSA letter reportedly confirming that iGas is a "party to" a Chemours special permit (referenced recently by HARDI). Could you please provide any 2025 "Party To" letters listing iGas (or iGas USA) in connection with any Chemours Company FC LLC special permit, or confirm if no such letters have been issued? If available, please include the special permit number(s), tracking number(s), and issuance date(s).
PHMS-2025-00284 08/25/202	5 Earthjustice	We request the following records generated, received, kept, and/or considered by CEQ and/or the Permitting Council related to Executive Order 14241: a) Any "lists" of mineral production projects submitted to the Chair of the National Energy Dominance Council (NEDC), for which a plan of operations, a permit application, or other application of approval has been submitted, in compliance with Executive Order 14241, § 3(a), 90 Fed. Reg. at 13,673. This request is specifically seeking each "list" referenced in Executive Order 14241, § 3(a), 90 Fed. Reg. at 13,673, whether the submission is entitled as a "list" or was submitted under another title, and due within 10 days of March 20, 2025. b) Records related to "priority projects that can be immediately approved or for which permits can be immediately issued" from the "lists" referenced in Executive Order 14241, § 3(a), 90 Fed. Reg. at 13,673, and due within 10 days after the submission of such "lists" as described above in Subsection (a) of this document. c) Records related to any mineral production projects submitted to the Federal Improvement Steering Council for consideration for inclusion as "transparency projects" on the Federal Permitting Dashboard, including any schedules for expedited review of such projects as described in Executive Order 14241, § 3(b), 90 Fed. Reg. at 13,673-74, and due within 15 and 30 days of March 20, 2025. d) Records received by CEQ and/or the Permitting Council related to the identification of "regulatory bottlenecks" and strategies to expedite domestic mineral production as described in Executive Order 14241, § 3(c), 90 Fed. Reg. at 13,674. e) Any "lists" of Federal Lands known to hold mineral deposits and reserves, submitted to the Assistant to the President for Economic Policy and/or the Assistant to

PHMS-2025-00285	08/25/2025	Individual	the President for National Security Affairs, in compliance Executive Order 14241, § 5(a), 90 Fed. Reg. at 13,674. This request is specifically seeking each "list" referenced in Executive Order 14241, § 5(a), 90 Fed. Reg. at 13,674, whether the submission is entitled as a "list" or was submitted under another title, and due within 10 days of March 20, 2025. f) Any "lists" submitted to the President for Economic Policy, the Assistant to the President for National Security Affairs, and/or the Chair of the NEDC, that identifies sites on Federal land that may be suitable for mineral leasing and development as described in Executive Order 14241, § 5(b), 90 Fed. Reg. at 13,674, whether the submission is entitled as a "list" or was submitted under another title, and due within 30 days of March 20, 2025. g) Records related to sites prioritized by the Secretary of Defense, the Secretary of the Interior, the Secretary of Agriculture, and the Secretary of Energy, on which "mineral production projects could be fully permitted and operational" from the "lists" referenced above in Subsection (e) of this document, and described in Executive Order 14241, § 5(b), 90 Fed. Reg. at 13,674, and due within 30 days of March 20, 2025. h) Records related to any extended use leasing agreements authorizing "commercial mineral production enterprises" on federal lands, either through development, construction, or modification of existing infrastructure as described in Executive Order 14241, § 5(c), 90 Fed. Reg. at 13,674. First party request: Please also provide documentation registered under an unknown contract. Please provide necessary forms that may be required to fully process the request in sentence 1. To reduce any burden on the agency it is important to note I am a victim of an illegal activity that started on or about January 1, 2016 - to current today
PHMS-2025-00286 (Protect Democracy Project	August 23, 2025. During the period of prior employment in question that terminated February 9, 2016 I worked with multiple gas companies. I believe it is likely that this scam, 24/7 harassment, and illicit activity or program targeting me by thousands of individuals daily in combination with the aircrafts and other illegal activity could be linked to contract fraud. There is no consent, no valid employment contract, no valid employer and no valid application. There is no implied consent. In investigations by other federal agencies, it has been determined a law enforcement activity is tied to the illegal activities. As it stands, until a copy of the investigation report is received to determine which police, fire department, or EMS are tied to the activities it remains unclear how the law enforcement activity is playing a role. I have been a victim for almost 10 years, my rights have been violated every day. Pursuant to the Freedom of Information Act (FOIA), 5 U.S.C. § 552, the Protect Democracy Project hereby requests that your office produce within 20 business days
		•	the following records: 1. From January 27, 2025, through the date on which searches are conducted for records responsive to this request: a. Any petition, and any accompanying justification or analysis, that the Department of Transportation's Pipeline and Hazardous Materials Safety Administration (PHMSA) submitted to the Office of Personnel Management (OPM) recommending the placement of position[s] into Schedule Policy/Career ("P/C"). Schedule P/C is the schedule in the excepted service created by President Trump's Executive Order No.

		14,171,90 Fed. Reg. 8,625 (Jan. 20, 2025). According to a January 27, 2025,memorandum, OPM instructed federal agency heads to submit interim recommendations for reclassification of positions into Schedule P/C on or before April 21, 2025.1 The memo provided agencies an additional 120 days(i.e., until August 19, 2025) to "finalize their review [of positions] and submit any remaining petitions."2 These petitions would likely have been submitted to OPM via email at employ@opm.gov with the email header reading "SUBJECT: Schedule Policy/Career."3 The petitions may have been submitted on a rolling basis and this request seeks all submissions of petition to OPM. b. If the petition(s) submitted to OPM and any accompanying justification or analysis did not set forth the reasons PHSMA believed these position[s] met the criteria for placement into Schedule P/C, documents sufficient to explain why PHSMA officials believed the position[s] met those criteria, whether or not PHSMA sent such documents to OPM. Executive Order 13,957, as amended, requires all agency petitions to "include a written explanation documenting the basis for the agency head's determination that such position[s] should be placed in Schedule Policy/Career." 2. In addition to the records requested above, we also request records describing the processing of this request, including records sufficient to identify search terms used and locations and custodians searched, and any tracking sheets used to track the processing of this request. If your agency uses FOIA questionnaires or certifications completed by individual custodians or components to determine whether they possess responsive materials or to describe how they conducted searches, we also request any such records
DUMC 2025 0028700 (26 (2025	C	prepared in connection with the processing of this request.
PHMS-2025-00287 08/26/2025	O'Connor	We are seeking the following documents relevant to Northwestern Energy Corporation: ALL National Response Center Incident Report – Gas Distribution Systems reports filed by Northwestern Energy Corporation and its predecessor company dating back to 1997.
PHMS-2025-00288 08/27/2025	Azizi Law Firm	Pursuant to the Freedom of Information Act, 5 U.S.C. § 552, I request the following records from the U.S. Department of Transportation and its sub-agencies, including but not limited to FMCSA, PHMSA, and any other relevant divisions: 1. PetNet / Siemens Transportation Records, Any records, correspondence, permits, or regulatory filings related to PetNet Solutions, Inc. (Culver City, CA) and/or Siemens Medical Solutions USA, Inc. regarding the transportation of radioactive or hazardous materials, from 2005 through 2023. 2. Carrier and Vendor Oversight, Any DOT or sub-agency records concerning the following transport vendors used by PetNet/Siemens for hazardous or radioactive shipments: ? Discount Courier Services, Inc. (DCS Delivery) ? DCS Management LLC ? HealthEx Corp. / HealthEx LLC ? Carefree Transportation, LLC ? Tycoon Express Transportation, Inc. ? Medical Delivery Services, Inc. (MDS) ? MCBC, Inc. / MCBC Medical Delivery Services, LLC 3. Hazardous Materials / Radioactive Transport o Records of special permits, incident reports, enforcement actions, safety violations, or investigations involving the above companies' transport of hazardous materials, including F-18 radiopharmaceuticals or similar radioactive substances, during the relevant timeframe. 4. Compliance and Enforcement, any compliance reviews, safety audits, or enforcement actions taken against PetNet,

		Siemens, or the above-listed carriers related to hazardous materials regulations, 49 C.F.R. Parts 171–180, or motor carrier safety regulations.
PHMS-2025-00289 09	LLP	Please provide copies of records related to any of the following: 1. Any documents related to the breach and/or repair of the crude oil pipeline owned or operated by Energy Transfer and/or Permian Express Partners LLC that occurred on or about the week of May 4–10, 2025 near the intersection of Boswell Drive and Texas Highway 180 in Arlington, Tarrant County, Texas (the "Incident"). 2. Any documents related to the breach or repair of the City of Fort Worth's sanitary sewer pipeline located in the vicinity
		of the Incident. 3. Any documents related to the spill of crude oil resulting from the Incident, including any remediation or cleanup activities that occurred in the vicinity of the Incident or at the City of Fort Worth's Village Creek Wastewater Treatment Plant located at 4500 Wilma Lane, Arlington, Texas 76012.
PHMS-2025-00290 09	Group	Please provide me with the following: 1. All reports, letters, correspondence, emails, photos, videos, witness statements related to an explosion or release of natural gas or other combustible materials at Williams/Transco Compressor Station 60, 2988 Highway 964, Jackson, Louisiana, 70748 on May 8, 2024; 2. All letters, emails, correspondence and reports from Transco or Williams about the cause of the explosion.
	LLC	I am searching or the PHMSA Incident Report (pursuant to 49 CFR 191) that was filled out by Summit Utilities on or about February, 2025. The Report concerns an explosion that occurred at the Spark by Hilton in Branson, Missouri, on or about February 22, 2025.
PHMS-2025-00292 09	Engineering & Science	I am reaching out to request any publicly available information or records related to a property with an unregistered address located along Windfern Road in Houston, Texas (Parcel No. 1295270010005 / Latitude 29.933655°, Longitude -95.577661°). Specifically, I am seeking information regarding Information on emergency response incidents (fire, chemical spills, etc.) that may have occurred at or near the property. Historical property uses that may have involved regulated substances or activities. Reports of soil, groundwater, or surface water impacts in the vicinity. Records of spills, releases, or environmental violations. Any known or suspected environmental contamination or hazardous materials incidents.
PHMS-2025-00293 09	Consultants	Re: 8627 Hufsmith Road, Tomball, TX 77375 AEI is conducting an environmental assessment of the abovenoted commercial residential property. Please consult for any documents indicating a release or incident in the vicinity of the above address.
PHMS-2025-00294 09	Signal and Oversight Project	I respectfully request the following: From the timeframe of January 1, 2021 to present: Documents sufficient to account for all OGE Form 202's (Notification of Conflict-of-Interest Referral), submitted, referred, or transmitted to either 1) the Department of Justice ('DOJ') or 2) the Office of Government Ethics ('OGE') or 3) a United States Attorney's Office ('USAO') for the stated timeframe.
PHMS-2025-00295 09	Signal and Oversight	I respectfully request the following: From the timeframe of January 1, 2021 to present: Documents sufficient to account for all OGE Form 278's (Financial Disclosure Reports) or OGE Form 278e's submitted by the agency to

	1	T	T
			the Office of Government Ethics during the stated timeframe.
PHMS-2025-00296	09/05/2025	Individual	Requested the answer to three pages of questions not pertaining to PHMSA.
PHMS-2025-00297	09/08/2025	G1X Innovations, LLC	Under the Freedom of Information Act, I request records from January 1, 2009, to the present—internal or interagency communications, memos, meeting notes, or draft regulatory text—regarding the transport of engineered nanomaterials (including but not limited to Nano powders, suspensions, or aerosols) or consideration of nanomaterial-specific transport provisions under the Hazardous Materials Regulations (49 CFR parts 171–180). If possible, please provide any records where "nanomaterials", "nanoform", "Nano powder", or "engineered nanoparticles" are discussed in transport context or risk assessment for transport.
PHMS-2025-00298	09/08/2025	E&E News	I request access to and copies of the administrative case file and all processing notes, including search slips, for Freedom of Information Act (FOIA) request with the FOIA CONTROL #: PHMS-2025-00229.
PHMS-2025-00299	09/08/2025	Tueth Keeney	This law firm represents Ameren Illinois in the consolidated lawsuits, Case Nos. 2024-LA-9; 2024-LA-10; 2024-LA-11; 2024-LA-12; 2024-LA-13; 2024-LA-14; 2024-LA-15; 2024-LA-19; and 2024-LA-291, currently pending in the Fourth Judicial Circuit Court of Effingham County, Illinois. In this capacity we are seeking information related to the investigation of the crash that took place on the evening of September 29, 2023, at or around 19748 US40, Teutopolis located in St. Francis Township in Effingham County, Illinois.
PHMS-2025-00300	09/09/2025	Carnegie Hero Fund Commission	We are looking into the actions of responding neighbors and a police officer who responded to a house explosion and fire at 71 Pleasant Street in Berlin on April 14, 2023. They are nominated for recognition for reportedly rescuing one of the residents (Jill Christensen), and her mother perished in the fire/explosion. I understand the report would not have information on the rescue, but my report will also include information on the house and specifics of the fire, explosion, and the propane tanks involved.
PHMS-2025-00301		Laboratories	Under the Freedom of Information Act, I am requesting the incident reports - gas distribution system (F 7100.1) for two separate incidents: Ameren (provider), incident location 187 Roosevelt Street, Warrensburg, Illinois, incident date 7/16 or 19/ 2025 Summit Natural Gas, incident location Sparks by Hilton, 263 Shepherd of the Hills Expressway, Branson, Missouri, incident date 2/25/2025
PHMS-2025-00302			I am writing to request hazmat permits filed by either the parent company Boeing, or any of its US subsidiaries, including Douglas Express Delivery. Additionally, I would like a list of companies which received hazmat permits for transportation purposes which are operating in New York City. If the documents contain information that cannot be shared, I would prefer partially redacted documents instead of nothing.
PHMS-2025-00303	09/11/2025	Consolidated Edison Company of New York	I am requesting access to and copies of the following records: The hearing transcript associated with Corrective Action Order CPF No. 1-2019-1001. Any supporting documentation, exhibits, or correspondence related to the Order issued on May 18, 2020 under this case number.

Project Complete	DUMC 2025 00204007427	2025 51 0 11	T 10 H 1 H 1 D 1 CC 1 H
Books, or other official materials created, compiled, or disseminated by the agency in connection with a Presidential transition (Example 1: https://docdepot.ltsyourgov.org/documents/252afe94-aadb-497c-a46c-040f99708e12/details; Example 2: https://docdepot.ltsyourgov.org/documents/08e8c253-4bb2-4958-a17-f5b4d896d4d/details; Example 3: https://docdepot.ltsyourgov.org/documents/08e8c253-4bb2-44958-a17-f5b4d896d4d/details; Example 3: https://docdepot.ltsyourgov.org/documents/382cc057-dc9d-4289-b07c-44da31672a9d-getails). PHMS-2025-00305 09/16/2025 GRSM50 We are requesting any and all documents, data, and any other available associated information or reports in connection with the DOT investigation stemming from or related to report 20230288-38897. 1. PHMSA investigation file concerning the June 23, 2025 Photographs, diagrams, and concerning the June 23, 2025 Photographs, diagrams, and concusions, 2. Operator incident reports, safety notifications, or correspondence submitted by Enbridge Gas Ohio (a/k/a East Ohio Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio or Dominion Energy (East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of O	PHMS-2025-00304 09/12/		I respectfully request the following: Documents sufficient to
disseminated by the agency in connection with a Presidential transition (Example 1: https://docdepct.itsyourgov.org/documents/252afe94-aadb-497c-446c-0d0f99708e12/details; Example 2: https://docdepct.itsyourgov.org/documents/08e8c253-4bb2-4958-a1f7-f5b408966d4d/details; Example 3: https://docdepct.itsyourgov.org/documents/08e8c253-4bb2-4958-a1f7-f5b408966d4d/details; Example 3: https://docdepct.itsyourgov.org/documents/382cc057-dc9d-4289-b07c-a4da31672a9e/details). PHMS-2025-00305 09/16/2025 GRSM50 We are requesting any and all documents, data, and any other available associated information or reports in connection with the DOT investigation stemming from or related to report 20230288-38897. PHMS-2025-00306 09/17/2025 Wisehart I. PHMSA investigation file concerning the June 23, 2025 Wright Co. LPA Rainbow Terrace fire/explosion, including field notes, photographs, diagrams, and conclusions. 2. Operator incident reports, safety notifications, or correspondence submitted by Enbridge Gas Ohio (a/k/a East Ohio Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (ar) Strongh June 23, 2025. 6. Opies of Inbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines		Project	
PHMS-2025-0030 09/17/2025 Wisehart Wright Co. LPA Rainbow Terrace fire/explosion, including field notes, photographs, after the East Ohio Gas/Dominion Energy) to PHMSA for the East Ohio Gas/Dominion Energy, 1, 2025. 4. Records of prior incidents reported by PHMSA for the East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity An other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy) East Ohio Gas/ from June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas/ Formal June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas/ Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas/ Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2020 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement actions of the PMMSA for the East Ohio Gas involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2025 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public rec			
https://docdepot.itsyourgov.org/documents/2524694-aadb-497c-a46c-0df099708be12/details; Example 2: https://docdepot.itsyourgov.org/documents/08e8c253-4bb2-4958-a17-75bd8966d4d/details; Example 3: https://docdepot.itsyourgov.org/documents/382cc057-dc9d-4289-b07c-a4da31672a9e/details). PHMS-2025-00305 09/16/2025 GRSM50 We are requesting any and all documents, data, and any other available associated information or reports in connection with the DOT investigation stemming from or related to report 20230288-38897. PHMS-2025-00306 09/17/2025 Wisehart 1. PHMSA investigation file concerning the June 23, 2025 Mishow Terrace fire/explosion, including field notes, photographs, diagrams, and conclusions. 2. Operator incident reports, safety notifications, or correspondence submitted by Enbridge Gas Ohio (a/k/a East Ohio Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartment			
aadb-497c-a46c-0d0f99708e12/details; Example 2: https://docdepot.itsyourgov.org/documents/08e8c253-4bb2-4958-a1f7-f5b4d8966d4/details; Example 3: https://docdepot.itsyourgov.org/documents/08e8c253-4bb2-4289-b07c-a4da31672a9e/details]. PHMS-2025-0030509/16/2025 GRSM50 We are requesting any and all documents, data, and any other available associated information or reports in connection with the DOT investigation stemming from or related to report 20230288-38897. PHMS-2025-0030609/17/2025 Wisehart Wright Co. LPA Rainbow Terrace fire/explosion, including field notes, photographs, diagrams, and conclusions. 2. Operator incident reports, safety notifications, or correspondence submitted by Enbridge Gas Ohio (a/k/a East Ohio Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy, East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions between PHMSA and the Public Utilities Commission of Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related ins			
https://docdepot.itsyourgov.org/documents/08e8c253-4bb2-4958-a1f7-f5b4d986dd/details; Example 3: https://docdepot.itsyourgov.org/documents/382cc057-dc9d-4289-b07c-a4da31672a9e/details). PHMS-2025-0030509/16/2025 GRSM50 We are requesting any and all documents, data, and any other available associated information or reports in connection with the DOT investigation stemming from or related to report 20230288-38897. 1. PHMSA investigation file concerning the June 23, 2025 Mright Co. LPA Rainbow Terrace fre/explosion, including field notes, photographs, diagrams, and conclusions. 2. Operator incident reports, safety notifications, or correspondence submitted by Enbridge Gas Ohio (a/k/a East Ohio Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and risk assessments or the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the East Ohio Gas / Enbr			
Abb2-4958-a1f7-f5b4d8966d4d/details; Example 3: https://docdepot.itsyourgov.org/documents/382cc057-dc9d-4289-b07c-a4da31672a9e/details). ### PHMS-2025-00305 09/16/2025 GRSM50 We are requesting any and all documents, data, and any other available associated information or reports in connection with the DOT investigation stemming from or related to report 20230288-38897. ### PHMS-2025-00306 09/17/2025 Wisehart Wright Co. LPA Rainbow Terrace fire/explosion, including field notes, photographs, diagrams, and conclusions. 2. Operator incident reports, safety notifications, or correspondence submitted by Enbridge Gas Ohio (a/k/a East Ohio Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC (
https://docdepot.itsyourgov.org/documents/382cc057-dc994-4289-b07c-a4da31672a9e/details). PHMS-2025-00305 09/16/2025 GRSM50 We are requesting any and all documents, data, and any other available associated information or reports in connection with the DOT investigation stemming from or related to report 20230288-38897. PHMS-2025-00306 09/17/2025 Wisehart 1. PHMSA investigation file concerning the June 23, 2025 Wiright Co. LPA Rainbow Terrace fire/explosion, including field notes, photographs, diagrams, and conclusions. 2. Operator incident reports, safety notifications, or correspondence submitted by Enbridge Gas Ohio (a/k/a East Ohio Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace or the East Ohio Gas / Enbridge service lines from January 1, 2010 through June 23, 2025 to through June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas plazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
dc9d-4289-b07c-ada31672a9e/details).			
We are requesting any and all documents, data, and any other available associated information or reports in connection with the DOT investigation stemming from or related to report 20230288-38897. PHMS-2025-00306 09/17/2025 Wisehart Wright Co. LPA Rainbow Terrace fire/explosion, including field notes, photographs, diagrams, and conclusions. 2. Operator incident reports, safety notifications, or correspondence submitted by Enbridge Gas Ohio (a/k/a East Ohio Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Prope			1 , 3 3
other available associated information or reports in connection with the DOT investigation stemming from or related to report 20230288–38897. PHMS-2025-00306 09/17/2025 Wisehart I. PHMSA investigation file concerning the June 23, 2025 which wight Co. LPA Rainbow Terrace fire/explosion, including field notes, photographs, diagrams, and conclusions. 2. Operator incident reports, safety notifications, or correspondence submitted by Enbridge Gas Ohio (a/k/a East Ohio Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EV Unclaim	DUMC 2025 0020500 (16.1	2025 CDCM50	
connection with the DOT investigation stemming from or related to report 20230288-38897. PHMS-2025-00306 09/17/2025 Wisehart Wright Co. LPA Rainbow Terrace fire/explosion, including field notes, photographs, diagrams, and conclusions. 2. Operator incident reports, safety notifications, or correspondence submitted by Enbridge Gas Ohio (a/k/a East Ohio Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected	PHMS-2025-0030509/16/	2025 GRSM50	
PHMS-2025-00306 09/17/2025 Wisehart Wright Co. LPA Rainbow Terrace fire/explosion, including field notes, photographs, diagrams, and conclusions. 2. Operator incident reports, safety notifications, or correspondence submitted by Enbridge Gas Ohio (a/k/a East Ohio Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy, East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, treant safety, or gas hazards. PHMS-2025-00307/09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
PHMS-2025-00306 09/17/2025 Wisehart Wright Co. LPA Rainbow Terrace fire/explosion, including field notes, photographs, diagrams, and conclusions. 2. Operator incident reports, safety notifications, or correspondence submitted by Enbridge Gas Ohio (a/k/a East Ohio Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2012 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307/09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
Wright Co. LPA Rainbow Terrace fire/explosion, including field notes, photographs, diagrams, and conclusions. 2. Operator incident reports, safety notifications, or correspondence submitted by Enbridge Gas Ohio (a/k/a East Ohio Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("PCUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,	DUMC 2025 00206 00 (4.7.)	2025 11: 1	
photographs, diagrams, and conclusions. 2. Operator incident reports, safety notifications, or correspondence submitted by Enbridge Gas Ohio (a/k/a East Ohio Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,	PHMS-2025-0030609/1//		
incident reports, safety notifications, or correspondence submitted by Enbridge Gas Ohio (a/k/a East Ohio Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,		Wright Co. LPA	
submitted by Enbridge Gas Ohio (a/k/a East Ohio Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
Gas/Dominion Energy) to PHMSA regarding the June 23, 2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
2025 Rainbow Terrace fire/explosion. 3. Inspection history, enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
enforcement actions, and compliance reviews conducted by PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services LLC Property Services LLC PUnclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
PHMSA for the East Ohio Gas / Enbridge system serving Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services LLC PHMS-2025-00307 op/17/2025 EY Unclaimed Property Services LLC PHMS-2025-00307 op/17/2025 EY Unclaimed			
Rainbow Terrace, from January 1, 2020 through June 23, 2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services LLC PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
2025. 4. Records of prior incidents reported by Enbridge Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services LLC PHMS-2025-00307 pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
Gas Ohio or its predecessors (Dominion Energy, East Ohio Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
Gas) involving pipeline leaks, failures, or explosions in Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
Cuyahoga County, Ohio from January 1, 2015 through June 23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
23, 2025. 5. Corrective Action Orders, Notices of Probable Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services LLC PHMS-2025-00307 unclaimed Property Services LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
Violation, or other enforcement correspondence issued by PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
PHMSA to Enbridge Gas Ohio (or Dominion Energy / East Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
Ohio Gas) from January 1, 2015 through June 23, 2025. 6. Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
Pipeline Integrity Management Plans and risk assessments on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
on file with PHMSA for the East Ohio Gas / Enbridge system in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
in Cleveland, Ohio, including records specific to Rainbow Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services LLC PHMS-2025-00307 unclaimed Property Services LLC PHMS-2025-00307 unclaimed Property Services LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
Terrace or the surrounding service area. 7. Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services LLC EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
Communications between PHMSA and the Public Utilities Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services LLC EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
Commission of Ohio (PUCO) regarding safety, inspection, or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
or enforcement actions tied to Rainbow Terrace Apartments or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
or the East Ohio Gas / Enbridge service lines from January 1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services LLC EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
1, 2020 through June 23, 2025. 8. Copies of prior public records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
records requests submitted to the U.S. Department of Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services LLC			
Transportation – Pipeline and Hazardous Materials Safety Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services LLC EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
Administration (PHMSA) by any person or entity, from June 23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
23, 2025 to present, concerning the Rainbow Terrace fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
fire/explosion or related inspections, complaints, tenant safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
safety, or gas hazards. PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
PHMS-2025-00307 09/17/2025 EY Unclaimed Property Services, LLC ("EYUPS") respectfully requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,			
Property requests copies of financial records pertaining to all uncollected, unclaimed, undeliverable, unredeemed,	PHMS-2025-00307 09/17/	2025 EY Unclaimed	
Services LLC uncollected, unclaimed, undeliverable, unredeemed,			
overdue and/or outstanding funds, payments or obligations l			overdue and/or outstanding funds, payments or obligations
which remain currently held in accounts managed by			
Pipeline and Hazardous Materials Safety Administration			,
(PHMSA), including but not limited to			
uncashed/outstanding checks. If the funds are related to			
checks, please provide the following details, if available:			
Dollar amount. Name of payee/recipient due the funds,			
Address of the payee/recipient due the funds, Date			
associated with the obligation (i.e., check issue date),			
Check identification numbers, Name of originating agency .			

DUMC 2025 0020000 (25 (255)	D:-L:-	This firms were a bounded by the state of th
	McCamey Attorneys at Law	This firm represents Peoples Natural Gas Company LLC with regard to the explosion and/or fire occurring on August 12, 2023 at or about the premises situated at 141 Rustic Ridge Road, Plum, Pennsylvania 15239. We would like to request, pursuant to the Freedom of Information ActFull and complete copies of each document, item of electronically-stored information and object—including, but not limited to, incident and investigation reports, photographs, video footage, audio recordings, statements, measurements, drawings, schematics, call logs, notes, email, text messages, items of correspondence and tangible items—in the possession of, created or gathered by, or supplied via third-parties to, the Pipeline and Hazardous Materials Safety Administration relating to an August 12, 2023 explosion and/or fire occurring at or about the premises situated at 141 Rustic Ridge Road, Plum, Pennsylvania 15239.
PHMS-2025-00309 09/26/2025	GRS Global	I am requesting structural and operational information
		regarding the following pipeline, running within the boundaries of the Fletcher Southlands Apartments in Aurora, CO. System: Powder River Subsystem Name: Borger/8 Inch Tie-In Pipeline ID: PR01_1745_540 Owner: Phillips 66 Pipeline LLC Operator ID: 31684 I would like to request any records that would include pipeline system releases, spills, depths, required setbacks, and if the current setbacks meet the requirements.
PHMS-2025-00310 09/29/2025	Ross Investigators	I respectfully request records in PHMSA's possession relating to the natural gas pipeline involved in a welding
		flare-up incident that occurred in July 2025 near Weld County Road 46 and Weld County Road 61, east of Kersey, Colorado (approximate coordinates: 40.303924 / - 104.489894). Specifically, I request copies of the following: 1. Operator Identification Number (OPID) and registered operator information for the pipeline segment located at or near the above coordinates. 2. Any incident, accident, or safety reports filed with PHMSA concerning this pipeline segment between January 1, 2024, and Present. 3. Any inspection reports, enforcement actions, or corrective action orders issued by PHMSA concerning this pipeline segment or its operator for the same time period. 4. Any communications, correspondence, or reports between PHMSA and the pipeline's operator relating to this incident or the condition of the pipeline in question.
PHMS-2025-00311 09/29/2025	Prime Law	With respect to the Consent Agreement in the Matter of
		Sunoco Pipeline LP, a subsidiary of Energy Transfer, LP, CPF No. 4-2025-054-NOPSO, dated May 2, 2025 I request: 1. Copy of Remedial Work Plan (referenced in Para. 15); 2. Copy of Final Report of Investigation (referenced in Para. 16); 3. Copy of Evaluation of Leak Detection System (referenced in Para. 17); 4. Copy of Leakage Survey (referenced in Para. 19); 5. Copy of Root Cause Failure Analysis (referenced in Para. 21); and 6. Copy of Emergency Response Plan (referenced in Para. 22).
PHMS-2025-00312 09/30/2025		I am requesting records held by the Pipeline and Hazardous
	Investigators	Materials Safety Administration (PHMSA) related to a pipeline flare-up incident in which my clients sustained severe burn injuries while working on a pipeline near Kersey, Colorado on July 7th, 2025. Specifically, I request the following records relating to the pipeline segment involved in the incident and the operator(s) responsible
		(believed to include DCP Midstream, LP and/or Phillips 66): 1. Enforcement Actions: o All Notices of Probable Violation

(NOPV), Corrective Action Orders (CAO), Safety Orders, or similar enforcement actions issued by PHMSA against the identified operator(s) concerning this pipeline or facility during the period [2020 to present]. 2. Inspection and Compliance Records: o All PHMSA inspection reports, investigation reports, compliance review findings, inspection notes, and field inspection records related to this pipeline segment or facility during the same period. 3. Incident Reports: o Any incident reports, investigation summaries, root-cause analyses, or technical evaluations related to fires, flare-ups, hot-work hazards (e.g., welding near live lines), or similar safety-critical events on this pipeline. 4. Communications: o Any correspondence (emails, letters, or memoranda) between PHMSA and the identified operator(s), contractors, or subcontractors regarding: ? pipeline pigging assessments or decisions, ? pipeline maintenance, ? safety hazard mitigation, or ? compliance with Pipeline Safety Laws (49 U.S.C. Chapter 601) and federal pipeline safety regulations (49 C.F.R. Parts 190–199). 5. Prior History: o Any available record of prior violations, fines, penalties, or settlement agreements between PHMSA and the identified operator(s) that relate to safety procedures or operational practices on the same or connected pipeline.