



Cardez, E.
26-0122

Fwd: MARINE POLLUTANT CLASSIFICATION QUESTION - WRITTEN INTERPRETATION REQUEST

1 message

INFOCNTR (PHMSA) <infocntr.infocntr@dot.gov>
To: Hazmat Interps <hazmatinterps@dot.gov>

Mon, Sep 14, 2026 at 3:13 PM

Good afternoon,

Please see the below interpretation request. Let us know if you need anything.

Regards,

Janaye

----- Forwarded message -----

From: **Le, Hien** <Hien.Le@leschaco.com>

Date: Mon, Sep 14, 2026 at 6:56 AM

Subject: RE: MARINE POLLUTANT CLASSIFICATION QUESTION - WRITTEN INTERPRETATION REQUEST

To: infocntr@dot.gov <infocntr@dot.gov>

Dear PHMSA team,

Please help to proceed with a formal written interpretation.

Thank you,

Kind regards,

Hien Le

Hazmat, EHQS & Security Compliance Manager, CDGP/DGSA



Leschaco, Inc. | 15355 Vantage Parkway West, Suite 240 | Houston, TX 77032 | U.S.A.
phone (1) 281.590 2536 | mobile (1) 346.364.8750

hien.le@leschaco.com

www.leschaco.com



C-TPAT CERTIFIED - Find out [the benefits](#) of becoming C-TPAT certified



Our [Data Protection Notice for External Business Contacts](#) applies.

From: Le, Hien <Hien.Le@leschaco.com>
Sent: Friday, September 11, 2026 2:27 AM
To: infocntr@dot.gov
Subject: MARINE POLLUTANT CLASSIFICATION QUESTION

Dear PHMSA,

I am working with a customer to revise their product's SDS for US domestic transport. Attached is the current SDS showing the product is environmentally hazardous for all modes of transport. However, checking substance names under section 3, none of these substances is on the Appendix B. This product, however, meets the IMDG requirements under 2.9 for MP classification using LC/EC50.

The question from shipper is that if they only move this product domestically, without any intention for export or import which IMDG or ICAO TI may apply, can this be classified as non-hazmat since the HMR does not explicitly outline MP classification using LC/EC50?

In addition, below is the feedback shipper received from their original SDS author team linking the GHS standard to DG classification. It is understandable that there are some similarities and correlation between GHS and DG classification; however, it is my first time seeing one tying GHS directly to transport classification. Please comment on this practice if there is any validity.

*"the product is still environmental hazardous according to DG because **"environmentally hazardous"** and **"marine pollutant"** are two different determinations, and the product's classification does not depend on the 49 CFR marine-pollutant list.*

Why the product is classified environmentally hazardous

*This is a **criteria-based hazard classification** — hazardous to the **aquatic environment** under UN GHS Chapter 4.1 / CLP, i.e. H400 (acute Cat 1) and/or H410–H413 (chronic). It's derived from the product's aquatic toxicity and applied at the **mixture/product level** through the classification rules. This is what triggers the "environmentally hazardous" designation (and the Class 9 proper shipping names "Environmentally hazardous substances, liquid/solid, n.o.s." — UN3082 / UN3077).*

We understand that if product is imported from overseas where product is transported as class 9 MP, HMR will allow that classification to be used with the domestic transport.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
Chemical nature : Suspension concentrate (=flowable concentrate)(SC)

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Indaziflam	950782-88-2*	19.046	-
Propylene glycol	57-55-8*	>= 5 - < 10	-
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9*	>= 0.01 - < 0.1	-

* Indicates that the identifier is a CAS No.

Kind regards,
Hien Le
Hazmat, EHQS & Security Compliance Manager, CDGP/DGSA



Leschaco, Inc. | [15355 Vantage Parkway West, Suite 240 | Houston, TX 77032 | U.S.A.](#)
phone [\(1\) 281.590 2536](#) | mobile [\(1\) 346.364.8750](#)

hien.le@leschaco.com

www.leschaco.com



Subscribe
to our News

C-TPAT CERTIFIED - Find out [the benefits](#) of becoming C-TPAT certified



Awarded Responsible Care certification

Our [Data Protection Notice for External Business Contacts](#) applies.



SDS-SBE-Esplanade 200 SC-US_en-US_US_US_SGHS_MGHS-3_2.pdf
271K

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2026
3.2	04/07/2026	11254667-00007	Date of first issue: 08/04/2023

SECTION 1. IDENTIFICATION

Product name : Esplanade 200 SC
Product code : UVP: 79930208 Specification: 102000023686 EPA Registration No: 101563-144

Manufacturer or supplier's details

Company name of supplier : Environmental Science U.S. LLC.
Address : 5000 Centregreen Way, Suite 400
Cary NC 27513
Telephone : 1-800-331-2867
Emergency telephone : +1 703-741-5970
E-mail address : uscontact@envu.com

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide
Restrictions on use : See product label for restrictions., For professional users only.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Specific target organ toxicity : Category 2 (Nervous system)
- single exposure (Oral)

Specific target organ toxicity : Category 2 (Central nervous system)
- repeated exposure

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H371 May cause damage to organs (Nervous system) if swallowed.
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version 3.2 Revision Date: 04/07/2026 SDS Number: 11254667-00007 Date of last issue: 01/14/2026
Date of first issue: 08/04/2023

Response:

P308 + P311 IF exposed or concerned: Call a doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
Chemical nature : Suspension concentrate (=flowable concentrate)(SC)

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Indaziflam	950782-86-2*	19.046	-
Propylene glycol	57-55-6*	>= 5 - < 10	-
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9*	>= 0.01 - < 0.1	-

* Indicates that the identifier is a CAS No.

Alternative CAS Numbers for some regions

Chemical name	Alternative CAS Number(s)
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	2682-20-4, 26172-55-4

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.
Rinse mouth thoroughly with water.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2026
3.2	04/07/2026	11254667-00007	Date of first issue: 08/04/2023

Most important symptoms and effects, both acute and delayed	: Never give anything by mouth to an unconscious person. No symptoms known or expected. May cause damage to organs if swallowed. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: There is no specific antidote available. Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x) Fluorine compounds
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version 3.2 Revision Date: 04/07/2026 SDS Number: 11254667-00007 Date of last issue: 01/14/2026
Date of first issue: 08/04/2023

oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe mist or vapors.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene glycol	57-55-6	TWA	10 mg/m ³	US WEEL

Engineering measures : Ensure adequate ventilation, especially in confined areas.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2026
3.2	04/07/2026	11254667-00007	Date of first issue: 08/04/2023

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material	: Nitrile rubber
Break through time	: > 480 min
Glove thickness	: > 0.4 mm
Protective index	: Class 6

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Safety glasses

Skin and body protection : Skin should be washed after contact.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: suspension
Color	: white
Odor	: characteristic
Odor Threshold	: No data available
pH	: 9 - 10 (73 °F / 23 °C) Concentration: 100 %
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2026
3.2	04/07/2026	11254667-00007	Date of first issue: 08/04/2023

Flash point	:	boils before flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1.051 (68 °F / 20 °C) Method: OECD Test Guideline 109 1.044 (104 °F / 40 °C) Method: OECD Test Guideline 109
Density	:	ca. 1.05 g/cm ³ (68 °F / 20 °C)
Solubility(ies)	:	
Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	932 °F / 500 °C
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	30 - 75 mPa.s (68 °F / 20 °C)
Viscosity, kinematic	:	113 mm ² /s (68 °F / 20 °C) Shear rate of 20/sec 98 mm ² /s (104 °F / 40 °C) Shear rate of 20/sec 57 mm ² /s (68 °F / 20 °C) Shear rate of 100/sec 40 mm ² /s (104 °F / 40 °C) Shear rate of 100/sec
Explosive properties	:	Not explosive Method: OECD Test Guideline 113

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2026
3.2	04/07/2026	11254667-00007	Date of first issue: 08/04/2023

Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Surface tension	:	40.5 mN/m, 68 °F / 20 °C, Determined as a 0,1% solution in distilled water (1 g/l).
		27.1 mN/m, 77 °F / 25 °C, Determined in the undiluted form.
Molecular weight	:	No data available
Minimum ignition energy	:	Not applicable
Particle characteristics	:	
Particle size	:	<= 6 µm

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
---------------------	---	--

Components:

Indaziflam:

Acute oral toxicity	:	LD50 (Rat, female): > 2,000 mg/kg Method: OECD Test Guideline 423 Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat): > 1 mg/l Exposure time: 4 h Test atmosphere: dust/mist

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2026
3.2	04/07/2026	11254667-00007	Date of first issue: 08/04/2023

Method: OECD Test Guideline 403
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity : LD50 (Rat): 64 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.171 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 87.12 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Indaziflam:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Propylene glycol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Species : Rabbit
Method : OECD Test Guideline 404
Result : Corrosive after 1 to 4 hours of exposure

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2026
3.2	04/07/2026	11254667-00007	Date of first issue: 08/04/2023

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Indaziflam:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Propylene glycol:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Result	:	Irreversible effects on the eye
Remarks	:	Based on skin corrosivity.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.

Components:

Indaziflam:

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative
Remarks	:	Based on data from similar materials

Propylene glycol:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2026
3.2	04/07/2026	11254667-00007	Date of first issue: 08/04/2023

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: positive

Assessment	: Probability or evidence of high skin sensitization rate in humans
------------	---

Germ cell mutagenicity

Not classified based on available information.

Components:

Indaziflam:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
-----------------------	--

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials
----------------------	--

Propylene glycol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative
----------------------	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2026
3.2	04/07/2026	11254667-00007	Date of first issue: 08/04/2023

Carcinogenicity

Not classified based on available information.

Components:

Indaziflam:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	78 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

Propylene glycol:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Indaziflam:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study
		Species: Rat
		Application Route: Ingestion
		Method: OECD Test Guideline 416
		Result: negative
		Remarks: Based on data from similar materials

Effects on fetal development	:	Test Type: Embryo-fetal development
		Species: Rat
		Application Route: Ingestion
		Method: OECD Test Guideline 414
		Result: negative
		Remarks: Based on data from similar materials

Propylene glycol:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study
		Species: Mouse
		Application Route: Ingestion
		Result: negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2026
3.2	04/07/2026	11254667-00007	Date of first issue: 08/04/2023

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

STOT-single exposure

May cause damage to organs (Nervous system) if swallowed.

Product:

Routes of exposure : Oral
Target Organs : Nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of >300 to 2000 mg/kg bw.

STOT-repeated exposure

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

Components:

Indaziflam:

Routes of exposure : Ingestion
Target Organs : Central nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Repeated dose toxicity

Components:

Indaziflam:

Species : Dog
LOAEL : > 2.5 - 25 mg/kg
Application Route : Ingestion
Exposure time : 1 y
Method : OECD Test Guideline 452
Remarks : Based on data from similar materials

Species : Rat
NOAEL : > 600 mg/kg
Application Route : Skin contact
Exposure time : 28 Days
Method : OECD Test Guideline 410
Remarks : Based on data from similar materials

Propylene glycol:

Species : Rat, male
NOAEL : >= 1,700 mg/kg
Application Route : Ingestion
Exposure time : 2 y

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2026
3.2	04/07/2026	11254667-00007	Date of first issue: 08/04/2023

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 1 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	NOEC (Skeletonema costatum (marine diatom)): 0.13 mg/l Exposure time: 96 h EC50 (Skeletonema costatum (marine diatom)): 0.60 mg/l Exposure time: 96 h

Ecotoxicology Assessment

Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.

Components:

Indaziflam:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.1 - 1 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Mysidopsis bahia (opossum shrimp)): 1.5 mg/l Exposure time: 48 h Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic plants	:	ErC50 (Lemna gibba (gibbous duckweed)): > 0.0001 - 0.001 mg/l Exposure time: 7 d Method: OECD Test Guideline 221 Remarks: Based on data from similar materials NOEC: > 0.000001 - 0.00001 mg/l Exposure time: 70 d Method: OECD Test Guideline 221 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Exposure time: 35 d Method: OECD Test Guideline 210 Remarks: Based on data from similar materials
Toxicity to daphnia and other	:	NOEC (Mysidopsis bahia (opossum shrimp)): 0.12 mg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2026
3.2	04/07/2026	11254667-00007	Date of first issue: 08/04/2023

aquatic invertebrates (Chronic toxicity)
Toxicity to microorganisms : NOEC (activated sludge): > 1 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Propylene glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l
Exposure time: 7 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.16 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 0.0052 mg/l
Exposure time: 48 h

NOEC (Skeletonema costatum (marine diatom)): 0.00049 mg/l
Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.02 mg/l
Exposure time: 36 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.10 mg/l
Exposure time: 21 d

Persistence and degradability

Components:

Indaziflam:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2026
3.2	04/07/2026	11254667-00007	Date of first issue: 08/04/2023

Propylene glycol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 98.3 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 62 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

Indaziflam:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 500
Method: OECD Test Guideline 305
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3.7

Propylene glycol:

Partition coefficient: n-octanol/water : log Pow: -1.07
Method: Regulation (EC) No. 440/2008, Annex, A.8

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Partition coefficient: n-octanol/water : log Pow: < 1

Mobility in soil

No data available

Other adverse effects

No data available

Endocrine disrupting properties

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2026
3.2	04/07/2026	11254667-00007	Date of first issue: 08/04/2023

Contaminated packaging : Do not dispose of waste into sewer.
: Follow advice on product label and/or leaflet.
Empty containers retain residue and can be dangerous.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Indaziflam, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1))
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Indaziflam, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1))
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Indaziflam, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1))
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Indaziflam, Reaction mass of: 5-chloro-2-methyl-4-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2026
3.2	04/07/2026	11254667-00007	Date of first issue: 08/04/2023

Class	:	9
Packing group	:	III
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	yes(Indaziflam, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1))
Remarks	:	Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids. Shipment by ground under DOT is non-regulated for non-bulk packaging; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Water	7732-18-5
Indaziflam	950782-86-2
Propylene glycol	57-55-6
Sodium hydroxide	1310-73-2
Active substance	: 200 g/l Indaziflam

The ingredients of this product are reported in the following inventories:

US TSCA : Product not subject to TSCA

Additional regulatory information

Poly(oxy-1,2-ethanediyl), α -[2,4,6- 163436-84-8

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version 3.2 Revision Date: 04/07/2026 SDS Number: 11254667-00007 Date of last issue: 01/14/2026
Date of first issue: 08/04/2023


tris(1-phenylethyl)phenyl]- ω -hydroxy-
, phosphate, potassium salt

The United States Environmental Protection Agency (USEPA) has established a Significant New Use Rule (SNUR) for one of the components in this product.
See 40 CFR § 721.5970

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV / CED:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Pre-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Esplanade 200 SC

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2026
3.2	04/07/2026	11254667-00007	Date of first issue: 08/04/2023

vention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 04/07/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8