



U.S. Department
of Transportation
**Pipeline and Hazardous
Materials Safety
Administration**

1200 New Jersey Avenue SE
Washington DC 20590

2013 Natural Gas State Program Evaluation

for

Public Service Commission, State of Wyoming

Document Legend

PART:

- O -- Representative Date and Title Information
- A -- Progress Report and Program Documentation Review
- B -- Program Inspection Procedures
- C -- Program Performance
- D -- Compliance Activities
- E -- Incident Investigations
- F -- Damage Prevention
- G -- Field Inspections
- H -- Interstate Agent State (If Applicable)
- I -- 60106 Agreement State (If Applicable)

2013 Natural Gas State Program Evaluation -- CY 2013
Natural Gas

State Agency: Wyoming

Agency Status:

Date of Visit:

Agency Representative:

PHMSA Representative:

Commission Chairman to whom follow up letter is to be sent:

Name/Title:

Agency:

Address:

City/State/Zip:

Rating:

60105(a): Yes **60106(a):** No **Interstate Agent:** No

INSTRUCTIONS:

Complete this evaluation in accordance with the Procedures for Evaluating State Pipeline Safety Program. The evaluation should generally reflect state program performance during CY 2013 (not the status of performance at the time of the evaluation). All items for which criteria have not been established should be answered based on the PHMSA representative's judgment. A deficiency in any one part of a multiple part question should be scored as needs improvement. Determine the answer to the question then select the appropriate point value. If a state receives less than the maximum points, include a brief explanation in the space provided for general comments/regional observations. If a question is not applicable to a state, select NA. Please ensure all responses are COMPLETE and ACCURATE, and OBJECTIVELY reflect state program performance. Increasing emphasis is being placed on performance. This evaluation together with selected factors reported in the state's annual progress report attachments provide the basis for determining the state's pipeline safety grant allocation.

Field Inspection (PART G):

The field inspection form used will allow different areas of emphasis to be considered for each question. Question 13 is provided for scoring field observation areas. In completing PART G, the PHMSA representative should include a written summary which thoroughly documents the inspection.

Scoring Summary

PARTS		Possible Points	Points Scored
A	Progress Report and Program Documentation Review	10	9.5
B	Program Inspection Procedures	15	15
C	Program Performance	43	42
D	Compliance Activities	15	13
E	Incident Investigations	4	4
F	Damage Prevention	8	8
G	Field Inspections	12	12
H	Interstate Agent State (If Applicable)	0	0
I	60106 Agreement State (If Applicable)	0	0
TOTALS		107	103.5
State Rating			96.7

PART A - Progress Report and Program Documentation Review

Points(MAX) Score

1	Accuracy of Jurisdictional Authority and Operator/Inspection Units Data - Progress Report Attachment 1 (A1a) Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: The jurisdictional data looks good			
2	Review of Inspection Days for accuracy - Progress Report Attachment 2 (A1b) Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: They have a good system for tracking inspection time.			
3	Accuracy verification of Operators and Operators Inspection Units in State - Progress Report Attachment 3 (A1c) Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: Operators all appear OK and match what is on the PDM. No Issues			
4	Were all federally reportable incident reports listed and information correct? - Progress Report Attachment 4 (A1d) Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: No Issues - No Federally Reportable Incidents in 2013			
5	Accuracy verification of Compliance Activities - Progress Report Attachment 5 (A1e) Yes = 1 No = 0 Needs Improvement = .5	1	0.5
Evaluator Notes: The state did not report all compliance actions taken in 2013. State needs to correct the error in a supplemental submission.			
6	Were pipeline program files well-organized and accessible? - Progress Report Attachment 6 (A1f, A4) Yes = 2 No = 0 Needs Improvement = 1	2	2
Evaluator Notes: No Issues, files are electronic and backed up in hard copy.			
7	Was employee listing and completed training accurate and complete? - Progress Report Attachment 7 (A1g) Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: No issues, Discussed the importance of having more staff trained to lead TIMP, DIMP and CRM inspections in case of emergencies. Left copy of "Appendix C" with Program Manager.			
8	Verification of Part 192,193,198,199 Rules and Amendments - Progress Report Attachment 8 (A1h) Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: No Issues. The rules are automatically being adopted at this time. However, the Program Manager said this would more than likely change in the near future with the efforts being made now to update their state statutes.			

- 9** List of Planned Performance - Did state describe accomplishments on Progress Report in detail - Progress Report Attachment 10 (H1-3) 1 1
Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

No Issues. All accomplishments on the progress report were described in sufficient detail.

10 General Comments:

Info OnlyInfo Only

Info Only = No Points

Evaluator Notes:

Total points scored for this section: 9.5
Total possible points for this section: 10

PART B - Program Inspection Procedures

Points(MAX) Score

- | | | | |
|----------|--|---|---|
| 1 | Standard Inspections (B1a)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----------|--|---|---|

Evaluator Notes:

No Issues. All standard inspections for each inspection unit are to be completed within a three year cycle.

- | | | | |
|----------|---|---|---|
| 2 | IMP Inspections (including DIMP) (B1b)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

No Issues. All DIMP, TIMP inspections are completed on a three year cycle.

- | | | | |
|----------|---|---|---|
| 3 | OQ Inspections (B1c)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

No Issues.

- | | | | |
|----------|--|---|---|
| 4 | Damage Prevention Inspections (B1d)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

No Issues. They are completed during each standard inspection.

- | | | | |
|----------|--|---|---|
| 5 | On-Site Operator Training (B1e)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

No Issues. Conducted during standard inspections as needed.

- | | | | |
|----------|---|---|---|
| 6 | Construction Inspections (B1f)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

No Issues. Discussed with the PM requesting earlier notification to the WYPSC from operators on a greater variety of construction projects.

- | | | | |
|----------|--|---|---|
| 7 | Incident/Accident Investigations (B1g)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----------|--|---|---|

Evaluator Notes:

No Issues.

- | | | | |
|----------|---|---|---|
| 8 | Does inspection plan address inspection priorities of each operator, and if necessary each unit, based on the following elements? (B2a-d, G1,2,4)
Yes = 6 No = 0 Needs Improvement = 1-5 | 6 | 6 |
|----------|---|---|---|

- | | | | | |
|----|---|--------------------------------------|--------------------------|---|
| a. | Length of time since last inspection | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| b. | Operating history of operator/unit and/or location (includes leakage, incident and compliance activities) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| c. | Type of activity being undertaken by operators (i.e. construction) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| d. | Locations of operators inspection units being inspected - (HCA's, Geographic areas, Population Density, etc) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| e. | Process to identify high-risk inspection units that includes all threats - (Excavation Damage, Corrosion, Natural Forces, Outside Forces, Material and Welds, Equipment, Operators and any Other Factors) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |

f. Are inspection units broken down appropriately?

Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

No Issues. Discussed with PM that the procedures could use more specificity in describing the actions of the inspectors and the PSC.

9 General Comments:

Info Only Info Only

Info Only = No Points

Evaluator Notes:

Total points scored for this section: 15
Total possible points for this section: 15

PART C - Program Performance**Points(MAX) Score**

- 1** Was ratio of Total Inspection person-days to total person days acceptable? (Director of State Programs may modify with just cause) Chapter 4.3 (A12) 5 5
Yes = 5 No = 0

A. Total Inspection Person Days (Attachment 2):
189.38

B. Total Inspection Person Days Charged to the Program (220 X Inspection Person Years) (Attachment 7):
220 X 1.61 = 354.20

Ratio: A / B
189.38 / 354.20 = 0.53

If Ratio >= 0.38 Then Points = 5, If Ratio < 0.38 Then Points = 0
Points = 5

Evaluator Notes:

No issues. Ratio is .54 based on 1.61 Inspectors

220X354.2 189.4/354.2=.54

- 2** Has each inspector and program manager fulfilled the T Q Training Requirements? (See Guidelines for requirements) Chapter 4.4 (A8-A11, G19) 5 5
Yes = 5 No = 0 Needs Improvement = 1-4

- | | | | | |
|----|--|--------------------------------------|--------------------------|---|
| a. | Completion of Required OQ Training before conducting inspection as lead? | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| b. | Completion of Required DIMP*/IMP Training before conducting inspection as lead? *Effective Evaluation CY2013 | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| c. | Root Cause Training by at least one inspector/program manager | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| d. | Note any outside training completed | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |

Evaluator Notes:

They will be sending Perry and George to TQ in 2015-2016 to complete both the DIMP and TIMP courses.

- 3** Did state records and discussions with state pipeline safety program manager indicate adequate knowledge of PHMSA program and regulations? Chapter 4.1,8.1 (A5) 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes, No issues.

- 4** Did state respond to Chairman's letter on previous evaluation within 60 days and correct or address any noted deficiencies? (If necessary) Chapter 8.1 (A6-7) 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes

- 5** Did State hold PHMSA TQ Seminar in Past 3 Years? Chapter 8.5 (A3) 2 2
Yes = 2 No = 0

Evaluator Notes:

Yes, the state held a TQ hosted seminar on 4/4/2013 and have one planned for 2015.

- 6** Did state inspect all types of operators and inspection units in accordance with time intervals established in written procedures? Chapter 5.1 (B3) 5 5
Yes = 5 No = 0 Needs Improvement = 1-4

Evaluator Notes:

Reviewed the records for all types of inspections and found them to have been conducted within the specified time intervals in the states procedures. No issues.

7	Did inspection form(s) cover all applicable code requirements addressed on Federal Inspection form(s)? Did State complete all applicable portions of inspection forms? Chapter 5.1 (B4-5) Yes = 2 No = 0 Needs Improvement = 1	2	2
Evaluator Notes: No issues. The state uses the PHMSA forms.			
8	Did the state review operator procedures for determining if exposed cast iron pipe was examined for evidence of graphitization and if necessary remedial action was taken? (NTSB) Chapter 5.1 (B7) Yes = 1 No = 0	1	NA
Evaluator Notes: No Cast Iron			
9	Did the state review operator procedures for surveillance of cast iron pipelines, including appropriate action resulting from tracking circumferential cracking failures, study of leakage history, or other unusual operating maintenance condition? (Note: See GPTC Appendix G-18 for guidance) (NTSB) Chapter 5.1 (B8) Yes = 1 No = 0	1	NA
Evaluator Notes: No Cast Iron			
10	Did the state review operator emergency response procedures for leaks caused by excavation damage near buildings and determine whether the procedures adequately address the possibility of multiple leaks and underground migration of gas into nearby buildings Refer to 4/12/01 letter from PHMSA in response to NTSB recommendation P-00-20 and P-00-21? (NTSB) Chapter 5.1 (B9) Yes = 1 No = 0	1	1
Evaluator Notes: No issues.			
11	Did the state review operator records of previous accidents and failures including reported third party damage and leak response to ensure appropriate operator response as required by 192.617? Chapter 5.1 (B10,E5) Yes = 1 No = 0	1	1
Evaluator Notes: No issues.			
12	Has the state reviewed Operator Annual reports, along with Incident/Accident reports, for accuracy and analyzed data for trends and operator issues? Data Initiative (G6-9,G16) Yes = 2 No = 0 Needs Improvement = 1	2	2
Evaluator Notes: No issues. State uses a spreadsheet to track annual report information.			
13	Did state input all applicable OQ, IMP inspection results into federal database in a timely manner? This includes replies to Operator notifications into IMDB database. Chapter 5.1 (G10-12) Yes = 2 No = 0 Needs Improvement = 1	2	1
Evaluator Notes: State missed inputting some of the field reports in 2013. Program Manager does the uploading of all reports.			
14	Has state confirmed intrastate transmission operators have submitted information into NPMS database along with changes made after original submission? (G14)	1	1

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

No issues.

- | | | | |
|-----------|--|---|---|
| 15 | Is the state verifying operators are conducting drug and alcohol tests as required by regulations? This should include verifying positive tests are responded to in accordance with program. 49 CFR 199 (I1-3)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|--|---|---|

Evaluator Notes:

No issues. Files indicate that D&A testing results are being reviewed during Standard inspections.

- | | | | |
|-----------|--|---|---|
| 16 | Is state verifying operators OQ programs are up to date? This should include verification of any plan updates and that persons performing covered tasks (including contractors) are properly qualified and requalified at intervals determined in the operators plan. 49 CFR 192 Part N (I4-7)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|--|---|---|

Evaluator Notes:

No issues. Two reviews completed in 2013, (MDU and Cheyenne LFP)

- | | | | |
|-----------|--|---|---|
| 17 | Is state verifying operator's gas transmission integrity management programs (IMP) are up to date? This should include a previous review of IMP plan, along with monitoring progress on operator tests and remedial actions. In addition, the review should take in to account program review and updates of operators plan(s). 49 CFR 192 Subpart O (I8-12)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|--|---|---|

Evaluator Notes:

No issues. the state is reviewing plans on an ongoing bases.

- | | | | |
|-----------|---|---|---|
| 18 | Is state verifying operator's gas distribution integrity management Programs (DIMP)? This should include a review of DIMP plans, along with monitoring progress. In addition, the review should take in to account program review and updates of operators plan(s). 49 CFR 192 Subpart P
DIMP ? First round of program inspections should be complete by December 2014 | 2 | 2 |
|-----------|---|---|---|

Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

No issues. DIMP inspections completed on time, and state is planning to follow up again next year.

- | | | | |
|-----------|--|---|---|
| 19 | Is state verifying operators Public Awareness programs are up to date and being followed. State should also verify operators have evaluated Public Awareness programs for effectiveness as described in RP1162. 49 CFR 192.616 (I13-16)
PAPEI Effectiveness Inspections should be complete by December 2013 | 2 | 2 |
|-----------|--|---|---|

Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

No issues. Inspections completed on time.

- | | | | |
|-----------|---|---|---|
| 20 | Does the state have a mechanism for communicating with stakeholders - other than state pipeline safety seminar? (This should include making enforcement cases available to public). (G20-21)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|-----------|---|---|---|

Evaluator Notes:

Yes, the state forwards bulletins to all operators. Discussed having the information available on the WY PSC website updated.

21	Did state execute appropriate follow-up actions to Safety Related Condition (SRC) Reports? Chapter 6.3 (B6) Yes = 1 No = 0 Needs Improvement = .5	1	NA
Evaluator Notes: No Safety Related Conditions reported in 2013.			
22	Did the State ask Operators to identify any plastic pipe and components that has shown a record of defects/leaks and what those operators are doing to mitigate the safety concerns? (G13) Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: No issues. Done during their DIMP inspections. Two towns completely retrofitted with new PE in 2013.			
23	Did the state participate in/respond to surveys or information requests from NAPSR or PHMSA? (H4) Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: No issues. Found one survey responded to in 2013. Discussed keeping better records of surveys that the state participates in with the Program Manager.			
24	If the State has issued any waivers/special permits for any operator, has the state verified conditions of those waivers/special permits are being met? This should include having the operator amend procedures where appropriate. Info Only = No Points	Info Only	Info Only
Evaluator Notes: One operator, (MDU) has two waivers. The first for PE fusion qualifications The second for doing atmospheric corrosion inspections on a four year schedule.			
25	General Comments: Info Only = No Points	Info OnlyInfo Only	
Evaluator Notes:			

Total points scored for this section: 42
Total possible points for this section: 43

PART D - Compliance Activities**Points(MAX) Score**

-
- | | | | |
|----------|---|--------------------------------------|---|
| 1 | Does the state have written procedures to identify steps to be taken from the discovery to resolution of a probable violation? Chapter 5.1 (B12-14, B16, B1h)
Yes = 4 No = 0 Needs Improvement = 1-3 | 4 | 3 |
| a. | Procedures to notify an operator (company officer) when a noncompliance is identified | Yes <input type="radio"/> | No <input type="radio"/> Needs Improvement <input checked="" type="radio"/> |
| b. | Procedures to routinely review progress of compliance actions to prevent delays or breakdowns | Yes <input checked="" type="radio"/> | No <input type="radio"/> Needs Improvement <input type="radio"/> |

Evaluator Notes:

Need to improve the language to specifically state that a company officer will be notified when a noncompliance is identified.

-
- | | | | |
|----------|--|--------------------------------------|--|
| 2 | Did the state follow compliance procedures (from discovery to resolution) and adequately document all probable violations, including what resolution or further course of action is needed to gain compliance? Chapter 5.1 (B11,B18,B19)
Yes = 4 No = 0 Needs Improvement = 1-3 | 4 | 4 |
| a. | Were compliance actions sent to company officer or manager/board member if municipal/government system? | Yes <input checked="" type="radio"/> | No <input type="radio"/> Needs Improvement <input type="radio"/> |
| b. | Were probable violations documented? | Yes <input checked="" type="radio"/> | No <input type="radio"/> Needs Improvement <input type="radio"/> |
| c. | Were probable violations resolved? | Yes <input checked="" type="radio"/> | No <input type="radio"/> Needs Improvement <input type="radio"/> |
| d. | Was the progress of probable violations routinely reviewed? | Yes <input checked="" type="radio"/> | No <input type="radio"/> Needs Improvement <input type="radio"/> |

Evaluator Notes:

No issues. All probable violations are tracked by the program manager until they are cleared.

-
- | | | | |
|----------|--|---|---|
| 3 | Did the state issue compliance actions for all probable violations discovered? (B15)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----------|--|---|---|

Evaluator Notes:

No issues.

-
- | | | | |
|----------|--|---|---|
| 4 | Did compliance actions give reasonable due process to all parties? Including "show cause" hearing if necessary. (B17, B20)
Yes = 2 No = 0 | 2 | 2 |
|----------|--|---|---|

Evaluator Notes:

Yes. This is covered in State Statues, (37-2-128 & 37-2-129)

-
- | | | | |
|----------|---|---|---|
| 5 | Is the program manager familiar with state process for imposing civil penalties? Were civil penalties considered for repeat violations (with severity consideration) or violations resulting in incidents/accidents? (describe any actions taken) (B27)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----------|---|---|---|

Evaluator Notes:

Yes, the state program manager is very familiar with the process, and is considering the use of civil penalties in a case they are presently involved in.

-
- | | | | |
|----------|---|---|---|
| 6 | Can the State demonstrate it is using their enforcement fining authority for pipeline safety violations?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 0 |
|----------|---|---|---|

Evaluator Notes:

No fines issued in 2013. This is an issue that has been discussed in previous evaluations and there is a loss of a point in this area.

-
- | | | | |
|----------|--|-----------|-----------|
| 7 | General Comments:
Info Only = No Points | Info Only | Info Only |
|----------|--|-----------|-----------|

Evaluator Notes:

Total points scored for this section: 13
Total possible points for this section: 15

PART E - Incident Investigations

Points(MAX) Score

- 1** Does state have adequate mechanism to receive and respond to operator reports of incidents, including after-hours reports? And did state keep adequate records of Incident/Accident notifications received? Chapter 6 (A2,D1-3) 2 2
Yes = 2 No = 0 Needs Improvement = 1

- a. Acknowledgement of MOU between NTSB and PHMSA (Appendix D) Yes ☐ No ☒ Needs Improvement ☐
b. Acknowledgement of Federal/State Cooperation in case of incident/accident (Appendix E) Yes ☐ No ☒ Needs Improvement ☐

Evaluator Notes:

Yes, the WY PSC has the (Major Event Management and Reporting Plan).
State Rule #420 A-C

- 2** If onsite investigation was not made, did state obtain sufficient information from the operator and/or by other means to determine the facts to support the decision to not go on-site? Chapter 6 (D4) 1 1
Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

The state uses its, "Major Events Management and Reporting Plan" to make the decisions.

No incidents in 2013.

- 3** Were all incidents investigated, thoroughly documented, and with conclusions and recommendations? (D5) 3 NA
Yes = 3 No = 0 Needs Improvement = 1-2

- a. Observations and document review Yes ☐ No ☒ Needs Improvement ☐
b. Contributing Factors Yes ☐ No ☒ Needs Improvement ☐
c. Recommendations to prevent recurrences when appropriate Yes ☐ No ☒ Needs Improvement ☐

Evaluator Notes:

No reportable incidents in 2013.

- 4** Did the state initiate compliance action for violations found during any incident/accident investigation? (D6) 1 NA
Yes = 1 No = 0

Evaluator Notes:

No reportable incidents in 2013.

- 5** Did the state assist region office by taking appropriate follow-up actions related to the operator incident reports to ensure accuracy and final report has been received by PHMSA? (validate report data from operators concerning incidents/accidents and investigate discrepancies) Chapter 6 (D7) 1 NA
Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

No reportable incidents in 2013.

- 6** Does state share lessons learned from incidents/accidents? (sharing information, such as: at NAPS Region meetings, state seminars, etc) (G15) 1 1
Yes = 1 No = 0

Evaluator Notes:

The state participates in sharing all operational information at each years NAPS Region meetings.

- 7** General Comments:
Info Only = No Points

Info Only Info Only

Evaluator Notes:

Total points scored for this section: 4
Total possible points for this section: 4

PART F - Damage Prevention

Points(MAX) Score

- | | | | |
|---|---|---|---|
| 1 | Has the state reviewed directional drilling/boring procedures of each pipeline operator or its contractor to determine if they include actions to protect their facilities from the dangers posed by drilling and other trench less technologies? NTSB (E1)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|---|---|---|

Evaluator Notes:

Yes, it is now part of the new form.

- | | | | |
|---|--|---|---|
| 2 | Did the state inspector check to assure the pipeline operator is following its written procedures pertaining to notification of excavation, marking, positive response and the availability and use of the one call system? (E2)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

Yes, this is completed during each Standard inspection.

- | | | | |
|---|---|---|---|
| 3 | Did the state encourage and promote practices for reducing damages to all underground facilities to its regulated companies? (i.e. such as promoting/adopting the CGA Best Practices encouraging adoption of the 9 Elements, etc.) (E3)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|---|---|---|

Evaluator Notes:

Yes, the WY PSC participates in P the PHMSA One Call Grant program.
Buys advertising around the state to promote the use of the One Call system.
Attends annual state One Call meeting.
Meets with excavators in local towns meetings across the state.

- | | | | |
|---|--|---|---|
| 4 | Has the agency or another organization within the state collected data and evaluated trends on the number of pipeline damages per 1,000 locate requests? (This can include DIRT and other data shared and reviewed by the pipeline safety program) (E4,G5)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

Yes, they track the data through the annual reports, and the Wyoming One Call annual report.

- | | | | |
|---|--|-----------|-----------|
| 5 | General Comments:
Info Only = No Points | Info Only | Info Only |
|---|--|-----------|-----------|

Evaluator Notes:

Total points scored for this section: 8
Total possible points for this section: 8

PART G - Field Inspections

Points(MAX) Score

- | | | | |
|----------|--|-----------|-----------|
| 1 | Operator, Inspector, Location, Date and PHMSA Representative | Info Only | Info Only |
| | Info Only = No Points | | |

Name of Operator Inspected:

Kaiser Frontier Midstream LLC

Name of State Inspector(s) Observed:

DAve Piroutek

Location of Inspection:

Silo Gas Plant

Date of Inspection:

10/21/2014

Name of PHMSA Representative:

Michael Thompson

Evaluator Notes:

Construction Inspection.

Reviewed records, O&M Manual and procedures.

Visited regulator station sites.

- | | | | |
|----------|---|---|---|
| 2 | Was the operator or operator's representative notified and/or given the opportunity to be present during inspection? (F2) | 1 | 1 |
| | Yes = 1 No = 0 | | |

Evaluator Notes:

Yes, the operator was given an appropriate notification, and had a representative present during the entire inspection.

- | | | | |
|----------|--|---|---|
| 3 | Did the inspector use an appropriate inspection form/checklist and was the form/checklist used as a guide for the inspection? (New regulations shall be incorporated) (F3) | 2 | 2 |
| | Yes = 2 No = 0 Needs Improvement = 1 | | |

Evaluator Notes:

Yes, the appropriate forms were used, and pictures were taken to document issues discovered during the filed portion of the inspection.

- | | | | |
|----------|---|---|---|
| 4 | Did the inspector thoroughly document results of the inspection? (F4) | 2 | 2 |
| | Yes = 2 No = 0 Needs Improvement = 1 | | |

Evaluator Notes:

Yes, the inspector documented his findings in writing on the inspection forms, and used pictures to document physical issues observed in the field.

- | | | | |
|----------|---|---|---|
| 5 | Did the inspector check to see if the operator had necessary equipment during inspection to conduct tasks viewed? (Maps,pyrometer,soap spray,CGI,etc.) (F5) | 1 | 1 |
| | Yes = 1 No = 0 | | |

Evaluator Notes:

Yes, no issues.

- | | | | |
|----------|---|---|---|
| 6 | Did the inspector adequately review the following during the field portion of the state evaluation? (check all that apply on list) (F7) | 2 | 2 |
| | Yes = 2 No = 0 Needs Improvement = 1 | | |

a. Procedures

☒

b. Records

☒

c. Field Activities

☒

d. Other (please comment)

☐

Evaluator Notes:

No issues.

7	Did the inspector have adequate knowledge of the pipeline safety program and regulations? (Evaluator will document reasons if unacceptable) (F8) Yes = 2 No = 0 Needs Improvement = 1	2	2
---	--	---	---

Evaluator Notes:

Yes, the inspector demonstrated he has adequate knowledge of the pipeline safety program and the regulations.

8	Did the inspector conduct an exit interview? (If inspection is not totally complete the interview should be based on areas covered during time of field evaluation) (F9) Yes = 1 No = 0	1	1
---	--	---	---

Evaluator Notes:

Yes, this is an ongoing inspection and the inspector discussed the issues found to date with the operators representatives.

9	During the exit interview, did the inspector identify probable violations found during the inspections? (if applicable) (F10) Yes = 1 No = 0	1	1
---	---	---	---

Evaluator Notes:

Yes, the inspector discussed the probable violations found during this inspection with the operators representative.

10	General Comments: What did the inspector observe in the field? (Narrative description of field observations and how inspector performed) Best Practices to Share with Other States - (Field - could be from operator visited or state inspector practices) Other. Info Only = No Points	Info Only	Info Only
----	--	-----------	-----------

a.	Abandonment	<input type="checkbox"/>
b.	Abnormal Operations	<input type="checkbox"/>
c.	Break-Out Tanks	<input type="checkbox"/>
d.	Compressor or Pump Stations	<input type="checkbox"/>
e.	Change in Class Location	<input type="checkbox"/>
f.	Casings	<input type="checkbox"/>
g.	Cathodic Protection	<input checked="" type="checkbox"/>
h.	Cast-iron Replacement	<input type="checkbox"/>
i.	Damage Prevention	<input type="checkbox"/>
j.	Deactivation	<input type="checkbox"/>
k.	Emergency Procedures	<input type="checkbox"/>
l.	Inspection of Right-of-Way	<input type="checkbox"/>
m.	Line Markers	<input type="checkbox"/>
n.	Liaison with Public Officials	<input type="checkbox"/>
o.	Leak Surveys	<input type="checkbox"/>
p.	MOP	<input type="checkbox"/>
q.	MAOP	<input checked="" type="checkbox"/>
r.	Moving Pipe	<input type="checkbox"/>
s.	New Construction	<input checked="" type="checkbox"/>
t.	Navigable Waterway Crossings	<input type="checkbox"/>
u.	Odorization	<input type="checkbox"/>
v.	Overpressure Safety Devices	<input checked="" type="checkbox"/>
w.	Plastic Pipe Installation	<input type="checkbox"/>
x.	Public Education	<input type="checkbox"/>
y.	Purging	<input type="checkbox"/>
z.	Prevention of Accidental Ignition	<input type="checkbox"/>
A.	Repairs	<input type="checkbox"/>
B.	Signs	<input checked="" type="checkbox"/>
C.	Tapping	<input type="checkbox"/>
D.	Valve Maintenance	<input checked="" type="checkbox"/>

- | | | |
|----|-----------------------------|-------------------------------------|
| E. | Vault Maintenance | <input type="checkbox"/> |
| F. | Welding | <input checked="" type="checkbox"/> |
| G. | OQ - Operator Qualification | <input checked="" type="checkbox"/> |
| H. | Compliance Follow-up | <input type="checkbox"/> |
| I. | Atmospheric Corrosion | <input type="checkbox"/> |
| J. | Other | <input type="checkbox"/> |

Evaluator Notes:

Records reviewed at operators office and completed work product in field.

Total points scored for this section: 12
Total possible points for this section: 12

PART H - Interstate Agent State (If Applicable)**Points(MAX) Score**

-
- | | | | |
|----------|---|---|----|
| 1 | Did the state use the current federal inspection form(s)? (C1)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

Not an Interstate agent

- | | | | |
|----------|--|---|----|
| 2 | Are results documented demonstrating inspection units were reviewed in accordance with "PHMSA directed inspection plan"? (C2)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

Not an Interstate agent

- | | | | |
|----------|---|---|----|
| 3 | Did the state submit documentation of the inspections within 60 days as stated in its latest Interstate Agent Agreement form? (C3)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

Not an Interstate agent

- | | | | |
|----------|--|---|----|
| 4 | Were probable violations identified by state referred to PHMSA for compliance? (NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.) (C4)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

Not an Interstate agent

- | | | | |
|----------|--|---|----|
| 5 | Did the state immediately report to PHMSA conditions which may pose an imminent safety hazard to the public or to the environment? (C5)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

Not an Interstate agent

- | | | | |
|----------|---|---|----|
| 6 | Did the state give written notice to PHMSA within 60 days of all probable violations found? (C6)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

Not an Interstate agent

- | | | | |
|----------|--|---|----|
| 7 | Did the state initially submit documentation to support compliance action by PHMSA on probable violations? (C7)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

Not an Interstate agent

- | | | | |
|----------|--|-----------|-----------|
| 8 | General Comments:
Info Only = No Points | Info Only | Info Only |
|----------|--|-----------|-----------|

Evaluator Notes:

Total points scored for this section: 0
Total possible points for this section: 0

PART I - 60106 Agreement State (If Applicable)**Points(MAX) Score**

-
- | | | | |
|----------|--|---|----|
| 1 | Did the state use the current federal inspection form(s)? (B21)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

-
- | | | | |
|----------|--|---|----|
| 2 | Are results documented demonstrating inspection units were reviewed in accordance with state inspection plan? (B22)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

-
- | | | | |
|----------|---|---|----|
| 3 | Were any probable violations identified by state referred to PHMSA for compliance? (NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.) (B23)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

-
- | | | | |
|----------|---|---|----|
| 4 | Did the state immediately report to PHMSA conditions which may pose an imminent safety hazard to the public or to the environment? (B24)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

-
- | | | | |
|----------|--|---|----|
| 5 | Did the state give written notice to PHMSA within 60 days of all probable violations found? (B25)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

-
- | | | | |
|----------|--|---|----|
| 6 | Did the state initially submit adequate documentation to support compliance action by PHMSA on probable violations? (B26)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

-
- | | | | |
|----------|--|-----------|-----------|
| 7 | General Comments:
Info Only = No Points | Info Only | Info Only |
|----------|--|-----------|-----------|

Evaluator Notes:

Total points scored for this section: 0
Total possible points for this section: 0