



U.S. Department  
of Transportation  
**Pipeline and Hazardous  
Materials Safety  
Administration**

1200 New Jersey Avenue SE  
Washington DC 20590

# 2012 Natural Gas State Program Evaluation

for

Tennessee Regulatory Authority

## Document Legend

### PART:

- O -- Representative Date and Title Information
- A -- Progress Report and Program Documentation Review
- B -- Program Inspection Procedures
- C -- Program Performance
- D -- Compliance Activities
- E -- Incident Investigations
- F -- Damage Prevention
- G -- Field Inspections
- H -- Interstate Agent State (If Applicable)
- I -- 60106 Agreement State (If Applicable)



2012 Natural Gas State Program Evaluation -- CY 2012  
Natural Gas

**State Agency:** Tennessee

**Agency Status:**

**Date of Visit:** 05/14/2013 - 05/16/2013

**Agency Representative:** Annette Ponds, Interim Chief - Pipeline Safety

**PHMSA Representative:** Don Martin

**Commission Chairman to whom follow up letter is to be sent:**

**Name/Title:** James Allison, Chairman

**Agency:** Tennessee Regulatory Authority

**Address:** 460 N. James Robertson Parkway

**City/State/Zip:** Nashville, Tennessee 37243-0505

**Rating:**

**60105(a):** Yes **60106(a):** No **Interstate Agent:** No

---

**INSTRUCTIONS:**

Complete this evaluation in accordance with the Procedures for Evaluating State Pipeline Safety Program. The evaluation should generally reflect state program performance during CY 2012 (not the status of performance at the time of the evaluation). All items for which criteria have not been established should be answered based on the PHMSA representative's judgment. A deficiency in any one part of a multiple part question should be scored as needs improvement. Determine the answer to the question then select the appropriate point value. If a state receives less than the maximum points, include a brief explanation in the space provided for general comments/regional observations. If a question is not applicable to a state, select NA. Please ensure all responses are COMPLETE and ACCURATE, and OBJECTIVELY reflect state program performance. Increasing emphasis is being placed on performance. This evaluation together with selected factors reported in the state's annual progress report attachments provide the basis for determining the state's pipeline safety grant allocation.

---

**Field Inspection (PART G):**

The field inspection form used will allow different areas of emphasis to be considered for each question. Question 13 is provided for scoring field observation areas. In completing PART G, the PHMSA representative should include a written summary which thoroughly documents the inspection.

**Scoring Summary**

**PARTS**

**Possible Points    Points Scored**

A    Progress Report and Program Documentation Review  
B    Program Inspection Procedures  
C    Program Performance  
D    Compliance Activities  
E    Incident Investigations  
F    Damage Prevention  
G    Field Inspections  
H    Interstate Agent State (If Applicable)  
I    60106 Agreement State (If Applicable)

10            10  
15            15  
45            44  
15            15  
9             9  
8             8  
12            12  
0             0  
1             1

**TOTALS**

**115            114**

**State Rating .....**

**99.1**

---

## PART A - Progress Report and Program Documentation Review

Points(MAX) Score

- |   |   |   |   |
|---|---|---|---|
| 1 | Accuracy of Jurisdictional Authority and Operator/Inspection Units Data - Progress Report Attachment 1 (A1a)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|---|---|---|

Evaluator Notes:

The supporting documentation in office records verified the information on Attachment 1.

- |   |  |   |   |
|---|--|---|---|
| 2 | Review of Inspection Days for accuracy - Progress Report Attachment 2 (A1b)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

The information was tallied from inspection report logs. No issues found with accuracy.

- |   |  |   |   |
|---|--|---|---|
| 3 | Accuracy verification of Operators and Operators Inspection Units in State - Progress Report Attachment 3 (A1c)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

Operator information file confirmed the listing of operators and units on Attachment 3.

- |   |  |   |   |
|---|--|---|---|
| 4 | Were all federally reportable incident reports listed and information correct? - Progress Report Attachment 4 (A1d)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

Yes. The Pipeline Data Mart contained the same reportable incident information that was reported on Attachment 4.

- |   |  |   |   |
|---|--|---|---|
| 5 | Accuracy verification of Compliance Activities - Progress Report Attachment 5 (A1e)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

No accuracy issues found with information entered on Attachment 5.

- |   |   |   |   |
|---|---|---|---|
| 6 | Were pipeline program files well-organized and accessible? - Progress Report Attachment 6 (A1f, A4)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|---|---|---|

Evaluator Notes:

Files were organized very effectively. All information was easily obtained from the filing system.

- |   |  |   |   |
|---|--|---|---|
| 7 | Was employee listing and completed training accurate and complete? - Progress Report Attachment 7 (A1g)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

Listing was complete. Training information was populated by PHMSA using TnQ database information.

- |   |   |   |   |
|---|---|---|---|
| 8 | Verification of Part 192,193,198,199 Rules and Amendments - Progress Report Attachment 8 (A1h)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|---|---|---|

Evaluator Notes:

No information was found that showed Attachment 8 information was inaccurate.

- |   |   |   |   |
|---|---|---|---|
| 9 | List of Planned Performance - Did state describe accomplishments on Progress Report in detail - Progress Report Attachment 10 (H1-3)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|---|---|---|

Evaluator Notes:  
No issues identified

10 General Comments:  
Info Only = No Points

Info OnlyInfo Only

Evaluator Notes:  
The TRA generally complied with the requirements contained in Part A of this evaluation.

Total points scored for this section: 10  
Total possible points for this section: 10



## PART B - Program Inspection Procedures

Points(MAX) Score

- |          |  |   |   |
|----------|--|---|---|
| <b>1</b> | Standard Inspections (B1a)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----------|--|---|---|

Evaluator Notes:

Yes. Standard inspections are addressed in the inspection plan and procedures.

- |          |   |   |   |
|----------|---|---|---|
| <b>2</b> | IMP Inspections (including DIMP) (B1b)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

Yes. IMP inspections are addressed in the inspection plan and procedures.

- |          |   |   |   |
|----------|---|---|---|
| <b>3</b> | OQ Inspections (B1c)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

Yes. OQ inspections are addressed in the inspection plan and procedures.

- |          |  |   |   |
|----------|--|---|---|
| <b>4</b> | Damage Prevention Inspections (B1d)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

Yes. 192.614 requirements are covered during Standard inspections. Standard inspections are addressed in the inspection plan and procedures.

- |          |  |   |   |
|----------|--|---|---|
| <b>5</b> | On-Site Operator Training (B1e)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

Yes. Operator training is addressed in the inspection plan and procedures.

- |          |   |   |   |
|----------|---|---|---|
| <b>6</b> | Construction Inspections (B1f)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

Yes. Construction inspections are addressed in the inspection plan and procedures. They are conducted on an as needed basis.

- |          |  |   |   |
|----------|--|---|---|
| <b>7</b> | Incident/Accident Investigations (B1g)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----------|--|---|---|

Evaluator Notes:

Yes. Incident investigations are addressed in the inspection plan and procedures. They are conducted on an as needed basis.

- |          |   |   |   |
|----------|---|---|---|
| <b>8</b> | Does inspection plan address inspection priorities of each operator, and if necessary each unit, based on the following elements? (B2a-d, G1,2,4)<br>Yes = 6 No = 0 Needs Improvement = 1-5 | 6 | 6 |
|----------|---|---|---|

- |    |   |                                      |                          |   |
|----|---|--------------------------------------|--------------------------|---|
| a. | Length of time since last inspection  | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| b. | Operating history of operator/unit and/or location (includes leakage, incident and compliance activities)   | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| c. | Type of activity being undertaken by operators (i.e. construction)  | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| d. | Locations of operators inspection units being inspected - (HCA's, Geographic areas, Population Density, etc)  | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| e. | Process to identify high-risk inspection units that includes all threats - (Excavation Damage, Corrosion, Natural Forces, Outside Forces, Material and Welds, Equipment, Operators and any Other Factors) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |

f. Are inspection units broken down appropriately?

Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

The TRA considers all of the items listed above. The TRA has a risk analysis process to schedule inspections based upon risk.

---

9 General Comments:

Info OnlyInfo Only

Info Only = No Points

Evaluator Notes:

The TRA has generally complied with the requirements of Part B of this evaluation.

---

Total points scored for this section: 15

Total possible points for this section: 15



## PART C - Program Performance

Points(MAX) Score

- 1 Was ratio of Total Inspection person-days to total person days acceptable? (Director of State Programs may modify with just cause) Chapter 4.3 (A12) 5 5  
Yes = 5 No = 0

A. Total Inspection Person Days (Attachment 2):  
482.00

B. Total Inspection Person Days Charged to the Program (220 X Inspection Person Years) (Attachment 7):  
220 X 4.73 = 1040.42

Ratio: A / B  
482.00 / 1040.42 = 0.46

If Ratio >= 0.38 Then Points = 5, If Ratio < 0.38 Then Points = 0  
Points = 5

Evaluator Notes:

Yes. The TRA exceeded the minimum number of inspection person days with a ratio of 0.46.

- 2 Has each inspector and program manager fulfilled the T Q Training Requirements? (See Guidelines for requirements) Chapter 4.4 (A8-A11, G19) 5 5  
Yes = 5 No = 0 Needs Improvement = 1-4

- |    |  |                                      |                                     |   |
|----|--|--------------------------------------|-------------------------------------|---|
| a. | Completion of Required OQ Training before conducting inspection as lead?                                     | Yes <input checked="" type="radio"/> | No <input type="radio"/>            | Needs Improvement <input type="radio"/> |
| b. | Completion of Required DIMP*/IMP Training before conducting inspection as lead? *Effective Evaluation CY2013 | Yes <input checked="" type="radio"/> | No <input type="radio"/>            | Needs Improvement <input type="radio"/> |
| c. | Root Cause Training by at least one inspector/program manager  | Yes <input checked="" type="radio"/> | No <input type="radio"/>            | Needs Improvement <input type="radio"/> |
| d. | Note any outside training completed  | Yes <input type="radio"/>            | No <input checked="" type="radio"/> | Needs Improvement <input type="radio"/> |

Evaluator Notes:

Yes. All training requirements as of 12/31/2011 were met or was on schedule to meet the required timeframe.

- 3 Did state records and discussions with state pipeline safety program manager indicate adequate knowledge of PHMSA program and regulations? Chapter 4.1,8.1 (A5) 2 1  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

The program manager retired one week prior to the evaluation. The TRA named an Interim Chief that has been in the position less than a month. The Interim Chief was a former inspector and is knowledgeable of pipeline safety regulations. At this time one point can not be given for knowledge of PHMSA's Pipeline Safety Grant Program.

- 4 Did state respond to Chairman's letter on previous evaluation within 60 days and correct or address any noted deficiencies? (If necessary) Chapter 8.1 (A6-7) 2 2  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

The TRA responded within 9 days.

- 5 Did State hold PHMSA TQ Seminar in Past 3 Years? Chapter 8.5 (A3) 2 2  
Yes = 2 No = 0

Evaluator Notes:

The TRA last held a seminar in 2011. The next seminar is scheduled for 2014.

- 6 Did state inspect all types of operators and inspection units in accordance with time intervals established in written procedures? Chapter 5.1 (B3) 5 5  
Yes = 5 No = 0 Needs Improvement = 1-4

Evaluator Notes:

Yes. Each operator was inspected.

7	Did inspection form(s) cover all applicable code requirements addressed on Federal Inspection form(s)? Did State complete all applicable portions of inspection forms? Chapter 5.1 (B4-5) Yes = 2 No = 0 Needs Improvement = 1	2	2
---	---	---	---

Evaluator Notes:

The TRA uses federal forms for Standard, OQ, IMP, DIMP and Public Awareness. The TRA does not use federal form for construction.

8	Did the state review operator procedures for determining if exposed cast iron pipe was examined for evidence of graphitization and if necessary remedial action was taken? (NTSB) Chapter 5.1 (B7) Yes = 1 No = 0	1	1
---	--	---	---

Evaluator Notes:

The TRA uses the federal form which covers this issue.

9	Did the state review operator procedures for surveillance of cast iron pipelines, including appropriate action resulting from tracking circumferential cracking failures, study of leakage history, or other unusual operating maintenance condition? (Note: See GPTC Appendix G-18 for guidance) (NTSB) Chapter 5.1 (B8) Yes = 1 No = 0	1	1
---	---	---	---

Evaluator Notes:

The TRA uses the federal form which covers this issue.

10	Did the state review operator emergency response procedures for leaks caused by excavation damage near buildings and determine whether the procedures adequately address the possibility of multiple leaks and underground migration of gas into nearby buildings Refer to 4/12/01 letter from PHMSA in response to NTSB recommendation P-00-20 and P-00-21? (NTSB) Chapter 5.1 (B9) Yes = 1 No = 0	1	1
----	--	---	---

Evaluator Notes:

The TRA uses the federal form which covers this issue.

11	Did the state review operator records of previous accidents and failures including reported third party damage and leak response to ensure appropriate operator response as required by 192.617? Chapter 5.1 (B10,E5) Yes = 1 No = 0	1	1
----	---	---	---

Evaluator Notes:

The TRA uses the federal form which covers this issue.

12	Has the state reviewed Operator Annual reports, along with Incident/Accident reports, for accuracy and analyzed data for trends and operator issues? Data Initiative (G6-9,G16) Yes = 2 No = 0 Needs Improvement = 1	2	2
----	---	---	---

Evaluator Notes:

Yes. The annual report data is input into the risk management analysis tool.

13	Did state input all applicable OQ, IMP inspection results into federal database in a timely manner? This includes replies to Operator notifications into IMDB database. Chapter 5.1 (G10-12) Yes = 2 No = 0 Needs Improvement = 1	2	2
----	--	---	---

Evaluator Notes:

Upon a review of the OQ and IMP databases the TRA has entered the results of its inspection results in a timely manner. Responses to operator notifications appeared to be answered in the IMP database.

14	Has state confirmed intrastate transmission operators have submitted information into NPMS database along with changes made after original submission? (G14)	1	1
----	--	---	---



Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

The TRA reviewed the NPMS information for operators in Tennessee during 2010 and sent notifications to operators that had not submitted information. The TRA uses the federal form which covers this issue.

- 
- |           |  |   |   |
|-----------|--|---|---|
| <b>15</b> | Is the state verifying operators are conducting drug and alcohol tests as required by regulations? This should include verifying positive tests are responded to in accordance with program. 49 CFR 199 (I1-3)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|--|---|---|

Evaluator Notes:

The TRA continues to conduct Drug and Alcohol Plan inspections. The TRA also inspector test records during standard inspections. The TRA conducted six Drug and Alcohol inspections during 2012.

- 
- |           |  |   |   |
|-----------|--|---|---|
| <b>16</b> | Is state verifying operators OQ programs are up to date? This should include verification of any plan updates and that persons performing covered tasks (including contractors) are properly qualified and requalified at intervals determined in the operators plan. 49 CFR 192 Part N (I4-7)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|--|---|---|

Evaluator Notes:

The TRA reviews OQ Plans changes. During standard inspections OQ records are reviewed and field observations of covered task being performed are conducted.

- 
- |           |  |   |   |
|-----------|--|---|---|
| <b>17</b> | Is state verifying operator's gas transmission integrity management programs (IMP) are up to date? This should include a previous review of IMP plan, along with monitoring progress on operator tests and remedial actions. In addition, the review should take in to account program review and updates of operators plan(s). 49 CFR 192 Subpart O (I8-12)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|--|---|---|

Evaluator Notes:

Initial inspections of all transmission operator IMP plans have been completed. The TRA now inspects IMP records to determine if operators are implementing their plans in compliance with the regulations.

- 
- |           |   |   |   |
|-----------|---|---|---|
| <b>18</b> | Is state verifying operator's gas distribution integrity management Programs (DIMP)? This should include a review of DIMP plans, along with monitoring progress. In addition, the review should take in to account program review and updates of operators plan(s). 49 CFR 192 Subpart P<br>DIMP ? First round of program inspections should be complete by December 2014 | 2 | 2 |
|-----------|---|---|---|

Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

The TRA began DIMP inspections during 2011 after the proper training was completed. The TRA is on schedule to complete the first round of DIMP inspections by year end 2014.

- 
- |           |  |   |   |
|-----------|--|---|---|
| <b>19</b> | Is state verifying operators Public Awareness programs are up to date and being followed. State should also verify operators have evaluated Public Awareness programs for effectiveness as described in RP1162. 49 CFR 192.616 (I13-16)<br>PAPEI Effectiveness Inspections should be complete by December 2013 | 2 | 2 |
|-----------|--|---|---|

Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes. The TRA has inspected all operators' Public Awareness programs through the clearinghouse effort. The TRA has commenced the review of operator's effectiveness evaluations with the expectation of completing all of them by year end 2013.

- 20 Does the state have a mechanism for communicating with stakeholders - other than state pipeline safety seminar? (This should include making enforcement cases available to public). (G20-21) 1 1  
Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Pipeline Safety has page on TRA's website. The TRA mails a newsletter to all operators and is available to public on the website. Website has link to Tennessee 811 website.

- 21 Did state execute appropriate follow-up actions to Safety Related Condition (SRC) Reports? Chapter 6.3 (B6) 1 NA  
Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

The TRA recently discovered that an operator filed a safety related condition report in October, 2012. The TRA was not notified by the operator of PHMSA that a report had been filed. The TRA began its follow-up actions once it became aware of the report in 2013.

- 22 Did the State ask Operators to identify any plastic pipe and components that has shown a record of defects/leaks and what those operators are doing to mitigate the safety concerns? (G13) 1 1  
Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Yes. The TRA provided written notification to operators on this safety issue.

- 23 Did the state participate in/respond to surveys or information requests from NAPS or PHMSA? (H4) 1 1  
Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

No instances were identified where the TRA did not respond.

- 24 General Comments: Info Only Info Only  
Info Only = No Points

Evaluator Notes:

Question C.3 - The program manager retired one week prior to the evaluation. The TRA named an Interim Chief that has been in the position less than a month. The Interim Chief was a former inspector and is knowledgeable of pipeline safety regulations. At this time one point can not be given for knowledge of PHMSA's Pipeline Safety Grant Program.

The TRA last held a seminar in 2011. A seminar will need to be held in 2014 to meet the next three year requirement.

Total points scored for this section: 44  
Total possible points for this section: 45

## PART D - Compliance Activities

Points(MAX) Score

- 1** Does the state have written procedures to identify steps to be taken from the discovery to resolution of a probable violation? Chapter 5.1 (B12-14, B16, B1h) 4 4  
Yes = 4 No = 0 Needs Improvement = 1-3
- a. Procedures to notify an operator (company officer) when a noncompliance is identified Yes ☒ No ☐ Needs Improvement ☐
- b. Procedures to routinely review progress of compliance actions to prevent delays or breakdowns Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

The procedures are contained in the Rules of the Tennessee Regulatory Authority, Section 1220-4-5-.47 - Enforcement Procedures Governing Gas Pipeline Safety.

- 2** Did the state follow compliance procedures (from discovery to resolution) and adequately document all probable violations, including what resolution or further course of action is needed to gain compliance? Chapter 5.1 (B11,B18,B19) 4 4  
Yes = 4 No = 0 Needs Improvement = 1-3
- a. Were compliance actions sent to company officer or manager/board member if municipal/government system? Yes ☒ No ☐ Needs Improvement ☐
- b. Were probable violations documented? Yes ☒ No ☐ Needs Improvement ☐
- c. Were probable violations resolved? Yes ☒ No ☐ Needs Improvement ☐
- d. Was the progress of probable violations routinely reviewed? Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

Upon a review of randomly selected inspection report files, all compliance notifications were sent to the appropriate level of the organizations.

- 3** Did the state issue compliance actions for all probable violations discovered? (B15) 2 2  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Upon a review of randomly selected 2012 inspection report files compliance notifications were sent for all inspections that results.

- 4** Did compliance actions give reasonable due process to all parties? Including "show cause" hearing if necessary. (B17, B20) 2 2  
Yes = 2 No = 0

Evaluator Notes:

Yes. The TRA Rules provide for opportunity for response and proposal of alternatives, informal conference and to represent themselves in hearings before the directors.

- 5** Is the program manager familiar with state process for imposing civil penalties? Were civil penalties considered for repeat violations (with severity consideration) or violations resulting in incidents/accidents? (describe any actions taken) (B27) 2 2  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

The Interim Chief is familiar with the process with imposing civil penalties. The TRA issued \$35,000 in civil penalties during 2012.

- 6** Can the State demonstrate it is using their enforcement fining authority for pipeline safety violations? 1 1  
Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

The TRA issued \$35,000 in civil penalties during 2012.

- 7** General Comments:

Info OnlyInfo Only

Info Only = No Points

Evaluator Notes:

The TRA generally complied with the requirements of Part D of this evaluation.

---

Total points scored for this section: 15

Total possible points for this section: 15



## PART E - Incident Investigations

Points(MAX) Score

- |          |   |   |   |
|----------|---|---|---|
| <b>1</b> | Does state have adequate mechanism to receive and respond to operator reports of incidents, including after-hours reports? And did state keep adequate records of Incident/Accident notifications received? Chapter 6 (A2,D1-3)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2   | 2                                       |
| a.       | Acknowledgement of MOU between NTSB and PHMSA (Appendix D)  | Yes <input checked="" type="radio"/> No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| b.       | Acknowledgement of Federal/State Cooperation in case of incident/accident (Appendix E)  | Yes <input checked="" type="radio"/> No <input type="radio"/> | Needs Improvement <input type="radio"/> |

Evaluator Notes:

Yes. The TRA has a mechanism to receive operator's notice of incident during and after work hours. The Interim Chief was aware of the MOU between the NTSB and PHMSA. She is also knowledgeable about the cooperation between PHMSA and TRA in the event of an incident.

- |          |   |   |   |
|----------|---|---|---|
| <b>2</b> | If onsite investigation was not made, did state obtain sufficient information from the operator and/or by other means to determine the facts to support the decision to not go on-site? Chapter 6 (D4)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

There were three reportable incidents during 2012. The TRA conducted on site investigations of all three incidents.

- |          |  |   |   |
|----------|--|---|---|
| <b>3</b> | Were all incidents investigated, thoroughly documented, and with conclusions and recommendations? (D5)<br>Yes = 3 No = 0 Needs Improvement = 1-2 | 3   | 3                                       |
| a.       | Observations and document review   | Yes <input checked="" type="radio"/> No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| b.       | Contributing Factors   | Yes <input checked="" type="radio"/> No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| c.       | Recommendations to prevent recurrences when appropriate  | Yes <input checked="" type="radio"/> No <input type="radio"/> | Needs Improvement <input type="radio"/> |

Evaluator Notes:

Upon a review of all three incident investigation reports, there were no issues identified. The reports were well written and thorough.

- |          |  |   |   |
|----------|--|---|---|
| <b>4</b> | Did the state initiate compliance action for violations found during any incident/accident investigation? (D6)<br>Yes = 1 No = 0 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

Yes. One of the three incidents investigated resulted in the finding of a probable violation. The TRA issued a civil penalty of \$15,000 for a violation of 192.307.

- |          |  |   |   |
|----------|--|---|---|
| <b>5</b> | Did the state assist region office by taking appropriate follow-up actions related to the operator incident reports to ensure accuracy and final report has been received by PHMSA? (validate report data from operators concerning incidents/accidents and investigate discrepancies) Chapter 6 (D7)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

No issues were identified that the TRA did not follow-up on incident reports.

- |          |   |   |   |
|----------|---|---|---|
| <b>6</b> | Does state share lessons learned from incidents/accidents? (sharing information, such as: at NAPS Region meetings, state seminars, etc) (G15)<br>Yes = 1 No = 0 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

Yes. During the NAPS Southern Region Meeting.

**7** General Comments:

Info OnlyInfo Only

Info Only = No Points

Evaluator Notes:

The TRA generally complied with the requirements of Part E of this evaluation.

---

Total points scored for this section: 9

Total possible points for this section: 9



## PART F - Damage Prevention

Points(MAX) Score

- |   |   |   |   |
|---|---|---|---|
| 1 | Has the state reviewed directional drilling/boring procedures of each pipeline operator or its contractor to determine if they include actions to protect their facilities from the dangers posed by drilling and other trench less technologies? NTSB (E1)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|---|---|---|

Evaluator Notes:

The TRA uses the federal distribution inspection form. This item is covered on the form.

- |   |  |   |   |
|---|--|---|---|
| 2 | Did the state inspector check to assure the pipeline operator is following its written procedures pertaining to notification of excavation, marking, positive response and the availability and use of the one call system? (E2)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

Upon a review of randomly selected files of inspections conducted in 2012, 192.614 portion of the federal inspection form was completed. This portion of the federal inspection form covers this requirement.

- |   |   |   |   |
|---|---|---|---|
| 3 | Did the state encourage and promote practices for reducing damages to all underground facilities to its regulated companies? (i.e. such as promoting/adopting the CGA Best Practices encouraging adoption of the 9 Elements, etc.) (E3)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|---|---|---|

Evaluator Notes:

During standard inspections while covering 192.614 operators are encouraged to adopt best practices in their damage prevention programs.

- |   |  |   |   |
|---|--|---|---|
| 4 | Has the agency or another organization within the state collected data and evaluated trends on the number of pipeline damages per 1,000 locate requests? (This can include DIRT and other data shared and reviewed by the pipeline safety program) (E4,G5)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

Tennessee 811 has provided this information to the TRA. The TRA reviews the information for trends. The TRA will use the information now required on the annual reports.

- |   |  |           |           |
|---|--|-----------|-----------|
| 5 | General Comments:<br>Info Only = No Points | Info Only | Info Only |
|---|--|-----------|-----------|

Evaluator Notes:

The TRA generally complied with the requirements of Part F of this evaluation.

Total points scored for this section: 8  
Total possible points for this section: 8

## PART G - Field Inspections

Points(MAX) Score

- 1 Operator, Inspector, Location, Date and PHMSA Representative Info OnlyInfo Only  
Info Only = No Points

Name of Operator Inspected:

Lafayette Gas (Municipal Operator - OPID: 11064)

Name of State Inspector(s) Observed:

Tom Woosley

Location of Inspection:

Lafayette, TN

Date of Inspection:

5/16/2013

Name of PHMSA Representative:

Don Martin

Evaluator Notes:

The TRA inspector conducted an inspection covering requirements in Subpart I of Part 192. Records and procedures were reviewed. Readings on test points were observed. Corrosion covered tasks were reviewed for OQ compliance.

- 2 Was the operator or operator's representative notified and/or given the opportunity to be present during inspection? (F2) 1 1  
Yes = 1 No = 0

Evaluator Notes:

Yes. An operator's representative was present during the records review and the field testing.

- 3 Did the inspector use an appropriate inspection form/checklist and was the form/checklist used as a guide for the inspection? (New regulations shall be incorporated) (F3) 2 2  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

The TRA used a TRA developed form specific to the requirements of Subpart I. The form covered all requirements in Subpart I.

- 4 Did the inspector thoroughly document results of the inspection? (F4) 2 2  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

The TRA inspector noted the results on the inspection form and was very thorough.

- 5 Did the inspector check to see if the operator had necessary equipment during inspection to conduct tasks viewed? (Maps,pyrometer,soap spray,CGI,etc.) (F5) 1 1  
Yes = 1 No = 0

Evaluator Notes:

Testing equipment was reviewed with the technician and was determined to be acceptable. Proper calibration was verified.

- 6 Did the inspector adequately review the following during the field portion of the state evaluation? (check all that apply on list) (F7) 2 2  
Yes = 2 No = 0 Needs Improvement = 1

a. Procedures ☒

b. Records ☒

c. Field Activities ☒

d. Other (please comment) ☐

Evaluator Notes:

No issues or deficiencies were identified.



- |   |  |   |   |
|---|--|---|---|
| 7 | Did the inspector have adequate knowledge of the pipeline safety program and regulations? (Evaluator will document reasons if unacceptable) (F8)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

Yes. Mr. Woolsey is very experienced in gas pipeline safety regulations, completed all required training and worked for a gas transmission operator prior to his employment with the TRA.

- |   |  |   |   |
|---|--|---|---|
| 8 | Did the inspector conduct an exit interview? (If inspection is not totally complete the interview should be based on areas covered during time of field evaluation) (F9)<br>Yes = 1 No = 0 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

Yes. The operator was briefed on the results of the inspection that occurred on 5/16/2013.

- |   |   |   |   |
|---|---|---|---|
| 9 | During the exit interview, did the inspector identify probable violations found during the inspections? (if applicable) (F10)<br>Yes = 1 No = 0 | 1 | 1 |
|---|---|---|---|

Evaluator Notes:

There were no probable violations found during the inspection. The inspector communicated that there were two items that should be amended in the operator's operation and maintenance procedures manual.

- |    |  |           |           |
|----|--|-----------|-----------|
| 10 | General Comments: What did the inspector observe in the field? (Narrative description of field observations and how inspector performed) Best Practices to Share with Other States - (Field - could be from operator visited or state inspector practices) Other.<br>Info Only = No Points | Info Only | Info Only |
|----|--|-----------|-----------|

- |    |                                   |                                     |
|----|-----------------------------------|-------------------------------------|
| a. | Abandonment                       | <input type="checkbox"/>            |
| b. | Abnormal Operations               | <input type="checkbox"/>            |
| c. | Break-Out Tanks                   | <input type="checkbox"/>            |
| d. | Compressor or Pump Stations       | <input type="checkbox"/>            |
| e. | Change in Class Location          | <input type="checkbox"/>            |
| f. | Casings                           | <input checked="" type="checkbox"/> |
| g. | Cathodic Protection               | <input checked="" type="checkbox"/> |
| h. | Cast-iron Replacement             | <input type="checkbox"/>            |
| i. | Damage Prevention                 | <input type="checkbox"/>            |
| j. | Deactivation                      | <input type="checkbox"/>            |
| k. | Emergency Procedures              | <input type="checkbox"/>            |
| l. | Inspection of Right-of-Way        | <input type="checkbox"/>            |
| m. | Line Markers                      | <input type="checkbox"/>            |
| n. | Liaison with Public Officials     | <input type="checkbox"/>            |
| o. | Leak Surveys                      | <input type="checkbox"/>            |
| p. | MOP                               | <input type="checkbox"/>            |
| q. | MAOP                              | <input type="checkbox"/>            |
| r. | Moving Pipe                       | <input type="checkbox"/>            |
| s. | New Construction                  | <input type="checkbox"/>            |
| t. | Navigable Waterway Crossings      | <input type="checkbox"/>            |
| u. | Odorization                       | <input type="checkbox"/>            |
| v. | Overpressure Safety Devices       | <input type="checkbox"/>            |
| w. | Plastic Pipe Installation         | <input type="checkbox"/>            |
| x. | Public Education                  | <input type="checkbox"/>            |
| y. | Purging                           | <input type="checkbox"/>            |
| z. | Prevention of Accidental Ignition | <input type="checkbox"/>            |
| A. | Repairs                           | <input type="checkbox"/>            |
| B. | Signs                             | <input type="checkbox"/>            |
| C. | Tapping                           | <input type="checkbox"/>            |

- |    |                             |                                     |
|----|-----------------------------|-------------------------------------|
| D. | Valve Maintenance           | <input type="checkbox"/>            |
| E. | Vault Maintenance           | <input type="checkbox"/>            |
| F. | Welding                     | <input type="checkbox"/>            |
| G. | OQ - Operator Qualification | <input checked="" type="checkbox"/> |
| H. | Compliance Follow-up        | <input type="checkbox"/>            |
| I. | Atmospheric Corrosion       | <input checked="" type="checkbox"/> |
| J. | Other                       | <input type="checkbox"/>            |

Evaluator Notes:

The inspection was specific to Subpart I of Part 192.

---

Total points scored for this section: 12  
Total possible points for this section: 12



**PART H - Interstate Agent State (If Applicable)****Points(MAX)    Score**

- |          |   |   |    |
|----------|---|---|----|
| <b>1</b> | Did the state use the current federal inspection form(s)? (C1)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

The TRA is not an interstate agent.

- |          |  |   |    |
|----------|--|---|----|
| <b>2</b> | Are results documented demonstrating inspection units were reviewed in accordance with "PHMSA directed inspection plan"? (C2)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

The TRA is not an interstate agent.

- |          |   |   |    |
|----------|---|---|----|
| <b>3</b> | Did the state submit documentation of the inspections within 60 days as stated in its latest Interstate Agent Agreement form? (C3)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

The TRA is not an interstate agent.

- |          |  |   |    |
|----------|--|---|----|
| <b>4</b> | Were probable violations identified by state referred to PHMSA for compliance? (NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.) (C4)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

The TRA is not an interstate agent.

- |          |  |   |    |
|----------|--|---|----|
| <b>5</b> | Did the state immediately report to PHMSA conditions which may pose an imminent safety hazard to the public or to the environment? (C5)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

The TRA is not an interstate agent.

- |          |   |   |    |
|----------|---|---|----|
| <b>6</b> | Did the state give written notice to PHMSA within 60 days of all probable violations found? (C6)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

The TRA is not an interstate agent.

- |          |  |   |    |
|----------|--|---|----|
| <b>7</b> | Did the state initially submit documentation to support compliance action by PHMSA on probable violations? (C7)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

The TRA is not an interstate agent.

- |          |  |           |           |
|----------|--|-----------|-----------|
| <b>8</b> | General Comments:<br>Info Only = No Points | Info Only | Info Only |
|----------|--|-----------|-----------|

Evaluator Notes:

The TRA is not an interstate agent.

Total points scored for this section: 0  
Total possible points for this section: 0

**PART I - 60106 Agreement State (If Applicable)****Points(MAX)    Score**

- |          |  |   |    |
|----------|--|---|----|
| <b>1</b> | Did the state use the current federal inspection form(s)? (B21)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

The TRA does not have a 60106 agreement with PHMSA.

- |          |  |   |    |
|----------|--|---|----|
| <b>2</b> | Are results documented demonstrating inspection units were reviewed in accordance with state inspection plan? (B22)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

The TRA does not have a 60106 agreement with PHMSA.

- |          |   |   |   |
|----------|---|---|---|
| <b>3</b> | Were any probable violations identified by state referred to PHMSA for compliance? (NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.) (B23)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

The TRA does not have a 60106 agreement with PHMSA.

- |          |   |   |    |
|----------|---|---|----|
| <b>4</b> | Did the state immediately report to PHMSA conditions which may pose an imminent safety hazard to the public or to the environment? (B24)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

The TRA does not have a 60106 agreement with PHMSA.

- |          |  |   |    |
|----------|--|---|----|
| <b>5</b> | Did the state give written notice to PHMSA within 60 days of all probable violations found? (B25)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

The TRA does not have a 60106 agreement with PHMSA.

- |          |  |   |    |
|----------|--|---|----|
| <b>6</b> | Did the state initially submit adequate documentation to support compliance action by PHMSA on probable violations? (B26)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

The TRA does not have a 60106 agreement with PHMSA.

- |          |  |           |           |
|----------|--|-----------|-----------|
| <b>7</b> | General Comments:<br>Info Only = No Points | Info Only | Info Only |
|----------|--|-----------|-----------|

Evaluator Notes:

The TRA does not have a 60106 agreement with PHMSA.

Total points scored for this section: 1  
Total possible points for this section: 1