



U.S. Department
of Transportation
**Pipeline and Hazardous
Materials Safety
Administration**

1200 New Jersey Avenue SE
Washington DC 20590

2011 Natural Gas State Program Evaluation

for

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Document Legend

PART:

- O -- Representative Date and Title Information
- A -- Progress Report and Program Documentation Review
- B -- Program Inspection Procedures
- C -- Program Performance
- D -- Compliance Activities
- E -- Incident Investigations
- F -- Damage Prevention
- G -- Field Inspections
- H -- Interstate Agent State (If Applicable)
- I -- 60106 Agreement State (If Applicable)



2011 Natural Gas State Program Evaluation -- CY 2011
Natural Gas

State Agency: Pennsylvania

Agency Status:

Date of Visit: 09/24/2012 - 09/27/2012

Agency Representative: Paul J. Metro, Chief Engineer, Gas Safety Division

PHMSA Representative: Jim Anderson

Rating:

60105(a): Yes **60106(a):** Yes **Interstate Agent:** No

Commission Chairman to whom follow up letter is to be sent:

Name/Title: Robert F. Powelson, Chairman

Agency: Pennsylvania Public Service Commission

Address: 400 North Street, Keystone Building

City/State/Zip: Harrisburg, Pennsylvania 17120

INSTRUCTIONS:

Complete this evaluation in accordance with the Procedures for Evaluating State Pipeline Safety Program. The evaluation should generally reflect state program performance during CY 2011 (not the status of performance at the time of the evaluation). All items for which criteria have not been established should be answered based on the PHMSA representative's judgment. A deficiency in any one part of a multiple part question should be scored as needs improvement. Determine the answer to the question then select the appropriate point value. If a state receives less than the maximum points, include a brief explanation in the space provided for general comments/regional observations. If a question is not applicable to a state, select NA. Please ensure all responses are COMPLETE and ACCURATE, and OBJECTIVELY reflect state program performance. Increasing emphasis is being placed on performance. This evaluation together with selected factors reported in the state's annual progress report attachments provide the basis for determining the state's pipeline safety grant allocation.

Field Inspection (PART G):

The field inspection form used will allow different areas of emphasis to be considered for each question. Question 13 is provided for scoring field observation areas. In completing PART G, the PHMSA representative should include a written summary which thoroughly documents the inspection.

Scoring Summary

PARTS

Possible Points Points Scored

A Progress Report and Program Documentation Review
B Program Inspection Procedures
C Program Performance
D Compliance Activities
E Incident Investigations
F Damage Prevention
G Field Inspections
H Interstate Agent State (If Applicable)
I 60106 Agreement State (If Applicable)

10 8
15 15
44 44
14 14
9 9
8 8
11 11
0 0
3 3

TOTALS

114 112

State Rating

98.2

PART A - Progress Report and Program Documentation Review

Points(MAX) Score

- | | | | |
|---|---|---|---|
| 1 | Accuracy of Jurisdictional Authority and Operator/Inspection Units Data - Progress Report Attachment 1 (A1a)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|---|---|---|

Evaluator Notes:

Yes. Jurisdiction of operators are listed in Section 59.33 of state regulations.

- | | | | |
|---|--|---|---|
| 2 | Review of Inspection Days for accuracy - Progress Report Attachment 2 (A1b)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 0 |
|---|--|---|---|

Evaluator Notes:

Inspection Days are inaccurate. State submitted number of inspections, not inspection days.

- | | | | |
|---|--|---|---|
| 3 | Accuracy verification of Operators and Operators Inspection Units in State - Progress Report Attachment 3 (A1c)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

Needs improvement on listing gas operators. Example, Mountain Gas and Greenridge Oil are the same operator. Listed as Greenridge Oil in Progress Report and listed as Mountain Gas in inspection file.
Reinstated .5 point deduction per Zach Barret email on 2/25/2013.

- | | | | |
|---|--|---|---|
| 4 | Were all federally reportable incident reports listed and information correct? - Progress Report Attachment 4 (A1d)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

PA PUC listed 5 incidents in Progress report. Reviewed Pipeline Dataa Mart and their were the same 5 incidents listed.

- | | | | |
|---|--|---|---|
| 5 | Accuracy verification of Compliance Activities - Progress Report Attachment 5 (A1e)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 0 |
|---|--|---|---|

Evaluator Notes:

Compliance actions listed were not correct.

- | | | | |
|---|---|---|---|
| 6 | Were pipeline program files well-organized and accessible? - Progress Report Attachment 6 (A1f, A4)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|---|---|---|

Evaluator Notes:

Yes. All inspection and incident report file were in pipeline safety area file cabinets.

- | | | | |
|---|--|---|---|
| 7 | Was employee listing and completed training accurate and complete? - Progress Report Attachment 7 (A1g)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

Yes. All employees were listed and training was documented correctly.

- | | | | |
|---|---|---|---|
| 8 | Verification of Part 192,193,198,199 Rules and Amendments - Progress Report Attachment 8 (A1h)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|---|---|---|

Evaluator Notes:

Yea. PA code automatically adopts federal regulations.

- 9 List of Planned Performance - Did state describe accomplishments on Progress Report in detail - Progress Report Attachment 10 (H1-3) 1 1
Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Accomplishments-

Legislation was passed to give the PA PUC the same jurisdiction as PHSMA for class 2-4 gathering lines, municipalities, propane, co-ops, and land-fills. Two supervisors were hired for gas distribution and two for gathering lines were hired. In 2012, Gas Safety hired two additional engineers.

Goals-

The Gas Safety Division would like to hire 2 additional engineers.

Implement performance metrics that utilities adhere to such as for damage prevention and cast iron replacement; continue to enforce state and federal regulations through non compliance letters and civil penalties. Obtain one call enforcement. Begin enforcement and inspection of class 2-4 gathering lines, municipalities, propane, co-ops, and land fills. The PA PUC now has the same jurisdiction as PHSMA. Implement a computerized database system to maintain inspections.

10 General Comments:

Info OnlyInfo Only

Info Only = No Points

Evaluator Notes:

Total points scored for this section: 8
Total possible points for this section: 10



PART B - Program Inspection Procedures

Points(MAX) Score

- | | | | |
|----------|--|---|---|
| 1 | Standard Inspections (B1a)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----------|--|---|---|

Evaluator Notes:

Called O&M Inspection in Inspection Protocol section of the Gas Safety Inspector Handbook.

- | | | | |
|----------|---|---|---|
| 2 | IMP Inspections (including DIMP) (B1b)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

Yes. In Inspection Protocol section of the Gas Safety Inspector Handbook.

- | | | | |
|----------|---|---|---|
| 3 | OQ Inspections (B1c)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

Yes. In Inspection Protocol section of the Gas Safety Inspector Handbook.

- | | | | |
|----------|--|---|---|
| 4 | Damage Prevention Inspections (B1d)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

Conducted as needed and check operator procedures annually.

- | | | | |
|----------|--|---|---|
| 5 | On-Site Operator Training (B1e)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

0 days listed in Progress Report. Told staff members to match evaluation form info and guidelines info to compile complete Inspection Protocol manual.

- | | | | |
|----------|---|---|---|
| 6 | Construction Inspections (B1f)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

Yes. In Inspection Protocol section of the Gas Safety Inspector Handbook.

- | | | | |
|----------|--|---|---|
| 7 | Incident/Accident Investigations (B1g)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----------|--|---|---|

Evaluator Notes:

Yes. In Inspection Protocol section of the Gas Safety Inspector Handbook.

- | | | | |
|----------|---|---|---|
| 8 | Does inspection plan address inspection priorities of each operator, and if necessary each unit, based on the following elements? (B2a-d, G1,2,4)
Yes = 6 No = 0 Needs Improvement = 1-5 | 6 | 6 |
|----------|---|---|---|

- | | | | | |
|----|---|--------------------------------------|--------------------------|---|
| a. | Length of time since last inspection | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| b. | Operating history of operator/unit and/or location (includes leakage, incident and compliance activities) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| c. | Type of activity being undertaken by operators (i.e. construction) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| d. | Locations of operators inspection units being inspected - (HCA's, Geographic areas, Population Density, etc) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| e. | Process to identify high-risk inspection units that includes all threats - (Excavation Damage, Corrosion, Natural Forces, Outside Forces, Material and Welds, Equipment, Operators and any Other Factors) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |

f. Are inspection units broken down appropriately?

Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

Gas Safety's procedures for Inspectors, beginning at page 10 describes the above elements.

Inspection units are broken down by company for CY 2011, but in CY 2012 Gas Safety has implemented inspection units by company shop. PA PUC use the activity sheets currently to track inspections by shop. A pivot table report can be used to easily view what has been inspected and the frequency of inspection. The new data base that was just approved by the Commission will track inspections by shop.

9 General Comments:

Info OnlyInfo Only

Info Only = No Points

Evaluator Notes:

Total points scored for this section: 15

Total possible points for this section: 15



PART C - Program Performance**Points(MAX) Score**

- 1** Was ratio of Total Inspection person-days to total person days acceptable? (Director of State Programs may modify with just cause) Chapter 4.3 (A12) 5 5
Yes = 5 No = 0

A. Total Inspection Person Days (Attachment 2):
1426.00

B. Total Inspection Person Days Charged to the Program (220 X Inspection Person Years) (Attachment 7):
220 X 8.00 = 1760.00

Ratio: A / B
1426.00 / 1760.00 = 0.81

If Ratio >= 0.38 Then Points = 5, If Ratio < 0.38 Then Points = 0
Points = 5

Evaluator Notes:

Inspection days listed on progress Report were incorrect. When corrected the ratio still exceeded the needed .38 ratio.

- 2** Has each inspector and program manager fulfilled the T Q Training Requirements? (See Guidelines for requirements) Chapter 4.4 (A8-A11, G19) 5 5
Yes = 5 No = 0 Needs Improvement = 1-4

- | | | | | |
|----|--|--------------------------------------|--------------------------|---|
| a. | Completion of Required OQ Training before conducting inspection as lead? | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| b. | Completion of Required DIMP*/IMP Training before conducting inspection as lead? *Effective Evaluation CY2013 | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| c. | Root Cause Training by at least one inspector/program manager | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| d. | Note any outside training completed | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |

Evaluator Notes:

Yes. PA PUC safety staff has met training requirements.

- 3** Did state records and discussions with state pipeline safety program manager indicate adequate knowledge of PHMSA program and regulations? Chapter 4.1,8.1 (A5) 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes. Paul Metro is the current NAPSIR Chair and works closely with PHMSA.

- 4** Did state respond to Chairman's letter on previous evaluation within 60 days and correct or address any noted deficiencies? (If necessary) Chapter 8.1 (A6-7) 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes. Letter sent dated January 10, 2012 and response letter dated February 21, 2012.

- 5** Did State hold PHMSA TQ Seminar in Past 3 Years? Chapter 8.5 (A3) 2 2
Yes = 2 No = 0

Evaluator Notes:

Yes. Held seminar in October 2009 and has another scheduled October 2012.

- 6** Did state inspect all types of operators and inspection units in accordance with time intervals established in written procedures? Chapter 5.1 (B3) 5 5
Yes = 5 No = 0 Needs Improvement = 1-4

Evaluator Notes:

Used a combination of scheduled inspections and risk analysis on inspections. Allentown incident consumed alot of other type of inspection days.

- | | | | |
|---|---|---|---|
| 7 | Did inspection form(s) cover all applicable code requirements addressed on Federal Inspection form(s)? Did State complete all applicable portions of inspection forms? Chapter 5.1 (B4-5)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|---|---|---|

Evaluator Notes:

Yes. Uses the federal form and breaks it into different inspection forms.

- | | | | |
|---|--|---|---|
| 8 | Did the state review operator procedures for determining if exposed cast iron pipe was examined for evidence of graphitization and if necessary remedial action was taken? (NTSB) Chapter 5.1 (B7)
Yes = 1 No = 0 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

Yes. Send form letter to operators requestiong information. Reviewed copy of letter.

- | | | | |
|---|---|---|---|
| 9 | Did the state review operator procedures for surveillance of cast iron pipelines, including appropriate action resulting from tracking circumferential cracking failures, study of leakage history, or other unusual operating maintenance condition? (Note: See GPTC Appendix G-18 for guidance) (NTSB) Chapter 5.1 (B8)
Yes = 1 No = 0 | 1 | 1 |
|---|---|---|---|

Evaluator Notes:

Yes. Send form letter to operators requestiong information. Reviewed copy of letter.

- | | | | |
|----|--|---|---|
| 10 | Did the state review operator emergency response procedures for leaks caused by excavation damage near buildings and determine whether the procedures adequately address the possibility of multiple leaks and underground migration of gas into nearby buildings Refer to 4/12/01 letter from PHMSA in response to NTSB recommendation P-00-20 and P-00-21? (NTSB) Chapter 5.1 (B9)
Yes = 1 No = 0 | 1 | 1 |
|----|--|---|---|

Evaluator Notes:

Yes. Checked inspection report for verification.

- | | | | |
|----|---|---|---|
| 11 | Did the state review operator records of previous accidents and failures including reported third party damage and leak response to ensure appropriate operator response as required by 192.617? Chapter 5.1 (B10,E5)
Yes = 1 No = 0 | 1 | 1 |
|----|---|---|---|

Evaluator Notes:

Yes, plastic pipe failures and mechanical fitting failure reports were obtained from each company.
Leak response for damages is tracked on the 3rd Party Damage inspection form.
Leak response is also tracked on the Leak verification form and Leak Survey forms where the company's response to leaks especially hazardous leaks is reviewed.
Incident response time is tracked on Incident forms.
Each company's leak response procedures were requested in FL 1-12.

- | | | | |
|----|---|---|---|
| 12 | Has the state reviewed Operator Annual reports, along with Incident/Accident reports, for accuracy and analyzed data for trends and operator issues? Data Initiative (G6-9,G16)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----|---|---|---|

Evaluator Notes:

Yes, annual reports were received from each utility. Incident reports were collected for each reportable incident that occurred. Trends were analyzed using the Risk Analysis model.

- | | | | |
|----|--|---|---|
| 13 | Did state input all applicable OQ, IMP inspection results into federal database in a timely manner? This includes replies to Operator notifications into IMDB database. Chapter 5.1 (G10-12)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----|--|---|---|

Evaluator Notes:

Yes. Reviewed OQ and IMP dataa base prior to evaluation.

-
- | | | | |
|-----------|---|---|---|
| 14 | Has state confirmed intrastate transmission operators have submitted information into NPMS database along with changes made after original submission? (G14)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|-----------|---|---|---|

Evaluator Notes:

Yes. Send form letter to operators requestiong information. Reviewed copy of letter.

-
- | | | | |
|-----------|--|---|---|
| 15 | Is the state verifying operators are conducting drug and alcohol tests as required by regulations? This should include verifying positive tests are responded to in accordance with program. 49 CFR 199 (I1-3)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|--|---|---|

Evaluator Notes:

Yes. Send form letter to operators requestiong information. Reviewed copy of letter. (Question 12)

-
- | | | | |
|-----------|--|---|---|
| 16 | Is state verifying operators OQ programs are up to date? This should include verification of any plan updates and that persons performing covered tasks (including contractors) are properly qualified and requalified at intervals determined in the operators plan. 49 CFR 192 Part N (I4-7)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|--|---|---|

Evaluator Notes:

Yes, see OQ Protocol 9 inspections. OQ headquarters inspections are conducted on a 5 year cycle. OQ Headquarters inspections are being scheduled for the end of CY 2012 and into CY 2013.

-
- | | | | |
|-----------|--|---|---|
| 17 | Is state verifying operator's gas transmission integrity management programs (IMP) are up to date? This should include a previous review of IMP plan, along with monitoring progress on operator tests and remedial actions. In addition, the review should take in to account program review and updates of operators plan(s). 49 CFR 192 Subpart 0 (I8-12)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|--|---|---|

Evaluator Notes:

Yes, see IMP field inspections conducted in 2011.

-
- | | | | |
|-----------|---|-----------|-----------|
| 18 | Is state verifying operator's gas distribution integrity management Programs (DIMP)? This should include a review of DIMP plans, along with monitoring progress. In addition, the review should take in to account program review and updates of operators plan(s). 49 CFR 192 Subpart P
Info Only = No Points | Info Only | Info Only |
|-----------|---|-----------|-----------|

Evaluator Notes:

Working with operators on DIMP.

-
- | | | | |
|-----------|---|---|---|
| 19 | Is state verifying operators Public Awareness programs are up to date and being followed. State should also verify operators have evaluated Public Awareness programs for effectiveness as described in RP1162. 49 CFR 192.616 (I13-16)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|---|---|---|

Evaluator Notes:

Yes. Send form letter to operators requestiong information. Reviewed copy of letter. (Question 9)

-
- | | | | |
|-----------|---|---|---|
| 20 | Does the state have a mechanism for communicating with stakeholders - other than state pipeline safety seminar? (This should include making enforcement cases available to public). (G20-21)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|-----------|---|---|---|

Evaluator Notes:

Yes, PA PUC holds conferences such as ACT 127 Gathering lines and other meetings with utilities as needed to address compliance issues.

21	Did state execute appropriate follow-up actions to Safety Related Condition (SRC) Reports? Chapter 6.3 (B6) Yes = 1 No = 0 Needs Improvement = .5	1	1
----	--	---	---

Evaluator Notes:

Yes. Has 7 in 2011 and all closed.

22	Did the State ask Operators to identify any plastic pipe and components that has shown a record of defects/leaks and what those operators are doing to mitigate the safety concerns? (G13) Yes = 1 No = 0 Needs Improvement = .5	1	1
----	---	---	---

Evaluator Notes:

Yes. Send form letter to operators requestiong information. Reviewed copy of letter. (Question 1)

23	Did the state participate in/respond to surveys or information requests from NAPSR or PHMSA? (H4) Yes = 1 No = 0 Needs Improvement = .5	1	1
----	--	---	---

Evaluator Notes:

Yes.

24	General Comments: Info Only = No Points	Info Only	Info Only
----	--	-----------	-----------

Evaluator Notes:

Total points scored for this section: 44
Total possible points for this section: 44



PART D - Compliance Activities

Points(MAX) Score

- 1** Does the state have written procedures to identify steps to be taken from the discovery to resolution of a probable violation? Chapter 5.1 (B12-14, B16, B1h) 4 4
Yes = 4 No = 0 Needs Improvement = 1-3
- a. Procedures to notify an operator (company officer) when a noncompliance is identified Yes ☒ No ☐ Needs Improvement ☐
- b. Procedures to routinely review progress of compliance actions to prevent delays or breakdowns Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

In Enforcement Procedures of the Inspector manual. Reviewed noncompliance letters and all were addressed to company official.

The contents of a NC Letter shall include:

- 1) a statement of the statute, regulation, or rule allegedly violated by an operator,
- 2) a description of the evidence indicating a possible violation.
- 3) The letter should be addressed to the company officer, usually the Vice President of Operations

- 2** Did the state follow compliance procedures (from discovery to resolution) and adequately document all probable violations, including what resolution or further course of action is needed to gain compliance? Chapter 5.1 (B11,B18,B19) 4 4
Yes = 4 No = 0 Needs Improvement = 1-3
- a. Were compliance actions sent to company officer or manager/board member if municipal/government system? Yes ☐ No ☐ Needs Improvement ☐

Evaluator Notes:

Yes. Reviewed document to NC 37-11, 39-11, 39A-11, 40-11, and 42-11.

- 3** Did the state issue compliance actions for all probable violations discovered? (B15) 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes.

- 4** Did compliance actions give reasonable due process to all parties? Including "show cause" hearing if necessary. (B17, B20) 2 2
Yes = 2 No = 0

Evaluator Notes:

Follows state regulations and has the wordings below in the Inspector manual.

If an operator objects to the NC Letter via written explanation, information, or other materials in response to the NC Letter, the appropriate supervisor shall review the submissions and determine whether to negotiate further, modify, withdraw the NC Letter or file a complaint with the Commission. The Division Chief shall review findings.

- 5** Is the program manager familiar with state process for imposing civil penalties? Were civil penalties considered for repeat violations (with severity consideration) or violations resulting in incidents/accidents? (describe any actions taken) (B27) 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes. Issued 2 civil penalties in 2011 and collected \$100,000 in fines.

- 6** Can the State demonstrate it is using their enforcement fining authority for pipeline safety violations? (new question) Info Only Info Only
Info Only = No Points

Evaluator Notes:

Yes.

7

General Comments:

Info Only = No Points

Info OnlyInfo Only

Evaluator Notes:

Total points scored for this section: 14
Total possible points for this section: 14



PART E - Incident Investigations

Points(MAX) Score

- 1 Does state have adequate mechanism to receive and respond to operator reports of incidents, including after-hours reports? And did state keep adequate records of Incident/Accident notifications received? Chapter 6 (A2,D1-3) 2 2

Yes = 2 No = 0 Needs Improvement = 1

- a. Acknowledgement of MOU between NTSB and PHMSA (Appendix D) Yes ☒ No ☐ Needs Improvement ☐
- b. Acknowledgement of Federal/State Cooperation in case of incident/accident (Appendix E) Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

Have copy of letter sent to operators with PA PUC Pipeline Safety Staff contact information. Operators have 24/7 contact information for notifying staff of any incidents.

- 2 If onsite investigation was not made, did state obtain sufficient information from the operator and/or by other means to determine the facts to support the decision to not go on-site? Chapter 6 (D4) 1 1

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

PA PUC investigates all reportable incidents.

- 3 Were all incidents investigated, thoroughly documented, and with conclusions and recommendations? (D5) 3 3

Yes = 3 No = 0 Needs Improvement = 1-2

- a. Observations and document review Yes ☒ No ☐ Needs Improvement ☐
- b. Contributing Factors Yes ☒ No ☐ Needs Improvement ☐
- c. Recommendations to prevent recurrences when appropriate Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

Yes. Have copy of Allentown incident report.

- 4 Did the state initiate compliance action for violations found during any incident/accident investigation? (D6) 1 1

Yes = 1 No = 0

Evaluator Notes:

Yes. Issued 3 civil penalties found during incident investigation. One to PGW, one to UGI - Allentown and one to UGI - Millersville.

- 5 Did the state assist region office by taking appropriate follow-up actions related to the operator incident reports to ensure accuracy and final report has been received by PHMSA? (validate report data from operators concerning incidents/accidents and investigate discrepancies) Chapter 6 (D7) 1 1

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Yes.

- 6 Does state share lessons learned from incidents/accidents? (sharing information, such as: at NAPS Region meetings, state seminars, etc) (G15) 1 1

Yes = 1 No = 0

Evaluator Notes:

Yes. Pennsylvania shares lessons learned through NAPS events, regional meetings, and emails to utilities, states, and PHMSA.

- 7 General Comments:

Info Only = No Points

Info OnlyInfo Only

Evaluator Notes:

Total points scored for this section: 9
Total possible points for this section: 9



PART F - Damage Prevention

Points(MAX) Score

- | | | | |
|----------|---|---|---|
| 1 | Has the state reviewed directional drilling/boring procedures of each pipeline operator or its contractor to determine if they include actions to protect their facilities from the dangers posed by drilling and other trench less technologies? NTSB (E1)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----------|---|---|---|

Evaluator Notes:

Yes. In form letter FL 1-12, Q 10. A letter was sent to each utility requesting directional drilling procedures from each utility.

- | | | | |
|----------|--|---|---|
| 2 | Did the state inspector check to assure the pipeline operator is following its written procedures pertaining to notification of excavation, marking, positive response and the availability and use of the one call system? (E2)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----------|--|---|---|

Evaluator Notes:

Yes. In form letter, FL 1-12, Q8 and inspection printout in binder.

- | | | | |
|----------|---|---|---|
| 3 | Did the state encourage and promote practices for reducing damages to all underground facilities to its regulated companies? (i.e. such as promoting/adopting the CGA Best Practices encouraging adoption of the 9 Elements, etc.) (E3)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----------|---|---|---|

Evaluator Notes:

Yes. The PA PUC has partnered with One Call through a formal MOU to procure federal grants whose sole purpose is to promote the use of the Common Ground Alliance Best Practices.

- | | | | |
|----------|--|---|---|
| 4 | Has the agency or another organization within the state collected data and evaluated trends on the number of pipeline damages per 1,000 locate requests? (This can include DIRT and other data shared and reviewed by the pipeline safety program) (E4,G5)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----------|--|---|---|

Evaluator Notes:

Yes. Through risk analysis. Also, the PUC has an MOU with PA One Call to develop a virtual database and the PUC is working on a rule making to require all utilities to participate in Virtual DIRT.

- | | | | |
|----------|--|-----------|-----------|
| 5 | General Comments:
Info Only = No Points | Info Only | Info Only |
|----------|--|-----------|-----------|

Evaluator Notes:

Total points scored for this section: 8
Total possible points for this section: 8

PART G - Field Inspections

Points(MAX) Score

- 1 Operator, Inspector, Location, Date and PHMSA Representative Info OnlyInfo Only
Info Only = No Points

Name of Operator Inspected:

Name of State Inspector(s) Observed:

Mike Chilek

Location of Inspection:

Hershey, PA

Date of Inspection:

September 27, 2012

Name of PHMSA Representative:

Jim Anderson

Evaluator Notes:

Mike conducted a very thorough inspection that included plastic pipe stored at operator plant site and on the construction site.

- 2 Was the operator or operator's representative notified and/or given the opportunity to be present during inspection? (F2) 1 1
Yes = 1 No = 0

Evaluator Notes:

Yes.

- 3 Did the inspector use an appropriate inspection form/checklist and was the form/checklist used as a guide for the inspection? (New regulations shall be incorporated) (F3) 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes. PA PUC uses federal form and modifies it th their needs.

- 4 Did the inspector thoroughly document results of the inspection? (F4) 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes.

- 5 Did the inspector check to see if the operator had necessary equipment during inspection to conduct tasks viewed? (Maps,pyrometer,soap spray,CGI,etc.) (F5) 1 1
Yes = 1 No = 0

Evaluator Notes:

Yes.

- 6 Did the inspector adequately review the following during the field portion of the state evaluation? (check all that apply on list) (F7) 2 2
Yes = 2 No = 0 Needs Improvement = 1

a. Procedures ☐

b. Records ☐

c. Field Activities ☒

d. Other (please comment) ☐

Evaluator Notes:

Yes.

- | | | | |
|---|--|---|---|
| 7 | Did the inspector have adequate knowledge of the pipeline safety program and regulations? (Evaluator will document reasons if unacceptable) (F8)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

Yes. Mike had completed all training at TQ.

- | | | | |
|---|--|---|---|
| 8 | Did the inspector conduct an exit interview? (If inspection is not totally complete the interview should be based on areas covered during time of field evaluation) (F9)
Yes = 1 No = 0 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

Yes.

- | | | | |
|---|---|---|----|
| 9 | During the exit interview, did the inspector identify probable violations found during the inspections? (if applicable) (F10)
Yes = 1 No = 0 | 1 | NA |
|---|---|---|----|

Evaluator Notes:

- | | | | |
|----|--|-----------|-----------|
| 10 | General Comments: What did the inspector observe in the field? (Narrative description of field observations and how inspector performed) Best Practices to Share with Other States - (Field - could be from operator visited or state inspector practices) Other.
Info Only = No Points | Info Only | Info Only |
|----|--|-----------|-----------|

- | | | |
|----|-----------------------------------|-------------------------------------|
| a. | Abandonment | <input type="checkbox"/> |
| b. | Abnormal Operations | <input type="checkbox"/> |
| c. | Break-Out Tanks | <input type="checkbox"/> |
| d. | Compressor or Pump Stations | <input type="checkbox"/> |
| e. | Change in Class Location | <input type="checkbox"/> |
| f. | Casings | <input type="checkbox"/> |
| g. | Cathodic Protection | <input type="checkbox"/> |
| h. | Cast-iron Replacement | <input type="checkbox"/> |
| i. | Damage Prevention | <input type="checkbox"/> |
| j. | Deactivation | <input type="checkbox"/> |
| k. | Emergency Procedures | <input type="checkbox"/> |
| l. | Inspection of Right-of-Way | <input type="checkbox"/> |
| m. | Line Markers | <input type="checkbox"/> |
| n. | Liaison with Public Officials | <input type="checkbox"/> |
| o. | Leak Surveys | <input type="checkbox"/> |
| p. | MOP | <input type="checkbox"/> |
| q. | MAOP | <input type="checkbox"/> |
| r. | Moving Pipe | <input type="checkbox"/> |
| s. | New Construction | <input checked="" type="checkbox"/> |
| t. | Navigable Waterway Crossings | <input type="checkbox"/> |
| u. | Odorization | <input type="checkbox"/> |
| v. | Overpressure Safety Devices | <input type="checkbox"/> |
| w. | Plastic Pipe Installation | <input checked="" type="checkbox"/> |
| x. | Public Education | <input type="checkbox"/> |
| y. | Purging | <input type="checkbox"/> |
| z. | Prevention of Accidental Ignition | <input type="checkbox"/> |
| A. | Repairs | <input type="checkbox"/> |
| B. | Signs | <input type="checkbox"/> |
| C. | Tapping | <input type="checkbox"/> |
| D. | Valve Maintenance | <input type="checkbox"/> |
| E. | Vault Maintenance | <input type="checkbox"/> |

- | | | |
|----|-----------------------------|--------------------------|
| F. | Welding | <input type="checkbox"/> |
| G. | OQ - Operator Qualification | <input type="checkbox"/> |
| H. | Compliance Follow-up | <input type="checkbox"/> |
| I. | Atmospheric Corrosion | <input type="checkbox"/> |
| J. | Other | <input type="checkbox"/> |

Evaluator Notes:

Total points scored for this section: 11
Total possible points for this section: 11



PART H - Interstate Agent State (If Applicable)**Points(MAX) Score**

- | | | | |
|----------|---|---|----|
| 1 | Did the state use the current federal inspection form(s)? (C1)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- | | | | |
|----------|--|---|----|
| 2 | Are results documented demonstrating inspection units were reviewed in accordance with "PHMSA directed inspection plan"? (C2)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- | | | | |
|----------|---|---|----|
| 3 | Did the state submit documentation of the inspections within 60 days as stated in its latest Interstate Agent Agreement form? (C3)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- | | | | |
|----------|--|---|----|
| 4 | Were probable violations identified by state referred to PHMSA for compliance? (NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.) (C4)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- | | | | |
|----------|--|---|----|
| 5 | Did the state immediately report to PHMSA conditions which may pose an imminent safety hazard to the public or to the environment? (C5)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- | | | | |
|----------|---|---|----|
| 6 | Did the state give written notice to PHMSA within 60 days of all probable violations found? (C6)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- | | | | |
|----------|--|---|----|
| 7 | Did the state initially submit documentation to support compliance action by PHMSA on probable violations? (C7)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- | | | | |
|----------|--|-----------|-----------|
| 8 | General Comments:
Info Only = No Points | Info Only | Info Only |
|----------|--|-----------|-----------|

Evaluator Notes:

Total points scored for this section: 0
Total possible points for this section: 0

PART I - 60106 Agreement State (If Applicable)**Points(MAX) Score**

- | | | | |
|----------|--|---|---|
| 1 | Did the state use the current federal inspection form(s)? (B21)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

Yes.

- | | | | |
|----------|--|---|---|
| 2 | Are results documented demonstrating inspection units were reviewed in accordance with state inspection plan? (B22)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

Yes.

- | | | | |
|----------|---|---|----|
| 3 | Were any probable violations identified by state referred to PHMSA for compliance? (NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.) (B23)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- | | | | |
|----------|---|---|----|
| 4 | Did the state immediately report to PHMSA conditions which may pose an imminent safety hazard to the public or to the environment? (B24)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- | | | | |
|----------|--|---|---|
| 5 | Did the state give written notice to PHMSA within 60 days of all probable violations found? (B25)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

- | | | | |
|----------|--|---|----|
| 6 | Did the state initially submit adequate documentation to support compliance action by PHMSA on probable violations? (B26)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- | | | | |
|----------|--|-----------|-----------|
| 7 | General Comments:
Info Only = No Points | Info Only | Info Only |
|----------|--|-----------|-----------|

Evaluator Notes:

Total points scored for this section: 3
Total possible points for this section: 3