



U.S. Department  
of Transportation  
**Pipeline and Hazardous  
Materials Safety  
Administration**

1200 New Jersey Avenue SE  
Washington DC 20590

# 2015 Hazardous Liquid State Program Evaluation

for

VIRGINIA STATE CORPORATION COMMISSION

## Document Legend

### PART:

- O -- Representative Date and Title Information
- A -- Progress Report and Program Documentation Review
- B -- Program Inspection Procedures
- C -- Program Performance
- D -- Compliance Activities
- E -- Accident Investigations
- F -- Damage Prevention
- G -- Field Inspections
- H -- Interstate Agent State (if applicable)
- I -- 60106 Agreement State (if applicable)



2015 Hazardous Liquid State Program Evaluation -- CY 2015  
Hazardous Liquid

**State Agency:** Virginia

**Agency Status:**

**Date of Visit:** 07/26/2016 - 07/28/2016

**Agency Representative:** Massoud Tahamtani, Director, Division of Utility and Railroad Safety

**PHMSA Representative:** Jim Anderson, Transportation Specialist

**Commission Chairman to whom follow up letter is to be sent:**

**Name/Title:** James C. Dimitri, Chairman

**Agency:** Virginia State Corporation Commission

**Address:** PO Box 1197

**City/State/Zip:** Richmond, Virginia 23218

**Rating:**

**60105(a):** Yes **60106(a):** Yes **Interstate Agent:** Yes

---

**INSTRUCTIONS:**

Complete this evaluation in accordance with the Procedures for Evaluating State Pipeline Safety Program. The evaluation should generally reflect state program performance during CY 2015 (not the status of performance at the time of the evaluation). All items for which criteria have not been established should be answered based on the PHMSA representative's judgment. A deficiency in any one part of a multiple part question should be scored as needs improvement. Determine the answer to the question then select the appropriate point value. If a state receives less than the maximum points, include a brief explanation in the space provided for general comments/regional observations. If a question is not applicable to a state, select NA. Please ensure all responses are COMPLETE and ACCURATE, and OBJECTIVELY reflect state program performance. Increasing emphasis is being placed on performance. This evaluation together with selected factors reported in the state's annual progress report attachments provide the basis for determining the state's pipeline safety grant allocation.

---

**Field Inspection (PART G):**

The field inspection form used will allow different areas of emphasis to be considered for each question. Question 13 is provided for scoring field observation areas. In completing PART G, the PHMSA representative should include a written summary which thoroughly documents the inspection.

---

**Scoring Summary**

**PARTS**

**Possible Points    Points Scored**

A    Progress Report and Program Documentation Review  
B    Program Inspection Procedures  
C    Program Performance  
D    Compliance Activities  
E    Accident Investigations  
F    Damage Prevention  
G    Field Inspections  
H    Interstate Agent State (if applicable)  
I    60106 Agreement State (if applicable)

10  
13  
38  
11  
8  
8  
12  
4  
0

10  
13  
38  
11  
8  
8  
12  
4  
0

**TOTALS**

**104                    104**

**State Rating .....** **100.0**

---

## PART A - Progress Report and Program Documentation Review

Points(MAX) Score

1	Accuracy of Jurisdictional Authority and Operator/Inspection Units Data - Progress Report Attachment 1 Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: No issues found.			
2	Review of Inspection Days for accuracy - Progress Report Attachment 2 Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: No issues found.			
3	Accuracy verification of Operators and Operators Inspection Units in State - Progress Report Attachment 3 Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: No issues found.			
4	Were all federally reportable incident reports listed and information correct? - Progress Report Attachment 4 Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: No issues found.			
5	Accuracy verification of Compliance Activities - Progress Report Attachment 5 Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: No issues found.			
6	Were pipeline program files well-organized and accessible? - Progress Report Attachment 6 Yes = 2 No = 0 Needs Improvement = 1	2	2
Evaluator Notes: No issues found. All inspections and data are stored on VASCC PIPES program on Commission server.			
7	Was employee listing and completed training accurate and complete? - Progress Report Attachment 7 Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: No issues found.			
8	Verification of Part 195,198,199 Rules and Amendments - Progress Report Attachment 8 Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: VA SCC rules automatically adopt federal regulations.			
9	List of Planned Performance - Did state describe accomplishments on Progress Report in detail - Progress Report Attachment 10 Yes = 1 No = 0 Needs Improvement = .5	1	1

Evaluator Notes:  
No issues found.

**10**    General Comments:  
Info Only = No Points  
Evaluator Notes:

Info OnlyInfo Only

Total points scored for this section: 10  
Total possible points for this section: 10



## PART B - Program Inspection Procedures

Points(MAX) Score

- |   |  |   |   |
|---|--|---|---|
| 1 | Standard Inspection procedures should give guidance to state inspectors that insure consistency in all inspections conducted by the state? The following elements should be addressed at a minimum - pre-inspection activities, inspection activities, post-inspection activities. | 2 | 2 |
|---|--|---|---|

Yes = 2 No = 0 Needs Improvement = 1

### Evaluator Notes:

All listed in written procedures -  
Pre-Inspection Activities - Section V, B2, Preparation for Inspections.  
Inspection Activities - Section V, B3, General Inspection Guidelines.  
Post Inspection Activities - Section V, B4, General Post Inspection record Guidelines.

- |   |   |   |   |
|---|---|---|---|
| 2 | IMP Inspection procedures should give guidance to state inspectors that insure consistency in all inspections conducted by the state? The following elements should be addressed at a minimum - pre-inspection activities, inspection activities, post-inspection activities. | 1 | 1 |
|---|---|---|---|

Yes = 1 No = 0 Needs Improvement = .5

### Evaluator Notes:

All listed in written procedures -  
Pre-Inspection Activities - Section V, B2, Preparation for Inspections.  
Inspection Activities - Section X, Integrity Management Programs.  
Post Inspection Activities - Section V, B4, General Post Inspection record Guidelines.

- |   |  |   |   |
|---|--|---|---|
| 3 | OQ Inspection procedures should give guidance to state inspectors that insure consistency in all inspections conducted by the state? The following elements should be addressed at a minimum - pre-inspection activities, inspection activities, post-inspection activities. | 1 | 1 |
|---|--|---|---|

Yes = 1 No = 0 Needs Improvement = .5

### Evaluator Notes:

All listed in written procedures -  
Pre-Inspection Activities - Section V, B2, Preparation for Inspections.  
Inspection Activities - Section V, G.  
Post Inspection Activities - Section V, B4, General Post Inspection record Guidelines.

- |   |   |   |   |
|---|---|---|---|
| 4 | Damage Prevention Inspection procedures should give guidance to state inspectors that insure consistency in all inspections conducted by the state? The following elements should be addressed at a minimum - pre-inspection activities, inspection activities, post-inspection activities. | 1 | 1 |
|---|---|---|---|

Yes = 1 No = 0 Needs Improvement = .5

### Evaluator Notes:

All listed in written procedures -  
Pre-Inspection Activities - Section V, B2, Preparation for Inspections.  
Inspection Activities - Section IV.  
Post Inspection Activities - Section V, B4, General Post Inspection record Guidelines.

- |   |  |   |   |
|---|--|---|---|
| 5 | Any operator training conducted should be outlined and appropriately documented as needed. | 1 | 1 |
|---|--|---|---|

Yes = 1 No = 0 Needs Improvement = .5

### Evaluator Notes:

All listed in written procedures -  
Pre-Inspection Activities - Section V, B2, Preparation for Inspections.  
Inspection Activities - Section VII, Operator Training.  
Post Inspection Activities - Section V, B4, General Post Inspection record Guidelines.

- |   |  |   |   |
|---|--|---|---|
| 6 | Construction Inspection procedures should give guidance to state inspectors that insure consistency in all inspections conducted by the state? The following elements should be addressed at a minimum - pre-inspection activities, inspection activities, post-inspection activities. | 1 | 1 |
|---|--|---|---|

Yes = 1 No = 0 Needs Improvement = .5

**Evaluator Notes:**

All listed in written procedures -  
 Pre-Inspection Activities - Section V, B2, Preparation for Inspections.  
 Inspection Activities - Section F.  
 Post Inspection Activities - Section V, B4, General Post Inspection record Guidelines.

- |   |   |   |   |
|---|---|---|---|
| 7 | Does inspection plan address inspection priorities of each operator, and if necessary each unit, based on the following elements? | 6 | 6 |
|---|---|---|---|

Yes = 6 No = 0 Needs Improvement = 1-5

- |    |   |                                      |                          |   |
|----|---|--------------------------------------|--------------------------|---|
| a. | Length of time since last inspection (Within five year interval)  | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| b. | Operating history of operator/unit and/or location (includes leakage, incident and compliance activities)   | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| c. | Type of activity being undertaken by operators (i.e. construction)  | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| d. | Locations of operators inspection units being inspected - (HCA's, Geographic area, Population Density, etc)   | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| e. | Process to identify high-risk inspection units that includes all threats - (Excavation Damage, Corrosion, Natural Forces, Outside Forces, Material and Welds, Equipment, Operators and any Other Factors) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| f. | Are inspection units broken down appropriately?   | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |

**Evaluator Notes:**

No issues found.

- |   |                   |           |           |
|---|-------------------|-----------|-----------|
| 8 | General Comments: | Info Only | Info Only |
|---|-------------------|-----------|-----------|

Info Only = No Points

**Evaluator Notes:**

Total points scored for this section: 13  
 Total possible points for this section: 13



## PART C - Program Performance

Points(MAX) Score

- 1 Was ratio of Total Inspection person-days to total person days acceptable? (Director of State Programs may modify with just cause) Chapter 4.3 5 5  
Yes = 5 No = 0

A. Total Inspection Person Days (Attachment 2):  
56.43

B. Total Inspection Person Days Charged to the Program (220 X Inspection Person Years) (Attachment 7):  
 $220 \times 0.36 = 79.20$

Ratio: A / B  
 $56.43 / 79.20 = 0.71$

If Ratio  $\geq 0.38$  Then Points = 5, If Ratio  $< 0.38$  Then Points = 0  
Points = 5

Evaluator Notes:

Ratio of .71 exceeds the needed ration of .38.

- 2 Has each inspector and program manager fulfilled the T Q Training Requirements? (See Guidelines Appendix C for requirements) Chapter 4.4 5 5  
Yes = 5 No = 0 Needs Improvement = 1-4

- |    |  |                                      |                          |   |
|----|--|--------------------------------------|--------------------------|---|
| a. | Completion of Required OQ Training before conducting inspection as lead?   | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| b. | Completion of Required IMP Training before conducting inspection as lead   | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| c. | Root Cause Training by at least one inspector/prgram manager   | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| d. | Note any outside training completed  | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| e. | Verify inspector has obtained minimum qualifications to lead any applicable standard inspection as the lead inspector. | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |

Evaluator Notes:

No issues found.

- 3 Did state records and discussions with state pipeline safety program manager indicate adequate knowledge of PHMSA program and regulations? Chapter 4.1,8.1 2 2  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes. Massoud Tahamtani is very knowledgeable in the State/Federal partnership of pipeline safety program and its rule and regulations.

- 4 Did state respond to Chairman's letter on previous evaluation within 60 days and correct or address any noted deficiencies? (If necessary) Chapter 8.1 2 NA  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

None requested.

- 5 Did State hold PHMSA TQ Seminar in Past 3 Years? Chapter 8.5 2 2  
Yes = 2 No = 0

Evaluator Notes:

Yes. In 2015.

- 6 Did state inspect all types of operators and inspection units in accordance with time intervals established in written procedures? Chapter 5.1 5 5  
Yes = 5 No = 0 Needs Improvement = 1-4

Evaluator Notes:

No issues found.

- 
- |   |  |   |   |
|---|--|---|---|
| 7 | Did inspection form(s) cover all applicable code requirements addressed on Federal Inspection form(s)? Did State complete all applicable portions of inspection forms? Chapter 5.1<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|
- 

Evaluator Notes:

Uses IA inspection form and Federal forms 3, 13, 15 etc.

---

- |   |  |   |   |
|---|--|---|---|
| 8 | Did the state review operator records of previous accidents and failures including reported third party damage and leak response to ensure appropriate operator response as required by 195.402(c)(5)?<br>Yes = 1 No = 0 | 1 | 1 |
|---|--|---|---|
- 

Evaluator Notes:

Yes, in the past years. There were no hazardous liquid accidents in 2015.

---

- |   |  |   |   |
|---|--|---|---|
| 9 | Has the state reviewed Operator Annual reports, along with Incident/Accident reports, for accuracy and analyzed data for trends and operator issues?<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|
- 

Evaluator Notes:

Annual reports are entered into the PIPES database and semi-annually all leak data is reviewed for trends.

---

- |    |  |   |    |
|----|--|---|----|
| 10 | Did state input all applicable OQ, LIMP inspection results into federal database in a timely manner? This includes replies to Operator notifications into IMDB database. Chapter 5.1<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | NA |
|----|--|---|----|
- 

Evaluator Notes:

No OQ inspections conducted in 2015. All IMP inspections were on Interstate pipelines.

---

- |    |  |   |   |
|----|--|---|---|
| 11 | Has state confirmed intrastate operators have submitted information into NPMS database along with changes made after original submission?<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----|--|---|---|
- 

Evaluator Notes:

No changes from original submissions but are checked during Standard Inspections.

---

- |    |   |   |   |
|----|---|---|---|
| 12 | Is the state verifying operators are conducting drug and alcohol tests as required by regulations? This should include verifying positive tests are responded to in accordance with program. 49 CFR 199<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----|---|---|---|
- 

Evaluator Notes:

Yes. The MIS data sheets are in the Standard Inspection binders.

---

- |    |   |   |   |
|----|---|---|---|
| 13 | Is state verifying operators OQ programs are up to date? This should include verification of any plan updates and that persons performing covered tasks (including contractors) are properly qualified and requalified at intervals determined in the operators plan. 49 CFR 195 Part G<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----|---|---|---|
- 

Evaluator Notes:

In the OQ protocol 9 binder and LIMP inspections are inspected per 10 year inspection plan.

---

- |    |  |   |   |
|----|--|---|---|
| 14 | Is state verifying operator's hazardous liquid integrity management (L IMP) Programs are up to date? This should include a previous review of LIMP plan, along with monitoring progress on operator tests and remedial actions. In addition, the review should take in to account program review and updates of operators plan(s). 49 CFR 195.452 Appendix C<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----|--|---|---|
-



Evaluator Notes:

All Operator plans are reviewed and uploaded into IM Database for Intrastate operators per 10 year inspection plan, last done 2013, due in 2017. Also IMP field verification is done for both Interstate and Intrastate operators.

- |           |  |   |   |
|-----------|--|---|---|
| <b>15</b> | Is state verifying operators Public Awareness programs are up to date and being followed. State should also verify operators have evaluated Public Awareness programs for effectiveness as described in RP1162. 49 CFR 195.440 PAPEI Effectiveness Inspections should be conducted every four years per RP1162<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|--|---|---|

Evaluator Notes:

Form 21's done in 2013 due in 2017.

- |           |  |   |   |
|-----------|--|---|---|
| <b>16</b> | Does the state have a mechanism for communicating with stakeholders - other than state pipeline safety seminar? (This should include making enforcement cases available to public).<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|-----------|--|---|---|

Evaluator Notes:

State Website, Executive meetings, emails to operators, Pipeline Safety Conference Agenda.

- |           |   |   |    |
|-----------|---|---|----|
| <b>17</b> | Did state execute appropriate follow-up actions to Safety Related Condition (SRC) Reports? Chapter 6.3<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|-----------|---|---|----|

Evaluator Notes:

No SRC's in 2015.

- |           |  |   |   |
|-----------|--|---|---|
| <b>18</b> | Did the state participate in/respond to surveys or information requests from NAPSRS or PHMSA?<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|-----------|--|---|---|

Evaluator Notes:

Yes.

- |           |  |   |    |
|-----------|--|---|----|
| <b>19</b> | If the State has issued any waivers/special permits for any operator, has the state verified conditions of those waivers/special permits are being met? This should include having the operator amend procedures where appropriate.<br>Needs Improvement = .5 No = 0 Yes = 1 | 1 | NA |
|-----------|--|---|----|

Evaluator Notes:

None in 2015.

- |           |   |   |   |
|-----------|---|---|---|
| <b>20</b> | Did the state attend the National NAPSRS Board of Directors Meeting in CY being evaluated?<br>Needs Improvement = .5 No = 0 Yes = 1 | 1 | 1 |
|-----------|---|---|---|

Evaluator Notes:

Yes.

- |           |   |                                      |                          |   |
|-----------|---|--------------------------------------|--------------------------|---|
| <b>21</b> | Discussion on State Program Performance Metrics found on Stakeholder Communication site ? <a href="http://primis.phmsa.dot.gov/comm/states.htm">http://primis.phmsa.dot.gov/comm/states.htm</a><br>Needs Improvement = 1 No = 0 Yes = 2 | 2                                    | 2                        |   |
| a.        | Discussion of Potential Accelerated Actions (AA's) based on any negative trends   | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| b.        | NTSB P-11-20 Meaningful Metrics   | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |

Evaluator Notes:

Website reviewed annually, and annual report data is entered into PIPES and used in conjunction with the risk model to identify negative trends. Review website with discussion conducted during the evaluation.

22 General Comments:

Info Only = No Points

Evaluator Notes:

Info OnlyInfo Only

---

Total points scored for this section: 38  
Total possible points for this section: 38



## PART D - Compliance Activities

Points(MAX) Score

- 1** Does the state have written procedures to identify steps to be taken from the discovery to resolution of a probable violation? Chapter 5.1  
Yes = 4 No = 0 Needs Improvement = 1-3
- a. Procedures to notify an operator (company officer) when a noncompliance is identified Yes ☒ No ☐ Needs Improvement ☐
- b. Procedures to routinely review progress of compliance actions to prevent delays or breakdowns Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

In written procedures - Appendix 5 (flow chart) and also in Appendix 6.

- 2** Did the state follow compliance procedures (from discovery to resolution) and adequately document all probable violations, including what resolution or further course of action is needed to gain compliance? Chapter 5.1  
Yes = 4 No = 0 Needs Improvement = 1-3
- a. Were compliance actions sent to company officer or manager/board director if municipal/government system? Yes ☒ No ☐ Needs Improvement ☐
- b. Document probable violations Yes ☒ No ☐ Needs Improvement ☐
- c. Resolve probable violations Yes ☒ No ☐ Needs Improvement ☐
- d. Routinely review progress of probable violations Yes ☒ No ☐ Needs Improvement ☐
- e. Were applicable civil penalties outlined in correspondence with operator(s) Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

No closed cases to review for 2015.

- 3** Did the state issue compliance actions for all probable violations discovered? 2 NA  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

No PV's for 2015.

- 4** Did compliance actions give reasonable due process to all parties? Including "show cause" hearing if necessary. 2 NA  
Yes = 2 No = 0

Evaluator Notes:

Yes, but none in 2015.

- 5** Is the program manager familiar with state process for imposing civil penalties? Were civil penalties considered for repeat violations (with severity consideration) or violations resulting in incidents/accidents? (describe any actions taken) 2 2  
Yes = 2 No = 0

Evaluator Notes:

Yes.

- 6** Can the State demonstrate it is using their enforcement fining authority for pipeline safety violations? 1 1  
Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Yes, only on Intrastate H/L pipelines, none in 2015.

- 7** General Comments: Info Only Info Only  
Info Only = No Points

Evaluator Notes:

---

Total points scored for this section: 11  
Total possible points for this section: 11



## PART E - Accident Investigations

Points(MAX) Score

- 1 Does the state have written procedures to address state actions in the event of an incident/accident? 2 2

Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

State O&M Incident Investigation Procedures, pages 56-67.

- 2 Does state have adequate mechanism to receive and respond to operator reports of accidents, including after-hours reports? And did state keep adequate records of Incident/Accident notifications received? Chapter 6 2 2

Yes = 2 No = 0 Needs Improvement = 1

- a. Acknowledgement of MOU between NTSB and PHMSA (Appendix D) Yes ☒ No ☐ Needs Improvement ☐
- b. Acknowledgement of Federal/State Cooperation in case of incident/accident (Appendix E) Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

Inspector on call rotation binder, PIPES incident report binder, and page 58 for MOU. Operators have 1-800 number to call.

- 3 If onsite investigation was not made, did state obtain sufficient information from the operator and/or by other means to determine the facts to support the decision to not go on-site? Chapter 6 1 1

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

VA SCC investigates all NRC calls.

- 4 Were all accidents investigated, thoroughly documented, and with conclusions and recommendations? 3 NA

Yes = 3 No = 0 Needs Improvement = 1-2

- a. Observations and document review Yes ☐ No ☒ Needs Improvement ☐
- b. Contributing Factors Yes ☐ No ☒ Needs Improvement ☐
- c. Recommendations to prevent recurrences where appropriate Yes ☐ No ☒ Needs Improvement ☐

Evaluator Notes:

- 5 Did the state initiate compliance action for violations found during any incident/accident investigation? 1 1

Yes = 1 No = 0

Evaluator Notes:

No PV's for incidents were cited in 2015

- 6 Did the state assist region office by taking appropriate follow-up actions related to the operator accident reports to ensure accuracy and final report has been received by PHMSA? (validate report data from operators concerning incidents/accidents and investigate discrepancies) Chapter 6 1 1

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Colonial Pipeline Leak (NTSB/PHMSA Jurisdiction) email from ER PHMSA in Accident binder.

- 7 Does state share lessons learned from incidents/accidents? (sharing information, such as: at NAPS Region meetings, state seminars, etc) 1 1

Yes = 1 No = 0

Evaluator Notes:

**8** General Comments:

Info Only = No Points

Info OnlyInfo Only

Evaluator Notes:

---

Total points scored for this section: 8  
Total possible points for this section: 8



## PART F - Damage Prevention

Points(MAX) Score

- |   |   |   |   |
|---|---|---|---|
| 1 | Has the state reviewed directional drilling/boring procedures of each pipeline operator or its contractor to determine if they include actions to protect their facilities from the dangers posed by drilling and other trench less technologies?<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|---|---|---|

Evaluator Notes:

On form 3 inspection binders for Intrastate, and H/L company procedures required by PHMSA audit binder.

- |   |   |   |   |
|---|---|---|---|
| 2 | Did the state inspector check to assure the pipeline operator is following its written procedures pertaining to notification of excavation, marking, positive response and the availability and use of the one call system?<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|---|---|---|

Evaluator Notes:

On form 3 binders, investigation of damages, every pipeline safety inspection Miss Utility Tickets are checked.

- |   |  |   |   |
|---|--|---|---|
| 3 | Did the state encourage and promote practices for reducing damages to all underground facilities to its regulated companies? (i.e. such as promoting/adopting the CGA Best Practices encouraging adoption of the 9 Elements, etc.)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

Yes. VA SCC is a national leader in Underground Damage Prevention.

- |   |  |   |   |
|---|--|---|---|
| 4 | Has the agency or another organization within the state collected data and evaluated trends on the number of pipeline damages per 1,000 locate requests? (This can include DIRT and other data shared and reviewed by the pipeline safety program)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

VA SCC keep this.

- |   |  |           |           |
|---|--|-----------|-----------|
| 5 | General Comments:<br>Info Only = No Points | Info Only | Info Only |
|---|--|-----------|-----------|

Evaluator Notes:

Total points scored for this section: 8  
Total possible points for this section: 8

## PART G - Field Inspections

Points(MAX) Score

- 1 Operator, Inspector, Location, Date and PHMSA Representative Info Only Info Only  
Info Only = No Points

Name of Operator Inspected:

NuStar

Name of State Inspector(s) Observed:

Bradley Chamberlain and Jim Fisher

Location of Inspection:

Virginia Beach, VA

Date of Inspection:

September 15, 2015

Name of PHMSA Representative:

Jim Anderson

Evaluator Notes:

- 2 Was the operator or operator's representative notified and/or given the opportunity to be present during inspection? 1 1  
Yes = 1 No = 0

Evaluator Notes:

NuStar representatives present - Ken Seals and Cliff Bell

- 3 Did the inspector use an appropriate inspection form/checklist and was the form/checklist used as a guide for the inspection? (New regulations shall be incorporated) 2 2  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes, checklist was present during the inspection.

- 4 Did the inspector thoroughly document results of the inspection? 2 2  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes, no issues.

- 5 Did the inspector check to see if the operator had necessary equipment during inspection to conduct tasks viewed? (Maps, valve keys, half cells, etc) 1 1  
Yes = 1 No = 0

Evaluator Notes:

Yes, all needed equipment needed was at the inspection sites.

- 6 Did the inspector adequately review the following during the field portion of the state evaluation? (check all that apply on list) 2 2  
Yes = 2 No = 0 Needs Improvement = 1

a. Procedures ☒

b. Records ☒

c. Field Activities ☒

d. Other (please comment) ☐

Evaluator Notes:

Conducted field inspection of 9 mile hazardous liquid pipeline.

- 7 Did the inspector have adequate knowledge of the pipeline safety program and regulations? (Evaluator will document reasons if unacceptable) 2 2



Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes. Both inspectors have completed hazardous liquid standard inspection classes at TQ.

- |          |   |   |   |
|----------|---|---|---|
| <b>8</b> | Did the inspector conduct an exit interview? (If inspection is not totally complete the interview should be based on areas covered during time of field evaluation)<br>Yes = 1 No = 0 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

Yes.

- |          |   |   |   |
|----------|---|---|---|
| <b>9</b> | During the exit interview, did the inspector identify probable violations found during the inspections? (if applicable)<br>Yes = 1 No = 0 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

Yes, there where question concerng welding procedures about fillet welds. State inspector was going to do follow up with the operator.

- |           |  |           |           |
|-----------|--|-----------|-----------|
| <b>10</b> | General Comments: 1) What did the inspector observe in the field? (Narrative description of field observations and how inspector performed) 2) Best Practices to Share with Other States - (Field - could be from operator visited or state inspector practices) 3) Other<br>Info Only = No Points | Info Only | Info Only |
|-----------|--|-----------|-----------|

- |    |                                   |                                     |
|----|-----------------------------------|-------------------------------------|
| a. | Abandonment                       | <input type="checkbox"/>            |
| b. | Abnormal Operations               | <input type="checkbox"/>            |
| c. | Break-Out Tanks                   | <input type="checkbox"/>            |
| d. | Compressor or Pump Stations       | <input type="checkbox"/>            |
| e. | Change in Class Location          | <input type="checkbox"/>            |
| f. | Casings                           | <input checked="" type="checkbox"/> |
| g. | Cathodic Protection               | <input checked="" type="checkbox"/> |
| h. | Cast-iron Replacement             | <input type="checkbox"/>            |
| i. | Damage Prevention                 | <input type="checkbox"/>            |
| j. | Deactivation                      | <input type="checkbox"/>            |
| k. | Emergency Procedures              | <input type="checkbox"/>            |
| l. | Inspection of Right-of-Way        | <input checked="" type="checkbox"/> |
| m. | Line Markers                      | <input checked="" type="checkbox"/> |
| n. | Liaison with Public Officials     | <input type="checkbox"/>            |
| o. | Leak Surveys                      | <input type="checkbox"/>            |
| p. | MOP                               | <input type="checkbox"/>            |
| q. | MAOP                              | <input type="checkbox"/>            |
| r. | Moving Pipe                       | <input type="checkbox"/>            |
| s. | New Construction                  | <input type="checkbox"/>            |
| t. | Navigable Waterway Crossings      | <input type="checkbox"/>            |
| u. | Odorization                       | <input type="checkbox"/>            |
| v. | Overpressure Safety Devices       | <input type="checkbox"/>            |
| w. | Plastic Pipe Installation         | <input type="checkbox"/>            |
| x. | Public Education                  | <input type="checkbox"/>            |
| y. | Purging                           | <input type="checkbox"/>            |
| z. | Prevention of Accidental Ignition | <input type="checkbox"/>            |
| A. | Repairs                           | <input type="checkbox"/>            |
| B. | Signs                             | <input type="checkbox"/>            |
| C. | Tapping                           | <input type="checkbox"/>            |
| D. | Valve Maintenance                 | <input type="checkbox"/>            |
| E. | Vault Maintenance                 | <input type="checkbox"/>            |

- |    |                             |                                     |
|----|-----------------------------|-------------------------------------|
| F. | Welding                     | <input checked="" type="checkbox"/> |
| G. | OQ - Operator Qualification | <input checked="" type="checkbox"/> |
| H. | Compliance Follow-up        | <input type="checkbox"/>            |
| I. | Atmospheric Corrosion       | <input type="checkbox"/>            |
| J. | Other                       | <input type="checkbox"/>            |

Evaluator Notes:

---

Total points scored for this section: 12  
Total possible points for this section: 12



**PART H - Interstate Agent State (if applicable)****Points(MAX)    Score**

- |          |  |   |   |
|----------|--|---|---|
| <b>1</b> | Did the state use the current federal inspection form(s)?<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

Yes. Uses IA form per PHMSA request.

- |          |   |   |   |
|----------|---|---|---|
| <b>2</b> | Are results documented demonstrating inspection units were reviewed in accordance with "PHMSA directed inspection plan"?<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

Followed Eastern Region Inspection Plan and tracking spreadsheet binder.

- |          |  |   |   |
|----------|--|---|---|
| <b>3</b> | Did the state submit documentation of the inspections within 60 days as stated in its latest Interstate Agent Agreement form?<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

Yes.

- |          |   |   |    |
|----------|---|---|----|
| <b>4</b> | Were probable violations identified by state referred to PHMSA for compliance? (NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

None in 2015.

- |          |   |   |    |
|----------|---|---|----|
| <b>5</b> | Did the state immediately report to PHMSA conditions which may pose an imminent safety hazard to the public or to the environment?<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

None in 2015.

- |          |  |   |    |
|----------|--|---|----|
| <b>6</b> | Did the state give written notice to PHMSA within 60 days of all probable violations found?<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

None in 2015.

- |          |   |   |   |
|----------|---|---|---|
| <b>7</b> | Did the state initially submit documentation to support compliance action by PHMSA on probable violations?<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

None in 2015.

- |          |  |           |           |
|----------|--|-----------|-----------|
| <b>8</b> | General Comments:<br>Info Only = No Points | Info Only | Info Only |
|----------|--|-----------|-----------|

Evaluator Notes:

Total points scored for this section: 4  
Total possible points for this section: 4

**PART I - 60106 Agreement State (if applicable)****Points(MAX)    Score**

- |          |  |   |    |
|----------|--|---|----|
| <b>1</b> | Did the state use the current federal inspection form(s)?<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- |          |  |   |    |
|----------|--|---|----|
| <b>2</b> | Are results documented demonstrating inspection units were reviewed in accordance with state inspection plan?<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- |          |  |   |    |
|----------|--|---|----|
| <b>3</b> | Were any probable violations identified by state referred to PHMSA for compliance?<br>(NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- |          |   |   |    |
|----------|---|---|----|
| <b>4</b> | Did the state immediately report to PHMSA conditions which may pose an imminent safety hazard to the public or to the environment?<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- |          |  |   |    |
|----------|--|---|----|
| <b>5</b> | Did the state give written notice to PHMSA within 60 days of all probable violations found?<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- |          |  |   |    |
|----------|--|---|----|
| <b>6</b> | Did the state initially submit adequate documentation to support compliance action by PHMSA on probable violations?<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- |          |  |           |           |
|----------|--|-----------|-----------|
| <b>7</b> | General Comments:<br>Info Only = No Points | Info Only | Info Only |
|----------|--|-----------|-----------|

Evaluator Notes:

Total points scored for this section: 0  
Total possible points for this section: 0