



U.S. Department
of Transportation
**Pipeline and Hazardous
Materials Safety
Administration**

1200 New Jersey Avenue SE
Washington DC 20590

2014 Gas State Program Evaluation

for

NORTH DAKOTA PUBLIC SERVICE COMMISSION

Document Legend

PART:

- O -- Representative Date and Title Information
- A -- Progress Report and Program Documentation Review
- B -- Program Inspection Procedures
- C -- Program Performance
- D -- Compliance Activities
- E -- Incident Investigations
- F -- Damage Prevention
- G -- Field Inspections
- H -- Interstate Agent State (If Applicable)
- I -- 60106 Agreement State (If Applicable)



2014 Gas State Program Evaluation -- CY 2014

Gas

State Agency: North Dakota

Agency Status:

Date of Visit: 07/06/2015 - 07/10/2015

Agency Representative: Aaron Morman

PHMSA Representative: Leonard Steiner

Commission Chairman to whom follow up letter is to be sent:

Name/Title: Julie Fedorchak, Chairman

Agency: North Dakota Public Service Commission

Address: 600 East Boulevard, Department 408

City/State/Zip: Bismarck, North Dakota 58505-0408

Rating:

60105(a): Yes **60106(a):** No **Interstate Agent:** No

INSTRUCTIONS:

Complete this evaluation in accordance with the Procedures for Evaluating State Pipeline Safety Program. The evaluation should generally reflect state program performance during CY 2014 (not the status of performance at the time of the evaluation). All items for which criteria have not been established should be answered based on the PHMSA representative's judgment. A deficiency in any one part of a multiple part question should be scored as needs improvement. Determine the answer to the question then select the appropriate point value. If a state receives less than the maximum points, include a brief explanation in the space provided for general comments/regional observations. If a question is not applicable to a state, select NA. Please ensure all responses are COMPLETE and ACCURATE, and OBJECTIVELY reflect state program performance. Increasing emphasis is being placed on performance. This evaluation together with selected factors reported in the state's annual progress report attachments provide the basis for determining the state's pipeline safety grant allocation.

Field Inspection (PART G):

The field inspection form used will allow different areas of emphasis to be considered for each question. Question 13 is provided for scoring field observation areas. In completing PART G, the PHMSA representative should include a written summary which thoroughly documents the inspection.

Scoring Summary

PARTS

Possible Points Points Scored

A	Progress Report and Program Documentation Review
B	Program Inspection Procedures
C	Program Performance
D	Compliance Activities
E	Incident Investigations
F	Damage Prevention
G	Field Inspections
H	Interstate Agent State (If Applicable)
I	60106 Agreement State (If Applicable)

10	10
13	11.5
41	41
15	15
5	5
8	8
12	12
0	0
0	0

TOTALS

104 102.5

State Rating

98.6

PART A - Progress Report and Program Documentation Review

Points(MAX) Score

-
- | | | | |
|---|---|---|---|
| 1 | Accuracy of Jurisdictional Authority and Operator/Inspection Units Data - Progress Report Attachment 1
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|---|---|---|

Evaluator Notes:

-
- | | | | |
|---|--|---|---|
| 2 | Review of Inspection Days for accuracy - Progress Report Attachment 2
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

-
- | | | | |
|---|--|---|---|
| 3 | Accuracy verification of Operators and Operators Inspection Units in State - Progress Report Attachment 3
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

-
- | | | | |
|---|--|---|---|
| 4 | Were all federally reportable incident reports listed and information correct? - Progress Report Attachment 4
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

-
- | | | | |
|---|--|---|---|
| 5 | Accuracy verification of Compliance Activities - Progress Report Attachment 5
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

-
- | | | | |
|---|---|---|---|
| 6 | Were pipeline program files well-organized and accessible? - Progress Report Attachment 6
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|---|---|---|

Evaluator Notes:

-
- | | | | |
|---|--|---|---|
| 7 | Was employee listing and completed training accurate and complete? - Progress Report Attachment 7
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

-
- | | | | |
|---|---|---|---|
| 8 | Verification of Part 192,193,198,199 Rules and Amendments - Progress Report Attachment 8
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|---|---|---|

Evaluator Notes:

-
- | | | | |
|---|--|---|---|
| 9 | List of Planned Performance - Did state describe accomplishments on Progress Report in detail - Progress Report Attachment 10
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

10 General Comments:
Info Only = No Points

Info OnlyInfo Only

Evaluator Notes:
The Progress Report was accurate.

Total points scored for this section: 10
Total possible points for this section: 10



PART B - Program Inspection Procedures

Points(MAX) Score

- | | | | |
|---|--|---|---|
| 1 | Standard Inspection procedures should give guidance to state inspectors that insure consistency in all inspections conducted by the state? The following elements should be addressed at a minimum - pre-inspection activities, inspection activities, post-inspection activities. | 2 | 2 |
|---|--|---|---|

Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Adequate procedures for Standard Inspections.

- | | | | |
|---|--|---|-----|
| 2 | IMP and DIMP Inspection procedures should give guidance to state inspectors that insure consistency in all inspections conducted by the state? The following elements should be addressed at a minimum - pre-inspection activities, inspection activities, post-inspection activities. | 1 | 0.5 |
|---|--|---|-----|

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

The Inspection Plan needs improved procedures for conducting Integrity Inspections of both distribution and transmission pipelines. The procedures did not provide the guidance to schedule and conduct Integrity inspections.

- | | | | |
|---|--|---|-----|
| 3 | OQ Inspection procedures should give guidance to state inspectors that insure consistency in all inspections conducted by the state? The following elements should be addressed at a minimum - pre-inspection activities, inspection activities, post-inspection activities. | 1 | 0.5 |
|---|--|---|-----|

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

The Inspection Plan needs improved procedures for conducting Operator Qualification (OQ) Inspections of both distribution and transmission pipelines. The procedures did not provide the guidance to schedule and conduct both procedure and field inspections of the operator's OQ program.

- | | | | |
|---|---|---|-----|
| 4 | Damage Prevention Inspection procedures should give guidance to state inspectors that insure consistency in all inspections conducted by the state? The following elements should be addressed at a minimum - pre-inspection activities, inspection activities, post-inspection activities. | 1 | 0.5 |
|---|---|---|-----|

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

The Inspection Plan needs improved procedures for conducting inspections of an operator's damage prevention activities for both distribution and transmission pipelines. The procedures did not provide the guidance to schedule and conduct these inspections.

- | | | | |
|---|--|---|---|
| 5 | Any operator training conducted should be outlined and appropriately documented as needed. | 1 | 1 |
|---|--|---|---|

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

- | | | | |
|---|--|---|---|
| 6 | Construction Inspection procedures should give guidance to state inspectors that insure consistency in all inspections conducted by the state? The following elements should be addressed at a minimum - pre-inspection activities, inspection activities, post-inspection activities. | 1 | 1 |
|---|--|---|---|

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Inspections Plan has adequate procedures for inspections of construction.

- | | | | |
|---|---|---|---|
| 7 | Does inspection plan address inspection priorities of each operator, and if necessary each unit, based on the following elements? | 6 | 6 |
|---|---|---|---|

Yes = 6 No = 0 Needs Improvement = 1-5

- | | | | |
|--|--------------------------------------|--------------------------|---|
| a. Length of time since last inspection (Within five year interval) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| b. Operating history of operator/unit and/or location (includes leakage, incident and compliance activities) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| c. Type of activity being undertaken by operators (i.e. construction) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| d. Locations of operators inspection units being inspected - (HCA's, Geographic areas, Population Density, etc) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| e. Process to identify high-risk inspection units that includes all threats - (Excavation Damage, Corrosion, Natural Forces, Outside Forces, Material and Welds, Equipment, Operators and any Other Factors) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| f. Are inspection units broken down appropriately? | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |

Evaluator Notes:

North Dakota is prepared to use the new priority determination starting CY2016

8 General Comments:

Info Only = No Points

Info OnlyInfo Only

Evaluator Notes:

Total points scored for this section: 11.5
Total possible points for this section: 13



PART C - Program Performance

Points(MAX) Score

- 1 Was ratio of Total Inspection person-days to total person days acceptable? (Director of State Programs may modify with just cause) Chapter 4.3 5 5
Yes = 5 No = 0

A. Total Inspection Person Days (Attachment 2):
131.00

B. Total Inspection Person Days Charged to the Program (220 X Inspection Person Years) (Attachment 7):
 $220 \times 1.33 = 293.15$

Ratio: A / B
 $131.00 / 293.15 = 0.45$

If Ratio ≥ 0.38 Then Points = 5, If Ratio < 0.38 Then Points = 0
Points = 5

Evaluator Notes:

- 2 Has each inspector and program manager fulfilled the T Q Training Requirements? (See Guidelines Appendix C for requirements) Chapter 4.4 5 5
Yes = 5 No = 0 Needs Improvement = 1-4

- | | | | | |
|----|--|--------------------------------------|--------------------------|---|
| a. | Completion of Required OQ Training before conducting inspection as lead? | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| b. | Completion of Required DIMP*/IMP Training before conducting inspection as lead? *Effective Evaluation CY2013 | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| c. | Root Cause Training by at least one inspector/program manager | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| d. | Note any outside training completed | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| e. | Verify inspector has obtained minimum qualifications to lead any applicable standard inspection as the lead inspector. | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |

Evaluator Notes:

No outside training was received, due to the requirements of completing the TQ training in Oklahoma City, OK.

- 3 Did state records and discussions with state pipeline safety program manager indicate adequate knowledge of PHMSA program and regulations? Chapter 4.1,8.1 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

- 4 Did state respond to Chairman's letter on previous evaluation within 60 days and correct or address any noted deficiencies? (If necessary) Chapter 8.1 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

The response was adequate.

- 5 Did State hold PHMSA TQ Seminar in Past 3 Years? Chapter 8.5 2 2
Yes = 2 No = 0

Evaluator Notes:

North Dakota conducts seminars with South Dakota. The last seminar was in CY2014.

- 6 Did state inspect all types of operators and inspection units in accordance with time intervals established in written procedures? Chapter 5.1 5 5
Yes = 5 No = 0 Needs Improvement = 1-4

Evaluator Notes:

-
- | | | | |
|---|--|---|---|
| 7 | Did inspection form(s) cover all applicable code requirements addressed on Federal Inspection form(s)? Did State complete all applicable portions of inspection forms? Chapter 5.1
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|
-

Evaluator Notes:

North Dakota uses PHMSA IA form for inspections, when possible.

- | | | | |
|---|---|---|----|
| 8 | Did the state review operator procedures for determining if exposed cast iron pipe was examined for evidence of graphitization and if necessary remedial action was taken? (NTSB) Chapter 5.1
Yes = 1 No = 0 | 1 | NA |
|---|---|---|----|
-

Evaluator Notes:

No Cast Iron in North Dakota

- | | | | |
|---|--|---|----|
| 9 | Did the state review operator procedures for surveillance of cast iron pipelines, including appropriate action resulting from tracking circumferential cracking failures, study of leakage history, or other unusual operating maintenance condition? (Note: See GPTC Appendix G-18 for guidance) (NTSB) Chapter 5.1
Yes = 1 No = 0 | 1 | NA |
|---|--|---|----|
-

Evaluator Notes:

No Known Cast Iron in North Dakota

- | | | | |
|----|---|---|---|
| 10 | Did the state review operator emergency response procedures for leaks caused by excavation damage near buildings and determine whether the procedures adequately address the possibility of multiple leaks and underground migration of gas into nearby buildings Refer to 4/12/01 letter from PHMSA in response to NTSB recommendation P-00-20 and P-00-21? (NTSB) Chapter 5.1
Yes = 1 No = 0 | 1 | 1 |
|----|---|---|---|
-

Evaluator Notes:

Has question on inspections forms.

- | | | | |
|----|--|---|---|
| 11 | Did the state review operator records of previous accidents and failures including reported third party damage and leak response to ensure appropriate operator response as required by 192.617? Chapter 5.1
Yes = 1 No = 0 | 1 | 1 |
|----|--|---|---|
-

Evaluator Notes:

Yes North Dakota inspects the actions of operators for compliance of 192.617.

- | | | | |
|----|--|---|---|
| 12 | Has the state reviewed Operator Annual reports, along with Incident/Accident reports, for accuracy and analyzed data for trends and operator issues?
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----|--|---|---|
-

Evaluator Notes:

Yes, North Dakota inspects the annual reports, but need to better document when and who inspected each report.

- | | | | |
|----|---|---|---|
| 13 | Did state input all applicable OQ, IMP inspection results into federal database in a timely manner? This includes replies to Operator notifications into IMDB database. Chapter 5.1
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----|---|---|---|
-

Evaluator Notes:

In compliance from last year.

- | | | | |
|----|--|---|---|
| 14 | Has state confirmed intrastate transmission operators have submitted information into NPMS database along with changes made after original submission? | 1 | 1 |
|----|--|---|---|
-

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Yes, reviews the Pipeline DataMart reports for operators that may have errors.

-
- | | | | |
|-----------|---|---|---|
| 15 | Is the state verifying operators are conducting drug and alcohol tests as required by regulations? This should include verifying positive tests are responded to in accordance with program. 49 CFR 199 | 2 | 2 |
| | Yes = 2 No = 0 Needs Improvement = 1 | | |

Evaluator Notes:

Did not conduct drug and alcohol inspections in CY2014, due to low priority.

-
- | | | | |
|-----------|---|---|---|
| 16 | Is state verifying operators OQ programs are up to date? This should include verification of any plan updates and that persons performing covered tasks (including contractors) are properly qualified and requalified at intervals determined in the operators plan. 49 CFR 192 Part N | 2 | 2 |
| | Yes = 2 No = 0 Needs Improvement = 1 | | |

Evaluator Notes:

Yes Conducting OQ inspections.

-
- | | | | |
|-----------|--|---|----|
| 17 | Is state verifying operator's gas transmission integrity management programs (IMP) are up to date? This should include a previous review of IMP plan, along with monitoring progress on operator tests and remedial actions. In addition, the review should take in to account program review and updates of operators plan(s). 49 CFR 192 Subpart 0 | 2 | NA |
| | Yes = 2 No = 0 Needs Improvement = 1 | | |

Evaluator Notes:

No transmission pipeline integrity inspections were conducted in CY2014, due to priority of inspections.

-
- | | | | |
|-----------|--|---|---|
| 18 | Is state verifying operator's gas distribution integrity management Programs (DIMP)? This should include a review of DIMP plans, along with monitoring progress. In addition, the review should take in to account program review and updates of operators plan(s). 49 CFR 192 Subpart P DIMP ? First round of program inspections should be complete by December 2014 | 2 | 2 |
| | Yes = 2 No = 0 Needs Improvement = 1 | | |

Evaluator Notes:

Completed DIMP inspections.

-
- | | | | |
|-----------|---|---|---|
| 19 | Is state verifying operators Public Awareness programs are up to date and being followed. State should also verify operators have evaluated Public Awareness programs for effectiveness as described in RP1162. 49 CFR 192.616 (I13-16) PAPEI Effectiveness Inspections should have been completed by December 2013 | 2 | 2 |
| | Yes = 2 No = 0 Needs Improvement = 1 | | |

Evaluator Notes:

Conducted PAP inspections are required.

-
- | | | | |
|-----------|---|---|---|
| 20 | Does the state have a mechanism for communicating with stakeholders - other than state pipeline safety seminar? (This should include making enforcement cases available to public). | 1 | 1 |
| | Yes = 1 No = 0 Needs Improvement = .5 | | |

Evaluator Notes:

Yes, The Commission has a website with basic information about the pipeline safety program and the North Dakota One-Call requirements.

-
- | | | | |
|-----------|--|---|----|
| 21 | Did state execute appropriate follow-up actions to Safety Related Condition (SRC) Reports? Chapter 6.3 | 1 | NA |
| | Yes = 1 No = 0 Needs Improvement = .5 | | |

Evaluator Notes:

No Safety Related Condition Reports were received in CY2014.

-
- | | | | |
|-----------|--|---|---|
| 22 | Did the State ask Operators to identify any plastic pipe and components that has shown a record of defects/leaks and what those operators are doing to mitigate the safety concerns? | 1 | 1 |
|-----------|--|---|---|

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Yes, there is a question on inspection forms about pipe or components that has a history of failures.

-
- | | | | |
|-----------|---|---|---|
| 23 | Did the state participate in/respond to surveys or information requests from NAPSRS or PHMSA? | 1 | 1 |
|-----------|---|---|---|

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

-
- | | | | |
|-----------|--|---|---|
| 24 | If the State has issued any waivers/special permits for any operator, has the state verified conditions of those waivers/special permits are being met? This should include having the operator amend procedures where appropriate. (New Question for CY2013, no points until CY2015 evaluation conducted in CY2016) | 0 | 0 |
|-----------|--|---|---|

Info Only = No Points

Evaluator Notes:

No waivers were requested in CY2014.

-
- | | | | |
|-----------|--|---|---|
| 25 | Did the state attend the National NAPSRS Board of Directors Meeting in CY being evaluated? (New Question for CY2014, no points first year) | 0 | 0 |
|-----------|--|---|---|

Info Only = No Points

Evaluator Notes:

They have not attended in previous years, but they are scheduled for meetings in CY2015.

-
- | | | | |
|-----------|--|---|---|
| 26 | Discussion on State Program Performance Metrics found on Stakeholder Communication site. (question will be rolled up and included as part of Question C12 on future evaluations) http://primis.phmsa.dot.gov/comm/states.htm | 0 | 0 |
|-----------|--|---|---|

Info Only = No Points

Evaluator Notes:

This was discussed with the program manager and shown the websites.

-
- | | | | |
|-----------|-------------------|-----------|-----------|
| 27 | General Comments: | Info Only | Info Only |
|-----------|-------------------|-----------|-----------|

Info Only = No Points

Evaluator Notes:

Total points scored for this section: 41
Total possible points for this section: 41

PART D - Compliance Activities

Points(MAX) Score

- 1 Does the state have written procedures to identify steps to be taken from the discovery to resolution of a probable violation? Chapter 5.1
Yes = 4 No = 0 Needs Improvement = 1-3
- a. Procedures to notify an operator (company officer) when a noncompliance is identified Yes ☒ No ☐ Needs Improvement ☐
- b. Procedures to routinely review progress of compliance actions to prevent delays or breakdowns Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

- 2 Did the state follow compliance procedures (from discovery to resolution) and adequately document all probable violations, including what resolution or further course of action is needed to gain compliance? Chapter 5.1
Yes = 4 No = 0 Needs Improvement = 1-3
- a. Were compliance actions sent to company officer or manager/board member if municipal/government system? Yes ☒ No ☐ Needs Improvement ☐
- b. Were probable violations documented? Yes ☒ No ☐ Needs Improvement ☐
- c. Were probable violations resolved? Yes ☒ No ☐ Needs Improvement ☐
- d. Was the progress of probable violations routinely reviewed? Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

Minor noncompliance actions were discovered and the operator was quickly notified and corrected.

- 3 Did the state issue compliance actions for all probable violations discovered? 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes

- 4 Did compliance actions give reasonable due process to all parties? Including "show cause" hearing if necessary. 2 2
Yes = 2 No = 0

Evaluator Notes:

- 5 Is the program manager familiar with state process for imposing civil penalties? Were civil penalties considered for repeat violations (with severity consideration) or violations resulting in incidents/accidents? (describe any actions taken) 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

- 6 Can the State demonstrate it is using their enforcement fining authority for pipeline safety violations? 1 1
Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Fines were issued in CY 2012, however, no probable violations were determined to require a fine in CY2014.

- 7 General Comments: Info Only Info Only
Info Only = No Points

Evaluator Notes:

Total points scored for this section: 15
Total possible points for this section: 15



PART E - Incident Investigations

Points(MAX) Score

- 1 Does the state have written procedures to address state actions in the event of an incident/accident? 2 2

Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Adequate procedures.

- 2 Does state have adequate mechanism to receive and respond to operator reports of incidents, including after-hours reports? And did state keep adequate records of Incident/Accident notifications received? Chapter 6 2 2

Yes = 2 No = 0 Needs Improvement = 1

- a. Acknowledgement of MOU between NTSB and PHMSA (Appendix D) Yes ☒ No ☐ Needs Improvement ☐
- b. Acknowledgement of Federal/State Cooperation in case of incident/accident (Appendix E) Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

- 3 If onsite investigation was not made, did state obtain sufficient information from the operator and/or by other means to determine the facts to support the decision to not go on-site? Chapter 6 1 NA

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

No incidents occurred in CY2014.

- 4 Were all incidents investigated, thoroughly documented, and with conclusions and recommendations? 3 NA

Yes = 3 No = 0 Needs Improvement = 1-2

- a. Observations and document review Yes ☐ No ☒ Needs Improvement ☐
- b. Contributing Factors Yes ☐ No ☒ Needs Improvement ☐
- c. Recommendations to prevent recurrences when appropriate Yes ☐ No ☒ Needs Improvement ☐

Evaluator Notes:

No incidents occurred in CY2014.

- 5 Did the state initiate compliance action for violations found during any incident/accident investigation? 1 NA

Yes = 1 No = 0

Evaluator Notes:

No incidents occurred in CY2014.

- 6 Did the state assist region office by taking appropriate follow-up actions related to the operator incident reports to ensure accuracy and final report has been received by PHMSA? (validate report data from operators concerning incidents/accidents and investigate discrepancies) Chapter 6 1 NA

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

No incidents occurred in CY2014.

- 7 Does state share lessons learned from incidents/accidents? (sharing information, such as: at NAPSR Region meetings, state seminars, etc) 1 1

Yes = 1 No = 0

Evaluator Notes:

8

General Comments:

Info Only = No Points

Evaluator Notes:

Info OnlyInfo Only

Total points scored for this section: 5
Total possible points for this section: 5



PART F - Damage Prevention

Points(MAX) Score

- | | | | |
|---|--|---|---|
| 1 | Has the state reviewed directional drilling/boring procedures of each pipeline operator or its contractor to determine if they include actions to protect their facilities from the dangers posed by drilling and other trench less technologies? NTSB
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

A question on the inspection forms.

- | | | | |
|---|---|---|---|
| 2 | Did the state inspector check to assure the pipeline operator is following its written procedures pertaining to notification of excavation, marking, positive response and the availability and use of the one call system?
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|---|---|---|

Evaluator Notes:

Yes, reviews locate requests and other information.

- | | | | |
|---|--|---|---|
| 3 | Did the state encourage and promote practices for reducing damages to all underground facilities to its regulated companies? (i.e. such as promoting/adopting the CGA Best Practices encouraging adoption of the 9 Elements, etc.)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

Inspects if operators have meetings for local excavators about damage prevention.

- | | | | |
|---|--|---|---|
| 4 | Has the agency or another organization within the state collected data and evaluated trends on the number of pipeline damages per 1,000 locate requests? (This can include DIRT and other data shared and reviewed by the pipeline safety program)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

The pipeline division reviews the pipeline excavation damage and discusses with the operators. The Commission should enhance their documentation about what was discussed.

- | | | | |
|---|--|-----------|-----------|
| 5 | General Comments:
Info Only = No Points | Info Only | Info Only |
|---|--|-----------|-----------|

Evaluator Notes:

Total points scored for this section: 8
Total possible points for this section: 8

PART G - Field Inspections

Points(MAX) Score

1 Operator, Inspector, Location, Date and PHMSA Representative Info Only Info Only
Info Only = No Points

Name of Operator Inspected:

Aux Sable Midstream

Name of State Inspector(s) Observed:

Aaron Morman - lead inspector, Craig Reamann inspector

Location of Inspection:

McHenry, Ward Counties, North Dakota

Date of Inspection:

July 7, 2015

Name of PHMSA Representative:

Leonard Steiner

Evaluator Notes:

2 Was the operator or operator's representative notified and/or given the opportunity to be present during inspection? 1 1
Yes = 1 No = 0

Evaluator Notes:

Yes, Adequate notification given.

3 Did the inspector use an appropriate inspection form/checklist and was the form/checklist used as a guide for the inspection? (New regulations shall be incorporated) 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes

4 Did the inspector thoroughly document results of the inspection? 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes

5 Did the inspector check to see if the operator had necessary equipment during inspection to conduct tasks viewed? (Maps,pyrometer,soap spray,CGI,etc.) 1 1
Yes = 1 No = 0

Evaluator Notes:

No specialized equipment was needed

6 Did the inspector adequately review the following during the field portion of the state evaluation? (check all that apply on list) 2 2
Yes = 2 No = 0 Needs Improvement = 1

a. Procedures

☐

b. Records

☐

c. Field Activities

☒

d. Other (please comment)

☐

Evaluator Notes:

The right-of-way was inspected, with special attention to road crossings, stream crossing and crossing of foreign pipelines.

7 Did the inspector have adequate knowledge of the pipeline safety program and regulations? (Evaluator will document reasons if unacceptable) 2 2

Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes,

-
- | | | | |
|----------|---|---|---|
| 8 | Did the inspector conduct an exit interview? (If inspection is not totally complete the interview should be based on areas covered during time of field evaluation)
Yes = 1 No = 0 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

Yes a thorough exit interview was conducted.

-
- | | | | |
|----------|---|---|---|
| 9 | During the exit interview, did the inspector identify probable violations found during the inspections? (if applicable)
Yes = 1 No = 0 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

No probable violations were discovered and the inspectors discussed areas that could be improved.

-
- | | | | |
|-----------|---|-----------|-----------|
| 10 | General Comments: 1) What did the inspector observe in the field? (Narrative description of field observations and how inspector performed) 2) Best Practices to Share with Other States - (Field - could be from operator visited or state inspector practices) 3) Other.
Info Only = No Points | Info Only | Info Only |
|-----------|---|-----------|-----------|

- | | | |
|----|-----------------------------------|-------------------------------------|
| a. | Abandonment | <input type="checkbox"/> |
| b. | Abnormal Operations | <input type="checkbox"/> |
| c. | Break-Out Tanks | <input type="checkbox"/> |
| d. | Compressor or Pump Stations | <input type="checkbox"/> |
| e. | Change in Class Location | <input type="checkbox"/> |
| f. | Casings | <input type="checkbox"/> |
| g. | Cathodic Protection | <input type="checkbox"/> |
| h. | Cast-iron Replacement | <input type="checkbox"/> |
| i. | Damage Prevention | <input type="checkbox"/> |
| j. | Deactivation | <input type="checkbox"/> |
| k. | Emergency Procedures | <input type="checkbox"/> |
| l. | Inspection of Right-of-Way | <input checked="" type="checkbox"/> |
| m. | Line Markers | <input checked="" type="checkbox"/> |
| n. | Liaison with Public Officials | <input type="checkbox"/> |
| o. | Leak Surveys | <input type="checkbox"/> |
| p. | MOP | <input type="checkbox"/> |
| q. | MAOP | <input type="checkbox"/> |
| r. | Moving Pipe | <input type="checkbox"/> |
| s. | New Construction | <input type="checkbox"/> |
| t. | Navigable Waterway Crossings | <input type="checkbox"/> |
| u. | Odorization | <input type="checkbox"/> |
| v. | Overpressure Safety Devices | <input type="checkbox"/> |
| w. | Plastic Pipe Installation | <input type="checkbox"/> |
| x. | Public Education | <input type="checkbox"/> |
| y. | Purging | <input type="checkbox"/> |
| z. | Prevention of Accidental Ignition | <input type="checkbox"/> |
| A. | Repairs | <input type="checkbox"/> |
| B. | Signs | <input checked="" type="checkbox"/> |
| C. | Tapping | <input type="checkbox"/> |
| D. | Valve Maintenance | <input type="checkbox"/> |
| E. | Vault Maintenance | <input type="checkbox"/> |

- | | | |
|----|-----------------------------|-------------------------------------|
| F. | Welding | <input type="checkbox"/> |
| G. | OQ - Operator Qualification | <input type="checkbox"/> |
| H. | Compliance Follow-up | <input type="checkbox"/> |
| I. | Atmospheric Corrosion | <input checked="" type="checkbox"/> |
| J. | Other | <input checked="" type="checkbox"/> |

Evaluator Notes:

On July 7, 2015, I observed Aaron Morman, lead inspector and Craig Reamann inspector conducting a Field Inspection of the Aux Sable Midstream transmission pipeline in North Dakota. Mr. Morman had adequately notified the operator of the inspection and had coordinated the place and time to meet. We arrived at the location as scheduled. The locations along the Row-of-Way had previously determined my the lead inspector. During the inspection any unusual areas were inspected. The allotted time for the inspection was correctly calculated. Mr. Morman conducted a thorough exit interview. No probable violations were discovered, however, suggestions were made for several items that could be more efficient for the operator. Both inspectors were knowledgeable and competent and conducted the inspections in a courteous and professional manner.

Total points scored for this section: 12
Total possible points for this section: 12



PART H - Interstate Agent State (If Applicable)**Points(MAX) Score**

- | | | | |
|----------|--|---|----|
| 1 | Did the state use the current federal inspection form(s)?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- | | | | |
|----------|---|---|----|
| 2 | Are results documented demonstrating inspection units were reviewed in accordance with "PHMSA directed inspection plan"?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- | | | | |
|----------|--|---|----|
| 3 | Did the state submit documentation of the inspections within 60 days as stated in its latest Interstate Agent Agreement form?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- | | | | |
|----------|---|---|----|
| 4 | Were probable violations identified by state referred to PHMSA for compliance? (NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- | | | | |
|----------|---|---|----|
| 5 | Did the state immediately report to PHMSA conditions which may pose an imminent safety hazard to the public or to the environment?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- | | | | |
|----------|--|---|----|
| 6 | Did the state give written notice to PHMSA within 60 days of all probable violations found?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- | | | | |
|----------|---|---|----|
| 7 | Did the state initially submit documentation to support compliance action by PHMSA on probable violations?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- | | | | |
|----------|--|--|--------------------|
| 8 | General Comments:
Info Only = No Points | | Info OnlyInfo Only |
|----------|--|--|--------------------|

Evaluator Notes:

Total points scored for this section: 0
Total possible points for this section: 0

PART I - 60106 Agreement State (If Applicable)**Points(MAX) Score**

- | | | | |
|----------|--|---|----|
| 1 | Did the state use the current federal inspection form(s)?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- | | | | |
|----------|--|---|----|
| 2 | Are results documented demonstrating inspection units were reviewed in accordance with state inspection plan?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- | | | | |
|----------|--|---|----|
| 3 | Were any probable violations identified by state referred to PHMSA for compliance?
(NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- | | | | |
|----------|---|---|----|
| 4 | Did the state immediately report to PHMSA conditions which may pose an imminent safety hazard to the public or to the environment?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- | | | | |
|----------|--|---|----|
| 5 | Did the state give written notice to PHMSA within 60 days of all probable violations found?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- | | | | |
|----------|--|---|----|
| 6 | Did the state initially submit adequate documentation to support compliance action by PHMSA on probable violations?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- | | | | |
|----------|--|-----------|-----------|
| 7 | General Comments:
Info Only = No Points | Info Only | Info Only |
|----------|--|-----------|-----------|

Evaluator Notes:

Total points scored for this section: 0
Total possible points for this section: 0