



U.S. Department
of Transportation
**Pipeline and Hazardous
Materials Safety
Administration**

1200 New Jersey Avenue SE
Washington DC 20590

2017 Gas State Program Evaluation

for

Public Service Commission of the District of Columbia

Document Legend

PART:

- O -- Representative Date and Title Information
- A -- Progress Report and Program Documentation Review
- B -- Program Inspection Procedures
- C -- Program Performance
- D -- Compliance Activities
- E -- Incident Investigations
- F -- Damage Prevention
- G -- Field Inspections
- H -- Interstate Agent State (If Applicable)
- I -- 60106 Agreement State (If Applicable)



2017 Gas State Program Evaluation -- CY 2017

Gas

State Agency: District of Columbia

Agency Status:

Date of Visit: 09/17/2018 - 09/21/2018

Agency Representative: Udeozo Ogbue

PHMSA Representative: Leonard Steiner, PHMSA State Programs

Commission Chairman to whom follow up letter is to be sent:

Name/Title: Betty Ann Kane, Chair

Agency: Public Service Commission of the District of Columbus

Address: 1325 G Street NW, Suite 800

City/State/Zip: Washington, District of Columbus 20095

Rating:

60105(a): Yes **60106(a):** No **Interstate Agent:** No

INSTRUCTIONS:

Complete this evaluation in accordance with the Procedures for Evaluating State Pipeline Safety Program. The evaluation should generally reflect state program performance during CY 2017 (not the status of performance at the time of the evaluation). All items for which criteria have not been established should be answered based on the PHMSA representative's judgment. A deficiency in any one part of a multiple part question should be scored as needs improvement. Determine the answer to the question then select the appropriate point value. If a state receives less than the maximum points, include a brief explanation in the space provided for general comments/regional observations. If a question is not applicable to a state, select NA. Please ensure all responses are COMPLETE and ACCURATE, and OBJECTIVELY reflect state program performance. Increasing emphasis is being placed on performance. This evaluation together with selected factors reported in the state's annual progress report attachments provide the basis for determining the state's pipeline safety grant allocation.

Field Inspection (PART G):

The field inspection form used will allow different areas of emphasis to be considered for each question. Question 13 is provided for scoring field observation areas. In completing PART G, the PHMSA representative should include a written summary which thoroughly documents the inspection.

Scoring Summary

PARTS

Possible Points Points Scored

A	Progress Report and Program Documentation Review
B	Program Inspection Procedures
C	Program Performance
D	Compliance Activities
E	Incident Investigations
F	Damage Prevention
G	Field Inspections
H	Interstate Agent State (If Applicable)
I	60106 Agreement State (If Applicable)

10	10
13	13
48	48
15	15
6	6
8	8
12	12
0	0
0	0

TOTALS

112 112

State Rating

100.0

PART A - Progress Report and Program Documentation Review

Points(MAX) Score

1	Accuracy of Jurisdictional Authority and Operator/Inspection Units Data - Progress Report Attachment 1 Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: Only one pipeline operator.			
2	Review of Inspection Days for accuracy - Progress Report Attachment 2 Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: Accurate as reported			
3	Accuracy verification of Operators and Operators Inspection Units in State - Progress Report Attachment 3 Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: Accurate as reported, one operator			
4	Were all federally reportable incident reports listed and information correct? - Progress Report Attachment 4 Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: Accurate as reported, no incidents reported in CY2017.			
5	Accuracy verification of Compliance Activities - Progress Report Attachment 5 Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: Accurate as reported			
6	Were pipeline program files well-organized and accessible? - Progress Report Attachment 6 Yes = 2 No = 0 Needs Improvement = 1	2	2
Evaluator Notes: yes, data and records were accessible and retrievable.			
7	Was employee listing and completed training accurate and complete? - Progress Report Attachment 7 Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: accurate as reported.			
8	Verification of Part 192,193,198,199 Rules and Amendments - Progress Report Attachment 8 Yes = 1 No = 0 Needs Improvement = .5	1	1
Evaluator Notes: Accurate as reported, with automatic adoption.			
9	List of Planned Performance - Did state describe accomplishments on Progress Report in detail - Progress Report Attachment 10 Yes = 1 No = 0 Needs Improvement = .5	1	1

Evaluator Notes:
Yes.

10 General Comments:
Info Only = No Points
Evaluator Notes:

Info OnlyInfo Only

Total points scored for this section: 10
Total possible points for this section: 10



PART B - Program Inspection Procedures

Points(MAX) Score

- | | | | |
|---|--|---|---|
| 1 | Standard Inspection procedures should give guidance to state inspectors that insure consistency in all inspections conducted by the state? The following elements should be addressed at a minimum - pre-inspection activities, inspection activities, post-inspection activities. | 2 | 2 |
|---|--|---|---|

Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes, Standard Procedures are adequate.

- | | | | |
|---|--|---|---|
| 2 | IMP and DIMP Inspection procedures should give guidance to state inspectors that insure consistency in all inspections conducted by the state? The following elements should be addressed at a minimum - pre-inspection activities, inspection activities, post-inspection activities. | 1 | 1 |
|---|--|---|---|

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Yes, IMP and DIMP procedures are adequate.

- | | | | |
|---|--|---|---|
| 3 | OQ Inspection procedures should give guidance to state inspectors that insure consistency in all inspections conducted by the state? The following elements should be addressed at a minimum - pre-inspection activities, inspection activities, post-inspection activities. | 1 | 1 |
|---|--|---|---|

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

OQ inspection procedures are adequate.

- | | | | |
|---|---|---|---|
| 4 | Damage Prevention Inspection procedures should give guidance to state inspectors that insure consistency in all inspections conducted by the state? The following elements should be addressed at a minimum - pre-inspection activities, inspection activities, post-inspection activities. | 1 | 1 |
|---|---|---|---|

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Damage Prevention inspection procedures are adequate.

- | | | | |
|---|--|---|---|
| 5 | Any operator training conducted should be outlined and appropriately documented as needed. | 1 | 1 |
|---|--|---|---|

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Yes, Operator Training procedures are adequate.

- | | | | |
|---|--|---|---|
| 6 | Construction Inspection procedures should give guidance to state inspectors that insure consistency in all inspections conducted by the state? The following elements should be addressed at a minimum - pre-inspection activities, inspection activities, post-inspection activities. | 1 | 1 |
|---|--|---|---|

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Yes, Construction Inspections procedures are adequate. The PSC receives construction notices, which are required.

- | | | | |
|---|---|---|---|
| 7 | Does inspection plan address inspection priorities of each operator, and if necessary each unit, based on the following elements? | 6 | 6 |
|---|---|---|---|

Yes = 6 No = 0 Needs Improvement = 1-5

- | | | | | |
|----|---|--------------------------------------|--------------------------|---|
| a. | Length of time since last inspection (Within five year interval) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| b. | Operating history of operator/unit and/or location (includes leakage, incident and compliance activities) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |

- | | | | | |
|----|---|--------------------------------------|--------------------------|---|
| c. | Type of activity being undertaken by operators (i.e. construction) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| d. | Locations of operators inspection units being inspected - (HCA's, Geographic areas, Population Density, etc) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| e. | Process to identify high-risk inspection units that includes all threats - (Excavation Damage, Corrosion, Natural Forces, Outside Forces, Material and Welds, Equipment, Operators and any Other Factors) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| f. | Are inspection units broken down appropriately? | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |

Evaluator Notes:

There is a narrow margin of evaluation for priority of inspection. One operator with all facilities within a small area.

8 General Comments:

Info Only = No Points

Info OnlyInfo Only

Evaluator Notes:

Total points scored for this section: 13
Total possible points for this section: 13



PART C - Program Performance

Points(MAX) Score

- 1 Was ratio of Total Inspection person-days to total person days acceptable? (Director of State Programs may modify with just cause) Chapter 4.3 5 5
Yes = 5 No = 0

A. Total Inspection Person Days (Attachment 2):
225.00

B. Total Inspection Person Days Charged to the Program (220 X Inspection Person Years) (Attachment 7):
220 X 2.50 = 550.00

Ratio: A / B
225.00 / 550.00 = 0.41

If Ratio >= 0.38 Then Points = 5, If Ratio < 0.38 Then Points = 0
Points = 5

Evaluator Notes:

- 2 Has each inspector and program manager fulfilled the T Q Training Requirements? (See Guidelines Appendix C for requirements) Chapter 4.4 5 5
Yes = 5 No = 0 Needs Improvement = 1-4

- | | | | | |
|----|--|--------------------------------------|--------------------------|---|
| a. | Completion of Required OQ Training before conducting inspection as lead? | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| b. | Completion of Required DIMP*/IMP Training before conducting inspection as lead? *Effective Evaluation CY2013 | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| c. | Root Cause Training by at least one inspector/program manager | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| d. | Note any outside training completed | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| e. | Verify inspector has obtained minimum qualifications to lead any applicable standard inspection as the lead inspector. | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |

Evaluator Notes:

One recently hired inspectors will attend courses. Other inspectors have completed all courses at TQ in Oklahoma City.
Two Inspectors and the program manager attended damage prevention and pipeline safety seminars in the State of Virginia.

- 3 Did state records and discussions with state pipeline safety program manager indicate adequate knowledge of PHMSA program and regulations? Chapter 4.1,8.1 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes Many years of experience and completed 15 TQ courses.

- 4 Did state respond to Chairman's letter on previous evaluation within 60 days and correct or address any noted deficiencies? (If necessary) Chapter 8.1 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Met requirement

- 5 Did State conduct or participate in pipeline safety training session or seminar in Past 3 Years? Chapter 8.5 1 1
Yes = 1 No = 0

Evaluator Notes:

Yes, the DCPSC co-hosted a pipeline seminar with Maryland in 2016.

- 6 Did state inspect all types of operators and inspection units in accordance with time intervals established in written procedures? Chapter 5.1 5 5
Yes = 5 No = 0 Needs Improvement = 1-4

Evaluator Notes:

The DCPSC has established an inspection schedule for the one operator in the District of Columbia.

-
- | | | | |
|----------|---|---|---|
| 7 | Did inspection form(s) cover all applicable code requirements addressed on Federal Inspection form(s)? Did State complete all applicable portions of inspection forms?
Chapter 5.1
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----------|---|---|---|

Evaluator Notes:

The DCPSC uses PHMSA modified inspection forms.

- | | | | |
|----------|--|---|---|
| 8 | Did the state review operator procedures for determining if exposed cast iron pipe was examined for evidence of graphitization and if necessary remedial action was taken?
(NTSB) Chapter 5.1
Yes = 1 No = 0 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

Yes, there is a question on the inspection form.

- | | | | |
|----------|--|---|---|
| 9 | Did the state review operator procedures for surveillance of cast iron pipelines, including appropriate action resulting from tracking circumferential cracking failures, study of leakage history, or other unusual operating maintenance condition? (Note: See GPTC Appendix G-18 for guidance) (NTSB) Chapter 5.1
Yes = 1 No = 0 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

Yes, there is a question on the inspection form.

- | | | | |
|-----------|---|---|---|
| 10 | Did the state review operator emergency response procedures for leaks caused by excavation damage near buildings and determine whether the procedures adequately address the possibility of multiple leaks and underground migration of gas into nearby buildings Refer to 4/12/01 letter from PHMSA in response to NTSB recommendation P-00-20 and P-00-21? (NTSB) Chapter 5.1
Yes = 1 No = 0 | 1 | 1 |
|-----------|---|---|---|

Evaluator Notes:

Yes, there is a question on the inspection form.

- | | | | |
|-----------|--|---|---|
| 11 | Did the state review operator records of previous accidents and failures including reported third party damage and leak response to ensure appropriate operator response as required by 192.617? Chapter 5.1
Yes = 1 No = 0 | 1 | 1 |
|-----------|--|---|---|

Evaluator Notes:

Yes, The operator is required to submit a bi-monthly damage report.

- | | | | |
|-----------|--|---|---|
| 12 | Has the state reviewed Operator Annual reports, along with Incident/Accident reports, for accuracy and analyzed data for trends and operator issues?
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|--|---|---|

Evaluator Notes:

Yes, The DCPSC reviews the Annual Report for accuracy, collect data, and analyzes the the data and reviews Damage Ratios.

- | | | | |
|-----------|---|---|---|
| 13 | Has state confirmed intrastate transmission operators have submitted information into NPMS database along with changes made after original submission?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|-----------|---|---|---|

Evaluator Notes:

yes, however, almost no change in the short transmission pipeline form year to year.

- | | | | |
|-----------|---|---|---|
| 14 | Is the state verifying operators are conducting drug and alcohol tests as required by regulations? This should include verifying positive tests are responded to in accordance with program. 49 CFR 199
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|---|---|---|

Evaluator Notes:

Yes, Conducts the Drug and Alcohol inspections as required on the DCPSC inspection schedule.

-
- | | | | |
|-----------|---|---|---|
| 15 | Is state verifying operators OQ programs are up to date? This should include verification of any plan updates and that persons performing covered tasks (including contractors) are properly qualified and requalified at intervals determined in the operators plan. 49 CFR 192 Part N
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|---|---|---|

Evaluator Notes:

Yes, DCPSC conducts OQ inspections in accordance with their inspections schedule/

-
- | | | | |
|-----------|---|---|---|
| 16 | Is state verifying operator's gas transmission integrity management programs (IMP) are up to date? This should include a previous review of IMP plan, along with monitoring progress on operator tests and remedial actions. In addition, the review should take in to account program review and updates of operators plan(s). (Are the State's largest operators programs being contacted or reviewed annually? Are replies to Operator IM notifications addressed? (formerly part of Question C-13)). 49 CFR 192 Subpart O
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|---|---|---|

Evaluator Notes:

Yes Conducts a TIMP inspections in accordance with their inspection schedule.

-
- | | | | |
|-----------|--|---|---|
| 17 | Is state verifying operator's gas distribution integrity management Programs (DIMP)? This should include a review of DIMP plans, along with monitoring progress. In addition, the review should take in to account program review and updates of operators plan(s). (Are the State's largest operators programs being contacted or reviewed annually?). 49 CFR 192 Subpart P
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|--|---|---|

Evaluator Notes:

Yes, Has conducted the last DIMP inspection in CY2018 i accordance with their inspecitons schedule.

-
- | | | | |
|-----------|---|---|---|
| 18 | Is state verifying operators Public Awareness programs are up to date and being followed. State should also verify operators have evaluated Public Awareness programs for effectiveness as described in RP1162. PAPEI Effectiveness Inspections should be conducted every four years by operators. 49 CFR 192.616
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|---|---|---|

Evaluator Notes:

Yes, PAP effectiveness inspections were conducted in October 2017.

-
- | | | | |
|-----------|--|---|---|
| 19 | Does the state have a mechanism for communicating with stakeholders - other than state pipeline safety seminar? (This should include making enforcement cases available to public).
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|-----------|--|---|---|

Evaluator Notes:

Yes Enforcement actions are on the DCPSC docket system. Other information is on the DCPSC website.

-
- | | | | |
|-----------|---|---|---|
| 20 | Did state execute appropriate follow-up actions to Safety Related Condition (SRC) Reports? Chapter 6.3
Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|-----------|---|---|---|

Evaluator Notes:

There were no SRCR submitted in CY2017. Previous SRCR have been closed.

- 21 Did the State ask Operators to identify any plastic pipe and components that has shown a record of defects/leaks and what those operators are doing to mitigate the safety concerns? 1 1
Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Yes, At risk plastic pipe are part of the Projectpipes project approved by the Commission. At risk pipe is factored in the risk assessment in the project list.

- 22 Did the state participate in/respond to surveys or information requests from NAPSRS or PHMSA? 1 1
Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Yes

- 23 If the State has issued any waivers/special permits for any operator, has the state verified conditions of those waivers/special permits are being met? This should include having the operator amend procedures where appropriate. 1 NA
No = 0 Needs Improvement = .5 Yes = 1

Evaluator Notes:

No Waiver requests were received.

- 24 Did the state attend the National NAPSRS Board of Directors Meeting in CY being evaluated? 1 1
No = 0 Needs Improvement = .5 Yes = 1

Evaluator Notes:

Yes

- 25 Discussion on State Program Performance Metrics found on Stakeholder Communication site - <http://primis.phmsa.dot.gov/comm/states.htm> 2 2
No = 0 Needs Improvement = 1 Yes = 2

- a. Discussion of Potential Accelerated Actions (AA's) based on any negative trends Yes ☒ No ☐ Needs Improvement ☐
b. NTSB P-11-20 Meaningful Metrics Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

The main topic of discussion is the continuation of excavation damages and the civil penalties to the operator. in CY2017, \$594,500.00 was assessed in civil penalties but only \$166,650.00 was collected. The collected civil penalties included 68 violations in CY2016 carried over into CY2017, and 35 violations carried over into CY2018. The average for the CY2016 violation was about \$2450 per violation. Penalties are being assessed but there is little to no change in operation by the operator.

- 26 Discussion with State on accuracy of inspection day information submitted into State Inspection Day Calculation Tool (SICT) Has the State updated SICT data? 1 1
No = 0 Yes = 1

Evaluator Notes:

Only one operator, the assessment of time requires is adequate.

- 27 Did the State verify Operators took appropriate action regarding Pipeline Flow Reversals, Product Changes and Conversions to Service? See ADP-2014-04 1 1
Needs Improvement = .5 No = 0 Yes = 1

Evaluator Notes:

No reversals have occurred or are anticipated.

- 28 General Comments:
Info Only = No Points

Info OnlyInfo Only

Evaluator Notes:

Total points scored for this section: 48
Total possible points for this section: 48



PART D - Compliance Activities

Points(MAX) Score

- 1** Does the state have written procedures to identify steps to be taken from the discovery to resolution of a probable violation? Chapter 5.1 4 4
Yes = 4 No = 0 Needs Improvement = 1-3
- a. Procedures to notify an operator (company officer) when a noncompliance is identified Yes ☒ No ☐ Needs Improvement ☐
- b. Procedures to routinely review progress of compliance actions to prevent delays or breakdowns Yes ☒ No ☐ Needs Improvement ☐
- c. Procedures regarding closing outstanding probable violations Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

yes Adequate procedures for resolution of probable violations.

- 2** Did the state follow compliance procedures (from discovery to resolution) and adequately document all probable violations, including what resolution or further course of action is needed to gain compliance? Chapter 5.1 4 4
Yes = 4 No = 0 Needs Improvement = 1-3
- a. Were compliance actions sent to company officer or manager/board member if municipal/government system? Yes ☒ No ☐ Needs Improvement ☐
- b. Document probable violations Yes ☒ No ☐ Needs Improvement ☐
- c. Resolve probable violations Yes ☒ No ☐ Needs Improvement ☐
- d. Routinely review progress of probable violations Yes ☒ No ☐ Needs Improvement ☐
- e. Within 30 days, conduct a post-inspection briefing with the owner or operator of the gas or hazardous liquid pipeline facility inspected outlining any concerns; and Yes ☒ No ☐ Needs Improvement ☐
- f. Within 90 days, to the extent practicable, provide the owner or operator with written preliminary findings of the inspection. Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

a. Adequate: b. adequate: c. yes: d. yes have followed on each probable violations: e. conducted exit out brief: f. yes provided the findings of an inspection.

- 3** Did the state issue compliance actions for all probable violations discovered? 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes completed a compliance action for every probable violation.

- 4** Did compliance actions give reasonable due process to all parties? Including "show cause" hearing if necessary. 2 2
Yes = 2 No = 0

Evaluator Notes:

Yes

- 5** Is the program manager familiar with state process for imposing civil penalties? Were civil penalties considered for repeat violations (with severity consideration) or violations resulting in incidents/accidents? (describe any actions taken) 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

YES

- 6** Can the State demonstrate it is using their enforcement fining authority for pipeline safety violations? 1 1
Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

The DCPSC should analyze the amount of civil penalties. In CY2016, about \$25,000 collected out of \$491,000. In CY2017 about \$166,000 collected out of \$594,000.

7 General Comments:

Info Only = No Points

Info OnlyInfo Only

Evaluator Notes:

Total points scored for this section: 15
Total possible points for this section: 15



PART E - Incident Investigations

Points(MAX) Score

- 1 Does the state have written procedures to address state actions in the event of an incident/accident? 2 2

Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes Adequate procedures for actions in the event of an incident.

- 2 Does state have adequate mechanism to receive and respond to operator reports of incidents, including after-hours reports? And did state keep adequate records of Incident/Accident notifications received? Chapter 6 2 2

Yes = 2 No = 0 Needs Improvement = 1

- a. Acknowledgement of MOU between NTSB and PHMSA (Appendix D) Yes ☒ No ☐ Needs Improvement ☐
- b. Acknowledgement of Federal/State Cooperation in case of incident/accident (Appendix E) Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

Yes, the program Manger has full knowledge of the MOU.

- 3 If onsite investigation was not made, did state obtain sufficient information from the operator and/or by other means to determine the facts to support the decision to not go on-site? Chapter 6 1 NA

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

No incidents reported.

- 4 Were all incidents investigated, thoroughly documented, and with conclusions and recommendations? 3 NA

Yes = 3 No = 0 Needs Improvement = 1-2

- a. Observations and document review Yes ☒ No ☐ Needs Improvement ☐
- b. Contributing Factors Yes ☒ No ☐ Needs Improvement ☐
- c. Recommendations to prevent recurrences when appropriate Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

No incidents were reported.

- 5 Did the state initiate compliance action for violations found during any incident/accident investigation? 1 NA

Yes = 1 No = 0

Evaluator Notes:

No incidents reported.

- 6 Did the state assist Region Office or Accident Investigation Division (AID) by taking appropriate follow-up actions related to the operator incident reports to ensure accuracy and final report has been received by PHMSA? (validate report data from operators concerning incidents/accidents and investigate discrepancies) Chapter 6 1 1

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

they have good working relationship with Eastern Region, PHMSA.

- 7 Does state share lessons learned from incidents/accidents? (sharing information, such as: at NAPSR Region meetings, state seminars, etc) 1 1

Yes = 1 No = 0

Evaluator Notes:

Discussed possible incidents at region meeting.

8 General Comments:

Info Only = No Points

Info OnlyInfo Only

Evaluator Notes:

Total points scored for this section: 6
Total possible points for this section: 6



PART F - Damage Prevention

Points(MAX) Score

- | | | | |
|---|--|---|---|
| 1 | Has the state reviewed directional drilling/boring procedures of each pipeline operator or its contractor to determine if they include actions to protect their facilities from the dangers posed by drilling and other trench less technologies? NTSB
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

Have question on there inspection forms.

- | | | | |
|---|--|---|---|
| 2 | Did the state inspector verify pipeline operators are following their written procedures pertaining to notification of excavation, marking, positive response and the availability and use of the one call system?
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

Yes, The DCPSC has access to the One-Call Database for locate requests.

- | | | | |
|---|--|---|---|
| 3 | Did the state encourage and promote practices for reducing damages to all underground facilities to its regulated companies? (i.e. such as promoting/adopting the CGA Best Practices encouraging adoption of the 9 Elements, etc.)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

Has the support of the DC Mayor, the District Council, and the DCPSC for notification of the law and encourages compliance with the residents of DC.

- | | | | |
|---|--|---|---|
| 4 | Has the agency or another organization within the state collected data and evaluated trends on the number of pipeline damages per 1,000 locate requests? (This can include DIRT and other data shared and reviewed by the pipeline safety program)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

Yes, the number of excavation damages is recorded and analyzed by the pipeline safety program. this has resulted in a decrease of damages per locate request.

- | | | | |
|---|--|-----------|-----------|
| 5 | General Comments:
Info Only = No Points | Info Only | Info Only |
|---|--|-----------|-----------|

Evaluator Notes:

Total points scored for this section: 8
Total possible points for this section: 8

PART G - Field Inspections

Points(MAX) Score

- 1 Operator, Inspector, Location, Date and PHMSA Representative Info Only Info Only
Info Only = No Points

Name of Operator Inspected:

Washington Gas Light Company, OPID 22182

Name of State Inspector(s) Observed:

Ahmahou Bagayoko, with Udeozo Ogbue Progtam Manager

Location of Inspection:

DC area

Date of Inspection:

9/19/2018

Name of PHMSA Representative:

Leonard Steiner

Evaluator Notes:

- 2 Was the operator or operator's representative notified and/or given the opportunity to be present during inspection? 1 1
Yes = 1 No = 0

Evaluator Notes:

Yes, Adequate notice was provided to the Operator.

- 3 Did the inspector use an appropriate inspection form/checklist and was the form/checklist used as a guide for the inspection? (New regulations shall be incorporated) 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

A tablet was used to record the results. The system is an automated system to record inspection results, complete the inspection reports, identify inspection sites and take photos of inspections.

- 4 Did the inspector thoroughly document results of the inspection? 2 2
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

yes the results were thoroughly recorded, with addition information information to substantiate the results, such as the workers OQ qualification.

- 5 Did the inspector check to see if the operator had necessary equipment during inspection to conduct tasks viewed? (Maps,pyrometer,soap spray,CGI,etc.) 1 1
Yes = 1 No = 0

Evaluator Notes:

No special equipment was required. Inspection was of normal operations of pipeline replacement.

- 6 Did the inspector adequately review the following during the field portion of the state evaluation? (check all that apply on list) 2 2
Yes = 2 No = 0 Needs Improvement = 1

a. Procedures ☐

b. Records ☒

c. Field Activities ☒

d. Other (please comment) ☐

Evaluator Notes:

Yes, Inspected field operations and OQ records.

- | | | | |
|---|---|---|---|
| 7 | Did the inspector have adequate knowledge of the pipeline safety program and regulations? (Evaluator will document reasons if unacceptable)
Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|---|---|---|

Evaluator Notes:

Yes, Very knowledgeable of regulations and the operators O&M.

- | | | | |
|---|---|---|---|
| 8 | Did the inspector conduct an exit interview? (If inspection is not totally complete the interview should be based on areas covered during time of field evaluation)
Yes = 1 No = 0 | 1 | 1 |
|---|---|---|---|

Evaluator Notes:

Yes conducted adequate exit interview.

- | | | | |
|---|---|---|---|
| 9 | During the exit interview, did the inspector identify probable violations found during the inspections? (if applicable)
Yes = 1 No = 0 | 1 | 1 |
|---|---|---|---|

Evaluator Notes:

Discussed that no probable violations were discovered, and discussed an area the operator may want to consider improvement.

- | | | | |
|----|---|-----------|-----------|
| 10 | General Comments: 1) What did the inspector observe in the field? (Narrative description of field observations and how inspector performed) 2) Best Practices to Share with Other States - (Field - could be from operator visited or state inspector practices) 3) Other.
Info Only = No Points | Info Only | Info Only |
|----|---|-----------|-----------|

- | | | |
|----|-----------------------------------|-------------------------------------|
| a. | Abandonment | <input type="checkbox"/> |
| b. | Abnormal Operations | <input type="checkbox"/> |
| c. | Break-Out Tanks | <input type="checkbox"/> |
| d. | Compressor or Pump Stations | <input type="checkbox"/> |
| e. | Change in Class Location | <input type="checkbox"/> |
| f. | Casings | <input type="checkbox"/> |
| g. | Cathodic Protection | <input type="checkbox"/> |
| h. | Cast-iron Replacement | <input type="checkbox"/> |
| i. | Damage Prevention | <input type="checkbox"/> |
| j. | Deactivation | <input type="checkbox"/> |
| k. | Emergency Procedures | <input type="checkbox"/> |
| l. | Inspection of Right-of-Way | <input type="checkbox"/> |
| m. | Line Markers | <input type="checkbox"/> |
| n. | Liaison with Public Officials | <input type="checkbox"/> |
| o. | Leak Surveys | <input type="checkbox"/> |
| p. | MOP | <input type="checkbox"/> |
| q. | MAOP | <input type="checkbox"/> |
| r. | Moving Pipe | <input type="checkbox"/> |
| s. | New Construction | <input checked="" type="checkbox"/> |
| t. | Navigable Waterway Crossings | <input type="checkbox"/> |
| u. | Odorization | <input type="checkbox"/> |
| v. | Overpressure Safety Devices | <input type="checkbox"/> |
| w. | Plastic Pipe Installation | <input checked="" type="checkbox"/> |
| x. | Public Education | <input type="checkbox"/> |
| y. | Purging | <input checked="" type="checkbox"/> |
| z. | Prevention of Accidental Ignition | <input type="checkbox"/> |
| A. | Repairs | <input type="checkbox"/> |
| B. | Signs | <input type="checkbox"/> |
| C. | Tapping | <input checked="" type="checkbox"/> |

- | | | |
|----|-----------------------------|--------------------------|
| D. | Valve Maintenance | <input type="checkbox"/> |
| E. | Vault Maintenance | <input type="checkbox"/> |
| F. | Welding | <input type="checkbox"/> |
| G. | OQ - Operator Qualification | <input type="checkbox"/> |
| H. | Compliance Follow-up | <input type="checkbox"/> |
| I. | Atmospheric Corrosion | <input type="checkbox"/> |
| J. | Other | <input type="checkbox"/> |

Evaluator Notes:

On September 19, 2018, I evaluated Ahmadou Bagayoko conducting an inspection of Washington Gas Light Company. The program manager Udeozo Ogbue accompanied me. Mr. Bagayoko inspected the field operations of replacement program, a renew of a service line and the uprate of the pipeline from low pressure to high pressure of about 20 PSIG. These inspections were three crews and in three separate locations. Mr. Bagayoko was familiar with the area and the operations being conducted. We arrived at the appropriate time. He immediately inspected the field operations and recorded on his tablet. Mr. Bagayoko was knowledgeable and competent and conducted the inspection in a courteous and professional manner.

Total points scored for this section: 12
Total possible points for this section: 12



PART H - Interstate Agent State (If Applicable)**Points(MAX) Score**

- | | | | |
|----------|--|---|----|
| 1 | Did the state use the current federal inspection form(s)?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- | | | | |
|----------|---|---|----|
| 2 | Are results documented demonstrating inspection units were reviewed in accordance with "PHMSA directed inspection plan"?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- | | | | |
|----------|--|---|----|
| 3 | Did the state submit documentation of the inspections within 60 days as stated in its latest Interstate Agent Agreement form?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- | | | | |
|----------|---|---|----|
| 4 | Were probable violations identified by state referred to PHMSA for compliance? (NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- | | | | |
|----------|---|---|----|
| 5 | Did the state immediately report to PHMSA conditions which may pose an imminent safety hazard to the public or to the environment?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- | | | | |
|----------|--|---|----|
| 6 | Did the state give written notice to PHMSA within 60 days of all probable violations found?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- | | | | |
|----------|---|---|----|
| 7 | Did the state initially submit documentation to support compliance action by PHMSA on probable violations?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- | | | | |
|----------|--|-----------|-----------|
| 8 | General Comments:
Info Only = No Points | Info Only | Info Only |
|----------|--|-----------|-----------|

Evaluator Notes:

Total points scored for this section: 0
Total possible points for this section: 0

PART I - 60106 Agreement State (If Applicable)**Points(MAX) Score**

- | | | | |
|----------|--|---|----|
| 1 | Did the state use the current federal inspection form(s)?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

N/A

- | | | | |
|----------|--|---|----|
| 2 | Are results documented demonstrating inspection units were reviewed in accordance with state inspection plan?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

N/A

- | | | | |
|----------|---|---|----|
| 3 | Were any probable violations identified by state referred to PHMSA for compliance? (NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.)
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

N/A

- | | | | |
|----------|---|---|----|
| 4 | Did the state immediately report to PHMSA conditions which may pose an imminent safety hazard to the public or to the environment?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

N/A

- | | | | |
|----------|--|---|----|
| 5 | Did the state give written notice to PHMSA within 60 days of all probable violations found?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

N/A

- | | | | |
|----------|--|---|----|
| 6 | Did the state initially submit adequate documentation to support compliance action by PHMSA on probable violations?
Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

N/A

- | | | | |
|----------|--|-----------|-----------|
| 7 | General Comments:
Info Only = No Points | Info Only | Info Only |
|----------|--|-----------|-----------|

Evaluator Notes:

N/A

Total points scored for this section: 0
Total possible points for this section: 0