

U.S. Department of Transportation
Pipeline and Hazardous
Materials Safety
Administration

2010 Natural Gas State Program Evaluation

for

Public Service Commission of the District of Columbia

Document Legend PART:

- O -- Representative Date and Title Information
- A -- General Program Qualifications
- B -- Inspections and Compliance Procedures/Records/Performance
- C -- Interstate Agent States
- D -- Incident Investigations
- E -- Damage Prevention Initiatives
- F -- Field Inspection
- G -- PHMSA Initiatives Strategic Plan
- H -- Miscellaneous
- I -- Program Initiatives



2010 Natural Gas State Program Evaluation -- CY 2010 Natural Gas

State Agency: District of Columbia Rating:

Agency Status: 60105(a): Yes 60106(a): No Interstate Agent: No

Date of Visit: 03/28/2011 - 05/18/2011 **Agency Representative:** Udeozo Ogbue **PHMSA Representative:** Dino N. Rathod, P.E.

Commission Chairman to whom follow up letter is to be sent:

Name/Title: Betty Ann Kane, Chairman

Agency: Public Service Commission of District of Columbia

Address: 1333 H Street

City/State/Zip: Washington, DC 20005

INSTRUCTIONS:

Complete this evaluation in accordance with the Procedures for Evaluating State Pipeline Safety Program. The evaluation should generally reflect state program performance during CY 2010 (not the status of performance at the time of the evaluation). All items for which criteria have not been established should be answered based on the PHMSA representative's judgment. A deficiency in any one part of a multiple part question should be scored as needs improvement. Determine the answer to the question then select the appropriate point value. If a state receives less then the maximum points, include a brief explanation in the space provided for general comments/regional observations. If a question is not applicable to a state, select NA. Please ensure all responses are COMPLETE and ACCURATE, and OBJECTIVELY reflect state program performance. Increasing emphasis is being placed on performance. This evaluation together with selected factors reported in the state's annual certification/agreement attachments provide the basis for determining the state's pipeline safety grant allocation.

Field Inspection (PART F):

The field inspection form used will allow different areas of emphasis to be considered for each question. Question 13 is provided for scoring field observation areas. In completing PART F, the PHMSA representative should include a written summary which thoroughly documents the inspection.

Scoring Summary

PARTS		Possible Points	Points Scored
i A	General Program Qualifications	26	25
В	Inspections and Compliance - Procedures/Records/Performance	24.5	24
C	Interstate Agent States	0	0
D	Incident Investigations	3.5	3.5
Е	Damage Prevention Initiatives	9	9
F	Field Inspection	11	11
G	PHMSA Initiatives - Strategic Plan	9	9
Н	Miscellaneous	3	3
I	Program Initiatives	9	9
TOTAL	LS	95	93.5
State R	ating		98.4



DADTO

1	Certifica attachme	state submit complete and accurate information on the attachments to its most current 60105(a) action/60106 (a) Agreement? (NOTE: PHMSA Representative to verify certification/agreement ents by reviewing appropriate state documentation. Score a deficiency in any one area as "needs ment". Attachment numbers appear in parenthesis) Previous Question A.1, Items a-h worth 1 point	8	8
	Yes = 8 Ne	o = 0 Needs Minor Improvement = 3-7 Needs Major Improvement = 2		
	a.	State Jurisdiction and agent status over gas facilities (1)	\boxtimes	
	b.	Total state inspection activity (2)	\boxtimes	
	c.	Gas facilities subject to state safety jurisdiction (3)	\boxtimes	
	d.	Gas pipeline incidents (4)	\boxtimes	
	e.	State compliance actions (5)	\boxtimes	
	f.	State record maintenance and reporting (6)	\boxtimes	
	g.	State employees directly involved in the gas pipeline safety program (7)	\boxtimes	
	h.	State compliance with Federal requirements (8)	\boxtimes	
SLR No				
2 SLR No	with 601 property Previous Yes = 1 No	state have an adequate mechanism to receive operator reporting of incidents to ensure state compliance 05(a) Certification/60106(a) Agreement requirements (fatality, injury requiring hospitalization, damage exceeding \$50,000 - Mechanism should include receiving "after hours" reports)? (Chapter 6) a Question A.2	1	1
-		ng per 15 DCMR, Para. 2306		
3 SLR No	state req be held a Yes = 2 No Otes:	state held a pipeline safety TQ seminar(s) in the last 3 years? (NOTE: Indicate date of last seminar or if uested seminar, but T&Q could not provide, indicate date of state request for seminar. Seminars must at least once every 3 calendar years.) (Chapter 8.5) Previous Question A.4 o = 0 articipated in a Maryland PSC sponsored T&Q semianr May 2010	2	2
4		peline safety program files well-organized and accessible?(NOTE: This also includes electronic files)	1	1
SLR No		0-0		
-		files (hard copies + electronic database) are kept in a secure bldg. Files are well-organized and easily access	sible.	
5	of PHM	e records and discussions with the state pipeline safety program manager indicate adequate knowledge SA program and regulations? (Chapter 4.1, Chapter 8.1) Previous Question A.6 o = 0 Needs Improvement = 1	2	1
	ozo Ogbue o	continues to take T&Q courses and training required. He completed 2 T&Q courses and scheduled to take to blete State Guideline Manual Ch 4.1 T&Q mandatory course requirements.	more. I dis	cussed with him
6	Region's	state respond in writing within 60 days to the requested items in the Chairman's letter following the slast program evaluation? (No response is necessary if no items are requested in letter and mark "Yes") results.) Previous Question A.8	1	1
SLR No	otes:			
DC	PSC Chairm	nan letter dated Feb 4, 2011 was received within 60 days.		
7		tions, if necessary, did the State initiate as a result of issues raised in the Chairperson's letter from the year? Did actions correct or address deficiencies from previous year's evaluation? (No response is	1	1

necessary if no items are requested in letter and mark "Yes") (Chapter 8.1) Previous Question A.8/A.9



Yes = 1 No = 0

DC PSC continues to help resolve issues raised by PHMSA evaluation last year. However, DCMR changes were not finalized at the time of 2011 annual evaluation. PSC met PHMSA legal staff. PSC intends to finalize in a timely manner and inform PHMSA when these proposed changes are published in the DC Register

Personnel and Qualifications

Has each inspector fulfilled the 3 year TQ training requirement? If No, has the state been granted a waiver regarding TQ courses by the Associate Administrator for Pipeline Safety? (NOTE: If the State has new inspectors who have not attended all TQ courses, but are in a program which will achieve the completion of all applicable courses within 3 years of taking first course (5 years to sucessfully complete), or if a waiver has been granted by the applicable Region Director for the state, please answer yes.) (Chapter 4.4) Previous Question A.10

3 3

SLR Notes:

M Singh waitlisted for Public Awareness training-PL 3365 Sept 2011

A Bagayoko- scheduled to complete Public Awareness training-PL 3365 June 2011.

U. Ogbue was scheduled to attend two T&Q courses- PL2258 and 1250 Aug 2011; wait listed for PL 1245 since Jul 2010

9 Brief Description of Non-TQ training Activities: Info Only Info Only

Info Only = No Points

Yes = 3 No = 0

For State Personnel:

For Operators:

For Non-Operator Entities/Parties, Information Dissemination, Public Meetings:

SLR Notes:

Did the lead inspectors complete all required T&Q OQ courses and Computer Based Training (CBT) before conducting OQ Inspections? (Chapter 4.4.1) Previous Question A.12 Yes = 1 No = 0

SLR Notes:

M Singh has completed OQ Training PL3OQ

Did the lead inspectors complete all required TQ Integrity Management (IMP) Courses/Seminars and CBT 11 before conducting IMP Inspections? (Chapter 4.4.1) Previous Question A.13 Yes = 1 No = 0

5

SLR Notes:

M Singh has completed IMP training course PL 1297.

12 Was the ratio acceptable of Total inspection Person-days to Total Person-days charged to the program by state inspectors? (Region Director may modify points for just cause) (Chapter 4.3) Previous Question B.12

5

A. Total Inspection Person Days (Attachment 2):

B. Total Inspection Person Days Charged to the Program (220 X Inspection Person Years) (Attachment 7):

220 X 2.00 = 440.00

Ratio: A / B

172.00 / 440.00 = 0.39

If Ratio >= 0.38 Then Points = 5, If Ratio < 0.38 Then Points = 0

Points = 5

SLR Notes:

A.Total Inspection Person Days (Attachment 2)= 172

B.Total Inspection Person Days Charged to the program(220*Number of Inspection person years(Attachment 7)=440

Formula:- Ratio = A/B = 172/440 = 0.39

Rule:- (If Ratio \geq 38 then points = 5 else Points = 0.)

Thus Points = 5

Have there been modifications or proposed changes to inspector-staffing levels? (If yes, describe) Previous Info Only Only Question B.13
Info Only = No Points

SLR Notes:

14 Part-A General Comments/Regional Observations
Info Only = No Points

Info Only Info Only

SLR Notes:

Total points scored for this section: 25 Total possible points for this section: 26



PART B - Inspections and Compliance - Procedures/Records/ Points(MAX) Score Performance Inspection Procedures Does the State have a written inspection plan to complete the following? (all types of operators including LNG) 6.5 6.5 (Chapter 5.1) Previous Question B.1 + Chapter 5 Changes + Incorporate LNG Yes = 6.5 No = 0 Needs Improvement = 50% Deduction Needs Standard Inspections (Including LNG) (Max points = 2) Yes (•) No () Improvement Needs IMP Inspections (Including DIMP) (Max points = .5) b Yes No 🔾 Improvement Needs OQ Inspections (Max points = .5) Yes No 🔾 c Improvement Needs d Damage Prevention (Max points = .5) Yes (•) No 🔾 Improvement Needs e On-Site Operator Training (Max points = .5) Yes (•) No 🔾 Improvement Needs f Construction Inspections (Max points = .5) Yes (•) No 🔾 Improvement Incident/Accident Investigations (Max points = 1) Yes No 🔾 g Improvement Needs h Compliance Follow-up (Max points = 1) Yes (•) No 🔾 Improvement SLR Notes: 2 2 Did the written Procedures for selecting operators adequately address key concerns? (Chapter 5.1) Previous Question B.2, items a-d are worth .5 point each Yes = 2 No = 0 Needs Improvement = 50% Deduction Needs Yes (•) No 🔾 Length of time since last inspection Improvement Needs b History of Operator/unit and/or location (including leakage, incident and compliance history) Yes (•) No 🔾 Improvement Needs С Type of activity being undertaken by operator (construction etc) Yes No 🔾 Improvement Needs d For large operators, rotation of locations inspected Yes (•) No 🔾 Improvement SLR Notes: **Inspection Performance** Did the state inspect all types of operators and inspection units in accordance with time intervals established in 2 its written procedures? (Chapter 5.1) Previous Question B.3 SLR Notes:



_			
5	Did state complete all applicable portions of inspection forms? (Chapter 5.1 (3)) Previous Question	B.5	1

Did the state inspection form cover all applicable code requirements addressed on the Federal Inspection forms?

SLR Notes:

SLR Notes:

6 Did the state initiate appropriate follow-up actions to Safety Related Condition Reports? (Chapter 6.3) .5 NA Previous Question B.6

Yes = .5 No = 0

Yes = 1 No = 0

Yes = 1 No = 0

(Chapter 5.1 (3)) Previous Question B.4

SLR Notes: No SRC in CY 2010 1



15	Has the State issued compliance actions for all probable violations discovered? (Note: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation) Previous Question $D(1).4$ Yes = $1 \text{ No} = 0$	1	1
SLR No			
PSC	found possible non-compliance and issued one NOPV in 2010.		
16	Did the state follow its written procedures for reviewing compliance actions and follow-up to determine that prompt corrective actions were taken by operators, within the time frames established by the procedures and compliance correspondence, as required by the "Guidelines for States Participating in the Pipeline Safety Program"? Previous Question $D(1).5$ Yes = $1 \text{ No} = 0 \text{ Needs Improvement} = .5$	1	1
SLR No	ites:		
17	If compliance could not be established by other means, did state pipeline safety program staff request formal action, such as a "Show Cause Hearing" to correct pipeline safety violations? (check each states enforcement procedures) Previous Question D(1).6 No = 0 Yes = 1	1	1
SLR No	ites:		
18	Did the state adequately document the resolution of probable violations? (Chapter 5.1 (6)) Previous Question $D(1).7$ Yes = 1 No = 0 Needs Improvement = .5	1	.5
inspe of ea	ottes: cussed with PSC need to maintain all supporting pertinent document in resolution of probable violations. These shousector observe/ find possible non-compliance by operator, appropriate follow-up actions from PSC and responses from the probable violation. PHMSA strongly encourages strong, fair and consistent enforcment of non-compliance issued ections, incident investigations etc.	m operator a	nd details on resolution
19	Were compliance actions sent to a company officer? (manager or board member if municipal/government system) (Chapter $5.1(4)$) Previous Question D(1).8 Yes = $.5$ No = 0	.5	.5
SLR No	tes:		
20	Did the compliance proceedings give reasonable due process to all parties? (check each states enforcement procedures) Previous Question $D(1).9$ Yes = 1 No = 0 Needs Improvement = .5	1	1
SLR No	tes:		
Co	ompliance - 60106(a) States		
21	Did the state use the current federal inspection form(s)? Previous Question D(2).1 Yes = 1 No = 0 Needs Improvement = .5	1	NA
SLR No	1		
22	Are results adequately documented demonstrating inspection units were reviewed in accordance with state inspection plan? Previous Question $D(2).2$ Yes = 1 No = 0 Needs Improvement = .5	1	NA
SLR No	ites:		
23	Were any probable violations identified by state referred to PHMSA for compliance? (NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.) Previous Question D(2).3	1	NA



Yes = 1 No = 0 Needs Improvement = .5

Did the state immediately report to PHMSA conditions which may pose an imminent safety hazard to the public NA 24 or to the environment? Previous Question D(2).4 Yes = 1 No = 0 Needs Improvement = .5 SLR Notes: Did the state give written notice to PHMSA within 60 days of all probable violations found? Previous 1 NA 25 Question D(2).5 Yes = 1 No = 0 Needs Improvement = .5SLR Notes: Did the state initially submit adequate documentation to support compliance action by PHMSA on probable NA 26 violations? Previous Question D(2).6 Yes = 1 No = 0 Needs Improvement = .5 SLR Notes: Is the program manager familiar with state process for imposing civil penalties? Were civil penalties Info Only Info Only 27 considered for repeat violations (with severity consideration) or violations resulting in incidents/accidents? (describe any actions taken) Info Only = No Points SLR Notes: Info Only NA 28 Part B: General Comments/Regional Observations Info Only = No Points SLR Notes:

> Total points scored for this section: 24 Total possible points for this section: 24.5



1	Did the state use the current federal inspection form(s)? Previous Question D(3).1	1	NA
	Yes = 1 No = 0 Needs Improvement = .5		
SLR No			
DC I	PSC is not an Interstate Agent.		
2	Are results documented demonstrating inspection units were reviewed in accordance with "PHMSA directed inspection plan"? Previous Question D(3).2 Yes = 1 No = 0 Needs Improvement = .5	1	NA
SLR No	tes:		
DC I	PSC is not an Interstate Agent.		
3	Did the state submit documentation of the inspections within 60 days as stated in its latest Interstate Agent Agreement form? Previous Question $D(3).3$ $Yes = 1 No = 0$	1	NA
SLR No	tes:		
DC I	PSC is not an Interstate Agent.		
4	Were any probable violations identified by state referred to PHMSA for compliance? (NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.) Previous Question D(3).4 $Yes = 1 No = 0$	1	NA
SLR No	tes:		
5	Did the state immediately report to PHMSA conditions which may pose an imminent safety hazard to the public or to the environment? Previous Question D(3).5 Yes = 1 No = 0 Needs Improvement = .5	1	NA
SLR No	•		
DC I	PSC is not an Interstate Agent.		
6	Did the state give written notice to PHMSA within 60 days of all probable violations found? Previous Question $D(3).6$ $Y_{cs} = 1 N_0 = 0$	1	NA
SLR No			
DC I	PSC is not an Interstate Agent.		
7	Did the state initially submit documentation to support compliance action by PHMSA on probable violations? Previous Question D(3).7 Yes = 1 No = 0 Needs Improvement = .5	1	NA
SLR No			
DC	DSC is not an Interstate Agent		

8 Part C: General Comments/Regional Observations Info Only Info Only

Info Only = No Points

SLR Notes:

DC PSC is not an Interstate Agent.

Total points scored for this section: 0 Total possible points for this section: 0



1	Are state personnel following the procedures for Federal/State cooperation in case of an incident? (See Appendix in "Guidelines for States Participating in the Pipeline Safety Program") (Chapter 6.1) Previous Question E.1	1		1
SLR No	Yes = 1 No = 0 Needs Improvement = .5 otes:			
2 SLR No	Are state personnel familiar with the jurisdictional authority and Memorandum of Understanding between NTSB and PHMSA? (See Appendix in "Guidelines for States Participating in the Pipeline Safety Program") (Chapter 6 ? Appendix D) Previous Question E.2 Yes = .5 No = 0 Otes:	.5	.:	5
3	Did the state keep adequate records of incident notifications received? Previous Question E.3 Yes = 1 No = 0 Needs Improvement = .5	1		1
	•			or, Incident
4	If an onsite investigation of an incident was not made, did the state obtain sufficient information by other means to determine the facts and support the decision not to go on-site? Previous Question E.4 Yes = 1 No = 0 Needs Improvement = .5	1		1
SLR No	otes: Creviews incoming information and make appropriate determination. PSC may obtain additional information to help	make a de	cision.	
5	Were investigations thorough and conclusions and recommendations documented in an acceptable manner? Previous Question E.5, comprehensive question worth 2 points total Yes = 2 No = 0 Needs Improvement = 1	2	N.A	A
	a. Observations and Document Review	Yes 🔘	No 🔘	Needs Improvement
	b. Contributing Factors	Yes 🔘	No 🔘	Needs Improvement
	c. Recommendations to prevent recurrences where appropriate	Yes 🔘	No 🔘	Needs Improvement
SLR No	otes: Reportable Incidents in CY 2010			improvement
6	Did the state initiate enforcement action for violations found during any incident investigation(s)? Previous Question E.6 Variation Yes = 1 No = 0 Needs Improvement = .5	1	N.A	A
SLR No				
No l	Reportable Incidents in CY 2010			
7	Did the state assist region office by taking appropriate follow-up actions related to the operator incident reports to ensure accuracy and final report has been received by PHMSA? (validate annual report data from operators concerning incidents/accidents and investigate discrepancies) (Chapter 6) Previous Question E.7/E.8 $Yes = .5 No = 0$.5	N.	A
SLR No	otes: Reportable Incidents in CY 2010			
	reportation in C 1 2010			
8	Part D: General Comments/Regional Observations Info Only = No Points	Info Only	Info Only	y
SLR No				

No Reportable Incidents in CY 2010



1	Has the state reviewed directional drilling/boring procedures of each pipeline operator or its contractor to	2	
	determine if they include actions to protect their facilities from the dangers posed by drilling and other trench		
	less technologies? Previous Question B.11		
	Yes = 2 No = 0 Needs Improvement = 1		

DC PSC has reviewed WG procedures for Directional Drilling (Washington Gas Engineering & Operating Stds, Section 7930 Trenchless Installation)

Did the state inspector check to assure the pipeline operator is following its written procedures pertaining to 2 notification of excavation, marking, positive response and the availability and use of the one call system? New 2

2

Yes = 2 No = 0

SLR Notes:

PSC Inspection Form/ Check list for Plastic Pipe and Steel Pipe-Inspector notes Miss Utility Ticket#, verifies validity, locate accuracy etc.

Did the state encourage and promote the adoption of the Common Ground Alliance Best Practices document to 2 its regulated companies as a means of reducing damages to all underground facilities? Previous Question A.7

2

1

SLR Notes:

PSC actively supports damage Prevention activities and promotes CGA. April 2010 was observed as National Safe Digging month and emphasized Call 811 Before You Dig message.

Has the agency or another organization within the state collected data and evaluated trends on the number of pipeline damages per 1,000 locate requests? New 2008

SLR Notes:

DC collects and reviews damage data for trends.

Did the state review operators' records of accidents and failures due to excavation damage to ensure causes of 2 failure are addressed to minimize the possibility of recurrence as required by 192.617? Yes = 2 No = 0

2

SLR Notes:

PSC reviews operator records including incident/ failure of pipelines. In addition, PSC performed One Call Grant project in 2010. PSC inspected underground facility markings and verified accuracy and timeliness of responses

Part E: General Comments/Regional Observations

Info Only = No Points

Info Only Info Only

SLR Notes:

Total points scored for this section: 9 Total possible points for this section: 9



1	Operator, Inspector, Location, Date and PHMSA Representative Info Only = No Points	Info Only	Info Only
	Name of Operator Inspected: Washingtn Gas		
	Name of State Inspector(s) Observed: Manmohan Singh		
	Location of Inspection: Nicholsn St, NE Washington, DC,		
	Date of Inspection: 03/28/2011, 03/29/2011; 04/12/2011		
	Name of PHMSA Representative: Dino N.Rathod, P.E.		
	tes: tiple day inspection activities. March 28 Construction- replacement of low pressure gas service with newplastic gas attenance for distribution transmission pipeline (300 psi max)	service; Ma	rch 29- valve
2	Was the operator or operator's representative notified and/or given the opportunity to be present during inspection? New 2008 $Y_{es} = 1 N_0 = 0$	1	1
SLR No			
3	Did the inspector use an acceptable inspection form/checklist and was the form/checklist used as a guide for the inspection? (New regulations shall be incorporated) Previous Question F.2 $Y_{es} = 2 N_0 = 0$	2	2
SLR No			
4 SLR No	Did the inspector thoroughly document results of the inspection? Previous Question F.3 $Yes = 2 No = 0$ tes:	2	2
5	Did the inspector check to see if the operator had necessary equipment during inspection to conduct tasks viewed? (Maps, pyrometer, soap spray, CGI, etc.) New 2008 $Y_{es} = 1 N_0 = 0$	1	1
SLR No			
6	What type of inspection(s) did the state inspector conduct during the field portion of the state evaluation? (i.e. Standard, Construction, IMP, etc) New 2008 Info Only = No Points	Info Only	Info Only
SLR No			
Cons	struction- repalcement of low pressure steel service to a residience; valve maintenance on 300 psi trnasmission pipe	line.	
7	Did the inspector adequately review the following during the field portion of the state evaluation? (check all that apply on list) New 2008, comprehensive question worth 2 points total $Yes = 2 \text{ No} = 0 \text{ Needs Improvement} = 1$	2	2
	a. Procedures	\boxtimes	
	b. Records	\boxtimes	
	c. Field Activities/Facilities	\boxtimes	
	d. Other (Please Comment)	\boxtimes	

8	documer Yes = 2 No	inspector have adequate knowledge of the pipeline safety program and regulations? (Liaison will not reasons if unacceptable) Previous Question F.8	2	2
SLR No	tes:			
9	on areas Yes = 1 No	inspector conduct an exit interview? (If inspection is not totally complete the interview should be based covered during time of field evaluation) Previous Question $F.10$ $_{0} = 0$	l 1	1
SLR No	tes:			
10	During the Question Yes = 1 No.		s 1	NA
SLR No				
No is	ssues were f	found during multiple days of field activities		
11	performe	d the inspector observe in the field? (Narrative description of field observations and how inspector ed) = No Points	Info Only	Info Only
SLR No	tes:			
Cons	struction, va	alve maintenance on 300 psi distribution transmission pipe and DIMP implementation status review.		
12		ctices to Share with Other States - (Field - could be from operator visited or state inspector practices)	Info Only	Info Only
12 SLR No	Info Only	ctices to Share with Other States - (Field - could be from operator visited or state inspector practices) = No Points	Info Only	Info Only
	Info Only = tes: Field Ob	eservation Areas Observed (check all that apply)		Info Only Info Only
SLR No	Info Only = tes: Field Ob	= No Points		
SLR No	Info Only = tes: Field Ob Info Only =	eservation Areas Observed (check all that apply) = No Points		
SLR No	Info Only = Field Ob Info Only = a.	eservation Areas Observed (check all that apply) = No Points Abandonment		
SLR No	Field Ob Info Only = a. b.	eservation Areas Observed (check all that apply) = No Points Abandonment Abnormal Operations	Info Only	
SLR No	Field Ob Info Only = a. b. c.	eservation Areas Observed (check all that apply) = No Points Abandonment Abnormal Operations Break-Out Tanks	Info Only	
SLR No	Field Ob Info Only = a. b. c. d.	eservation Areas Observed (check all that apply) = No Points Abandonment Abnormal Operations Break-Out Tanks Compressor or Pump Stations	Info Only	
SLR No	Field Ob Info Only = a. b. c. d. e.	eservation Areas Observed (check all that apply) = No Points Abandonment Abnormal Operations Break-Out Tanks Compressor or Pump Stations Change in Class Location Casings Cathodic Protection	Info Only	
SLR No	Field Ob Info Only = a. b. c. d. e. f. g. h.	eservation Areas Observed (check all that apply) No Points Abandonment Abnormal Operations Break-Out Tanks Compressor or Pump Stations Change in Class Location Casings Cathodic Protection Cast-iron Replacement	Info Only	
SLR No	Field Ob Info Only = a. b. c. d. e. f. g. h. i.	eservation Areas Observed (check all that apply) = No Points Abandonment Abnormal Operations Break-Out Tanks Compressor or Pump Stations Change in Class Location Casings Cathodic Protection Cast-iron Replacement Damage Prevention		
SLR No	Field Ob Info Only = a. b. c. d. e. f. g. h. i. j.	eservation Areas Observed (check all that apply) = No Points Abandonment Abnormal Operations Break-Out Tanks Compressor or Pump Stations Change in Class Location Casings Cathodic Protection Cast-iron Replacement Damage Prevention Deactivation		
SLR No	Field Ob Info Only = a. b. c. d. e. f. g. h. i. j. k.	eservation Areas Observed (check all that apply) No Points Abandonment Abnormal Operations Break-Out Tanks Compressor or Pump Stations Change in Class Location Casings Cathodic Protection Cast-iron Replacement Damage Prevention Deactivation Emergency Procedures		
SLR No	Field Ob Info Only = a. b. c. d. e. f. g. h. i. j. k.	eservation Areas Observed (check all that apply) = No Points Abandonment Abnormal Operations Break-Out Tanks Compressor or Pump Stations Change in Class Location Casings Cathodic Protection Cast-iron Replacement Damage Prevention Deactivation Emergency Procedures Inspection of Right-of-Way		
SLR No	Field Ob Info Only = a. b. c. d. e. f. g. h. i. j. k. l. m.	esservation Areas Observed (check all that apply) No Points Abandonment Abnormal Operations Break-Out Tanks Compressor or Pump Stations Change in Class Location Casings Cathodic Protection Cast-iron Replacement Damage Prevention Deactivation Emergency Procedures Inspection of Right-of-Way Line Markers		
SLR No	Field Ob Info Only = a. b. c. d. e. f. g. h. i. j. k. l. m. n.	eservation Areas Observed (check all that apply) No Points Abandonment Abnormal Operations Break-Out Tanks Compressor or Pump Stations Change in Class Location Casings Cathodic Protection Cast-iron Replacement Damage Prevention Deactivation Emergency Procedures Inspection of Right-of-Way Line Markers Liaison with Public Officials		
SLR No	Field Ob Info Only = a. b. c. d. e. f. g. h. i. j. k. l. m. n.	eservation Areas Observed (check all that apply) No Points Abandonment Abnormal Operations Break-Out Tanks Compressor or Pump Stations Change in Class Location Casings Cathodic Protection Cast-iron Replacement Damage Prevention Deactivation Emergency Procedures Inspection of Right-of-Way Line Markers Liaison with Public Officials Leak Surveys		
SLR No	Field Ob Info Only = a. b. c. d. e. f. g. h. i. j. k. l. m. o.	eservation Areas Observed (check all that apply) No Points Abandonment Abnormal Operations Break-Out Tanks Compressor or Pump Stations Change in Class Location Casings Cathodic Protection Cast-iron Replacement Damage Prevention Deactivation Emergency Procedures Inspection of Right-of-Way Line Markers Liaison with Public Officials Leak Surveys MOP		
SLR No	Field Ob Info Only = a. b. c. d. e. f. g. h. i. j. k. l. m. n. o. p. q.	eservation Areas Observed (check all that apply) No Points Abandonment Abnormal Operations Break-Out Tanks Compressor or Pump Stations Change in Class Location Casings Cathodic Protection Cast-iron Replacement Damage Prevention Deactivation Emergency Procedures Inspection of Right-of-Way Line Markers Liaison with Public Officials Leak Surveys MOP MAOP		
SLR No	Field Ob Info Only = a. b. c. d. e. f. g. h. i. j. k. l. m. o.	eservation Areas Observed (check all that apply) No Points Abandonment Abnormal Operations Break-Out Tanks Compressor or Pump Stations Change in Class Location Casings Cathodic Protection Cast-iron Replacement Damage Prevention Deactivation Emergency Procedures Inspection of Right-of-Way Line Markers Liaison with Public Officials Leak Surveys MOP		



u.	Odorization	
v.	Overpressure Safety Devices	
W	. Plastic Pipe Installation	
X.	Public Education	
y.	Purging	
Z.	Prevention of Accidental Ignition	
A	. Repairs	
В.	. Signs	
C.	. Tapping	
D.	. Valve Maintenance	
E.	. Vault Maintenance	
F.	Welding	
G	. OQ - Operator Qualification	
H	. Compliance Follow-up	
I.		
J.	Other	\boxtimes
SLR Notes:		_
DIMP implem	nentation status review	
	: General Comments/Regional Observations	Info Only Info Only
SLR Notes:	•	
		Total points scored for this section: 11



K1S			
	k base Inspections - Targeting High Risk Areas		
1	Does state have process to identify high risk inspection units? Yes = 1.5 No = 0	1.5	1.5
	Risk Factors (criteria) to consider may include:		
	Miles of HCA's, Geographic area, Population Density		
	Length of time since last inspection		
	History of Individual Operator units (leakage, incident and compliance history, etc.)		
	Threats - (Excavation Damage, Corrosion, Natural Forces, Other Outside Forces, Material or Welds, Equipment, Operations, Other)		
SLR Note			
PSc pa	ays close attention to issues such as: Dead Ends and Service pipe Replacement, coupling encaptulation.		
2	Are inspection units broken down appropriately? (see definitions in Guidelines)	.5	0.5
SLR Note	$Yes = .5 N_0 = 0$		
	ngton Gas isthe only LDC in DC area.		
3	Consideration of operators DIMP Plan? (if available and pending rulemaking) Info Only = No Points	Info Only	Info Only
SLR Note			
4	Does state inspection process target high risk areas? Yes = .5 No = 0	.5	0.5
CLD NI			
SLK Note	es:		
	es: ays close atentionto cast iron and bare steel pipe repalcement and construction activities,		
PSC p			
	ays close atentionto cast iron and bare steel pipe repalcement and construction activities, e of Data to Help Drive Program Priority and Inspections Does state use data to analyze effectiveness of damage prevention efforts in the state? (DIRT or other data, e	tc) .5	0.5
Use 5	ays close atentionto cast iron and bare steel pipe repalcement and construction activities, e of Data to Help Drive Program Priority and Inspections Does state use data to analyze effectiveness of damage prevention efforts in the state? (DIRT or other data, e Yes = .5 No = 0	te) .5	0.5
Use 5 SLR Note	ays close atentionto cast iron and bare steel pipe repalcement and construction activities, e of Data to Help Drive Program Priority and Inspections Does state use data to analyze effectiveness of damage prevention efforts in the state? (DIRT or other data, e Yes = .5 No = 0	tc) .5	0.5
Use 5 SLR Note	e of Data to Help Drive Program Priority and Inspections Does state use data to analyze effectiveness of damage prevention efforts in the state? (DIRT or other data, e Yes = .5 No = 0 es: eceives and analyzes Washington Gas data for effectiveness for damage prevention.	.5 .5	0.5
Use 5 SLR Note PSC re	ays close atentionto cast iron and bare steel pipe repalcement and construction activities, e of Data to Help Drive Program Priority and Inspections Does state use data to analyze effectiveness of damage prevention efforts in the state? (DIRT or other data, e Yes = .5 No = 0 es:		
Use 5 SLR Note PSC re 6	e of Data to Help Drive Program Priority and Inspections Does state use data to analyze effectiveness of damage prevention efforts in the state? (DIRT or other data, e Yes = .5 No = 0 es: ecceives and analyzes Washington Gas data for effectiveness for damage prevention. Has state reviewed data on Operator Annual reports for accuracy? Yes = .5 No = 0		
Use 5 SLR Note PSC re 6	e of Data to Help Drive Program Priority and Inspections Does state use data to analyze effectiveness of damage prevention efforts in the state? (DIRT or other data, e Yes = .5 No = 0 es: ecceives and analyzes Washington Gas data for effectiveness for damage prevention. Has state reviewed data on Operator Annual reports for accuracy? Yes = .5 No = 0		
PSC p Use 5 SLR Note PSC re 6 SLR Note PSC h	e of Data to Help Drive Program Priority and Inspections Does state use data to analyze effectiveness of damage prevention efforts in the state? (DIRT or other data, e Yes = .5 No = 0 es: ecceives and analyzes Washington Gas data for effectiveness for damage prevention. Has state reviewed data on Operator Annual reports for accuracy? Yes = .5 No = 0 es: as reviewed CY 2010 Operator Annual Reports for accuracy.	.5	0.5
PSC p Use 5 SLR Note PSC re 6	ays close atentionto cast iron and bare steel pipe repalcement and construction activities, of Data to Help Drive Program Priority and Inspections Does state use data to analyze effectiveness of damage prevention efforts in the state? (DIRT or other data, e Yes = .5 No = 0 es: eccives and analyzes Washington Gas data for effectiveness for damage prevention. Has state reviewed data on Operator Annual reports for accuracy? Yes = .5 No = 0 es:		
PSC p Use 5 SLR Note PSC re 6 SLR Note PSC h	e of Data to Help Drive Program Priority and Inspections Does state use data to analyze effectiveness of damage prevention efforts in the state? (DIRT or other data, e Yes = .5 No = 0 Priority and analyzes Washington Gas data for effectiveness for damage prevention. Has state reviewed data on Operator Annual reports for accuracy? Yes = .5 No = 0 Priority Program Priority and Inspections Has state reviewed data on Operator Annual reports for accuracy? Has state analyzed annual report data for trends and operator issues? Yes = .5 No = 0 Priority and Inspections	.5	0.5
PSC p Use 5 SLR Note PSC re 6 SLR Note PSC h	e of Data to Help Drive Program Priority and Inspections Does state use data to analyze effectiveness of damage prevention efforts in the state? (DIRT or other data, e Yes = .5 No = 0 es: exercives and analyzes Washington Gas data for effectiveness for damage prevention. Has state reviewed data on Operator Annual reports for accuracy? Yes = .5 No = 0 es: as reviewed CY 2010 Operator Annual Reports for accuracy. Has state analyzed annual report data for trends and operator issues? Yes = .5 No = 0	.5	0.5
PSC p Use 5 SLR Note PSC re 6 SLR Note PSC h	ays close atentionto cast iron and bare steel pipe repalcement and construction activities, to of Data to Help Drive Program Priority and Inspections Does state use data to analyze effectiveness of damage prevention efforts in the state? (DIRT or other data, e Yes = .5 No = 0 SE: exercises and analyzes Washington Gas data for effectiveness for damage prevention. Has state reviewed data on Operator Annual reports for accuracy? Yes = .5 No = 0 SE: as reviewed CY 2010 Operator Annual Reports for accuracy. Has state analyzed annual report data for trends and operator issues? Yes = .5 No = 0 SE: eviews annual data for operator issues etc. PSC also recieves quarterly damage data. Has state reviewed data on Incident/Accident reports for accuracy?	.5	0.5
PSC p Use 5 SLR Note PSC re 6 SLR Note PSC h	ays close atentionto cast iron and bare steel pipe repalcement and construction activities, to of Data to Help Drive Program Priority and Inspections Does state use data to analyze effectiveness of damage prevention efforts in the state? (DIRT or other data, e Yes = .5 No = 0 SS: eccives and analyzes Washington Gas data for effectiveness for damage prevention. Has state reviewed data on Operator Annual reports for accuracy? Yes = .5 No = 0 SS: as reviewed CY 2010 Operator Annual Reports for accuracy. Has state analyzed annual report data for trends and operator issues? Yes = .5 No = 0 SS: eviews annual data for operator issues etc. PSC also recieves quarterly damage data. Has state reviewed data on Incident/Accident reports for accuracy? Yes = .5 No = 0	.5	0.5

Yes = .5 No = 0 : iews WG damage reports(quarterly), leak repair status and annual reports. PSC also reviews and monitors construct mains and new pipe installations. Did the State input all operator qualification inspection results into web based database provided by PHMSA in a timely manner upon completion of OQ inspections? Previous Question B.15 Yes = .5 No = 0 : formed 18 OQ inspections (field verification) in CY 2010. Did the State submit their replies into the Integrity Management Database (IMDB) in response to the Operators notifications for their integrity management program? Previous Question B.16 Yes = .5 No = 0 : icated that there wee no operatro notifications in IMDB.	.5	0.5 NA 0.5
iews WG damage reports(quarterly), leak repair status and annual reports. PSC also reviews and monitors construct mains and new pipe installations. Did the State input all operator qualification inspection results into web based database provided by PHMSA in a timely manner upon completion of OQ inspections? Previous Question B.15 Yes = .5 No = 0 Total the State submit their replies into the Integrity Management Database (IMDB) in response to the Operators notifications for their integrity management program? Previous Question B.16 Yes = .5 No = 0 There the IMP Federal Protocol forms been uploaded to the IMDB? Previous Question B.17 Yes = .5 No = 0	.5	0.5 NA
a timely manner upon completion of OQ inspections? Previous Question B.15 Yes = .5 No = 0 Could the State submit their replies into the Integrity Management Database (IMDB) in response to the Operators notifications for their integrity management program? Previous Question B.16 Yes = .5 No = 0 Could the State submit their replies into the Integrity Management Database (IMDB) in response to the Operators notifications for their integrity management program? Previous Question B.16 Yes = .5 No = 0 Have the IMP Federal Protocol forms been uploaded to the IMDB? Previous Question B.17 Yes = .5 No = 0	.5	NA
formed 18 OQ inspections (field verification) in CY 2010. Did the State submit their replies into the Integrity Management Database (IMDB) in response to the Operators notifications for their integrity management program? Previous Question B.16 Yes = .5 No = 0 Have the IMP Federal Protocol forms been uploaded to the IMDB? Previous Question B.17 Yes = .5 No = 0		
Did the State submit their replies into the Integrity Management Database (IMDB) in response to the Operators notifications for their integrity management program? Previous Question B.16 Yes = .5 No = 0 Have the IMP Federal Protocol forms been uploaded to the IMDB? Previous Question B.17 Yes = .5 No = 0		
notifications for their integrity management program? Previous Question B.16 Yes = .5 No = 0 Licated that there wee no operatro notifications in IMDB. Have the IMP Federal Protocol forms been uploaded to the IMDB? Previous Question B.17 Yes = .5 No = 0 Licated that there wee no operatro notifications in IMDB.		
icated that there wee no operatro notifications in IMDB. Have the IMP Federal Protocol forms been uploaded to the IMDB? Previous Question B.17 Yes = .5 No = 0 :	.5	0.5
Have the IMP Federal Protocol forms been uploaded to the IMDB? Previous Question B.17 Yes = .5 No = 0	.5	0.5
Yes = .5 No = 0	.5	0.5
oaded IMP inspections in IMDB (in 2009)		
and what those operators are doing to mitigate the safety concerns? Previous Question B.18	.5	0.5
NPMS) database along with any changes made after original submission?	.5	0.5
dent/Incident Investigation Learning and Sharing Lessons Learn	ed	
· · · · · · · · · · · · · · · · · · ·	.5	0.5
sented and shared at ER NAPSR meeting		
	.5	0.5
5005 state have included accident criteria for conducting root cause analysis:	Info Only	Info Only
	Has state shared lessons learned from incidents/accidents? (i.e. NAPSR meetings and communications) Yes = .5 No = 0 Sented and shared at ER NAPSR meeting Does the State support data gathering efforts concerning accidents? (Frequency/Consequence/etc) Yes = .5 No = 0 Every support data from WGL. However PSC is unable to require data from others.	and what those operators are doing to mitigate the safety concerns? Previous Question B.18 Yes = .5 No = 0 : asked WG for plastic pipe issues, if any. None were found. Has state confirmed transmission operators have submitted information into National Pipeline Mapping System NPMS) database along with any changes made after original submission? Yes = .5 No = 0 : iated that WG completed submission into NPMS in CY 2009. dent/Incident Investigation Learning and Sharing Lessons Learned Has state shared lessons learned from incidents/accidents? (i.e. NAPSR meetings and communications) Yes = .5 No = 0 : sented and shared at ER NAPSR meeting Does the State support data gathering efforts concerning accidents? (Frequency/Consequence/etc) Yes = .5 No = 0 : eives incident data from WGL. However PSC is unable to require data from others. Info Only Info Only = No Points

Info Only Info Only

\equiv		

19	Has state participated on root cause analysis training? (can also be on wait list) Yes = 5 No = 0	.5	0.5
SLR Not			
Udeo	zo Ogbue completed Root Cause Analysis Training in Feb 2010.		
Tra	Insparency - Communication with Stakeholders		
20	Other than pipeline safety seminar does State communicate with stakeholders? (Communicate program data, pub awareness, etc.) Yes = .5 No = 0	.5	0.5
SLR Not	es:		
DC P	SC observed April 2011 as National Safe Digging Month and encourage Call 811 Before Start Digging Activities.		
21	Does state share enforcement data with public? (Website, newsletters, docket access, etc.)	.5	0.5
	$Yes = .5 N_0 = 0$		
SLR Not	***		
	SC website:		
http:/	/www.dcpsc.org/pipelinesafety.asp. PSC also provides links to e-docket system		
22		Info Only	Info Only
22	Part G: General Comments/Regional Observations	inio omy	inio omy
CLD Mad	Info Only = No Points		
SLR Not	es:		

Total points scored for this section: 9

1	What were the major accomplishments for the year being evaluated? (Describe the accomplishments, NAPSR Activities and Participation, etc.) $Yes = 5 No = 0$.5	0.5	
SLR No				
1. D	C continues to monitor replacement of cast iron and bare steel pipe including vintage coupling with encapsulation	method.		
2	What legislative or program initiatives are taking place/planned in the state, past, present, and future? (Describ initiatives (i.e. damage prevention, jurisdiction/authority, compliance/administrative, etc.) Yes = .5 No = 0	e .5	0.5	
SLR No	ites:			
	initiated steps to resolve issues identified in 2010 annual evaluation. At this time no final outcome yet. DC indicate exted to be released upon final review by DC PSC Chairman and send to DC Register.	d that the Pro	posed changes are	e
3	Any Risk Reduction Accomplishments/Projects? (i.e. Cast iron replacement projects, bare steel, third-party damage reductions, etc.) Yes = .5 No = 0	.5	0.5	
SLR No				
	C monitors CI and Bare Steel repalcement activities.			
2. D	C PSC receives and reviews quarterly Damage Data from WGL.			
4	Did the state participate in/respond to surveys or information requests from NAPSR or PHMSA? Yes = 1 No = 0	1	1	
SLR No	otes:			
PSC	responded to Staffing level request.			
5	Sharing Best Practices with Other States - (General Program)	.5	0.5	
SLR No	$Yes = .5 N_0 = 0$			
~				
	PSC shared at ER NASPR meeting at Essex Junction, VT.			
6	Part H: General Comments/Regional Observations	Info Only	Info Only	

 $\label{eq:continuous_substitution} Info \ Only = No \ Points \\ SLR \ Notes:$

Total points scored for this section: 3





Yes = .5 No = 0

SLR Notes:

9

PSC performed Gas transmission IMP inspection in Nov/Dec 2009. DC used federal IMP protocols A thru N.

potential impact radii and properly applied the definition of a high consequence area?

Has the state verified that in determining whether a plan is required, the operator correctly calculated the



Total points scored for this section: 9