



U.S. Department  
of Transportation  
**Pipeline and Hazardous  
Materials Safety  
Administration**

1200 New Jersey Avenue SE  
Washington DC 20590

# 2012 Natural Gas State Program Evaluation

for

IOWA UTILITIES BOARD

## Document Legend

### PART:

- O -- Representative Date and Title Information
- A -- Progress Report and Program Documentation Review
- B -- Program Inspection Procedures
- C -- Program Performance
- D -- Compliance Activities
- E -- Incident Investigations
- F -- Damage Prevention
- G -- Field Inspections
- H -- Interstate Agent State (If Applicable)
- I -- 60106 Agreement State (If Applicable)



2012 Natural Gas State Program Evaluation -- CY 2012  
Natural Gas

**State Agency:** Iowa

**Agency Status:**

**Date of Visit:** 11/25/2013 - 11/26/2013

**Agency Representative:** Don Stursma, Program Manager

**PHMSA Representative:** Rex Evans

**Commission Chairman to whom follow up letter is to be sent:**

**Name/Title:** Elizabeth Jacobs, Chair

**Agency:** Iowa Utilities Board

**Address:** 1375 East Court Avenue, Room 69

**City/State/Zip:** Des Moines, IA 50319-0069

**Rating:**

**60105(a):** Yes **60106(a):** No **Interstate Agent:** Yes

---

**INSTRUCTIONS:**

Complete this evaluation in accordance with the Procedures for Evaluating State Pipeline Safety Program. The evaluation should generally reflect state program performance during CY 2012 (not the status of performance at the time of the evaluation). All items for which criteria have not been established should be answered based on the PHMSA representative's judgment. A deficiency in any one part of a multiple part question should be scored as needs improvement. Determine the answer to the question then select the appropriate point value. If a state receives less than the maximum points, include a brief explanation in the space provided for general comments/regional observations. If a question is not applicable to a state, select NA. Please ensure all responses are COMPLETE and ACCURATE, and OBJECTIVELY reflect state program performance. Increasing emphasis is being placed on performance. This evaluation together with selected factors reported in the state's annual progress report attachments provide the basis for determining the state's pipeline safety grant allocation.

---

**Field Inspection (PART G):**

The field inspection form used will allow different areas of emphasis to be considered for each question. Question 13 is provided for scoring field observation areas. In completing PART G, the PHMSA representative should include a written summary which thoroughly documents the inspection.

---

**Scoring Summary**

**PARTS**

**Possible Points    Points Scored**

A    Progress Report and Program Documentation Review  
B    Program Inspection Procedures  
C    Program Performance  
D    Compliance Activities  
E    Incident Investigations  
F    Damage Prevention  
G    Field Inspections  
H    Interstate Agent State (If Applicable)  
I    60106 Agreement State (If Applicable)

10            9.5  
15            15  
45            44  
15            15  
9             9  
8             8  
12            12  
3             3  
0             0

**TOTALS**

**117            115.5**

**State Rating .....**

**98.7**

---

## PART A - Progress Report and Program Documentation Review

Points(MAX) Score

- |   |   |   |   |
|---|---|---|---|
| 1 | Accuracy of Jurisdictional Authority and Operator/Inspection Units Data - Progress Report Attachment 1 (A1a)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|---|---|---|

Evaluator Notes:

Reviewed prepared binder, information gathered appeared correct per their documents. No issues.

- |   |  |   |   |
|---|--|---|---|
| 2 | Review of Inspection Days for accuracy - Progress Report Attachment 2 (A1b)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

Inspection day summary for all operators reviewed from binder. It appears that information reported matches progress report.

- |   |  |   |     |
|---|--|---|-----|
| 3 | Accuracy verification of Operators and Operators Inspection Units in State - Progress Report Attachment 3 (A1c)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 0.5 |
|---|--|---|-----|

Evaluator Notes:

Operator inspection unit counts did not match those on Attachment 1. Need to verify accuracy before submission. Liberty not listed on attachment 3 (old ATMOS)

- |   |  |   |   |
|---|--|---|---|
| 4 | Were all federally reportable incident reports listed and information correct? - Progress Report Attachment 4 (A1d)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

Information reviewed appears correct

- |   |  |   |   |
|---|--|---|---|
| 5 | Accuracy verification of Compliance Activities - Progress Report Attachment 5 (A1e)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

Compliance Actions appear to match files

- |   |   |   |   |
|---|---|---|---|
| 6 | Were pipeline program files well-organized and accessible? - Progress Report Attachment 6 (A1f, A4)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|---|---|---|

Evaluator Notes:

Excellent organization of files - all on web

- |   |  |   |   |
|---|--|---|---|
| 7 | Was employee listing and completed training accurate and complete? - Progress Report Attachment 7 (A1g)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

Information appeared correct

- |   |   |   |   |
|---|---|---|---|
| 8 | Verification of Part 192,193,198,199 Rules and Amendments - Progress Report Attachment 8 (A1h)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|---|---|---|---|

Evaluator Notes:

No issues

- 9 List of Planned Performance - Did state describe accomplishments on Progress Report in detail - Progress Report Attachment 10 (H1-3) 1 1  
Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

No issues

- 
- 10 General Comments:

Info Only = No Points

Info OnlyInfo Only

Evaluator Notes:

---

Total points scored for this section: 9.5  
Total possible points for this section: 10



## PART B - Program Inspection Procedures

Points(MAX) Score

- |          |  |   |   |
|----------|--|---|---|
| <b>1</b> | Standard Inspections (B1a)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----------|--|---|---|

Evaluator Notes:

Standard Inspection Procedures - begins Page 1 on Std. Inspection Document dated December 2011. No issues

- |          |   |   |   |
|----------|---|---|---|
| <b>2</b> | IMP Inspections (including DIMP) (B1b)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

IMP and DIMP procedures found in program document. No issues

- |          |   |   |   |
|----------|---|---|---|
| <b>3</b> | OQ Inspections (B1c)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

OQ Begins on Page 2 of inspection procedures document

- |          |  |   |   |
|----------|--|---|---|
| <b>4</b> | Damage Prevention Inspections (B1d)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

Damage Prevention begins page 3 of document

- |          |  |   |   |
|----------|--|---|---|
| <b>5</b> | On-Site Operator Training (B1e)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

On-site operator procedures begin on page 3 of document

- |          |   |   |   |
|----------|---|---|---|
| <b>6</b> | Construction Inspections (B1f)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

Construction inspection procedures begin on page 4 of procedures document

- |          |  |   |   |
|----------|--|---|---|
| <b>7</b> | Incident/Accident Investigations (B1g)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----------|--|---|---|

Evaluator Notes:

incident investigation procedures begin on page 4 of procedures document

- |          |   |   |   |
|----------|---|---|---|
| <b>8</b> | Does inspection plan address inspection priorities of each operator, and if necessary each unit, based on the following elements? (B2a-d, G1,2,4)<br>Yes = 6 No = 0 Needs Improvement = 1-5 | 6 | 6 |
|----------|---|---|---|

- |  |                                      |                          |   |
|--|--------------------------------------|--------------------------|---|
| a. Length of time since last inspection  | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| b. Operating history of operator/unit and/or location (includes leakage, incident and compliance activities)   | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| c. Type of activity being undertaken by operators (i.e. construction)  | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| d. Locations of operators inspection units being inspected - (HCA's, Geographic areas, Population Density, etc)  | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| e. Process to identify high-risk inspection units that includes all threats - (Excavation Damage, Corrosion, Natural Forces, Outside Forces, Material and Welds, Equipment, Operators and any Other Factors) | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| f. Are inspection units broken down appropriately?   | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |

Evaluator Notes:

Each of these areas are discussed in procedures beginning on page 5. no issues

---

**9** General Comments:

Info Only = No Points

Info OnlyInfo Only

Evaluator Notes:

Procedures document provided was last updated in December 2011.

---

Total points scored for this section: 15  
Total possible points for this section: 15



## PART C - Program Performance

Points(MAX) Score

- 1 Was ratio of Total Inspection person-days to total person days acceptable? (Director of State Programs may modify with just cause) Chapter 4.3 (A12) 5 5  
Yes = 5 No = 0

A. Total Inspection Person Days (Attachment 2):  
501.10

B. Total Inspection Person Days Charged to the Program (220 X Inspection Person Years) (Attachment 7):  
220 X 5.38 = 1183.42

Ratio: A / B  
501.10 / 1183.42 = 0.42

If Ratio >= 0.38 Then Points = 5, If Ratio < 0.38 Then Points = 0  
Points = 5

Evaluator Notes:

Inspection days were acceptable

- 2 Has each inspector and program manager fulfilled the T Q Training Requirements? (See Guidelines for requirements) Chapter 4.4 (A8-A11, G19) 5 5  
Yes = 5 No = 0 Needs Improvement = 1-4

- |    |  |                                      |                          |   |
|----|--|--------------------------------------|--------------------------|---|
| a. | Completion of Required OQ Training before conducting inspection as lead?                                     | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| b. | Completion of Required DIMP*/IMP Training before conducting inspection as lead? *Effective Evaluation CY2013 | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| c. | Root Cause Training by at least one inspector/program manager  | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |
| d. | Note any outside training completed  | Yes <input checked="" type="radio"/> | No <input type="radio"/> | Needs Improvement <input type="radio"/> |

Evaluator Notes:

All basics appear to be covered. Recommend curriculum review - may need to see all inspectors have taken root cause, and OQ seminar. Dan Herber and Duane Fournier have left to go to work for industry. Larry Sorensen retired.

- 3 Did state records and discussions with state pipeline safety program manager indicate adequate knowledge of PHMSA program and regulations? Chapter 4.1,8.1 (A5) 2 2  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

No issues

- 4 Did state respond to Chairman's letter on previous evaluation within 60 days and correct or address any noted deficiencies? (If necessary) Chapter 8.1 (A6-7) 2 2  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

No issues, letter sent to state on Dec 26, 2012, Response received Jan 14, 2013. No issues with either. Civil penalties have been raised to \$100/\$1mm

- 5 Did State hold PHMSA TQ Seminar in Past 3 Years? Chapter 8.5 (A3) 2 2  
Yes = 2 No = 0

Evaluator Notes:

Previous seminar held February 2012.

- 6 Did state inspect all types of operators and inspection units in accordance with time intervals established in written procedures? Chapter 5.1 (B3) 5 5  
Yes = 5 No = 0 Needs Improvement = 1-4

Evaluator Notes:

During review of inspection records it indicates all have been inspected within time intervals established. A separate written procedure is in place for the timing of inspections. Inspections are all on-line and were reviewed in various dockets established for each company.

- 
- |   |   |   |   |
|---|---|---|---|
| 7 | Did inspection form(s) cover all applicable code requirements addressed on Federal Inspection form(s)? Did State complete all applicable portions of inspection forms? Chapter 5.1 (B4-5)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|---|---|---|

Evaluator Notes:

Code requirements appear to be covered appropriately and forms appear to be filled out thoroughly. No issues

---

- |   |  |   |   |
|---|--|---|---|
| 8 | Did the state review operator procedures for determining if exposed cast iron pipe was examined for evidence of graphitization and if necessary remedial action was taken? (NTSB) Chapter 5.1 (B7)<br>Yes = 1 No = 0 | 1 | 1 |
|---|--|---|---|

Evaluator Notes:

This is covered on checklist under Corrosion Control questions in SubPart I

---

- |   |   |   |   |
|---|---|---|---|
| 9 | Did the state review operator procedures for surveillance of cast iron pipelines, including appropriate action resulting from tracking circumferential cracking failures, study of leakage history, or other unusual operating maintenance condition? (Note: See GPTC Appendix G-18 for guidance) (NTSB) Chapter 5.1 (B8)<br>Yes = 1 No = 0 | 1 | 1 |
|---|---|---|---|

Evaluator Notes:

Questions are covered on continuing surveillance questions for 192.613 on checklist. No issues

---

- |    |  |   |   |
|----|--|---|---|
| 10 | Did the state review operator emergency response procedures for leaks caused by excavation damage near buildings and determine whether the procedures adequately address the possibility of multiple leaks and underground migration of gas into nearby buildings Refer to 4/12/01 letter from PHMSA in response to NTSB recommendation P-00-20 and P-00-21? (NTSB) Chapter 5.1 (B9)<br>Yes = 1 No = 0 | 1 | 1 |
|----|--|---|---|

Evaluator Notes:

This is covered on checklists under 192.615 section. No issues

---

- |    |   |   |   |
|----|---|---|---|
| 11 | Did the state review operator records of previous accidents and failures including reported third party damage and leak response to ensure appropriate operator response as required by 192.617? Chapter 5.1 (B10,E5)<br>Yes = 1 No = 0 | 1 | 1 |
|----|---|---|---|

Evaluator Notes:

This is covered on distribution checklisted under 192.617. No issues

---

- |    |   |   |   |
|----|---|---|---|
| 12 | Has the state reviewed Operator Annual reports, along with Incident/Accident reports, for accuracy and analyzed data for trends and operator issues? Data Initiative (G6-9,G16)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|----|---|---|---|

Evaluator Notes:

No issues, they review all for accuracy and trends.

---

- |    |  |   |   |
|----|--|---|---|
| 13 | Did state input all applicable OQ, IMP inspection results into federal database in a timely manner? This includes replies to Operator notifications into IMDB database. Chapter 5.1 (G10-12)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 1 |
|----|--|---|---|

Evaluator Notes:

Yes in review, OQ results are uploaded regularly but not sure all are there. Several IMP inspections in files had not been uploaded and need improvement.



- 
- |           |   |   |   |
|-----------|---|---|---|
| <b>14</b> | Has state confirmed intrastate transmission operators have submitted information into NPMS database along with changes made after original submission? (G14)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|-----------|---|---|---|
- 

Evaluator Notes:

Yes, this is on checklist

---

- |           |  |   |   |
|-----------|--|---|---|
| <b>15</b> | Is the state verifying operators are conducting drug and alcohol tests as required by regulations? This should include verifying positive tests are responded to in accordance with program. 49 CFR 199 (I1-3)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|--|---|---|
- 

Evaluator Notes:

Yes, this is part of standard inspection and information is verified. No issues

---

- |           |  |   |   |
|-----------|--|---|---|
| <b>16</b> | Is state verifying operators OQ programs are up to date? This should include verification of any plan updates and that persons performing covered tasks (including contractors) are properly qualified and requalified at intervals determined in the operators plan. 49 CFR 192 Part N (I4-7)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|--|---|---|
- 

Evaluator Notes:

They have a set of questions on the standard inspection form which verifies up-to-date status along with individuals being properly qualified. No issues.

---

- |           |  |   |   |
|-----------|--|---|---|
| <b>17</b> | Is state verifying operator's gas transmission integrity management programs (IMP) are up to date? This should include a previous review of IMP plan, along with monitoring progress on operator tests and remedial actions. In addition, the review should take in to account program review and updates of operators plan(s). 49 CFR 192 Subpart O (I8-12)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|-----------|--|---|---|
- 

Evaluator Notes:

No issues. Updates and information is included in Subpart O of checklist starting on page 23.

---

- |           |   |   |   |
|-----------|---|---|---|
| <b>18</b> | Is state verifying operator's gas distribution integrity management Programs (DIMP)? This should include a review of DIMP plans, along with monitoring progress. In addition, the review should take in to account program review and updates of operators plan(s). 49 CFR 192 Subpart P<br>DIMP ? First round of program inspections should be complete by December 2014 | 2 | 2 |
|-----------|---|---|---|
- 

Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

iowa is in process of DIMP inspections. Also listed on checklist starting on page 25. On target

---

- |           |  |   |   |
|-----------|--|---|---|
| <b>19</b> | Is state verifying operators Public Awareness programs are up to date and being followed. State should also verify operators have evaluated Public Awareness programs for effectiveness as described in RP1162. 49 CFR 192.616 (I13-16)<br>PAPEI Effectiveness Inspections should be complete by December 2013 | 2 | 2 |
|-----------|--|---|---|
- 

Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

PAPEI inspections are on target for completion. No issues.

---

- |           |  |   |   |
|-----------|--|---|---|
| <b>20</b> | Does the state have a mechanism for communicating with stakeholders - other than state pipeline safety seminar? (This should include making enforcement cases available to public). (G20-21) | 1 | 1 |
|-----------|--|---|---|
-

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

The IUB website is main mechanism for communication with stakeholders. They have all inspections and correspondence filed by operator in a Docket number designated for each operator. <https://efs.iowa.gov/efs/> - this is the website where information is located.

---

21	Did state execute appropriate follow-up actions to Safety Related Condition (SRC) Reports? Chapter 6.3 (B6)	1	NA
----	---	---	----

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

No SRC's in CY2012. No issues.

---

22	Did the State ask Operators to identify any plastic pipe and components that has shown a record of defects/leaks and what those operators are doing to mitigate the safety concerns? (G13)	1	1
----	--	---	---

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

This is asked on the standard checklist. No issues.

---

23	Did the state participate in/respond to surveys or information requests from NAPS or PHMSA? (H4)	1	1
----	--	---	---

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

No issues

---

24	General Comments:	Info Only	Info Only
----	-------------------	-----------	-----------

Info Only = No Points

Evaluator Notes:

---

Total points scored for this section: 44  
Total possible points for this section: 45



## PART D - Compliance Activities

Points(MAX) Score

- 1 Does the state have written procedures to identify steps to be taken from the discovery to resolution of a probable violation? Chapter 5.1 (B12-14, B16, B1h) 4 4  
Yes = 4 No = 0 Needs Improvement = 1-3
- a. Procedures to notify an operator (company officer) when a noncompliance is identified Yes ☒ No ☐ Needs Improvement ☐
- b. Procedures to routinely review progress of compliance actions to prevent delays or breakdowns Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

Compliance procedures are outlined in "Pipeline Safety Enforcement Process" dated December 2011. Issues are addressed appropriately.

- 2 Did the state follow compliance procedures (from discovery to resolution) and adequately document all probable violations, including what resolution or further course of action is needed to gain compliance? Chapter 5.1 (B11,B18,B19) 4 4  
Yes = 4 No = 0 Needs Improvement = 1-3
- a. Were compliance actions sent to company officer or manager/board member if municipal/government system? Yes ☒ No ☐ Needs Improvement ☐
- b. Were probable violations documented? Yes ☒ No ☐ Needs Improvement ☐
- c. Were probable violations resolved? Yes ☒ No ☐ Needs Improvement ☐
- d. Was the progress of probable violations routinely reviewed? Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

From review of inspection and compliance files it appears all have been documented appropriately and resolution is attained through various actions based on violation. No issues.

- 3 Did the state issue compliance actions for all probable violations discovered? (B15) 2 2  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

All appear to be thoroughly covered. No issues.

- 4 Did compliance actions give reasonable due process to all parties? Including "show cause" hearing if necessary. (B17, B20) 2 2  
Yes = 2 No = 0

Evaluator Notes:

No issues

- 5 Is the program manager familiar with state process for imposing civil penalties? Were civil penalties considered for repeat violations (with severity consideration) or violations resulting in incidents/accidents? (describe any actions taken) (B27) 2 2  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes, no issues

- 6 Can the State demonstrate it is using their enforcement fining authority for pipeline safety violations? 1 1  
Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

Yes, penalties have been used when needed

- 7 General Comments: Info Only Info Only  
Info Only = No Points

Evaluator Notes:

---

Total points scored for this section: 15  
Total possible points for this section: 15



## PART E - Incident Investigations

Points(MAX) Score

- 1 Does state have adequate mechanism to receive and respond to operator reports of incidents, including after-hours reports? And did state keep adequate records of Incident/Accident notifications received? Chapter 6 (A2,D1-3) 2 2

Yes = 2 No = 0 Needs Improvement = 1

- a. Acknowledgement of MOU between NTSB and PHMSA (Appendix D) Yes ☒ No ☐ Needs Improvement ☐
- b. Acknowledgement of Federal/State Cooperation in case of incident/accident (Appendix E) Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

IUB has on-call process for receiving after hours reports. No issues

- 2 If onsite investigation was not made, did state obtain sufficient information from the operator and/or by other means to determine the facts to support the decision to not go on-site? Chapter 6 (D4) 1 1

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

yes, sufficient information obtained as necessary. No issues.

- 3 Were all incidents investigated, thoroughly documented, and with conclusions and recommendations? (D5) 3 3

Yes = 3 No = 0 Needs Improvement = 1-2

- a. Observations and document review Yes ☒ No ☐ Needs Improvement ☐
- b. Contributing Factors Yes ☒ No ☐ Needs Improvement ☐
- c. Recommendations to prevent recurrences when appropriate Yes ☒ No ☐ Needs Improvement ☐

Evaluator Notes:

Review of incidents indicate information was thoroughly documented and conclusions and recommendations made as necessary.

- 4 Did the state initiate compliance action for violations found during any incident/accident investigation? (D6) 1 1

Yes = 1 No = 0

Evaluator Notes:

Yes, actually state was AG office in respect to one-call violations but appropriately confirmed and forwarded.

- 5 Did the state assist region office by taking appropriate follow-up actions related to the operator incident reports to ensure accuracy and final report has been received by PHMSA? (validate report data from operators concerning incidents/accidents and investigate discrepancies) Chapter 6 (D7) 1 1

Yes = 1 No = 0 Needs Improvement = .5

Evaluator Notes:

No issues were made by region.

- 6 Does state share lessons learned from incidents/accidents? (sharing information, such as: at NAPS Region meetings, state seminars, etc) (G15) 1 1

Yes = 1 No = 0

Evaluator Notes:

Always gives info at NAPS region meetings and other opportunities.

- 7 General Comments: Info Only Info Only

Info Only = No Points

Evaluator Notes:

Should examine what is reported on Attachment 4 of progress report. Only need to report incidents that have met federal reporting requirement - regardless if an NRC report was made.

---

Total points scored for this section: 9  
Total possible points for this section: 9



## PART F - Damage Prevention

Points(MAX) Score

- |   |   |   |   |
|---|---|---|---|
| 1 | Has the state reviewed directional drilling/boring procedures of each pipeline operator or its contractor to determine if they include actions to protect their facilities from the dangers posed by drilling and other trench less technologies? NTSB (E1)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|---|---|---|

Evaluator Notes:

This is on page 15 of distribution inspection checklist. No issues.

- |   |  |   |   |
|---|--|---|---|
| 2 | Did the state inspector check to assure the pipeline operator is following its written procedures pertaining to notification of excavation, marking, positive response and the availability and use of the one call system? (E2)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

This is covered on page 14 of checklist with each operator. No issues.

- |   |   |   |   |
|---|---|---|---|
| 3 | Did the state encourage and promote practices for reducing damages to all underground facilities to its regulated companies? (i.e. such as promoting/adopting the CGA Best Practices encouraging adoption of the 9 Elements, etc.) (E3)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|---|---|---|

Evaluator Notes:

Very active in Common Ground Iowa. No issues.

- |   |  |   |   |
|---|--|---|---|
| 4 | Has the agency or another organization within the state collected data and evaluated trends on the number of pipeline damages per 1,000 locate requests? (This can include DIRT and other data shared and reviewed by the pipeline safety program) (E4,G5)<br>Yes = 2 No = 0 Needs Improvement = 1 | 2 | 2 |
|---|--|---|---|

Evaluator Notes:

Collected through annual report information. No issues.

- |   |  |           |           |
|---|--|-----------|-----------|
| 5 | General Comments:<br>Info Only = No Points | Info Only | Info Only |
|---|--|-----------|-----------|

Evaluator Notes:

Total points scored for this section: 8  
Total possible points for this section: 8

## PART G - Field Inspections

Points(MAX) Score

- 1 Operator, Inspector, Location, Date and PHMSA Representative Info Only Info Only  
Info Only = No Points

Name of Operator Inspected:

City of Prescott, Iowa

Name of State Inspector(s) Observed:

John Bloome

Location of Inspection:

Lenox - Prescott Iowa

Date of Inspection:

July 30-31, 2013

Name of PHMSA Representative:

Rex Evans

Evaluator Notes:

Observed Field and Record audit of City of Prescott Iowa. Prescott is served by city of Lenox under contract.

- 2 Was the operator or operator's representative notified and/or given the opportunity to be present during inspection? (F2) 1 1  
Yes = 1 No = 0

Evaluator Notes:

yes, Lynn Christensen was on site - no issues

- 3 Did the inspector use an appropriate inspection form/checklist and was the form/checklist used as a guide for the inspection? (New regulations shall be incorporated) (F3) 2 2  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Yes, checklists were used. No issues.

- 4 Did the inspector thoroughly document results of the inspection? (F4) 2 2  
Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

Inspection results reviewed, all documented thoroughly. No issues

- 5 Did the inspector check to see if the operator had necessary equipment during inspection to conduct tasks viewed? (Maps,pyrometer,soap spray,CGI,etc.) (F5) 1 1  
Yes = 1 No = 0

Evaluator Notes:

All tasks were conducted as necessary. No issues

- 6 Did the inspector adequately review the following during the field portion of the state evaluation? (check all that apply on list) (F7) 2 2  
Yes = 2 No = 0 Needs Improvement = 1

a. Procedures ☒

b. Records ☒

c. Field Activities ☒

d. Other (please comment) ☐

Evaluator Notes:

Did complete review of Prescott records and Field. No issues.

- 7 Did the inspector have adequate knowledge of the pipeline safety program and regulations? (Evaluator will document reasons if unacceptable) (F8) 2 2



Yes = 2 No = 0 Needs Improvement = 1

Evaluator Notes:

No issues

- 
- |          |  |   |   |
|----------|--|---|---|
| <b>8</b> | Did the inspector conduct an exit interview? (If inspection is not totally complete the interview should be based on areas covered during time of field evaluation) (F9)<br>Yes = 1 No = 0 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

No issues

- 
- |          |   |   |   |
|----------|---|---|---|
| <b>9</b> | During the exit interview, did the inspector identify probable violations found during the inspections? (if applicable) (F10)<br>Yes = 1 No = 0 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

All issues were addressed.

- 
- |           |  |           |           |
|-----------|--|-----------|-----------|
| <b>10</b> | General Comments: What did the inspector observe in the field? (Narrative description of field observations and how inspector performed) Best Practices to Share with Other States - (Field - could be from operator visited or state inspector practices) Other.<br>Info Only = No Points | Info Only | Info Only |
|-----------|--|-----------|-----------|

- |    |                                   |                                     |
|----|-----------------------------------|-------------------------------------|
| a. | Abandonment                       | <input type="checkbox"/>            |
| b. | Abnormal Operations               | <input type="checkbox"/>            |
| c. | Break-Out Tanks                   | <input type="checkbox"/>            |
| d. | Compressor or Pump Stations       | <input type="checkbox"/>            |
| e. | Change in Class Location          | <input type="checkbox"/>            |
| f. | Casings                           | <input checked="" type="checkbox"/> |
| g. | Cathodic Protection               | <input checked="" type="checkbox"/> |
| h. | Cast-iron Replacement             | <input type="checkbox"/>            |
| i. | Damage Prevention                 | <input type="checkbox"/>            |
| j. | Deactivation                      | <input type="checkbox"/>            |
| k. | Emergency Procedures              | <input type="checkbox"/>            |
| l. | Inspection of Right-of-Way        | <input checked="" type="checkbox"/> |
| m. | Line Markers                      | <input type="checkbox"/>            |
| n. | Liaison with Public Officials     | <input type="checkbox"/>            |
| o. | Leak Surveys                      | <input checked="" type="checkbox"/> |
| p. | MOP                               | <input type="checkbox"/>            |
| q. | MAOP                              | <input type="checkbox"/>            |
| r. | Moving Pipe                       | <input type="checkbox"/>            |
| s. | New Construction                  | <input type="checkbox"/>            |
| t. | Navigable Waterway Crossings      | <input type="checkbox"/>            |
| u. | Odorization                       | <input type="checkbox"/>            |
| v. | Overpressure Safety Devices       | <input checked="" type="checkbox"/> |
| w. | Plastic Pipe Installation         | <input type="checkbox"/>            |
| x. | Public Education                  | <input type="checkbox"/>            |
| y. | Purging                           | <input type="checkbox"/>            |
| z. | Prevention of Accidental Ignition | <input type="checkbox"/>            |
| A. | Repairs                           | <input type="checkbox"/>            |
| B. | Signs                             | <input type="checkbox"/>            |
| C. | Tapping                           | <input type="checkbox"/>            |
| D. | Valve Maintenance                 | <input type="checkbox"/>            |
| E. | Vault Maintenance                 | <input type="checkbox"/>            |
| F. | Welding                           | <input type="checkbox"/>            |

- G. OQ - Operator Qualification
- H. Compliance Follow-up
- I. Atmospheric Corrosion
- J. Other

☒  
☐  
☐  
☐

Evaluator Notes:

No issues - typical small municipal operator

---

Total points scored for this section: 12  
Total possible points for this section: 12



**PART H - Interstate Agent State (If Applicable)****Points(MAX)    Score**

- |          |   |   |   |
|----------|---|---|---|
| <b>1</b> | Did the state use the current federal inspection form(s)? (C1)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

No issues

- |          |  |   |   |
|----------|--|---|---|
| <b>2</b> | Are results documented demonstrating inspection units were reviewed in accordance with "PHMSA directed inspection plan"? (C2)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|--|---|---|

Evaluator Notes:

No issues

- |          |   |   |   |
|----------|---|---|---|
| <b>3</b> | Did the state submit documentation of the inspections within 60 days as stated in its latest Interstate Agent Agreement form? (C3)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | 1 |
|----------|---|---|---|

Evaluator Notes:

No issues

- |          |  |   |    |
|----------|--|---|----|
| <b>4</b> | Were probable violations identified by state referred to PHMSA for compliance? (NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.) (C4)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

No issues, none found

- |          |  |   |    |
|----------|--|---|----|
| <b>5</b> | Did the state immediately report to PHMSA conditions which may pose an imminent safety hazard to the public or to the environment? (C5)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

None

- |          |   |   |    |
|----------|---|---|----|
| <b>6</b> | Did the state give written notice to PHMSA within 60 days of all probable violations found? (C6)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

None

- |          |  |   |    |
|----------|--|---|----|
| <b>7</b> | Did the state initially submit documentation to support compliance action by PHMSA on probable violations? (C7)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

None

- |          |  |           |           |
|----------|--|-----------|-----------|
| <b>8</b> | General Comments:<br>Info Only = No Points | Info Only | Info Only |
|----------|--|-----------|-----------|

Evaluator Notes:

No issues

Total points scored for this section: 3  
Total possible points for this section: 3

**PART I - 60106 Agreement State (If Applicable)****Points(MAX)    Score**

- |          |  |   |    |
|----------|--|---|----|
| <b>1</b> | Did the state use the current federal inspection form(s)? (B21)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- |          |  |   |    |
|----------|--|---|----|
| <b>2</b> | Are results documented demonstrating inspection units were reviewed in accordance with state inspection plan? (B22)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- |          |   |   |    |
|----------|---|---|----|
| <b>3</b> | Were any probable violations identified by state referred to PHMSA for compliance? (NOTE: PHMSA representative has discretion to delete question or adjust points, as appropriate, based on number of probable violations; any change requires written explanation.) (B23)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- |          |   |   |    |
|----------|---|---|----|
| <b>4</b> | Did the state immediately report to PHMSA conditions which may pose an imminent safety hazard to the public or to the environment? (B24)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|---|---|----|

Evaluator Notes:

- |          |  |   |    |
|----------|--|---|----|
| <b>5</b> | Did the state give written notice to PHMSA within 60 days of all probable violations found? (B25)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- |          |  |   |    |
|----------|--|---|----|
| <b>6</b> | Did the state initially submit adequate documentation to support compliance action by PHMSA on probable violations? (B26)<br>Yes = 1 No = 0 Needs Improvement = .5 | 1 | NA |
|----------|--|---|----|

Evaluator Notes:

- |          |  |           |           |
|----------|--|-----------|-----------|
| <b>7</b> | General Comments:<br>Info Only = No Points | Info Only | Info Only |
|----------|--|-----------|-----------|

Evaluator Notes:

Not applicable

Total points scored for this section: 0  
Total possible points for this section: 0