

Pipeline and Hazardous Materials Safety Administration 1200 New Jersey Avenue, SE Washington, DC 20590

DOT-SP 20529 (THIRD REVISION)

EXPIRATION DATE: 2027-05-31

(FOR RENEWAL, SEE 49 CFR 107.109)

1. <u>GRANTEE</u>: Texas Instruments Incorporated

Dallas, TX

2. PURPOSE AND LIMITATION:

- a. This special permit authorizes the transportation in commerce of certain pyrophoric solids in UN 4H2 solid plastic boxes. This special permit provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein. The most recent revision supersedes all previous revisions.
- b. The safety analyses performed in the development of this special permit only considered the hazards and risks associated with the transportation in commerce.
- c. No party status will be granted to this special permit.
- 3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
- 4. <u>REGULATIONS FROM WHICH EXEMPTED</u>: 49 CFR § 173.187 in that metal packaging is not required.
- 5. <u>BASIS</u>: This special permit is based on the application of Texas Instruments Incorporated dated June 20, 2023, submitted in accordance with § 107.109.

Tracking Number: 2023064877

6. <u>HAZARDOUS MATERIALS (49 CFR 172.101)</u>:

Hazardous Materials Description			
Proper Shipping Name	Hazard Class/ Division	Identi- fication Number	Packing Group
Pyrophoric solid, inorganic, n.o.s.	4.2	UN3200	I

7. <u>SAFETY CONTROL MEASURES</u>:

- a. <u>PACKAGING</u>: The prescribed packaging is a combination packaging conforming to the following requirements.
 - (1) <u>Inner packaging</u>: Inner packaging consists of:
 - (i) A polyethylene zipper lock bag containing one stainless steel or quartz part contaminated with pyrophoric material. The bag is zip locked closed. The bag is placed into the packaging below.
 - (ii) An additional zipper bag, which is zip locked and cable tied closed. The bag is placed into the packaging below.
 - (iii) A polyethylene liner bag with absorbent padding. The bag is cable tied closed. Not more than four zipper bags containing the contaminated parts are placed in the polyethylene bag. The filled bag is placed into the packaging below.
 - (iv) A cross-weave Kevlar fabric bag with absorbent padding, which is hand-tied closed with a drawstring.
 - Outer packaging: The outer packaging is one of three UN 4H2 designs, certified at the Packing Group I performance level, conforming to the designs in TEN-E Packaging Services, Inc. Report #17-MN20119, dated July 27, 2017, and Report 22-MN20426 dated August 31, 2022, on file with the Office of Hazardous Materials Safety. The outer packaging is closed with a cable tie on each end of the top cover.

b. OPERATIONAL CONTROLS:

(1) No more than 15 kg (33 lbs.) of material may be transported in each completed packaging.

(2) This special permit may only be used to transport stainless steel or quartz parts intended for cleaning and maintenance.

8. SPECIAL PROVISIONS:

- a. Under the terms of this special permit, the grantee may only offer hazardous materials (i.e., the grantee is not authorized as a carrier).
- b. A person who is not a holder of this special permit who receives a package covered by this special permit may reoffer it for transportation provided no modification or change is made to the package and it is reoffered for transportation in conformance with this special permit and the HMR.
- c. A current copy of this special permit must be maintained at each facility where the package is offered or reoffered for transportation.
- 9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle.
- 10. <u>MODAL REQUIREMENTS</u>: A current copy of this special permit must be carried aboard each motor vehicle used to transport packages covered by this special permit.
- 11. <u>COMPLIANCE</u>: Failure by a person to comply with any of the following may result in suspension or revocation of this special permit and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:
 - o All terms and conditions prescribed in this special permit and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
 - o Persons operating under the terms of this special permit must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
 - o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this special permit must receive training on the requirements and conditions of this special permit in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this special permit, including display of its number, when this special permit has expired or is otherwise no longer in effect.

Under Title VII of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU)—"The Hazardous Materials Safety and Security Reauthorization Act of 2005" (Pub. L. 109-59), 119 Stat. 1144 (August 10, 2005),

amended the Federal hazardous materials transportation law by changing the term "exemption" to "special permit" and authorizes a special permit to be granted up to two years for new special permits and up to four years for renewals.

12. <u>REPORTING REQUIREMENTS</u>: Shipments or operations conducted under this special permit are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 - Immediate notice of certain hazardous materials incidents, and 171.16 - Detailed hazardous materials incident reports. In addition, the grantee(s) of this special permit must notify the Associate Administrator for Hazardous Materials Safety, in writing, of any incident involving a package, shipment or operation conducted under terms of this special permit.

Issued in Washington, D.C.:

for William Schoonover

Associate Administrator for Hazardous Materials Safety

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Pipeline and Hazardous Material Safety Administration, U.S. Department of Transportation, East Building PHH-13, 1200 New Jersey Avenue, Southeast, Washington, D.C. 20590.

Copies of this special permit may be obtained by accessing the Hazardous Materials Safety Homepage at https://www.phmsa.dot.gov/approvals-and-permits/hazmat/special-permits-search. Photo reproductions and legible reductions of this special permit are permitted. Any alteration of this special permit is prohibited.

PO: KH